
ne-50-bal-wide: ne_plains, K national 15, WH 10, FI 22, WIFI 3 = 50; FAILS M1 · territories per state




national: 15 districts in 34 states, 4 split: CA FL NY TX · WH: 10 districts in 34 states, 2 split: CA NJ · FI: 22 districts in 34 states, 5 split: CA FL NY OH PA · WIFI: 3 districts in 15 states, 0 split: none

Fill: territories (districts, all 4 channels, 50 in all) owning a ZCTA filed in the state; label: each channel's count there, bold where split; dark outline: split in some channel. Small states: inset B.

Metros: the top 30 CBSA Metro Areas by opportunity $ in this run, as room allows, at their internal points (2025 gazetteer). Opportunity $ = m_rel × the owner's channel totals; no sales data. Run: runs/exp/main_overnight_2026-10-13/ne-50-bal-wide/r2

w1-50-wide: w1, K WIFI 50 = 50; FAILS M1 · territories per state




WIFI: 50 districts in 49 states, 11 split: CA FL GA IL MI NC NJ NY OH PA TX

Fill: territories (districts, all 1 channels, 50 in all) owning a ZCTA filed in the state; label: each channel's count there, bold where split; dark outline: split in some channel. Small states: inset B.

Metros: the top 30 CBSA Metro Areas by opportunity $ in this run, as room allows, at their internal points (2025 gazetteer). Opportunity $ = m_rel × the owner's channel totals; no sales data. Run: runs/exp/main_overnight_2026-10-13/w1-50-wide/r2

ne-52-filight-wide: ne_plains, K national 16, WH 11, FI 22, WIFI 3 = 52; FAILS M1 · territories per state




national: 16 districts in 34 states, 4 split: CA FL NY TX · WH: 11 districts in 34 states, 3 split: CA NJ PA · FI: 22 districts in 34 states, 5 split: CA FL NY OH PA · WIFI: 3 districts in 15 states, 0 split: none

Fill: territories (districts, all 4 channels, 52 in all) owning a ZCTA filed in the state; label: each channel's count there, bold where split; dark outline: split in some channel. Small states: inset B.

Metros: the top 30 CBSA Metro Areas by opportunity $ in this run, as room allows, at their internal points (2025 gazetteer). Opportunity $ = m_rel × the owner's channel totals; no sales data. Run: runs/exp/main_overnight_2026-10-13/ne-52-filight-wide/r2

w1-48-wide: w1, K WIFI 48 = 48; FAILS M1 · territories per state




WIFI: 48 districts in 49 states, 12 split: CA FL GA IL IN MI NC NJ NY OH PA TX

Fill: territories (districts, all 1 channels, 48 in all) owning a ZCTA filed in the state; label: each channel's count there, bold where split; dark outline: split in some channel. Small states: inset B.

Metros: the top 30 CBSA Metro Areas by opportunity $ in this run, as room allows, at their internal points (2025 gazetteer). Opportunity $ = m_rel × the owner's channel totals; no sales data. Run: runs/exp/main_overnight_2026-10-13/w1-48-wide/r2

w1-52-wide: w1, K WIFI 52 = 52; FAILS M1 · territories per state




WIFI: 52 districts in 49 states, 13 split: CA FL GA IL MI NC NJ NY OH PA TN TX VA

Fill: territories (districts, all 1 channels, 52 in all) owning a ZCTA filed in the state; label: each channel's count there, bold where split; dark outline: split in some channel. Small states: inset B.

Metros: the top 30 CBSA Metro Areas by opportunity $ in this run, as room allows, at their internal points (2025 gazetteer). Opportunity $ = m_rel × the owner's channel totals; no sales data. Run: runs/exp/main_overnight_2026-10-13/w1-52-wide/r2

w8-cmp-seed-wide: west8, K national 13, WH 11, FI 24, WIFI 1 = 49; FAILS M1 · territories per state




national: 13 districts in 41 states, 3 split: CA NY TX · WH: 11 districts in 41 states, 1 split: CA · FI: 24 districts in 41 states, 9 split: CA FL GA IL NY OH PA TN TX · WIFI: 1 districts in 8 states, 0 split: none

Fill: territories (districts, all 4 channels, 49 in all) owning a ZCTA filed in the state; label: each channel's count there, bold where split; dark outline: split in some channel. Small states: inset B.

Metros: the top 30 CBSA Metro Areas by opportunity $ in this run, as room allows, at their internal points (2025 gazetteer). Opportunity $ = m_rel × the owner's channel totals; no sales data. Run: runs/exp/main_overnight_2026-10-13/w8-cmp-seed-wide/r2

w8-50-bal-wide: west8, K national 15, WH 11, FI 23, WIFI 1 = 50; FAILS M1 · territories per state




national: 15 districts in 41 states, 3 split: CA NY TX · WH: 11 districts in 41 states, 1 split: CA · FI: 23 districts in 41 states, 9 split: CA FL GA IL IN NY OH PA VA · WIFI: 1 districts in 8 states, 0 split: none

Fill: territories (districts, all 4 channels, 50 in all) owning a ZCTA filed in the state; label: each channel's count there, bold where split; dark outline: split in some channel. Small states: inset B.

Metros: the top 30 CBSA Metro Areas by opportunity $ in this run, as room allows, at their internal points (2025 gazetteer). Opportunity $ = m_rel × the owner's channel totals; no sales data. Run: runs/exp/main_overnight_2026-10-13/w8-50-bal-wide/r2

ne-52-bal-wide: ne_plains, K national 15, WH 11, FI 23, WIFI 3 = 52; FAILS M1 · territories per state




national: 15 districts in 34 states, 4 split: CA FL NY TX · WH: 11 districts in 34 states, 3 split: CA NJ PA · FI: 23 districts in 34 states, 7 split: CA FL NC NY OH PA TN · WIFI: 3 districts in 15 states, 0 split: none

Fill: territories (districts, all 4 channels, 52 in all) owning a ZCTA filed in the state; label: each channel's count there, bold where split; dark outline: split in some channel. Small states: inset B.

Metros: the top 30 CBSA Metro Areas by opportunity $ in this run, as room allows, at their internal points (2025 gazetteer). Opportunity $ = m_rel × the owner's channel totals; no sales data. Run: runs/exp/main_overnight_2026-10-13/ne-52-bal-wide/r2

w8-52-bal-wide: west8, K national 15, WH 12, FI 24, WIFI 1 = 52; FAILS M1 · territories per state




national: 15 districts in 41 states, 3 split: CA NY TX · WH: 12 districts in 41 states, 3 split: CA NJ NY · FI: 24 districts in 41 states, 9 split: CA FL GA IL NY OH PA TN TX · WIFI: 1 districts in 8 states, 0 split: none

Fill: territories (districts, all 4 channels, 52 in all) owning a ZCTA filed in the state; label: each channel's count there, bold where split; dark outline: split in some channel. Small states: inset B.

Metros: the top 30 CBSA Metro Areas by opportunity $ in this run, as room allows, at their internal points (2025 gazetteer). Opportunity $ = m_rel × the owner's channel totals; no sales data. Run: runs/exp/main_overnight_2026-10-13/w8-52-bal-wide/r2

nw34-50-wide: nw34, K national 15, WIFI 35 = 50; FAILS M1 · territories per state




national: 15 districts in 34 states, 4 split: CA FL NY TX · WIFI: 35 districts in 49 states, 12 split: CA CT FL IN MA MD NC NJ NY OH PA TX

Fill: territories (districts, all 2 channels, 50 in all) owning a ZCTA filed in the state; label: each channel's count there, bold where split; dark outline: split in some channel. Small states: inset B.

Metros: the top 30 CBSA Metro Areas by opportunity $ in this run, as room allows, at their internal points (2025 gazetteer). Opportunity $ = m_rel × the owner's channel totals; no sales data. Run: runs/exp/main_overnight_2026-10-13/nw34-50-wide/r2

w8-52-filight-wide: west8, K national 16, WH 12, FI 23, WIFI 1 = 52; FAILS M1 · territories per state




national: 16 districts in 41 states, 3 split: CA NY TX · WH: 12 districts in 41 states, 3 split: CA NJ NY · FI: 23 districts in 41 states, 10 split: CA FL GA IL IN NJ NY OH PA VA · WIFI: 1 districts in 8 states, 0 split: none

Fill: territories (districts, all 4 channels, 52 in all) owning a ZCTA filed in the state; label: each channel's count there, bold where split; dark outline: split in some channel. Small states: inset B.

Metros: the top 30 CBSA Metro Areas by opportunity $ in this run, as room allows, at their internal points (2025 gazetteer). Opportunity $ = m_rel × the owner's channel totals; no sales data. Run: runs/exp/main_overnight_2026-10-13/w8-52-filight-wide/r2

nw34-48-wide: nw34, K national 14, WIFI 34 = 48; FAILS M1 · territories per state




national: 14 districts in 34 states, 5 split: CA FL NJ NY TX · WIFI: 34 districts in 49 states, 12 split: CA FL GA IL MA MD NC NJ NY OH PA TX


Fill: territories (districts, all 2 channels, 48 in all) owning a ZCTA filed in the state; label: each channel's count there, bold where split; dark outline: split in some channel. Small states: inset B.

Metros: the top 30 CBSA Metro Areas by opportunity $ in this run, as room allows, at their internal points (2025 gazetteer). Opportunity $ = m_rel × the owner's channel totals; no sales data. Run: runs/exp/main_overnight_2026-10-13/nw34-48-wide/r2

nw34-52-wide: nw34, K national 16, WIFI 36 = 52; FAILS M1 · territories per state

1 territory in the state
2 territories in the state
3 territories in the state
4 territories in the state
5 territories in the state
6+ territories in the state
Split: 2+ districts of one channel
N = national: 16 districts
W = WIFI: 36 districts
Major metro (CBSA)





national: 16 districts in 34 states, 8 split: AZ CA FL IL NJ NY PA TX · WIFI: 36 districts in 49 states, 11 split: CA FL KY MD NC NJ NY OH PA TN TX

Fill: territories (districts, all 2 channels, 52 in all) owning a ZCTA filed in the state; label: each channel's count there, bold where split; dark outline: split in some channel. Small states: inset B.

Metros: the top 30 CBSA Metro Areas by opportunity $ in this run, as room allows, at their internal points (2025 gazetteer). Opportunity $ = m_rel × the owner's channel totals; no sales data. Run: runs/exp/main_overnight_2026-10-13/nw34-52-wide/r2

ne-50-bal: ne_plains, K national 15, WH 10, FI 22, WIFI 3 = 50; infeasible
FI: no plan up to final_delta 0.0904 (converged)
no map

ne-50-filight: ne_plains, K national 16, WH 11, FI 20, WIFI 3 = 50; infeasible
national: no plan up to final_delta 0.053 (converged)
no map

ne-52-bal: ne_plains, K national 15, WH 11, FI 23, WIFI 3 = 52; infeasible
WH: no plan up to final_delta 0.0778 (converged)
no map

ne-52-filight: ne_plains, K national 16, WH 11, FI 22, WIFI 3 = 52; infeasible
national: no plan up to final_delta 0.053 (converged)
no map

ne-cmp-tierP: ne_plains, K national 15, WH 11, FI 20, WIFI 3 = 49; infeasible
WH: no plan up to final_delta 0.0778 (converged)
no map

nw34-48: nw34, K national 14, WIFI 34 = 48; infeasible
WIFI: no plan up to final_delta 0.0972 (converged)
no map

nw34-50: nw34, K national 15, WIFI 35 = 50; infeasible
WIFI: no plan up to final_delta 0.0706 (converged)
no map

nw34-52: nw34, K national 16, WIFI 36 = 52; infeasible
national: no plan up to final_delta 0.053 (converged)
no map

nw49-48: nw49, K national 15, WIFI 33 = 48; infeasible
national: no plan up to final_delta 0.1445 (converged)
no map

nw49-50: nw49, K national 16, WIFI 34 = 50; infeasible
national: no plan up to final_delta 0.0875 (converged)
no map

nw49-52: nw49, K national 17, WIFI 35 = 52; infeasible
national: no plan up to final_delta 0.0305 (converged)
no map

w1-48: w1, K WIFI 48 = 48; infeasible
WIFI: no plan up to final_delta 0.1286 (converged)
no map

w1-50: w1, K WIFI 50 = 50; infeasible
WIFI: no plan up to final_delta 0.131 (converged)
no map

w1-52: w1, K WIFI 52 = 52; infeasible
WIFI: no plan up to final_delta 0.0962 (converged)
no map

w8-48-bal: west8, K national 14, WH 11, FI 22, WIFI 1 = 48; infeasible
national: no plan up to final_delta 0.1755 (converged)
no map

w8-50-bal: west8, K national 15, WH 11, FI 23, WIFI 1 = 50; infeasible
national: no plan up to final_delta 0.1166 (converged)
no map

w8-50-filight: west8, K national 16, WH 12, FI 21, WIFI 1 = 50; infeasible
national: no plan up to final_delta 0.0577 (converged)
no map

w8-52-bal: west8, K national 15, WH 12, FI 24, WIFI 1 = 52; infeasible
national: no plan up to final_delta 0.1166 (converged)
no map

w8-52-filight: west8, K national 16, WH 12, FI 23, WIFI 1 = 52; infeasible
national: no plan up to final_delta 0.0577 (converged)
no map

w8-cmp-seed: west8, K national 13, WH 11, FI 24, WIFI 1 = 49; infeasible
national: no plan up to final_delta 0.1004 (converged)
no map

ne-48-bal: ne_plains, K national 14, WH 10, FI 21, WIFI 3 = 48; stopped
the 8 h stop during score_r2
no map

ne-50-filight-wide: ne_plains, K national 16, WH 11, FI 20, WIFI 3 = 50; stopped
the 8 h stop during draw_retry
no map

ne-cmp-tierP-wide: ne_plains, K national 15, WH 11, FI 20, WIFI 3 = 49; stopped
the 8 h stop during draw_retry
no map

w8-48-bal-wide: west8, K national 14, WH 11, FI 22, WIFI 1 = 48; stopped
the 8 h stop during score_draw_retry
no map

w8-50-filight-wide: west8, K national 16, WH 12, FI 21, WIFI 1 = 50; stopped
the 8 h stop during r1
no map