

Question_4:

Code:

```
1  /*
2  Question_4:
3  Find the maximum money APPU can earn by buying at most k laptops.
4  */
5  #include <iostream>
6  using namespace std;
7
8  void bubble_sort(int arr[], int n) {
9      for (int i = 0; i < n - 1; i++)
10         for (int j = 0; j < n - i - 1; j++)
11             if (arr[j] > arr[j + 1])
12                 swap(arr[j], arr[j + 1]);
13 }
14 int MEGA_SALE(int arr[], int n, int k) {
15     bubble_sort(arr, n);
16
17     int ans = 0, count = 0;
18     for (int i = 0; i < n && count < k; i++) {
19         if (arr[i] < 0) {
20             ans -= arr[i];
21             count++;
22         }
23     }
24     return ans;
25 }
26 int main() {
27     int T;
28     cin >> T;
29
30     while (T--) {
31         int n, k;
```

```
32         cin >> n >> k;  
33  
34         int arr[n];  
35  
36         for (int i = 0; i < n; i++)  
37             cin >> arr[i];  
38  
39         cout << MEGA_SALE(arr, n, k) << endl;  
40     }  
41     return 0;  
42 }
```

Output:

Test Case_1:

```
1  
5 3  
-6 0 35 -2 4  
8  
PS C:\Users\Prabin Yadav\
```

Test Case_2:

```
2  
6 2  
-4 5 0 -1 2 1  
5  
7 4  
6 1 0 -2 2 -4 3  
6  
PS C:\Users\Prabin Yadav\
```