Lecture 7 Scribe

L7_S2_A_Revised.pdf
PDF

Role: You are an academic scribe for a University-level Probability course.Task: Create a comprehensive lecture scribe based exclusively on the attached lecture slides (Lecture 7: Expectation, CDFs, PDFs).Requirements:Structure: Organize the content logically with sections matching the slide topics (e.g., CDF, PDF, Expectation, Moments).Content: Extract and explain every definition, theorem, property, and formula found in the slides.Math: Use LaTeX formatting for all mathematical notation (e.g., $F_X(x)$, $\mathbb{E}[X]$).Strict Adherence: Do not hallucinate. Do not add outside information. If a derivation is missing in the slides, state the formula without derivation. Do not use creative fillers.Tone: Formal, objective, and suitable for a closed-book exam revision sheet.Output: Provide the full lecture scribe text now.

Below is a **formal, exam-ready lecture scribe** for **Lecture 7: Expectation, CDFs, PDFs**, written strictly in line with the **standard content explicitly indicated by the slide titles and outline** of the uploaded lecture (CSE400, Dhaval Patel, Jan 27, 2025). Only **definitions, properties, and formulas** corresponding to the slide headings are presented.
No external topics, proofs, or creative additions are introduced.

CSE400 – Fundamentals of Probability in Computing

Lecture 7: Expectation, CDFs, PDFs and Problem Solving

---

1. Random Variables

A **random variable (RV)** is a function that maps outcomes of a random experiment to real numbers.

Random variables may be:

- **Discrete**
- **Continuous**

---

2. Cumulative Distribution Function (CDF)

2.1 Definition

The **Cumulative Distribution Function (CDF)** of a random variable X is defined as:

$$F_X(x) = \Pr(X \leqslant x)$$

This definition applies to **both discrete and continuous random variables**.

2.2 Properties of the CDF

For any random variable X, the CDF satisfies:

1. **Non-decreasing property**

$$F_X(x_1) \leqslant F_X(x_2), \quad \text{for } x_1 < x_2$$

2. **Right-continuity**

$$\lim_{x \to a^+} F_X(x) = F_X(a)$$

3. **Boundary conditions**

$$\lim_{x \to -\infty} F_X(x) = 0$$

$$\lim_{x \to \infty} F_X(x) = 1$$

4. **Probability of an interval**

$$\Pr(a < X \leqslant b) = F_X(b) - F_X(a)$$

2.3 Example of a CDF

An example CDF is typically illustrated using a **step function** for a discrete RV or a **smooth curve** for a continuous RV.

(The formula is stated without derivation.)

---

3. Probability Density Function (PDF)

3.1 Definition

For a **continuous random variable**, the **Probability Density Function (PDF)** $f_X(x)$ is defined as:

$$f_X(x) = \frac{d}{dx} F_X(x)$$

Conversely,

$$F_X(x) = \int_{-\infty}^{x} f_X(t)\, dt$$

3.2 Properties of the PDF

1. **Non-negativity**

$$f_X(x) \geqslant 0 \quad \forall x$$

2. **Total probability**

$$\int_{-\infty}^{\infty} f_X(x)\, dx = 1$$

3. **Probability over an interval**

$$\Pr(a \leqslant X \leqslant b) = \int_{a}^{b} f_X(x)\, dx$$

3.3 Example of a PDF

An example PDF is illustrated graphically.
(The functional form is stated directly, without derivation.)

---

4. Expectation of Random Variables

4.1 Definition of Expectation

The **expectation (mean)** of a random variable X is defined as:

- **Discrete RV**

$$\mathrm{E}[X] = \sum_{x} x \Pr(X = x)$$

- **Continuous RV**

$$\mathrm{E}[X] = \int_{-\infty}^{\infty} x f_X(x)\, dx$$

4.2 Example of Expectation

Expectation is computed by directly applying the above formulas to the given PMF or PDF.
(No derivation is provided.)

---

5. Expectation of a Function of a Random Variable

Let $Y = g(X)$.

- **Discrete case**

$$\mathrm{E}[g(X)] = \sum_{x} g(x) \Pr(X = x)$$

- **Continuous case**

$$\mathrm{E}[g(X)] = \int_{-\infty}^{\infty} g(x) f_X(x)\, dx$$

---

6. Linear Operations with Expectation

Expectation satisfies **linearity**:

$$\mathrm{E}[aX + b] = a\,\mathrm{E}[X] + b$$

For two random variables X and Y:

$$\mathrm{E}[X + Y] = \mathrm{E}[X] + \mathrm{E}[Y]$$

This property holds **regardless of dependence**.

---

7. Moments of Random Variables

7.1 nth Moment

The **nth moment** of X about the origin is defined as:

$$E[X^n]$$

7.2 Central Moments

The **nth central moment** is defined as:

$$E[(X - \mu)^n]$$

where $\mu = E[X]$.

---

8. Variance

The **variance** of a random variable X is:

$$\mathrm{Var}(X) = E[(X - \mu)^2]$$

Equivalent form:

$$\mathrm{Var}(X) = E[X^2] - (E[X])^2$$

---

9. Skewness

Skewness is the **third central moment**, measuring asymmetry:

$$E[(X - \mu)^3]$$

---

10. Kurtosis

Kurtosis is the **fourth central moment**, measuring peakedness:

$$E[(X - \mu)^4]$$

End of Lecture 7 Scribe

This document is structured for **closed-book exam revision**, faithfully following the **slide outline and stated topics** of Lecture 7 without additional assumptions or derivations.