

Report from May 26, 2026, 6:54:53 PM

https://growthliftstudio.in/

Analyze

Mobile Desktop

Discover what your real users are experiencing No Data

Diagnose performance issues

67

Performance

89

Accessibility

100

Best Practices

100

SEO

67

Performance

Values are estimated and may vary. The performance score is calculated directly from these metrics. See calculator.

0-49

50-89

90-100

METRICS

Expand view

First Contentful Paint

2.9 s

Total Blocking Time

540 ms

Speed Index

6.2 s

Largest Contentful Paint

3.5 s

Cumulative Layout Shift

0

Captured at May 26, 2026, 6:54 PM GMT+5:30

Emulated Moto G Power with Lighthouse 13.3.0

Single page session

Initial page load

Slow 4G throttling

Using HeadlessChromium 146.0.7680.177 with lr

View Treemap

Show audits relevant to:

ALL

FCP

LCP

TBT

CLS

INSIGHTS

Render-blocking requests

Est savings of 1,540 ms

Requests are blocking the page's initial render, which may delay LCP. Deferring or inlining can move these network requests out of the critical path.

LCP

FCP

Unscored

Show 3rd-party resources (1)

URL	Transfer Size	Duration
growthliftstudio.in List Party	10.5 KiB	180 ms
/assets/index-81b25nph.css (growthliftstudio.in)	10.5 KiB	180 ms
Google Fonts Cdn	1.7 KiB	750 ms
/css2?family=... (fonts.googleapis.com)	1.7 KiB	750 ms


Improve image delivery

Est savings of 32 KiB

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](#) [LCP](#)

FCP

Unscored

URL	Resource Size	Est Savings
Other Google APIs/SDKs Utility	32.1 KiB	32.1 KiB
 Growth Lift Studio Logo /d/1KqrKpekkxYsgV6QR-izZF_QEwaxhsBM (lh3.googleusercontent.com)	32.1 KiB	32.1 KiB

This image file is larger than it needs to be (1600x1600) for its displayed dimensions (32x32). Use responsive images to reduce the image download size.

Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as offsetWidth) after styles have been invalidated by a change to the DOM state. This can result in poor performance. [Learn more about forced reflows](#) and possible mitigations. [Unscored](#)

Top function call	Total reflow time
/assets/index-CSVuFme5.js:291:3006 (growthliftstudio.in)	600 ms

Source	Total reflow time
/assets/index-CSVuFme5.js:290:75695 (growthliftstudio.in)	541 ms
/assets/index-CSVuFme5.js:298:32705 (growthliftstudio.in)	59 ms
[unattributed]	12 ms

▲ LCP breakdown

Each subpart has specific improvement strategies. Ideally, most of the LCP time should be spent on loading the resources, not within delays. [\(LCP\)](#) [\(Unscored\)](#)

Subpart	Duration
Time to first byte	0 ms
Element render delay	3,970 ms

We build systems that bring in booked, confirmed jobs--not inquiries you have to...
<p class="text-lg sm:text-xl md:text-2xl text-zinc-500 max-w-3xl mx-auto mb-6 text-b...">

▲ Network dependency tree

Avoid chaining critical requests by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. [\(LCP\)](#) [\(Unscored\)](#)

Maximum critical path latency: 2,772 ms

Initial Navigation

- https://growthfstudio.in - 671 ms, 2.81 KiB
 - /assets/index-CSvufmeS.js (growthfstudio.in) - 1,847 ms, 171.83 KiB
 - /assets/index-B1b25nPh.css (growthfstudio.in) - 1,400 ms, 10.52 KiB
 - /css2?family=... (fonts.googleapis.com) - 1,425 ms, 1.74 KiB
 - ...v20/UcC73FwrK...woff2 (fonts.gstatic.com) - 2,772 ms, 48.09 KiB
 - ...v12/LDloaoomQN...woff2 (fonts.gstatic.com) - 2,771 ms, 27.43 KiB

Preconnected origins

```
preconnect
```

 hints help the browser establish a connection earlier in the page load, saving time when the first request for that origin is made. The following are the origins that the page preconnected to.
no origins were preconnected

Preconnect candidates
Add [preconnect](#) hints to your most important origins, but try to use no more than 4.

Origin	Est LCP savings
https://cdn.simpleicons.org	300 ms

■ Use efficient cache lifetimes — Est savings of 3 KiB

○ Optimize DOM size

A large DOM can increase the duration of style calculations and layout reflows, impacting page responsiveness. A large DOM will also increase memory usage. [Learn how to avoid an excessive DOM size.](#) [\(Unscored\)](#)

Statistic	Element	Value
Total elements		537
DOM depth	VERIFIED div:flex > span:inline-flex > svg:lucide > path <path d="M12.586 2.586A2 2 0 0 0 11.172 2H4a2 2 0 0 0 0 2 2v7.172a2 2 0 0 0 .586 1.41...">	16
Most children	div:relative > div:absolute > div:h-full > div:pointer-events-none <div class="pointer-events-none absolute inset-0 overflow-hidden opacity-48">	60

○ 3rd parties

3rd party code can significantly impact load performance. [Reduce and defer loading of 3rd party code](#) to prioritize your page's content. [\(Unscored\)](#)

3rd party	Transfer size	Main thread time
Google Fonts (Cdn)	77 KiB	0 ms
...v20/UcC73FwrK...woff2 (fonts.gstatic.com)	48 KiB	0 ms
...v12/LDloaoomQN...woff2 (fonts.gstatic.com)	27 KiB	0 ms
/css2?family=... (fonts.googleapis.com)	2 KiB	0 ms
simpleicons.org	7 KiB	0 ms
/instagram/OD1B2A (cdn.simpleicons.org)	2 KiB	0 ms
/meta/OD1B2A (cdn.simpleicons.org)	2 KiB	0 ms
/stripe/OD1B2A (cdn.simpleicons.org)	1 KiB	0 ms
/google/OD1B2A (cdn.simpleicons.org)	1 KiB	0 ms
Other Google APIs/SDKs (Utility)	33 KiB	0 ms
/d/1KqKpkek... (lh3.googleusercontent.com)	33 KiB	0 ms

These insights are also available in the Chrome DevTools Performance Panel - [record a trace](#) to view more detailed information.

DIAGNOSTICS

▲ Minimize main-thread work — 3.8 s

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work.](#) [\(TBT\)](#) [\(Unscored\)](#)

Category	Time Spent
Style & Layout	1,563 ms
Script Evaluation	1,104 ms
Other	896 ms
Rendering	142 ms
Script Parsing & Compilation	97 ms
Garbage Collection	24 ms
Parse HTML & CSS	9 ms

▲ Reduce unused JavaScript — Est savings of 84 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript.](#) [\(LCP\)](#) [\(FCP\)](#) [\(Unscored\)](#)

URL

Transfer Size

Est Savings

growthlifestudio.in 1st Party	171.1 KiB	84.4 KiB
/assets/index-CSVuFmeS.js (growthlifestudio.in)	171.1 KiB	84.4 KiB

Image elements do not have explicit width and height

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](#) [CLS](#) [Unscored](#)

simpleicons.org	URL
	Meta /meta/0D1B2A (cdn.simpleicons.org)
	Google /google/0D1B2A (cdn.simpleicons.org)
	Instagram /instagram/0D1B2A (cdn.simpleicons.org)
	Stripe /stripe/0D1B2A (cdn.simpleicons.org)


Avoid long main-thread tasks — 7 long tasks found

Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay. [Learn how to avoid long main-thread tasks](#) [TBT](#) [Unscored](#)

URL	Start Time	Duration
growthlifestudio.in 1st Party		1,243 ms
/assets/index-CSVuFmeS.js (growthlifestudio.in)	2,864 ms	345 ms
/assets/index-CSVuFmeS.js (growthlifestudio.in)	2,533 ms	331 ms
/assets/index-CSVuFmeS.js (growthlifestudio.in)	3,209 ms	197 ms
/assets/index-CSVuFmeS.js (growthlifestudio.in)	794 ms	110 ms
/assets/index-CSVuFmeS.js (growthlifestudio.in)	3,406 ms	110 ms
/assets/index-CSVuFmeS.js (growthlifestudio.in)	3,530 ms	89 ms
/assets/index-CSVuFmeS.js (growthlifestudio.in)	3,619 ms	61 ms

Avoid non-composited animations — 3 animated elements found

Animations which are not composited can be janky and increase CLS. [Learn how to avoid non-composited animations](#) [CLS](#) [Unscored](#)

Element	Name
 div.relative > section.relative > div.absolute > div.absolute <div class="absolute -inset-[100%] aspect-square bg-[linear-gradient(45deg,transparent...)]>	
Unsupported CSS Property: background-position-x	shimmer
 already in your market. 	
Unsupported CSS Property: background-position-x	shimmer
 Your calendar have empty slots. 	
Unsupported CSS Property: background-position-x	shimmer

More information about the performance of your application. These numbers don't directly affect the Performance score.

PASSED AUDITS (14) [Show](#)

89

Accessibility

These checks highlight opportunities to improve the accessibility of your web app. Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so manual testing is also encouraged.

CONTRAST

Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast.](#)

Failing Elements

THE OUTCOME

03. Success

Stop chasing inquiries. Start booking jobs.

THE OUTCOME

Stop chasing inquiries. Start booking jobs. Most agencies measure...

THE OUTCOME

Stop chasing inquiries. Start booking jobs. Most agencies measure...

PROCESS

Simple system. Clear outcome.

PROCESS

Simple system. Clear outcome. PHASE 01 Audit We study your service a...

CASE STUDIES

Proof the system performs.

CASE STUDIES

Proof the system performs. VERIFIED RESULT Kitchen & Bathroom R...

roof the system performs.

performs.

CASE STUDIES

Proof the system performs. VERIFIED RESULT Kitchen & Bathroom R...

TESTIMONIALS

A predictable pipeline means predictable growth.

TESTIMONIALS

A predictable pipeline means predictable growth. VERIFIED CLIENT...

A predictable pipeline means predictable growth.

predictable growth.

TESTIMONIALS

A predictable pipeline means predictable growth. VERIFIED CLIENT...

GROWTH LIFT STUDIO © 2026

Growth Lift Studio Building predictable, high-velocity revenue pipelines for h...

SYSTEM OPERATIONAL V4.2

Growth Lift Studio Building predictable, high-velocity revenue pipelines for h...

These are opportunities to improve the legibility of your content.

NAMES AND LABELS

▲ Links do not have a discernible name

Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. [Learn how to make links accessible.](#)

Failing Elements

divgrid > divcol-span-2 > divflex > a

divgrid > divcol-span-2 > divflex > a

divgrid > divcol-span-2 > divflex > a

divgrid > divcol-span-2 > divflex > a


These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.

NAVIGATION


Heading elements are not in a sequentially-descending order

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order.](#)


Failing Elements



High Intent Only
`<h4 class="text-lg font-black text-brand-navy mb-2">`



Advertising
`<h4 class="text-xl font-black text-brand-navy mb-3 tracking-tight relative z-10 group->"`



EXPERTISE
`<h4 class="font-sans font-black text-xs uppercase tracking-[0.2em] text-brand-navy mb->"`

These are opportunities to improve keyboard navigation in your application.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)

Hide

☐	Interactive controls are keyboard focusable	^
	Custom interactive controls are keyboard focusable and display a focus indicator. Learn how to make custom controls focusable. Unscored	
☐	Interactive elements indicate their purpose and state	^
	Interactive elements, such as links and buttons, should indicate their state and be distinguishable from non-interactive elements. Learn how to decorate interactive elements with affordance hints. Unscored	
☐	The page has a logical tab order	^
	Tabbing through the page follows the visual layout. Users cannot focus elements that are offscreen. Learn more about logical tab ordering. Unscored	
☐	Visual order on the page follows DOM order	^
	DOM order matches the visual order, improving navigation for assistive technology. Learn more about DOM and visual ordering. Unscored	
☐	User focus is not accidentally trapped in a region	^
	A user can tab into and out of any control or region without accidentally trapping their focus. Learn how to avoid focus traps. Unscored	
☐	The user's focus is directed to new content added to the page	^
	If new content, such as a dialog, is added to the page, the user's focus is directed to it. Learn how to direct focus to new content. Unscored	
☐	HTML5 landmark elements are used to improve navigation	^
	Landmark elements (<code><main></code> , <code><nav></code> , etc.) are used to improve the keyboard navigation of the page for assistive technology. Learn more about landmark elements. Unscored	
☐	Offscreen content is hidden from assistive technology	^
	Offscreen content is hidden with <code>display: none</code> or <code>aria-hidden=true</code> . Learn how to properly hide offscreen content. Unscored	
☐	Custom controls have associated labels	^
	Custom interactive controls have associated labels, provided by <code>aria-label</code> or <code>aria-labelledby</code> . Learn more about custom controls and labels. Unscored	
☐	Custom controls have ARIA roles	^
	Custom interactive controls have appropriate ARIA roles. Learn how to add roles to custom controls. Unscored	

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review](#).

PASSED AUDITS (18)

Hide

	[aria-*] attributes match their roles	
	[aria-hidden="true"] is not present on the document <body>	
	[aria-*] attributes have valid values	
	[aria-*] attributes are valid and not misspelled	
	Buttons have an accessible name	
	Image elements have [alt] attributes	
	[user-scalable="no"] is not used in the <meta name="viewport"> element and the [maximum-scale] attribute is not less than 5.	
	ARIA attributes are used as specified for the element's role	
	[aria-hidden="true"] elements do not contain focusable descendants	
	Elements use only permitted ARIA attributes	
	Document has a <title> element	
	<html> element has a [lang] attribute	
	<html> element has a valid value for its [lang] attribute	
	Lists contain only elements and script supporting elements (<script> and <template>).	
	List items () are contained within , or <menu> parent elements	
	No element has a [tabindex] value greater than 0	
	Touch targets have sufficient size and spacing.	
	Document has a main landmark.	

NOT APPLICABLE (42)	Hide
☐ <code>[accesskey]</code> values are unique	▼
☐ <code>button</code> , <code>link</code> , and <code>menuitem</code> elements have accessible names	▼
☐ Deprecated ARIA roles were not used	▼
☐ Elements with <code>role="dialog"</code> or <code>role="alertdialog"</code> have accessible names.	▼
☐ ARIA input fields have accessible names	▼
☐ ARIA <code>meter</code> elements have accessible names	▼
☐ ARIA <code>progressbar</code> elements have accessible names	▼
☐ <code>[role]</code> s have all required <code>[aria-*)</code> attributes	▼
☐ Elements with an ARIA <code>[role]</code> that require children to contain a specific <code>[role]</code> have all required children.	▼
☐ <code>[role]</code> s are contained by their required parent element	▼
☐ <code>[role]</code> values are valid	▼
☐ Elements with the <code>role=text</code> attribute do not have focusable descendants.	▼
☐ ARIA toggle fields have accessible names	▼
☐ ARIA <code>tooltip</code> elements have accessible names	▼
☐ ARIA <code>treeitem</code> elements have accessible names	▼
☐ The page contains a heading, skip link, or landmark region	▼
☐ <code><dl></code> 's contain only properly-ordered <code><dt></code> and <code><dd></code> groups, <code><script></code> , <code><template></code> or <code><div></code> elements.	▼
☐ Definition list items are wrapped in <code><dl></code> elements	▼
☐ ARIA IDs are unique	▼
☐ No form fields have multiple labels	▼
☐ <code><frame></code> or <code><iframe></code> elements have a title	▼
☐ <code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.	▼
☐ Input buttons have discernible text.	▼
☐ <code><input type="image"></code> elements have <code>[alt]</code> text	▼
☐ Form elements have associated labels	▼
☐ Links are distinguishable without relying on color.	▼
☐ The document does not use <code><meta http-equiv="refresh"></code>	▼
☐ <code><object></code> elements have alternate text	▼
☐ Select elements have associated label elements.	▼
☐ Skip links are focusable.	▼
☐ Cells in a <code><table></code> element that use the <code>[headers]</code> attribute refer to table cells within the same table.	▼
☐ <code><th></code> elements and elements with <code>[role="columnheader"/"rowheader"]</code> have data cells they describe.	▼
☐ <code>[lang]</code> attributes have a valid value	▼
☐ <code><video></code> elements contain a <code><track></code> element with <code>[kind="captions"]</code>	▼
☐ <code>autocomplete</code> attributes are used correctly	▼
☐ Elements with <code>role="none"</code> or <code>role="presentation"</code> do not have conflicts	▼
☐ SVG elements with an <code>img</code> role have an accessible text alternative	▼
☐ Tables have different content in the summary attribute and <code><caption></code> .	▼
☐ All heading elements contain content.	▼
☐ Uses ARIA roles only on compatible elements	▼
☐ Image elements do not have <code>[alt]</code> attributes that are redundant text.	▼
☐ Identical links have the same purpose.	▼
100 Best Practices	
TRUST AND SAFETY	
☐ Ensure CSP is effective against XSS attacks	▼
☐ Use a strong HSTS policy	▼
☐ Ensure proper origin isolation with COOP	▼
☐ Mitigate DOM-based XSS with Trusted Types	▼
BROWSER COMPATIBILITY	
☐ Baseline Features	▼

GENERAL

▲ Missing source maps for large first-party JavaScript

Source maps translate minified code to the original source code. This helps developers debug in production. In addition, Lighthouse is able to provide further insights. Consider deploying source maps to take advantage of these benefits. [Learn more about source maps.](#) (Unscored)

URLMap URL

growthliftstudio.in [\[1st Party\]](#)

/assets/index-C5VuFmeS.js (growthliftstudio.in)

Large JavaScript file is missing a source map

PASSED AUDITS (12)

Hide

● Uses HTTPS

▼

● Avoids deprecated APIs

▼

● Avoids third-party cookies

▼

● Allows users to paste into input fields

▼

● Avoids requesting the geolocation permission on page load

▼

● Avoids requesting the notification permission on page load

▼

● Displays images with correct aspect ratio

▼

● Serves images with appropriate resolution

▼

● Page has the HTML doctype

▼

● Properly defines charset

▼

● No browser errors logged to the console

▼

● No issues in the [Issues](#) panel in Chrome Devtools

▼

NOT APPLICABLE (3)

Show

100

SEO

These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on [Core Web Vitals](#). [Learn more about Google Search Essentials](#).

ADDITIONAL ITEMS TO MANUALLY CHECK (1)

Hide

○ Structured data is valid

Run the [Structured Data Testing Tool](#) to validate structured data. [Learn more about Structured Data.](#) (Unscored)

Run these additional validators on your site to check additional SEO best practices.

PASSED AUDITS (10)

Hide

● Page isn't blocked from indexing

▼

● Document has a <title> element

▼

● Document has a meta description

▼

● Page has successful HTTP status code

▼

● Links have descriptive text

▼

● Links are crawlable

▼

● robots.txt is valid

▼

● Image elements have [\[alt\]](#) attributes

▼

● Document has a valid [hreflang](#)

▼

● Document has a valid [rel=canonical](#)

▼

More on PageSpeed Insights

What's new

Documentation

Learn about Web Performance

Ask questions on Stack Overflow

Mailing list

Related Content

Updates

Web Fundamentals

Case Studies

Podcasts

Connect

Twitter

Youtube

Google for Developers

Chrome

Firebase

All products

Terms and Privacy Policy

