


Sql Script


Name: Đinh Việt Quang

Student ID: 20215235

1. Entity relationship diagram



2. Database schema



3. SQL script code

```
CREATE TABLE Media (  
    id INT NOT NULL,  
    title VARCHAR(100),  
    categoryType VARCHAR(50),  
    value INT NOT NULL,  
    price INT NOT NULL,  
    quantity INT,  
    imageURL VARCHAR(200)  
);  
  
ALTER TABLE Media  
ADD CONSTRAINT PK_Media PRIMARY KEY (id);
```

```
CREATE TABLE PaymentTransaction (  
    id INT NOT NULL,  
    content VARCHAR(200) NOT NULL,  
    bankName VARCHAR(50) NOT NULL,  
    method VARCHAR(200) NOT NULL,  
    status VARCHAR(50) NOT NULL,  
    time DATETIME NOT NULL,  
);  
  
ALTER TABLE PaymentTransaction  
ADD CONSTRAINT PK_PaymentTransaction PRIMARY KEY (id);
```

```
CREATE TABLE Invoice (  
    id INT NOT NULL,
```

```
    order_id INT NOT NULL,  
    totalAmount INT NOT NULL,  
    vat INT NOT NULL,  
    paymentTransaction_id INT NOT NULL  
);  
  
ALTER TABLE Invoice  
ADD CONSTRAINT PK_Invoice PRIMARY KEY (id);
```

```
CREATE TABLE Order (  
    id INT NOT NULL,  
    shippingFees FLOAT NOT NULL,  
    delivery_id INT NOT NULL  
);  
  
ALTER TABLE Order  
ADD CONSTRAINT PK_Order PRIMARY KEY (id);
```

```
CREATE TABLE DeliveryInformation (  
    id INT NOT NULL,  
    name VARCHAR(50),  
    phone VARCHAR(50) NOT NULL,  
    province VARCHAR(2000) NOT NULL,  
    address VARCHAR(200) NOT NULL,  
);  
  
ALTER TABLE DeliveryInformation  
ADD CONSTRAINT PK_DeliveryInformation PRIMARY KEY (id);
```

```
CREATE TABLE ShippingInfomation (  
    id INT NOT NULL,  
    shippingFees FLOAT NOT NULL,  
    delivery_id INT NOT NULL,  
    order_id INT NOT NULL,  
    totalAmount INT NOT NULL,  
    vat INT NOT NULL,  
    paymentTransaction_id INT NOT NULL  
);
```

```
id INT NOT NULL,  
shippingMethod_id INT NOT NULL,  
orderMedia_id INT NOT NULL,  
shippingFee INT NOT NULL  
);  
ALTER TABLE shippingInformation  
ADD CONSTRAINT PK_shippingInformation PRIMARY KEY (id);
```

```
CREATE TABLE OrderMedia (  
id INT NOT NULL,  
order_id INT NOT NULL  
media_id INT NOT NULL,  
quantity INT NOT NULL,  
price FLOAT NOT NULL  
);  
ALTER TABLE OrderMedia  
ADD CONSTRAINT PK_OrderMedia PRIMARY KEY (id);
```

```
CREATE TABLE RushOrder (  
id INT NOT NULL,  
instruction VARCHAR(2000) NOT NULL,  
deliveryTime DATETIME NOT NULL,  
shippingInfo_id INT NOT NULL,  
shippingMethod_id INT NOT NULL,  
)  
ALTER TABLE RushOrder  
ADD CONSTRAINT PK_RushOrder PRIMARY KEY (id);
```

```
CREATE TABLE ShippingMethod (  
    id INT NOT NULL,  
    name VARCHAR(50) NOT NULL,  
    description VARCHAR(2000) NOT NULL,  
);  
  
ALTER TABLE ShippingMethod  
ADD CONSTRAINT PK_ShippingMethod PRIMARY KEY (id);
```

```
CREATE TABLE MediaShippingMethod (  
    id INT NOT NULL,  
    shippingMethod_id INT NOT NULL,  
    media_id INT NOT NULL  
);  
  
ALTER TABLE MediaShippingMethod  
ADD CONSTRAINT PK_MediaShippingMethod PRIMARY KEY (id);
```

```
ALTER TABLE MediaShippingMethod  
ADD CONSTRAINT FK_MediaShippingMethod_0 FOREIGN KEY (media_id)  
REFERENCES Media (id);
```

```
ALTER TABLE MediaShippingMethod  
ADD CONSTRAINT FK_MediaShippingMethod_1 FOREIGN KEY (shippingMethod_id)  
REFERENCES ShippingMethod (id);
```

```
ALTER TABLE Order  
ADD CONSTRAINT FK_Order_0 FOREIGN KEY (deliveryAddress_id) REFERENCES  
DeliveryAddress (id);
```

ALTER TABLE OrderMedia

ADD CONSTRAINT FK_OrderMedia_0 FOREIGN KEY (media_id) REFERENCES Media (id);

ALTER TABLE OrderMedia

ADD CONSTRAINT FK_OrderMedia_1 FOREIGN KEY (order_id) REFERENCES Order (id);

ALTER TABLE ShippingInfomation

ADD CONSTRAINT FK_ShippingInfomation_0 FOREIGN KEY (orderMedia_id) REFERENCES OrderMedia (id);

ALTER TABLE ShippingInfomation

ADD CONSTRAINT FK_ShippingInfomation_1 FOREIGN KEY (shippingMethod_id) REFERENCES ShippingMethod (id);

ALTER TABLE RushOrder

ADD CONSTRAINT FK_RushOrder_0 FOREIGN KEY (shippingInfo_id) REFERENCES ShippingInfomation (id);

ALTER TABLE RushOrder

ADD CONSTRAINT FK_RushOrder_1 FOREIGN KEY (shippingMethod_id) REFERENCES ShippingMethod (id);

ALTER TABLE Invoice

ADD CONSTRAINT FK_Invoice_0 FOREIGN KEY (order_id) REFERENCES Order (id);

ALTER TABLE Invoice

ADD CONSTRAINT FK_Invoice_1 FOREIGN KEY (paymentTransaction_id) REFERENCES PaymentTransaction (id);