


Reported brucellosis outbreaks in Nigeria by year, 2008-2023


Sum of the WAHIS “New outbreaks” field. 39 outbreaks across 24 records in 10 of 16 years.



6 years carry no WAHIS record. That is an absence of a reported event, not verified absence of disease.
Source: WOAHA WAHIS quantitative data, Nigeria, Brucellosis (extract “WAHIS BRUSCELLAQuantitative data 2026-08-18.csv”), 24 records, 39 reported new outbreaks, 2008-2023.

Reported brucellosis outbreaks by state, 2008-2023


15 of Nigeria’s 37 states (36 + FCT) appear in the extract; the other 22 have no record.



Reported outbreak distribution, not confirmed epidemiological hotspots — WAHIS supplies no denominators or surveillance-intensity data.
Source: WOAHA WAHIS quantitative data, Nigeria, Brucellosis (extract “WAHIS BRUSCELLAQuantitative data 2026-08-18.csv”), 24 records, 39 reported new outbreaks, 2008-2023.

Reported outbreaks by geopolitical zone (derived)

Zone totals roll up the state figures using Nigeria's standard 6-zone grouping.




DERIVED, not WAHIS-native: WAHIS reports Administrative Division (state) only. South South has no reporting state in this extract.

Source: WOAHS WAHIS quantitative data, Nigeria, Brucellosis (extract "WAHIS BRUSCELLAQuantitative data 2026-08-18.csv"), 24 records, 39 reported new outbreaks, 2008–2023.

Brucella species / category, by reported outbreaks

Derived from the WAHIS "Disease" field, which varies per record.




The dedicated Serotype/Subtype/Genotype WAHIS field is empty in all 24 records and is NOT the source of this breakdown.

Source: WOAHA WAHIS quantitative data, Nigeria, Brucellosis (extract "WAHIS BRUSCELLAQuantitative data 2026-08-18.csv"), 24 records, 39 reported new outbreaks, 2008-2023.

Distribution by WAHIS reporting semester

How the 39 reported outbreaks fall across the two half-year reporting periods.




A distribution by reporting semester — NOT a seasonality finding. No seasonal analysis is established by this extract.

Source: WOAHA WAHIS quantitative data, Nigeria, Brucellosis (extract "WAHIS BRUSCELLAQuantitative data 2026-08-18.csv"), 24 records, 39 reported new outbreaks, 2008–2023.

Reporting continuity: state × year


Where a WAHIS record exists, and what it reported. 16 of 32 half-year periods are represented.



Blank cells mean no WAHIS record was identified for that state-year — a reporting gap, not a verified absence of disease.
Source: WOAHS WAHIS quantitative data, Nigeria, Brucellosis (extract “WAHIS BRUSCELLAQuantitative data 2026-08-18.csv”), 24 records, 39 reported new outbreaks, 2008–2023.

WAHIS field completeness across the 24 Nigeria records

6 fields are fully populated; 11 are empty in every record (shown as hollow bars).



A data-quality measure, not an epidemiological one. Because Cases, Susceptible, Deaths and Vaccinated are empty, no incidence, prevalence, case-fatality or vaccination-coverage figure can be computed from this extract.

Source: WOAHAHIS quantitative data, Nigeria, Brucellosis (extract "WAHIS BRUSCELLAQuantitative data 2026-08-18.csv"), 24 records, 39 reported new outbreaks, 2008–2023.