



# TrustOS

## Product Blueprint & Engineering Handbook

Single source of truth · Freeze edition

### Version 1.0

Author: **Ravi Teja Sadanala**

July 2026

A professional operating system for service businesses.

Consolidates Blueprint v3.1, the Product Constitution and the MVP repository.

# Table of Contents

---

|           |                                      |           |
|-----------|--------------------------------------|-----------|
| <b>01</b> | <b>Executive Summary</b>             | <b>5</b>  |
| <b>02</b> | <b>The Story</b>                     | <b>7</b>  |
| <b>03</b> | <b>Product Mission</b>               | <b>9</b>  |
| <b>04</b> | <b>What TrustOS Is</b>               | <b>10</b> |
| <b>05</b> | <b>What TrustOS Is NOT</b>           | <b>11</b> |
| <b>06</b> | <b>The Five Pillars</b>              | <b>12</b> |
| <b>07</b> | <b>Product Principles</b>            | <b>15</b> |
| <b>08</b> | <b>The Complete Customer Journey</b> | <b>17</b> |
| <b>09</b> | <b>User Roles</b>                    | <b>18</b> |
| <b>10</b> | <b>Project Workspace</b>             | <b>20</b> |
| <b>11</b> | <b>Feature Catalogue</b>             | <b>22</b> |
| <b>12</b> | <b>Development Phases</b>            | <b>26</b> |
| <b>13</b> | <b>UX Principles</b>                 | <b>28</b> |
| <b>14</b> | <b>UI Design System</b>              | <b>30</b> |
| <b>15</b> | <b>Technical Architecture</b>        | <b>32</b> |
| <b>16</b> | <b>Existing Repository</b>           | <b>34</b> |
| <b>17</b> | <b>Validation Strategy</b>           | <b>36</b> |
| <b>18</b> | <b>Learning System</b>               | <b>37</b> |
| <b>19</b> | <b>Roadmap</b>                       | <b>38</b> |
| <b>20</b> | <b>Developer Guidelines</b>          | <b>39</b> |
| <b>21</b> | <b>Estimated Development</b>         | <b>40</b> |
| <b>22</b> | <b>Final Vision</b>                  | <b>42</b> |

# Version History

| VERSION | DATE      | AUTHOR         | SUMMARY                                                                                                                                     |
|---------|-----------|----------------|---------------------------------------------------------------------------------------------------------------------------------------------|
| 1.0     | July 2026 | R. T. Sadanala | First frozen handbook. Consolidates Blueprint v3.1, the Product Constitution and the existing MVP repository into a single source of truth. |
| 0.9     | July 2026 | R. T. Sadanala | Interactive prototype v3.1 (Final Freeze Edition) — philosophy layer, five pillars, operating-system diagram.                               |
| 0.3     | June 2026 | R. T. Sadanala | Phase model, journey and parking lot defined in interactive prototype.                                                                      |



## PART I

# Product & Purpose

Why TrustOS exists, what it is, and the philosophy that governs every decision.



## SECTION 01

# Executive Summary

What TrustOS is, who it serves, the problem it removes, and why now.

---

TrustOS is a professional operating system for service businesses — photographers, videographers, event streamers, DJs, makeup artists and the small teams around them. It runs the entire client project on one connected spine: enquiry, quotation, contract, deposit, preparation, execution, production, delivery, approval, review and archive.

Today these businesses operate across ten disconnected tools — WhatsApp, phone calls, contract apps, payment apps, Google Drive, email, spreadsheets, sticky notes and memory. Nothing connects, nothing is auditable, and the lessons of each project evaporate when it ends. Clients are left wondering whether they have been forgotten; vendors are left reconstructing what was agreed.

## THE ONE-SENTENCE PRODUCT

**TrustOS replaces operational chaos with one trusted workspace where every vendor, client and team member always knows what happens next — and where every completed project makes the next one easier.**

## Who it is for

- Primary pilot (Customer Zero): MiniMomentz — a UK family & cultural photography business.
- Second pilot (known vendor): Agara Live — event broadcasting with a small technical crew.
- Beyond the pilots: wedding vendors, videographers, and other service businesses that run structured client projects.

## Why now

- Service vendors have adopted many single-purpose apps but have no connective tissue between them.
- Clients now expect the calm, informed experience they get from modern software — not silence between payment and delivery.

- A manual-first pilot can validate the entire journey with one real business before a line of automation is written.

This handbook is the single source of truth before development begins. It consolidates the interactive Blueprint v3.1, the Product Constitution and the existing MVP repository. It does not introduce new product scope.


SECTION 02

# The Story

Why TrustOS exists — told through the workflow it is designed to replace.

## The current industry workflow

A typical MiniMomentz booking begins in Instagram DMs, moves to WhatsApp voice notes, is agreed verbally, paid by bank transfer, updated whenever the founder remembers, and delivered through a gallery link pasted into a chat. Nothing is wrong with any single step. The problem is that nothing connects.



*Even a single action — a deposit — touches several disconnected tools today. TrustOS turns that into one verified flow.*

## The pain points

| PAIN POINT         | WHAT IT COSTS TODAY                                                    |
|--------------------|------------------------------------------------------------------------|
| Fragmented tools   | Information is scattered; no single source of truth for a project.     |
| Client silence     | "I paid the deposit and now nobody is speaking to me."                 |
| Disputed memory    | No record of what was agreed, sent, signed or paid.                    |
| Avoidable mistakes | Wrong outfit, missing cable, locked venue gate — surprises on the day. |
| Lost learning      | Hard-won venue and client knowledge disappears when the project ends.  |

## Why TrustOS was created

TrustOS was created to keep the human relationship exactly as it is and put one trusted operating system underneath it. The founder's working model is deliberate: strategy and planning are worked out in advance, ground execution stays human, and software is introduced only where it demonstrably reduces uncertainty.

### FOUNDING PRINCIPLE

**The goal is not to replace people. The goal is to replace operational chaos.**



## SECTION 03

# Product Mission

Mission, vision, long-term ambition and the core philosophy that governs every decision.

---

**MISSION**

**TrustOS transforms fragmented service businesses into one connected operating system that helps vendors run projects professionally, keeps clients informed with confidence, enables teams to stay aligned, and ensures every completed project improves the next one.**

## Vision

A service business of any size runs its entire client journey — and its accumulated operational knowledge — from one trusted workspace, instead of stitching together a dozen apps and its own memory.

## Long-term ambition

- Become the default operating layer for independent service businesses.
- Turn each completed project into durable, reusable knowledge (venues, clients, templates).
- Grow from one validated workflow to many — always earned by evidence, never by imitation.

## Core philosophy


- Reduce uncertainty above all else.
- Everything lives in one trusted workspace.
- Manual before automation; validate before scaling.
- One timeline, one source of truth per project.
- Real pilot evidence beats competitor inspiration.

SECTION 04

# What TrustOS Is

A professional operating system for service businesses — shown as one journey with five supporting layers.

TrustOS is not a collection of pages; it is an operating system. A single client journey runs across the top, and five capability pillars run underneath it as continuous layers. Every screen in the product sits somewhere on this map.



*The full project lifecycle. Phase 1A core stages are highlighted; every project is archived, never deleted.*

The operating-system diagram (Section 8) overlays the five pillars across this journey. It is the single most important picture of the product.

SECTION 05

# What TrustOS Is NOT

Clear boundaries. TrustOS is defined as much by what it refuses to be as by what it is.

| TRUSTOS IS NOT A...     | BECAUSE...                                                                                                 |
|-------------------------|------------------------------------------------------------------------------------------------------------|
| CRM                     | It is organised around running a project to completion, not managing a sales pipeline of leads.            |
| Project-management tool | The objective is to eliminate uncertainty for everyone, not to manage tasks for their own sake.            |
| Marketplace             | There is no discovery layer matching buyers and sellers; it serves an existing vendor–client relationship. |
| Contract tool           | Contracts are one moment in a much longer trusted journey.                                                 |
| Payment software        | Payment state is displayed and reconciled, but TrustOS is not a payment processor or escrow service.       |
| Gallery software        | Large delivery links out to Pixieset / Drive / Vimeo; TrustOS never rebuilds a gallery platform.           |

THE DEFINITION

**TrustOS is a Professional Operating System for Service Businesses — not any single tool it happens to include.**

These boundaries are enforced in the Parking Lot (Section 12). Marketplace, escrow, public trust scores and a full gallery are explicitly deferred, each with a written evidence bar for reconsideration.

SECTION 06

# The Five Pillars

Every feature must strengthen at least one pillar. Anything that strengthens none belongs in the Parking Lot.

TrustOS

BLUEPRINT PROTOTYPE

VendorClientTeam member

DesktopMobileJourneyFounder Focus

Start DemoPrint

PHASE FILTER

All1A Manual pilot1B Known vendor2 Semi-automation3 Scaled intelligenceParking lot

MODE

AllManualAssistedAutomated

STATUS

VENDOR EXPERIENCE

Today

Projects

Clients

Templates

Venue Knowledge

Calendar

Team

Payments

Settings

PRODUCT HANDBOOK

Why TrustOS Exists

Mission

Five Pillars

Operating System

Design Principles

Blueprint Status

BLUEPRINT

Demo Home

Journey map

Founder Focus

Pilot Readiness

Feature cards

BackBlueprintFive Pillars

Current pilot: MiniMomentz — one real project from enquiry to archive.

Next validation: Agara Live — Suren completes a known-vendor journey without constant founder guidance.

Not active: external vendor rollout, scaled intelligence, public marketplace, escrow, trust scores.

Rule: no new feature enters Build Now unless it directly improves the current pilot milestone.

The Five Pillars

Every feature in TrustOS must strengthen at least one of these. Anything that strengthens none belongs in the Parking Lot.

TRUST

PURPOSE

Build confidence between vendors, clients and teams.

PROBLEM SOLVED

Nobody can prove what was agreed, sent, signed or paid.

TYPICAL FEATURES

Contracts · payments · approvals · audit trail · transparency

EXPECTED OUTCOME

Both sides always know what has happened, what is happening, and who is responsible.

WORKFLOW

PURPOSE

Guide every participant through the project.

PROBLEM SOLVED

Everyone privately wonders "what happens next?"

TYPICAL FEATURES

Timeline · Next Action · milestones · tasks · communication · project health

EXPECTED OUTCOME

Uncertainty eliminated — not task management for its own sake.

PREPARATION

PURPOSE

Help people arrive prepared before the service begins.

PROBLEM SOLVED

Avoidable mistakes happen on the day: wrong outfit, missing cable, locked gate.

TYPICAL FEATURES

Questionnaires · mood boards · equipment · venue planning · guides · team readiness

EXPECTED OUTCOME

Sessions and events start calm because the surprises were handled in advance.

DELIVERY

PURPOSE

PROBLEM SOLVED

TYPICAL FEATURES

EXPECTED OUTCOME

The five pillars as presented in the interactive blueprint.

## Trust

|                         |                                                                                  |
|-------------------------|----------------------------------------------------------------------------------|
| <b>Purpose</b>          | Build confidence between vendors, clients and teams.                             |
| <b>Problem</b>          | Nobody can prove what was agreed, sent, signed or paid.                          |
| <b>Typical features</b> | Contracts · payments · approvals · audit trail · transparency · confidence.      |
| <b>Benefit</b>          | Both sides always know what happened, what is happening, and who is responsible. |
| <b>Future</b>           | Verified project records; reputation only after legal and data validation.       |

## Workflow

|                         |                                                                                           |
|-------------------------|-------------------------------------------------------------------------------------------|
| <b>Purpose</b>          | Guide every participant through the project.                                              |
| <b>Problem</b>          | Everyone privately wonders “what happens next?”                                           |
| <b>Typical features</b> | Today dashboard · One Clear Next Action · timeline · milestones · tasks · project health. |
| <b>Benefit</b>          | Uncertainty eliminated — not task management for its own sake.                            |
| <b>Future</b>           | Rule-based health (P2); behaviour-based timing (P3).                                      |

## Preparation

|                         |                                                                                      |
|-------------------------|--------------------------------------------------------------------------------------|
| <b>Purpose</b>          | Help people arrive prepared before the service begins.                               |
| <b>Problem</b>          | Avoidable mistakes happen on the day.                                                |
| <b>Typical features</b> | Questionnaires · mood boards · equipment · venue planning · guides · team readiness. |
| <b>Benefit</b>          | Sessions and events start calm because surprises were handled in advance.            |
| <b>Future</b>           | Reusable templates (P2); suggestions from season, venue and outcomes (P3).           |

Delivery

|                  |                                                                                |
|------------------|--------------------------------------------------------------------------------|
| Purpose          | Deliver professionally until the project is truly complete.                    |
| Problem          | Work fades out after the event: unclear status, chased payments, vague "done". |
| Typical features | Editing · production · delivery · approvals · reviews · archive.               |
| Benefit          | TrustOS continues until both parties consider the project complete.            |
| Future           | Editing-tool integrations (P2+).                                               |

Learning

|                  |                                                                                        |
|------------------|----------------------------------------------------------------------------------------|
| Purpose          | Every completed project makes the next project better.                                 |
| Problem          | Hard-won knowledge evaporates when a project ends.                                     |
| Typical features | Venue intelligence · operational reviews · learnings · reusable knowledge · templates. |
| Benefit          | Institutional memory instead of starting from zero each time.                          |
| Future           | Organisation-shared (P2); verified community intelligence (P3).                        |

THE COMPOUNDING PILLAR

Every completed project should make the next project easier. Learning is why the other four pillars compound over time.

## SECTION 07

# Product Principles

The rules that decide what gets built, and what waits.

---

1. Reduce uncertainty — if a change does not, it does not ship.
2. Everything has one trusted workspace — no scattered modules.
3. Manual before automation — a step is automated only after it is done well by hand.
4. Validate before scaling — one real project first, then breadth.
5. One timeline — a single chronological history per project.
6. One source of truth — no duplicated or conflicting state.
7. No unnecessary complexity — simple enough to learn without training.
8. Real pilot evidence beats competitor inspiration — never build because a rival has a feature.

These eight principles are also the developer gate in Section 20. A feature that fails most of them moves to the Parking Lot with a written evidence bar.



## PART II

# Experience & Features

The journey, the roles, the workspace and the full feature catalogue.






SECTION 08

# The Complete Customer Journey

One journey, five pillars overlaid — the most important page in the blueprint.



The operating-system view: eleven journey steps across the top, five pillar layers beneath. Coloured cells show where each pillar is active. Workflow runs the full length by design.

Reading the map: Trust concentrates around agreement and money (proposal, contract, payment) and around completion (approval, archive). Preparation is dense before execution. Delivery carries the back half. Learning activates at review and archive — and feeds the next project. Workflow is continuous, because at no point should anyone wonder what happens next.

SECTION 09

# User Roles

Five roles, deliberately simple permissions. No enterprise permission matrix in Phase 1.

| User Roles & Permissions |                     |                                                   |
|--------------------------|---------------------|---------------------------------------------------|
| FOUNDER                  | Ravi                | Product control · all projects · Blueprint        |
| VENDOR                   | Ravi / pilot vendor | Owns projects · sends · approves · delivers       |
| CLIENT                   | Meera, Anita...     | Sees only their project · signs · pays · approves |
| TEAM                     | Suren, Dev          | Scoped brief · assigned tasks · equipment         |
| ADMIN                    | future              | Org settings · billing · access (Phase 2+)        |

*Roles and the essence of each one's permissions.*


| ROLE          | WHO (PILOT)         | CORE RESPONSIBILITY                | KEY PERMISSIONS                                          |
|---------------|---------------------|------------------------------------|----------------------------------------------------------|
| Founder       | Ravi                | Product control and prioritisation | All projects; Blueprint; decides what enters Build Now.  |
| Vendor        | Ravi / pilot vendor | Runs the client project end to end | Create, send, approve, deliver; owns the workspace.      |
| Client        | Meera, Anita, ...   | Experiences their own project      | Sees only their project; signs, pays, approves, reviews. |
| Team member   | Suren, Dev          | Executes assigned work             | Scoped brief, assigned tasks, equipment — nothing else.  |
| Administrator | (Phase 2+)          | Organisation settings              | Billing, access, org config — deferred until needed.     |

Team roles are three only: owner, assigned contributor, read-only collaborator. Richer permissions are a Phase 2 concern, gated on the Agara Live pilot.

## SECTION 10

# Project Workspace

Why everything about one project lives inside a single connected workspace.



*The Project Workspace: tabbed sections on the left, a persistent project summary and Next Action on the right.*

Instead of jumping between disconnected pages, every project is one workspace with connected tabs: Overview, Timeline, Proposal, Contract, Payments, Questionnaire, Preparation, Team, Equipment, Shoot, Editing, Delivery, Review, Venue Notes, Activity and Archive.

## The persistent summary

On desktop a right-hand sidebar never disappears. It always shows project status, health, current stage, the one next action, client, upcoming milestone, payment progress, countdown, assigned people and quick actions. The vendor never loses the thread of where a project stands.

## Why one workspace

- One source of truth — no reconciling state across modules.
- One timeline — every meaningful action appears in chronological order automatically.
- One next action — the workspace always answers “what happens next?”

SECTION 11

# Feature Catalogue

Features organised by pillar, not alphabetically. Each carries phase, mode, dependency and honest prototype status.

TrustOS BLUEPRINT PROTOTYPE

VendorClientTeam member

DesktopMobileJourneyFounder FocusStart DemoPrint

PHASE FILTER

All1A Manual pilot1B Known vendor2 Semi-automation3 Scaled intelligenceParking lot

MODEAllManualAssistedAutomated

STATUS

VENDOR EXPERIENCE

TodayProjectsClientsTemplatesVenue KnowledgeCalendarTeamPaymentsSettings

PRODUCT HANDBOOK

Why TrustOS ExistsMissionFive PillarsOperating SystemDesign PrinciplesBlueprint Status

BLUEPRINT

Demo HomeJourney mapFounder FocusPilot ReadinessFeature cards

← Back Blueprint > Feature cards

Current pilot: MiniMomentz — one real project from enquiry to archive.

Next validation: Agara Live — Suren completes a known-vendor journey without constant founder guidance.

Not active: external vendor rollout, scaled intelligence, public marketplace, escrow, trust scores.

Rule: no new feature enters Build Now unless it directly improves the current pilot milestone.

Feature cards

Printable card per major feature: phase · implementation status · operation mode · delivery classification.

One Clear Next Action

PHASE 1A · MANUAL PILOT

PROTOTYPE ONLYMANUAL IN 1ABuild & test now

TrustOS doesn't just tell you what to do next — it gives every vendor, client and team member one trusted workspace to prepare, execute, deliver and learn together.

|             |                                           |
|-------------|-------------------------------------------|
| USER ROLE   | Vendor / client / team                    |
| TRIGGER     | Any project state change                  |
| INTERACTION | Reads state → shows single primary action |
| RESULT      | User always knows the next step           |

Phase 1 / manual: Founder curates the action manually

Prototype demonstrates: The card UI + navigation

Automated later: Ranking logic (P2), behaviour-based (P3)

Data required: Project stage data · Success metric: Fewer 'what now?' messages

Dependency: Journey stages complete · Risk: Action chosen wrongly → trust drop

← Previous feature: — · Next feature →: Client Timeline

SUPPORTSWorkflow

Client Timeline

PHASE 1A · MANUAL PILOT

PROTOTYPE ONLY

ASSISTED · VENDOR APPROVESBuild & test now

Prevent 'I paid and now silence.'

|             |                                         |
|-------------|-----------------------------------------|
| USER ROLE   | Client                                  |
| TRIGGER     | Deposit paid / milestones / countdowns  |
| INTERACTION | Approved updates appear chronologically |
| RESULT      | Client calm; fewer chase messages       |

Phase 1 / manual: Vendor approves every send

Prototype demonstrates: Timeline UI + states

Automated later: Auto-scheduling (P2), smart timing (P3)

Data required: Message templates + events · Success metric: -50% 'any update?' messages

Dependency: Comms centre · Risk: Noise if updates are meaningless

← Previous feature: One Clear Next Action · Next feature →: Quotation Builder

SUPPORTSTrustWorkflow

Prototype preview →

Feature cards in the prototype: each tagged with phase, implementation status, operation mode and the pillars it supports.

v1.0 · July 2026

Page 22 of 42

Trust

| FEATURE                       | PHASE | MODE     | STATUS                | DEPENDS ON        |
|-------------------------------|-------|----------|-----------------------|-------------------|
| Proposal → Contract → Deposit | 1A    | Manual   | Prototype             | Templates, Stripe |
| Payment milestones            | 1A    | Assisted | Blocked (Stripe/Neon) | Contract flow     |
| Activity / audit trail        | 1A    | —        | Prototype             | Project record    |

Workflow

| FEATURE               | PHASE | MODE     | STATUS    | DEPENDS ON       |
|-----------------------|-------|----------|-----------|------------------|
| One Clear Next Action | 1A    | Manual   | Prototype | Journey complete |
| Today dashboard       | 1A    | Manual   | Prototype | Project record   |
| Client timeline       | 1A    | Assisted | Prototype | Comms centre     |
| Project health        | 1A    | Manual   | Prototype | Today dashboard  |

Preparation

| FEATURE             | PHASE   | MODE     | STATUS            | DEPENDS ON      |
|---------------------|---------|----------|-------------------|-----------------|
| Questionnaire       | 1A      | Assisted | Prototype         | Project record  |
| Mood boards         | 1A      | Assisted | Manual workaround | Questionnaire   |
| Equipment readiness | 1A / 1B | Manual   | Manual workaround | Team assignment |

Delivery

| FEATURE                  | PHASE | MODE     | STATUS            | DEPENDS ON     |
|--------------------------|-------|----------|-------------------|----------------|
| Editing status           | 1A    | Assisted | Manual workaround | Post-event     |
| Delivery hub             | 1A    | Manual   | Manual workaround | Editing status |
| Approval & final payment | 1A    | Assisted | Prototype         | Delivery hub   |

Learning

| FEATURE               | PHASE   | MODE   | STATUS            | DEPENDS ON         |
|-----------------------|---------|--------|-------------------|--------------------|
| Operational review    | 1A      | Manual | Manual workaround | Post-event         |
| Venue intelligence    | 1A / 1B | Manual | Manual workaround | Operational review |
| Relationship timeline | 1A      | Manual | Prototype         | Archive            |

“Prototype” means the UI is demonstrated in the interactive blueprint — it does not prove production code exists. Full status and dependencies live in the interactive Feature Inventory (30 features × 16 columns).





### PART III

# Building TrustOS

Phases, UX, design system, architecture and the state of the repository.



**SECTION 12**

# Development Phases

What is built now, what validates next, and what is intentionally postponed.

---

## Phase 1A — MiniMomentz, Customer Zero, manual-first

The only core screens and behaviours required now, operated manually by the founder. Definition of done: one genuine MiniMomentz client completes the entire journey on the software.

Enquiry → Archive core journey

Manual operation by founder

## Phase 1B — Agora Live, known-vendor validation

Team workspace, task assignment, technical brief, multi-crew equipment, crew readiness, event-day technical workflow, first real venue record, and known-vendor onboarding without founder guidance.

## Phase 2 — Semi-automation

Reusable templates, scheduled approved updates, email automation, auto-populated Today, follow-up scheduling, organisation-wide venue records, richer permissions, integrations and rule-based project health — each earned by pilot evidence.

## Phase 3 — Scaled intelligence

Community venue intelligence, behaviour-based timing, intelligent quotation suggestions, AI assistance and network effects — deferred until their evidence exists.

Parking Lot — intentionally postponed


| IDEA                                | WHY POSTPONED                                                            |
|-------------------------------------|--------------------------------------------------------------------------|
| Public marketplace                  | Distracts from validating one workflow; needs supply and demand at once. |
| Escrow / held payments              | Regulated activity; requires volume and licensing.                       |
| Public client / vendor trust scores | Legal, ethical and moderation review required first.                     |
| AI equipment recognition            | Cannot guarantee completeness; false confidence is dangerous.            |
| Full gallery platform               | Solved problem; links out instead; storage cost.                         |
| WhatsApp Business integration       | In-app + email first; revisit in P2 once the process is proven.          |

The full board holds 25 postponed ideas, each with the specific evidence that would earn reconsideration. Nothing on it is currently available.

## SECTION 13

# UX Principles

How the interface behaves so that no screen leaves the user wondering what to do.



*Today is the heart of TrustOS: priority first, then everything waiting on someone.*

- Today dashboard — the app opens here and answers “what needs my attention?”
- One Clear Next Action — exactly one highlighted primary action per role; everything else is secondary.
- Project health — three readable states (healthy, needs attention, at risk), with reason, owner, due date and action. Never an opaque score.
- Timeline — one chronological memory of the project; calm updates, never chat noise.
- Minimal clicks — the next step is always one tap away.
- Premium, calm, consistent — generous spacing, restrained colour, no vanity statistics.

- Accessible — semantic controls, visible focus, keyboard support, reduced-motion support, 44px touch targets.

SECTION 14

# UI Design System

The tokens and components that keep TrustOS feeling like one calm operating system.

## Typography

|          |                                             |
|----------|---------------------------------------------|
| Headings | Space Grotesk                               |
| Body     | Inter                                       |
| Scale    | 8-point spacing system; generous whitespace |

## Colour

| TOKEN          | VALUE   | USE                                 |
|----------------|---------|-------------------------------------|
| Background     | #F6F7F4 | App canvas                          |
| Card / surface | #FFFFFF | Content surfaces                    |
| Primary        | #287A5B | Primary actions, active state       |
| Dark           | #174B39 | Headings on tint, emphasis          |
| Border         | #DDE3DE | Hairline separation                 |
| Warning        | #D98B2B | Manual / attention (Phase 1A)       |
| Info           | #3F6FD8 | Automated / informational (Phase 2) |
| Future         | #7655C9 | Scaled intelligence (Phase 3)       |
| Danger         | #C94949 | Overdue, failed, at risk            |

## Components

- Rounded cards with soft shadow and light border; hover elevation.
- Buttons: primary (filled), secondary (outline), ghost; 44px targets on touch.
- Status pills and phase badges with a consistent colour language.

- One Clear Next Action card — the signature component, visually dominant.
- Project Workspace tabs and a persistent summary sidebar.


## Motion & responsiveness

Subtle fade-up on navigation, hover elevation, animated progress — all disabled under prefers-reduced-motion. Desktop uses a 12-column grid; mobile collapses to a single column with bottom navigation.

SECTION 15

# Technical Architecture

The intended architecture and the decisions behind it.



TrustOS layered architecture: clients, application, services, data.

## Current stack

|            |                                                                     |
|------------|---------------------------------------------------------------------|
| Framework  | Next.js 14 (App Router)                                             |
| ORM        | Prisma                                                              |
| Database   | PostgreSQL (Supabase target; Neon in the current prototype)         |
| Auth       | Supabase Auth (secure client token links for the portal)            |
| Payments   | Stripe (test mode in the pilot)                                     |
| Storage    | Supabase storage for small files; external links for large delivery |
| Deployment | Vercel (target); Netlify in the current prototype                   |



## Key architectural decisions

- Migrate prototype hosting from Netlify + Neon to Vercel + Supabase to resolve cold-start and connection-loss issues seen in the prototype.
- Booking is confirmed only by a verified Stripe payment event — never by client-side state.
- Every state change writes an immutable activity-log entry (a readable audit trail, not blockchain).
- Two-layer state model: detailed vendor states, calm approved client states — internal noise never leaks to clients.
- Large media is linked, not hosted — TrustOS is not a gallery platform.

Payment status requires verified provider events; contract suggestions are not legal advice; AI cannot guarantee equipment completeness. These constraints are product decisions, not just implementation notes.

SECTION 16

# Existing Repository

An honest account of what exists, what is partial, and what remains — do not assume completeness.

| AREA                 | STATUS          | NOTES                                                                             |
|----------------------|-----------------|-----------------------------------------------------------------------------------|
| Repository scaffold  | Exists — verify | Next.js App Router, Prisma schema, initial routes (github.com/.../trustos-pilot). |
| Database / hosting   | Blocked         | Neon cold starts + Prisma connection loss; migrate to Supabase + Vercel.          |
| Auth                 | Partial         | Vendor login reported; client token link needs verification.                      |
| Payments             | Blocked         | Stripe test flow not yet reliably working.                                        |
| Core journey screens | Prototype only  | Demonstrated in Blueprint v3.1; production build pending.                         |
| Storage / delivery   | Not started     | External links first; small-file upload later.                                    |

THE HONESTY RULE

**The interactive prototype demonstrates intended UI. It does not prove that any feature is implemented in production. Every “exists” claim must be verified in the repository before it is relied upon.**

# IV

## PART IV

# Validation & Delivery

How TrustOS proves itself, its roadmap, and how to build it without breaking the philosophy.



SECTION 17

# Validation Strategy

How TrustOS proves it works — with real projects, not opinions.

---

## Pilot 1 — MiniMomentz (Customer Zero)

One genuine client is taken from enquiry to archive on the software, with the founder operating the manual steps. Pass condition: the journey completes end to end.

## Pilot 2 — Agara Live (known vendor)

Suren creates or operates a project without the founder guiding every click, a team member self-serves their brief and equipment, and a first real venue record is captured. Pass condition: the journey completes without step-by-step guidance.

## What is measured

| SIGNAL                                          | TARGET         |
|-------------------------------------------------|----------------|
| Client booking → deposit, unaided on mobile     | Completes      |
| "Any update?" messages per project              | Near zero      |
| Enquiry → proposal sent                         | Under 24 hours |
| Payment-state disputes                          | Zero           |
| Missing-equipment incidents                     | Zero           |
| Founder chooses TrustOS over WhatsApp next time | Yes            |

All pilot metric values in the prototype are illustrative and marked "replace after each real pilot." No growth or revenue theatre.

## SECTION 18

# Learning System

Why learning is the long-term competitive advantage, not an analytics dashboard.

---

Most tools stop at delivery. TrustOS treats every completed project as fuel for the next one. Operational reviews feed venue intelligence; venue intelligence and repeated workflows become templates; decisions are logged so they are not re-litigated; and the relationship timeline turns one booking into a sequence of future ones.

## The learning loop

- Operational review — honest internal notes after every project.
- Venue intelligence — access, power, internet, lighting, restrictions, confidence, source.
- Decision log — every product decision with its evidence and revisit condition.
- Templates — reusable knowledge, unlocked only after a manual version is proven.
- Relationship timeline — maternity → newborn → six months → first birthday → annual.

### THE MOAT

**Every completed project makes the next one better. Over hundreds of projects, that accumulated, structured knowledge is the defensible advantage — and it cannot be copied from a competitor's feature list.**

SECTION 19

# Roadmap

Now, next, later — and the discipline that keeps them in order.

| HORIZON     | FOCUS          | CONTENTS                                                                                    |
|-------------|----------------|---------------------------------------------------------------------------------------------|
| Now         | Phase 1A build | Unblock Stripe/Neon → build the Phase 1A journey → one real MiniMomentz project end to end. |
| Next        | Phase 1B       | Agara Live: team, technical readiness, first venue record, known-vendor onboarding.         |
| Later       | Phase 2 → 3    | Templates, semi-automation, integrations; then intelligence, community and network effects. |
| Parking Lot | Deferred       | 25 ideas, each with a written evidence bar; nothing auto-queues.                            |

A change enters "Now" only if it directly improves the current pilot milestone. Benchmark at most one or two competitor products per week while the pilot journey is unproven.

**SECTION 20**

# Developer Guidelines

How to contribute without changing the core philosophy.

---

Before implementing anything, a developer asks the same eight questions the founder uses:

1. Does it increase trust?
2. Does it improve workflow?
3. Does it improve preparation?
4. Does it improve delivery?
5. Does it improve learning?
6. Can it be validated during the MiniMomentz pilot?
7. Does it reduce uncertainty?
8. Is it simple enough for a first-time user?

If the answer to most is no, the work moves to the Parking Lot — recorded, with the evidence that would bring it back. Build order follows the phases; nothing from Phase 2, Phase 3 or the Parking Lot is built during Phase 1A, however tempting during competitor benchmarking.

## Working conventions

- Preserve the two-layer state model — never leak internal vendor states to clients.
- Every state change writes to the activity log.
- Never claim AI-generated contracts are legally valid, or that equipment is guaranteed present.
- Confirm bookings only on verified payment events.
- Keep the client portal simpler than the vendor app — one stage, one next action.

SECTION 21

# Estimated Development

Recommended team, milestones, build order, sprint shape and technical risks.

---

## Recommended team

| ROLE                     | COUNT | FOCUS                                                  |
|--------------------------|-------|--------------------------------------------------------|
| Full-stack engineer      | 1-2   | Next.js + Prisma + Supabase; core journey.             |
| Product / founder (Ravi) | 1     | Vision, prioritisation, pilot operation, UX decisions. |
| Designer (part-time)     | 0.5   | Design-system upkeep; premium polish.                  |
| Vendor success (Suren)   | 1     | Agara Live pilot, feedback loop.                       |

## Suggested milestones

1. M0 — Unblock hosting: migrate to Supabase + Vercel; reliable DB connections.
2. M1 — Auth + project record + Today dashboard + One Clear Next Action.
3. M2 — Quotation → proposal → contract → deposit (Stripe test) → confirmation.
4. M3 — Preparation (questionnaire, mood board), shoot day, editing, delivery, approval.
5. M4 — Review, archive, activity log, venue notes — one full MiniMomentz project.
6. M5 — Phase 1B: team, equipment, technical event workflow with Agara Live.

## Suggested sprint structure

- One- or two-week sprints, each ending in something a real pilot project can use.
- Every sprint reduces uncertainty for MiniMomentz or Agara Live — or it is re-scoped.
- Demo each sprint against the actual journey, not a checklist.



Technical risks

| RISK                                 | MITIGATION                                                                       |
|--------------------------------------|----------------------------------------------------------------------------------|
| DB cold starts / connection loss     | Migrate to Supabase + Vercel early (M0).                                         |
| Stripe reliability in test           | Isolate a thin payment-verification service; treat confirmation as event-driven. |
| Scope creep from competitor features | Enforce the eight-question gate and the Parking Lot.                             |
| Internal state leaking to clients    | Two-layer state model with explicit client-visible flags.                        |

## SECTION 22

# Final Vision

The closing statement.

---

**TRUSTOS**

**TrustOS is not software for managing projects. TrustOS helps service businesses operate with trust, confidence and consistency.**

Every vendor, client and team member gets one trusted workspace to prepare, execute, deliver and learn together. Every completed project should make the next project better. And every feature must earn its place — through pilot evidence, never through imitation.

This handbook is frozen. It changes only when a real MiniMomentz or Agara Live project proves it must.