

The data, and how it connects

Every source, every file, every column — with real rows out of the bucket. Companion to *Graph Technical Reference*, which covers what happens to this data once it is read.

49 sources · 432 CSV files · 93,505 documents · bucket `moine-data`

1. What a scraper is

One folder per source under `scrape/`, holding a `manifest.yaml` and the code to fetch. The manifest is the contract — the runner reads it, nothing else hardcodes a source.

```
scrape/<Category>/<site>/
  manifest.yaml      name, s3_base, enabled, schedule
  scrape.py          fetch, normalise, write CSV
```

`enabled` is the switch. A disabled source is skipped entirely: it is not fetched, it publishes nothing, and so it triggers nothing downstream. Every source is disabled unless deliberately turned on.

What a run does

```
1 fetch          the source's API, bulk file or pages
2 normalise      into CSV with a stable header
3 stage          write under _runs/<run_id>/
4 commit         copy to the source's stable path
                  rewrite _LATEST.json
5 emit dataset   Dataset("s3://moine-data/<s3_base>")
```

A commit replaces, it does not append. Each source publishes a full snapshot at a stable key, overwritten each run. ClinicalTrials.gov holds exactly two objects: a 2.9 GB CSV and `_LATEST.json`. This is what makes double-counting structurally impossible — there is no incremental append to get wrong, and a rebuild from the same snapshot yields the same counts. Two consecutive builds on 2026-07-30 both produced exactly 1,049,701 ClinicalTrial nodes.

The cost of that choice is that the lake keeps no history: `_LATEST.json` records only the current run, so the gap between two scrapes cannot be recovered after the fact.

2. How the two stores stay in step

Step 5 above is the whole mechanism. A commit emits an Airflow **Dataset**, and the two sync DAGs are subscribed to datasets rather than to a clock.

```
@weekly --> scrapers_pipeline
  commit task emits Dataset("s3://moine-data/<s3_base>")
  |
  +--> graph_sync          35 CSV-publishing sources
  |    build ~24 min --> validate --> import ~8 min
  |
  +--> vector_store_sync   10 document sources
  |    chunk --> embed --> upsert to Qdrant
```

Neither sync DAG has a schedule of its own. They wake when data lands, so a sync cannot race the scrape that feeds it, and a week where nothing publishes costs nothing.

Both use `DatasetAny`. A plain list of datasets means AND in Airflow — the DAG would wait for *every* listed dataset. For `graph_sync` that means firing only when all 35 sources publish in one window, which is to say never, and silently.


`graph_sync`'s trigger set is derived from `graph/sources.py` at DAG-parse time rather than listed, so declaring a new file there updates the trigger with nothing to keep in step by hand.

Rebuild, not update

The graph is not patched in place. Every sync rebuilds the whole graph from the current snapshots, validates it, and replaces the store. `neo4j-admin database import` has no transaction — it writes a fresh store — so the validator is what stands between a bad build and a live graph that answers confidently and wrongly.

The vector store is incremental, because re-embedding 93,000 documents costs hours on GPU. Ingest compares each S3 object's ETag against what is indexed and touches only what changed; chunk IDs are deterministic, so re-ingesting a known document overwrites in place instead of duplicating.

3. The graph schema



Generated by `graph/make_schema_png.py` . 22 node labels, 32 relationship types.

4. The lake

Eight categories. A source lives in exactly one, and its `s3_base` is `<Category>/<site>/` .

category	sources	CSVs	documents	size
Clinical Trials Pipeline Intelligence	9	10	11	10.0 GB
Drug Substance Reference	6	28	8	11.3 GB
Literature Evidence	5	7	6	17.6 GB
MENA GCC Regulatory Market	7	151	183	177.1 MB
Ontologies Standards	5	79	22	1.1 GB
Regulatory Approvals	7	39	93,263	52.7 GB
Safety Pharmacovigilance	4	22	6	3.0 GB
Targets Genomics Biomarkers	6	96	6	9.3 GB

Of the 49 sources, **35 feed the graph** (77 declarations covering 96 files) and **10 publish documents** to the vector store. Four — ema, mhra, pmda, anzctr — do both, so **41 are used and 8 are not**. Every exclusion is recorded with a reason in `graph/sources.py` and repeated against each file below.

5. Every source, every file

Columns are the real header. Rows are the first records of the real file, transposed so wide files stay readable; long values are cut at 90 characters.

Clinical Trials Pipeline Intelligence

Trial registries. Nine of them, deliberately overlapping: the same study is often registered in two places, and the second registration carries the sponsor or the enrolment the first one omitted.

anzctr.org.au

1 CSV (157.8 MB) · 1 .json, 1 .pdf (295.3 KB)

example filenames:

_LATEST.json
ANZCTR_data_dictionary_v8.pdf

anzctr_trials.csv

157.8 MB · 65 columns · read by the graph

Serves: Australia/New Zealand registry.

Builds: node:ClinicalTrial

65 columns. Showing the 21 that identify a record; 44 hidden.

column	row 1	row 2	row 3	row 4	row 5
TRIAL ID	2	10	12	13	15
ACTRN	12605000006640	12605000015640	12605000010695	12605000013662	12605000009617
SUBMIT DATE	2005-07-07 10:33:05.000	2005-07-12 09:42:12.000	2005-07-12 12:53:50.000	2005-07-12 12:59:08.000	2005-07-12 14:49:18.000
APPROVAL DATE	2005-07-13 11:30:42.000	2005-07-18 17:01:08.000	2005-07-15 11:21:21.000	2005-07-18 15:52:45.000	2005-07-14 16:41:15.000
STUDY TITLE	Pathways Home: Chronic Disease Management Partnerships	The Molecular-Genetic Basis of Behavioural Features in Dementia	Multi Centre, Phase Ib Safety Study of anti-fibrin humanised monoclonal antibody (DI-DD3B6...	Does early whooping cough (pertussis) vaccination provide earlier antibody protection for ...	The DECRA trial
SCIENTIFIC TITLE	The effect of a self-management programme supported by computerised symptom feedback on qu...	The Molecular-Genetic Basis of Behavioural Features in Dementia	Multi Centre, Phase Ib Safety Study of anti-fibrin humanised monoclonal antibody (DI-DD3B6...	Does early whooping cough (pertussis) vaccination provide earlier antibody protection for ...	Multi-centre randomised trial to evaluate the effect of early decompressive craniectomy on...
MIN AGE TYPE	Years	Not stated	Years	Days	Years
MAX AGE TYPE	Not stated	Not stated	Not stated	Days	Years
STUDY TYPE	Interventional	Observational	Interventional	Interventional	Interventional
PHASE		Not Applicable	Phase 1 / Phase 2	Phase 3 / Phase 4	Phase 3
REGISTRY FOLLOW-UP TYPE					
ANTICIPATED START DATE	2005-08-01	2006-07-01	2005-01-06	2005-04-11	2003-08-01
ACTUAL START DATE					2003-08-25
ANTICIPATED END DATE					
ACTUAL END DATE					2010-04-16
ANTICIPATED LAST VISIT DATE					
ACTUAL LAST VISIT DATE					
RECRUITMENT STATUS	Completed	Recruiting	Recruiting	Recruiting	Active, not recruiting
PRIMARY SPONSOR TYPE	Government body	Hospital	Commercial sector/Industry	Government body	Other
PRIMARY SPONSOR NAME	Tasmanian Department of Health and Human Services	Royal Brisbane and women's hospital, Queensland University of Technology	AGEN Biomedical Ltd	National Centre for Immunisation Research and Surveillance	National Trauma Research Institute, The Alfred
ETHICS STATUS	Approved	Approved	Approved	Approved	Approved

column	what it means
PHASE	Trial phase. Spellings vary by registry.

chictr.org.cn

2 CSV (351.1 MB) · 1 .json (415 B)

example filenames:

_LATEST.json

chictr_detailed.csv

316.2 MB · 72 columns · read by the graph

Serves: Chinese registry. Its enrollment column holds prose in 131,158 rows, which is why staging blanks values that do not match their declared type. IP-blocked, so frozen.

Builds: node:ClinicalTrial

72 columns. Showing the 20 that identify a record; 52 hidden.

column	row 1	row 2	row 3	row 4	row 5
trial_id	ChiCTR2500108120	ChiCTR2500108121	ChiCTR2500108122	ChiCTR2500108123	ChiCTR2500108124
utrnrn					
reg_name	ChiCTR	ChiCTR	ChiCTR	ChiCTR	ChiCTR
date_registration	2025-08-25	2025-08-25	2025-08-25	2025-08-25	2025-08-25
primary_sponsor	Affiliated hangzhou first people's hospital, zhejiang university school of medicine	the First Affiliated Hospital of Guangxi Medical University	Shanghai Ninth People's Hospital	China-japan Union Hospital of Jilin University	Fujian Provincial Hospital
public_title	The effect of self-monitoring traffic light diary on the risk of recurrence and quality of...	Establishment of postoperative pain warning model for the elderly	Intravascular shock wave and intravascular shock wave energy system for peripheral blood v...	Study on the mechanism of autophagy and super-enhancers in the occurrence and development ...	A real-world study of a digital therapy supported lifestyle intervention for the preventio...
scientific_title	The effect of self-monitoring traffic light diary on the risk of recurrence and quality of...	Establishment of postoperative pain warning model for the elderly	A prospective, multicenter, open-label, randomized, parallel-controlled, superiority trial...	Study on the mechanism of autophagy and super-enhancers in the occurrence and development ...	A real-world study of a digital therapy supported lifestyle intervention for the preventio...
date_enrolment	2025-08-25	2024-12-10	2022-09-28	2024-02-01	2025-09-01
type_enrolment					
recruitment_status	Pending	Recruiting	Completed	Completed	Pending
study_type	Interventional study	Observational study	Interventional study	Observational study	Interventional study
phase	N/A	N/A	New Treatment Measure Clinical Study	N/A	N/A
results_date_completed	1900-01-01	1900-01-01	1900-01-01	1900-01-01	1900-01-01
results_date_posted	1900-01-01	1900-01-01	1900-01-01	1900-01-01	1900-01-01
results_date_first_publication	1900-01-01	1900-01-01	1900-01-01	1900-01-01	1900-01-01
hc_code					
i_code	;;	;	;;	;;	;;
ethics_status	Approved	Approved	Approved	Approved	Approved
ethics_approval_date	2025-08-05	2024-12-30	2022-08-30	2024-01-17	2024-12-31
ethics_contact_name	Lu Yun	Songqing He	Zhen Hong	Songyan Liu	Lian Fayang

column	what it means
phase	Trial phase. Spellings vary by registry.

chictr_list.csv

34.9 MB · 7 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Chinese Clinical Trial Registry.

column	row 1	row 2	row 3	row 4	row 5
registration_number	ChiCTR2600127011	ChiCTR2600127010	ChiCTR2600127009	ChiCTR2600127008	ChiCTR2600127007
public_title	Effects of Weekend Warrior Training with Different Chronic Densities on Physical Fitness a...	Effects of 6-week soccer-specific brain endurance training on technical performance, cogni...	A comparative study on serum IL411 levels between chronic kidney disease (CKD) subjects an...	The impact of key lifestyle and social factors on resilience, rehabilitation compliance, a...	Luohe Type 2 Diabetes Mellitus and Panvascular Disease Cohort Study
primary_sponsor	School of Physical Education, Jiangsu Normal University	Shandong First Medical University	Ningbo Hospital of Integrated Traditional Chinese and Western Medicine	Sichuan Cancer Hospital	Luohe Central Hospital
study_type	Interventional study	Interventional study	Observational study	Observational study	Observational study
registration_date	2026/06/22	2026/06/22	2026/06/22	2026/06/22	2026/06/22
detail_url	https://www.chictr.org.cn/showprojEN.html?proj=325995	https://www.chictr.org.cn/showprojEN.html?proj=328805	https://www.chictr.org.cn/showprojEN.html?proj=327985	https://www.chictr.org.cn/showprojEN.html?proj=329055	https://www.chictr.org.cn/showprojEN.html?proj=328466
xml_file	xml_details/ChiCTR2600127011.xml	xml_details/ChiCTR2600127010.xml	xml_details/ChiCTR2600127009.xml	xml_details/ChiCTR2600127008.xml	xml_details/ChiCTR2600127007.xml

clinicaltrials.gov

1 CSV (2.7 GB) · 1 json (230 B)

example filenames:

_LATEST.json

clinicaltrials_all.csv

2.7 GB · 46 columns · read by the graph

Serves: 2.7 GB - stream it. conditions and interventions are prose and go through the dictionary matcher, not a direct join.

Buils: node:ClinicalTrial , node:Company , edge:SPONSORED_BY , edge:STUDIES , edge:TESTED_IN , edge:CONDUCTED_IN

46 columns. Showing the 16 that identify a record; 30 hidden.

column	row 1	row 2	row 3	row 4	row 5
nct_id	NCT01968135	NCT02319135	NCT01861535	NCT01007435	NCT06830135
brief_title	Does Concomitant Use of Combined Oral Hormonal Steroids Stop Bleeding in Women Using Etono...	Azacytidine (Vidaza®) Versus Fludarabine and Cytarabine (Fluga Scheme) in Elderly Patients...	Primary Imiquimod Treatment Versus Surgery for Vulvar Intraepithelial Neoplasia	A Study of Tocilizumab as Monotherapy and in Combination With Methotrexate Versus Methotre...	Telehealth Approach to Enhancing Glycemic Control
official_title	Does Concomitant Use of Combined Oral Hormonal Steroids Stop Bleeding in Women Using Etono...	A PHASE III, MULTICENTRE, RANDOMIZED, OPEN LABEL CLINICAL TRIAL OF AZACYTIDINE (VIDAZA®) V...	Primary Imiquimod Treatment Versus Surgery for Vulvar Intraepithelial Neoplasia	A Multi-center, Randomized, Double-blind, Parallel Group Study of the Safety, Disease Remi...	A Multifaceted Telehealth Approach to Enhancing Glycemic Control and Reducing Readmissions...
org_study_id	13-1702	FLUGAZA	KLI293	WA19926	WPH IRB: 2025-16585
overall_status	COMPLETED	COMPLETED	COMPLETED	COMPLETED	NOT_YET_RECRUITING
study_type	INTERVENTIONAL	INTERVENTIONAL	INTERVENTIONAL	INTERVENTIONAL	INTERVENTIONAL
start_date	2013-10	2014-10	2013-06	2009-10-31	2025-04-01
start_date_type		ACTUAL		ACTUAL	ESTIMATED
primary_completion_date	2014-11	2018-10-28	2021-02	2012-05-31	2027-03-31
primary_completion_date_type	ACTUAL	ACTUAL	ACTUAL	ACTUAL	ESTIMATED
completion_date	2014-11	2019-10-28	2021-02	2014-01-28	2027-03-31
completion_date_type	ACTUAL	ACTUAL	ACTUAL	ACTUAL	ESTIMATED
responsible_party_type	SPONSOR	SPONSOR	SPONSOR	SPONSOR	SPONSOR
enrollment_type	ACTUAL	ACTUAL	ACTUAL	ACTUAL	ESTIMATED
first_posted_date	2013-10-23	2014-12-18	2013-05-23	2009-11-04	2025-02-17
last_update_posted_date	2016-05-05	2020-04-06	2021-04-14	2017-07-26	2025-02-17

column	what it means
nct_id	ClinicalTrials.gov registration number.
overall_status	Recruiting, Completed, Terminated, and so on.

clinicaltrialsregister.eu

1 CSV (2.1 GB) · 1 json (416 B)

example filenames:

_LATEST.json

eu_ctr_all_trials.csv

2.1 GB · 8102 columns · read by the graph

Serves: EU trials register (EudraCT). 8,102 columns, because the scraper flattened a nested form - only the first four are real per-trial fields, and the header alone exceeds 128 KB.
Builds: node:ClinicalTrial

8,102 columns, and almost none of them are fields. The scraper flattened the EudraCT application form, which nests: every distinct free-text eligibility bullet any trial ever wrote became its own column ("A. Bone marrow function (without the support of cytokines...)"), each form field repeats once per EU language ("A.3 Full title of the trial" appears 23 times), and the investigational-product block repeats as IMP 1 through IMP 52 with 42 sub-fields each. Only the first four columns are true per-trial fields; the rest are sparse, and most rows are empty in most of them. The graph reads this file for the EudraCT number, status and title, and ignores the pivot.

The header line alone is over 128 KB. An earlier sample reported 2,555 columns, which was the header cut mid-line by the read window rather than the real width - worth knowing, because anything that reads this file with a fixed buffer will see a plausible wrong answer instead of an error.

8,102 columns. Showing the 10 that identify a record; **8,092 hidden**.

column	row 1	row 2	row 3	row 4	row 5
EudraCT Number	2008-006649-18	2008-002768-32	2010-022400-53	2008-003174-18	2006-001095-21
Link	https://www.clinicaltrialsregister.eu/ctr-search/trial/2008-006649-18/GB/ A. Protocol Info...	https://www.clinicaltrialsregister.eu/ctr-search/trial/2008-002768-32/DE/ A. Protocol Info...	https://www.clinicaltrialsregister.eu/ctr-search/trial/2010-022400-53/DK/ A. Protocol Info...	https://www.clinicaltrialsregister.eu/ctr-search/trial/2008-003174-18/DE/ A. Protocol Info...	https://www.clinicaltrialsregister.eu/ctr-search/trial/2006-001095-21/3rd/ A. Protocol Inf...
National Competent Authority	UK - MHRA	Germany - BfArM	Denmark - DHMA	Germany - PEI	
Trial Status	Prematurely Ended	Completed	Completed	Completed	
A.2 EudraCT number	2008-006649-18	2008-002768-32	2010-022400-53	2008-003174-18	2006-001095-21
A.3 Full title of the trial	CMV TCR Gene Therapy: A Phase I Safety, Toxicity and Feasibility Study of Adoptive Immunot...	A prospective phase I/II, one-arm, one-stage multi-center, open label study of lenalidomid...	Intracoronary administration of melatonin for patients with acute myocardial infarction: a...	Open-labeled, randomized multi-center phase II study evaluating the efficacy and safety of...	Immunogenicity and Safety of PEDIACEL®, a Combined Diphtheria, Tetanus, Five Component Ace...
A.1 Member State Concerned	UK - MHRA	Germany - BfArM	Denmark - DHMA	Germany - PEI	
E.1.1 Medical condition(s) being investigated	Delayed reactivation/infection in post allogeneic haematopoietic stem cell transplant recipien...	Multiple myeloma	Acute Myocardial Infarction	adeno- and undifferentiated Carcinoma of Unknown Primary (CUP)	Pertussis, adsorbed diphtheria and tetanus toxoids, inactivated poliomyelitis and polysacc...
E.2.1 Main objective of the trial	The proposed study will test the feasibility of generating donor-derived cytomegalo virus ...	Phase I: To determine the dose of lenalidomide to be used in phase II part of the study. P...	MRI to examine myocardial infarct size, area at risk and myocardial salvage index. MRI is ...	To evaluate the progression free survival rate with Cetuximab/ Paclitaxel/ Carboplatin vs....	Primary Phase 1) To compare the post-Dose 3 immunogenicity of PEDIACEL to Infanrix®-IPV+H...
IMP 1 - D.1.2 and D.1.3 IMP Role	Test D.2 Status of the IMP to be used in the clinical trial	Test D.2 Status of the IMP to be used in the clinical trial	Test D.2 Status of the IMP to be used in the clinical trial	Test D.2 Status of the IMP to be used in the clinical trial	Test D.2 Status of the IMP to be used in the clinical trial

column	what it means
EudraCT Number	EU trial registration number.

ctri.nic.in

1 CSV (31.5 MB) · 1 json (332 B)

example filenames:

_LATEST.json

ctri_trials.csv

31.5 MB · 54 columns · read by the graph

Serves: Clinical Trials Registry - India.

Builds: node: ClinicalTrial

54 columns. Showing the 16 that identify a record; 38 hidden.

column	row 1	row 2	row 3	row 4	row 5
db_id	55901	55902	55904	55906	55908
ctri_id	CTRI/2021/05/033658	CTRI/2021/07/034679	CTRI/2021/09/036634	CTRI/2021/05/033687	CTRI/2021/07/035267
ctri_number	CTRI/2021/05/033658 [Registered on: 17/05/2021] Trial Registered Prospectively	CTRI/2021/07/034679 [Registered on: 08/07/2021] Trial Registered Prospectively	CTRI/2021/09/036634 [Registered on: 20/09/2021] Trial Registered Prospectively	CTRI/2021/05/033687 [Registered on: 20/05/2021] Trial Registered Prospectively	CTRI/2021/07/035267 [Registered on: 29/07/2021] Trial Registered Prospectively
registration_date	17/05/2021	08/07/2021	20/09/2021	20/05/2021	29/07/2021
registration_type	Prospective	Prospective	Prospective	Prospective	Prospective
last_modified_on	14/05/2021	08/11/2024	25/04/2023	08/07/2023	27/02/2023
type_of_trial	Interventional	Interventional	Observational	Interventional	Interventional
type_of_study	Drug	DrugSurgical/Anesthesia	Cross Sectional Study	Surgical/Anesthesia	Biological
public_title_of_study	To compare buccal versus vaginal route of misoprostol for induction of labor.	The effect of intrauterine Lidocaine instillation on pain scores in hysteroscopic guided b...	Survey To Assess Knowledge And Attitude Of Healthcare Workers Towards COVID-19 Vaccination...	Comparison of two different positions to administer spinal anaesthesia in pregnant women f...	Adjunctive dTMS for treatment of negative symptoms in Schizophrenia
scientific_title_of_study	A comparative study of buccal versus vaginal misoprostol for induction of labor.	The effect of intrauterine Lidocaine instillation on pain scores among women undergoing hy...	Survey To Assess Knowledge And Attitude Of Healthcare Workers Towards COVID-19 Vaccination...	Comparison of spinal anaesthesia in traditional sitting position versus cross legged sitti...	Adjunctive Deep Transcranial Magnetic Stimulation (dTMS) for treatment of negative symptom...
pi_name	Megha Agarwal	DrAishwarya T P	Dr Vuppalanchi Bhavani	Dr Intekhab Ahmad Khan	Gulesh Kumar
contact_scientific_name	Dr Navneet Takkar	Dr S Murali	Dr P Usha Rani	Dr Laxmi Shenoy	Dr Nishant Goyal
contact_public_name	Dr Navneet Takkar	DrAishwarya T P	Dr Vuppalanchi Bhavani	Dr Laxmi Shenoy	Dr Aniruddha Mukherjee
primary_sponsor_name	Department of Obstetrics and Gynaecology	JIPMER	Dr Vuppalanchi Bhavani	Dr Intekhab Ahmad Khan	Central Institute of Psychiatry
primary_sponsor_type	Government medical college	Government medical college	Other [Self]	Other [Self]	Government medical college
regulatory_clearance_status	[{"status": "Not Applicable"}]	[{"status": "Not Applicable"}]	[{"status": "Not Applicable"}]	[{"status": "Not Applicable"}]	[{"status": "Not Applicable"}]

euclinicaltrials.eu

1 CSV (15.7 MB) · 1 json (432 B)

example filenames:

_LATEST.json

Serves: CTIS - the EU system that replaced EudraCT, so recent EU trials are here and older ones in eu_ctr.

Builds: node:ClinicalTrial

column	row 1	row 2	row 3	row 4	row 5
Trial number	2023-509723-41-00	2023-510220-72-00	2022-501417-31-00	2024-512642-42-00	2023-504664-42-02
Protocol code	REALL_CART	BRONCHIPHARMA I	MK-7684A-010	N/A	IP-VITD
Title of the trial	A Phase I Clinical Trial of CART cell therapy for refractory/ relapsed acute lymphoblastic...	PHARMACOLOGICAL STRATEGIES OF INHALED ANTIBIOTHERAPY IN BRONCHIECTASIS WITH CHRONIC BRONCH...	A Phase 3, Randomized, Double-blind, Active-Comparator-Controlled Clinical Study of Adjuva...	Randomized study to protect from radiation iatrogenic hypothyroidism patients with medullo...	REQUIRED DOSE OF CHOLECALCIFEROL IN THE MANAGEMENT OF VITAMIN D DEFICIENCY AND INSUFFICIEN...
Overall trial status	Not authorised	Authorised, recruitment pending	Not authorised	Ongoing, recruiting	Ongoing, recruiting
Location(s) and recruitment status	Spain:Not authorised	Spain:Authorised, recruitment pending	Poland:Not authorised, Italy:Not authorised, Germany:Not authorised, Sweden:Not authorised...	Italy:Ongoing, recruiting	Spain:Ongoing, recruiting
Age group	18-64 years, 0-17 years	65+ years, 18-64 years	18-64 years, 65+ years, 0-17 years	65+ years, 0-17 years, 18-64 years	65+ years, 18-64 years
Age range secondary identifier	N/A	65-84 years, 85+ years	12-17 years, 65-84 years, 85+ years, N/A	N/A	N/A
Gender	Female, Male	Female, Male	Female, Male	Female, Male	Female
Number of participants enrolled	10	75	510	65	80
Trial region	EEA only	EEA only	In both EEA and non-EEA	EEA only	EEA only
Medical conditions	Refractory/ relapsed acute lymphoblastic leukemia in children, adolescents and young adult...	Adult bronchiectasis	High-risk Resected Melanoma	Hodgkin and non Hodgkin lymphoma, Medulloblastoma	POSTMENOPAUSAL WOMEN
Therapeutic area	["Diseases [C] - Neoplasms [C04]"]	["Diseases [C] - Respiratory Tract Diseases [C08]"]	["Diseases [C] - Neoplasms [C04]"]	["Diseases [C] - Neoplasms [C04]"]	["Diseases [C] - Nutritional and Metabolic Diseases [C18]"]
Trial phase	Human Pharmacology (Phase I)- Other	Therapeutic use (Phase IV)	Therapeutic confirmatory (Phase III)	Therapeutic confirmatory (Phase III)	Therapeutic confirmatory (Phase III)
Product	CART45RA-NKG2D CELLS, CART 19/22 T CELLS	TOBRAMYCIN, Suero Fisiológico Braun 0,9% disolvente para uso parenteral Cloruro de sodio,...	KEYTRUDA 25 mg/mL concentrate for solution for infusion	Levotiroxina Teva 25 microgrammi compresse	Lundeos 20.000 UI cápsulas blandas
Primary endpoint	In this umbrella trial, we will determine in parallel within independent cohorts: 1- The s...	Number of colony forming units (CFU)	Recurrence-Free Survival (RFS)	Hypothyroidism-free survival at 3 years after radiotherapy including part or the whole thy...	To evaluate the efficacy of cholecalciferol, serum vitamin D titration will be performed a...
Secondary endpoints	Expression of CD19/CD22 and NKG2DL on primary B- or T- cell ALL, respectively., Persistenc...	N/A	Distant Metastasis-Free Survival (DMFS), Overall Survival (OS), Number of Participants Who...	N/A	Vitamin D levels will be evaluated in the four groups to see if with 1000 IU normal levels...
Decision date	07/05/2024	03/06/2024	02/03/2023	24/05/2024	27/06/2023
Start date	N/A	N/A	N/A	13/12/2021	03/07/2023
End date	N/A	N/A	N/A	N/A	N/A
Global end of the trial	N/A	N/A	N/A	N/A	N/A
Trial results	No	No	No	No	No
Sponsor/Co-Sponsors	Fundacion Para La Investigacion Biomedica Del Hospital Universitario La Paz	Consorti Mar Parc De Salut De Barcelona	Merck Sharp & Dohme LLC	Fondazione IRCCS Istituto Nazionale Dei Tumori	Clinica Palacios Madrid S.L.
Sponsor type	Patient organisation/association	Hospital/Clinic/Other health care facility	Pharmaceutical company	Hospital/Clinic/Other health care facility	Hospital/Clinic/Other health care facility
Last updated	07/05/2024	03/06/2024	06/03/2023	24/05/2024	27/06/2023

isrctn.com

1 CSV (31.4 MB) · 1 .json (255 B)

example filenames:

_LATEST.json

ISRCTN_search_results.csv

31.4 MB · 69 columns · read by the graph

Serves: ISRCTN, UK-based but international.

Builds: node:ClinicalTrial

69 columns. Showing the 25 that identify a record; **44 hidden**.

column	row 1	row 2	row 3	row 4	row 5
ISRCTN	ISRCTN13663361	ISRCTN13836662	ISRCTN14887674	ISRCTN65106771	ISRCTN11164198
Title	Can screening for Clostridioides difficile carriage help prevent disease?	Deferred registration - Quotient Sciences Code: QSC303684	LungHealth4Life (LH4L): Lung function testing, health promotion and disease prevention in ...	A study comparing a hemp-herbal topical ointment with topical nifedipine-lidocaine in pati...	Does a toothbrushing support app improve oral hygiene in children and young people?
Protocol/serial number	CPMS: 74202	QSC303684			
Ethics approval(s)	Approved 30/01/2026, Wales Research Ethics Committee 3 (Health and Care Research Wales Flo...	Approved 21/07/2026, London – Harrow Research Ethics Committee (Health Research Authority,...	1. Approved 19/11/2025, Bioethics Committee of the Military Medical Institute – National R...	Approved 01/12/2022, Institutional Helsinki Committee, Sheba Medical Center (Emek Ha hela...	Submitted 22/07/2026, West Midlands - Edgbaston Research Ethics Committee (2 Redman Place,...
Country of recruitment	United Kingdom; Wales	United Kingdom; England	Hungary; Poland; Portugal	Israel	United Kingdom; England
Study stopped					
ROR id	https://ror.org/00265c946	https://ror.org/0296s4x19	https://ror.org/02g87qh62	https://ror.org/020rx487	Missing ROR
FundRef id	http://dx.doi.org/10.13039/100017037; http://dx.doi.org/10.13039/501100000272	http://dx.doi.org/10.13039/501100024580	http://dx.doi.org/10.13039/100032850		
Completion date	2026-12-03	2026-10-03	2027-08-31	2025-11-15	2027-03-31
Date of first enrolment	2026-08-03	2026-07-27	2025-11-26	2023-02-01	2026-08-31
Date of final enrolment	2026-12-03	2026-10-03	2026-10-30	2025-09-22	2027-01-05
Overall study status	Ongoing	Deferred	Ongoing	Completed	Ongoing
Recruitment status	Not yet recruiting	Not yet recruiting	Recruiting	No longer recruiting	Not yet recruiting
EudraCT/CTIS number					
IRAS number	354961	1013848			374657
ClinicalTrials.gov number					
Funding body type	government organisation; private sector organisation	private sector organisation	government organisation		
Sponsor body type	Hospital/treatment centre				
Study type(s)	Prevention; Screening				
Intervention type	Other	Drug	Behavioural	Drug	Behavioural
Drug/device/biological/vaccine name(s)		This is a phase I trial in healthy volunteers only and qualifies for an automatic deferral...		Proctofiz MD Ointment, topical nifedipine-lidocaine	
Phase		Phase I		Not Applicable	
Participant type(s)					
Target number of participants	700	16	900	60	88
Results first made available date					

column	what it means
Phase	Trial phase. Spellings vary by registry.

jrct.mhlw.go.jp

1 CSV (1.9 MB) · 1 .json, 1 .txt (39.4 KB)

example filenames:

_LATEST.json
jrct_ids.txt

jrct_list.csv

1.9 MB · 72 columns · read by the graph

Serves: Japan Registry of Clinical Trials. IP-blocked, so frozen.

Builds: node:ClinicalTrial

72 columns. Showing the 26 that identify a record; 46 hidden.

column	row 1	row 2	row 3	row 4	row 5
Trial ID	jRCT1020260019	jRCT1042260071	jRCT1030260245	jRCT2041260070	jRCT2031260248
Scientific Title	Effect of potassium-enriched salt substitutes on reducing single casual spot urine sodium-...	Measurement of capability for fixation of the head and neck position during robot-assisted...	Multicenter Observational Study of Cancer Therapy Related Cardiovascular Toxicity	A Multinational, Multicenter Study With an Open-Label Phase 1b and a Randomized, Double-BL...	A phase I open-label, multi-center study to evaluate the safety, tolerability, dosimetry, ...
Public Title	Study on Urinary Sodium-to-Potassium Ratio by Using Potassium-Enriched Salt Substitutes fo...	A prospective study of intraoperative head and neck fixation using EIGHT-FIT (MACURA-FIT ...	Multicenter Observational Study of CTR-CVT	Beeline: A Phase 1b/3 Study in GRIN-related Neurodevelopmental Disorder	A phase I study of [177Lu]Lu-DWJ155 and [68Ga]Ga-DWJ155 in patients with solid tumors (CFM...
Recruitment status	Not Recruiting	Recruiting	Recruiting	Recruiting	Recruiting
Date of registration	June. 23, 2026	June. 23, 2026	June. 23, 2026	June. 23, 2026	June. 23, 2026
Last modified on	June. 23, 2026	June. 23, 2026	June. 23, 2026	June. 23, 2026	June. 23, 2026
Study Type	Interventional	Interventional	Observational	Interventional	Interventional
Actual date of first enrollment	July. 22, 2025				
Anticipated date of first enrollment	Mar. 26, 2025	June. 23, 2026	June. 23, 2026	Aug. 15, 2026	June. 24, 2026
Certified Review Board - Approval Status	Approval	Approval	Approval	Approval	Approval
Certified Review Board - Date of approval	Mar. 26, 2025	June. 15, 2026	Mar. 17, 2026	June. 22, 2026	April. 01, 2026
Certified Review Board - Name	Iwate Medical University Ethics Review Committee	Shizuoka Cancer Center Certified Review Board	National Cancer Center Institutional Review Board	Institutional Review Board of Nishiniigata Chuo Hospital	National Cancer Center Hospital IRB
Completion date					
Contact for Public Queries - Name	Takahashi Tomohiro	Manabe Shoichi	Imaoka Takuro	intellim inquiry desk for JRCT	Moizumi Sanae
Contact for Scientific Queries - Name	Shimooki Osamu	Shiomi Akio	Tajiri Kazuko	Chin Russell	Moizumi Sanae
Date of posting of results summaries					
Date of the first journal publication of results					
Health Condition(s) Code			D066126		
Intervention(s) Code					
Key inclusion & exclusion criteria - Age Maximum	No limit	No limit	No limit	18age old under	No limit
Key inclusion & exclusion criteria - Age Minimum	05age old over	18age old over	18age old over	0age 1month old over	18age old over
Key inclusion & exclusion criteria - Exclusion Criteria	Exclusion Criteria: any of the following criteria will be excluded from the study. (1) Cases ...	1) Patients involving the head and neck region with a history of pre-existing conditions, ...	none	PART A - PHASE 3 RANDOMIZED QUALIFYING SEIZURES COHORT: A participant will be excluded fro...	- Out-of-range laboratory values defined as: -Creatinine clearance < 60 mL/min (calculated...
Key inclusion & exclusion criteria - Gender	Both	Both	Both	Both	Both
Key inclusion & exclusion criteria - Inclusion Criteria	Inclusion Criteria: who fulfill all of the following conditions as research subjects. (1) T...	1) Age 18 or older at the time of consent acquisition. 2) Patients are scheduled to undergo...	Patients who have developed, or are suspected to have or be at risk for, any of the follow...	PART A - PHASE 3 RANDOMIZED QUALIFYING SEIZURES COHORT: A participant will be eligible for...	- Male or female patients age >= 18 years. - Patients with one of the following histologic...
Secondary ID(s)					NCT07660055
Secondary ID(s) (2)					

trialssearch.who.int

1 CSV (4.6 GB) · 1 .json (266 B)

example filenames:

LATEST.json

Serves: 4.6 GB. Carries cross-registry ids, so it drives de-duplication. Without it the same study counts once per registry.

Builds: node:ClinicalTrial , edge:SAME_STUDY_AS

57 columns. Showing the 22 that identify a record; **35 hidden**.

column	row 1	row 2	row 3	row 4	row 5
TrialID	NL-OMON61215	ISRCTN16256452	NCT07439692	NCT07350694	CTRI/2025/07/091601
Last_Refreshed_on	15 June 2026	14 April 2026	9 March 2026	26 January 2026	18 August 2025
Public_title	REBUILD	Exploring the hidden burden of living with Glanzmann thrombasthenia	ICU-related Out of Pocket Expenses (ICOPE)	Engagement of coMmunity Through Participatory Learning and Action for cOntrol and preVEnti...	A Worldwide Study on How Children with Retinoblastoma Are Treated and How They Recover
Scientific_title	REBUILD - REhaBilitation and Evaluation of post-operative care and Return-to-Sport after t...	Exploring the hidden burden of living with Glanzmann thrombasthenia: a qualitative study	ICU-related Out of Pocket Expenses (ICOPE) - A Multinational Prospective Study In African ...	Engagement of coMmunity Through Participatory Learning and Action for cOntrol and preVEnti...	Global Retinoblastoma Presentation (2024) and Outcome (2027) Studies. - Global RB Study
Acronym			ICOPE	EMPOWER-D-Afg	
Primary_sponsor	Máxima MC	Equipath Analytics Limited	Nat Intensive Care Surveillance - MORU	HealthNet Transcultural Psychosocial Organization	Not applicable
Date_registration	2026-06-02	28/01/2026	16/01/2026	16/11/2025	24-07-2025
Date_registration3	20260602	20260128	20260116	20251116	20250724
Recruitment_Status	Not Recruiting	Recruiting	Recruiting	Recruiting	Not Recruiting
Date_enrollement	2026-06-02	30/03/2026	December 1, 2024	December 24, 2024	11-08-2025
Study_type	Observational	Observational	Observational	Interventional	Observational
Phase	NA	Not Applicable		N/A	N/A
Secondary_ID	NL-012002		ICOPE V1.0 554-23	NIHR 203248;HealthNet TPO, A-12-24-464	NIL
Ethics_review_status	Positive opinion	Approved			Approved
Ethics_review_approval_date	02/02/2026	30/03/2026			14/07/2025
Ethics_review_contact_name		liverpoolcentral.rec@hra.nhs.uk			
results_date_posted					
results_date_completed		24/02/2027			
results_date_first_publication					
results_yes_no		Yes			
Export_date	07/25/2026 00:59:05	07/25/2026 00:59:05	07/25/2026 00:59:05	07/25/2026 00:59:05	07/25/2026 00:59:05
Internal_Number	15843971	15627895	15551734	15452687	15034842

column	what it means
Phase	Trial phase. Spellings vary by registry.

Drug Substance Reference

What a substance is. Names, structures, identifiers, salt and parent relationships. Everything else in the lake refers to drugs by name, so this category is what makes those names resolvable.

atcddd.fhi.no

3 CSV (1.2 MB) · 1 .json (244 B)

example filenames:

_LATEST.json

atc_classes.csv

378.7 KB · 5 columns · read by the graph

Serves: WHO ATC tree, parent_code gives the hierarchy directly.

Builds: node:DrugClass

column	row 1	row 2	row 3	row 4	row 5
atc_code	A	A01	A01A	A01AA	A01AB
level	1	2	3	4	4
name	ALIMENTARY TRACT AND METABOLISM	STOMATOLOGICAL PREPARATIONS	STOMATOLOGICAL PREPARATIONS	Caries prophylactic agents	Antiinfectives and antiseptics for local oral treatment
parent_code		A	A01	A01A	A01A
description	A01STOMATOLOGICAL PREPARATIONS A02DRUGS FOR ACID RELATED DISORDERS A03DRUGS FOR FUNCTIONAL G...	A01ASTOMATOLOGICAL PREPARATION This group comprises agents for treatment of conditions of ...	This group comprises agents for treatment of conditions of mouth and teeth. Preparations m...		

column	what it means
atc_code	WHO ATC classification code. Levels 1-5, where level 5 is a specific substance.

atc_ddd_full.csv

618.2 KB · 9 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. WHO ATC/DDD. The drug classification tree.

column	row 1	row 2	row 3	row 4	row 5
atc_code	A	A01	A01A	A01AA	A01AB
level	1	2	3	4	4
name	ALIMENTARY TRACT AND METABOLISM	STOMATOLOGICAL PREPARATIONS	STOMATOLOGICAL PREPARATIONS	Caries prophylactic agents	Antiinfectives and antiseptics for local oral treatment
parent_code		A	A01	A01A	A01A
ddd					
unit					
adm_route					
note					
description	A01STOMATOLOGICAL PREPARATIONS A02DRUGS FOR ACID RELATED DISORDERS A03DRUGS FOR FUNCTIONAL G...	A01ASTOMATOLOGICAL PREPARATION This group comprises agents for treatment of conditions of ...	This group comprises agents for treatment of conditions of mouth and teeth. Preparations m...		

column	what it means
atc_code	WHO ATC classification code. Levels 1-5, where level 5 is a specific substance.

atc_substances.csv

217.8 KB · 7 columns · read by the graph

Serves: substance name -> atc_code. Dictionary-matched to Substance.

Builds: edge:IN_CLASS , id:ATC

column	row 1	row 2	row 3	row 4	row 5
atc_code	A01AA01	A01AA02	A01AA03	A01AA04	A01AA30
name	sodium fluoride	sodium monofluorophosphate	olaflur	stannous fluoride	combinations
ddd	1.1		1.1		
unit	mg		mg		
adm_route	O		O		
note	0.5 mg fluoride				
parent_code	A01AA	A01AA	A01AA	A01AA	A01AA

column	what it means
atc_code	WHO ATC classification code. Levels 1-5, where level 5 is a specific substance.

4 CSV (206.6 MB) · 1 .json (329 B)

example filenames:

_LATEST.json

dailymed_catalog.csv

21.4 MB · 4 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. DailyMed. US structured product labels; supplies SPL setids.

column	row 1	row 2	row 3	row 4	row 5
spl_version	1	1	1	1	1
published_date	Jul 24, 2026	Jul 24, 2026	Jul 24, 2026	Jul 24, 2026	Jul 24, 2026
title	SOLU-MEDROL (METHYLPREDNISOLONE SODIUM SUCCINATE) INJECTION, POWDER, FOR SOLUTION [SPORTPH...	DERMANEL CHLORHEXIDINE GLUCONATE, KETOCONAZOLE FOR DOGS, CATS AND HORSES (CHLORHEXIDINE GL...	TOFACITINIB CITRATE TABLET, FILM COATED, EXTENDED RELEASE [SCIEGEN PHARMACEUTICALS, INC.]	TOFACITINIB CITRATE TABLET, FILM COATED, EXTENDED RELEASE [RADHA PHARMACEUTICALS, INC.]	FUROSEMIDE TABLET [COVETRUS NORTH AMERICA]
setid	0cb0ba76-067f-46c4-a5d8- b585d5ecafe3	0ea57a54-3bd1-41ed-bb8c- ed18a247fe3a	11d08738-efa3-4474-8eda- 812bc04adfbf	141ab3eb-982b-4242-89db- 6ddce5be0c40	1531876c-9bba-405c-83d7- d6a2dc881032

column	what it means
setid	SPL Set ID - the stable handle for a US product label.

dailymed_details.csv

75.2 MB · 5 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. DailyMed. US structured product labels; supplies SPL setids.

column	row 1	row 2	row 3	row 4	row 5
setid	25500fd1-4fee-43db-9c71- 45912594fe06	94d13f48-fbca-67b4-e053- 2995a90a791b	a661a6c8-0eb3-0b28-e053- 2a95a90a66fe	a338f711-734c-07d3-e053- 2a95a90aed79	7508ce57-40bc-4d50-8025- 44d28bfc2ccb
ndc_list	53135-836-02	51662-1407-1 51662-1407- 2 51662-1407-3	77917-001-01 77917-001- 02 77917-001-03 77917-001- 04 77917-001-05 77917-001- 06 77917-001-07...	74710-0002-1 74710-0002-2	53135-834-02
packaging_descriptions	53135-836-02:[57 g in 1 CANISTER]	51662-1407-1:[30 mL in 1 VIAL, MULTI-DOSE] 51662-1407-2:[1 in 1 POUCH, 30 mL in 1 VIAL, M...	77917-001-01:[5 mL in 1 BOTTLE] 77917-001-02:[10 mL in 1 BOTTLE] 77917-001-03:[20 mL in 1 ...	74710-0002-1:[70 mL in 1 TUBE] 74710-0002-2:[100 mL in 1 TUBE]	53135-834-02:[57 g in 1 CANISTER]
media_urls	https://dailymed.nlm.nih.gov/daily med/image.cfm?setid=25500fd1- 4fee-43db-9c71-45912594fe06...	https://dailymed.nlm.nih.gov/daily med/image.cfm?setid=94d13f48- fbca-67b4-e053-2995a90a791b...	https://dailymed.nlm.nih.gov/daily med/image.cfm?setid=a661a6c8- 0eb3-0b28-e053-2a95a90a66fe...	https://dailymed.nlm.nih.gov/daily med/image.cfm?setid=a338f711- 734c-07d3-e053-2a95a90aed79...	https://dailymed.nlm.nih.gov/daily med/image.cfm?setid=7508ce57- 40bc-4d50-8025-44d28bfc2ccb...
error					

column	what it means
setid	SPL Set ID - the stable handle for a US product label.

dailymed_master_mapping.csv

93.7 MB · 6 columns · read by the graph

Serves: SPL setid to NDC. The setid is the canonical handle for a US label; note DailyMed publishes no documents to S3, so these identify labels the vector store never indexed.

Builds: id:SPL_SETID , id:NDC

column	row 1	row 2	row 3	row 4	row 5
setid	a661a6c8-0eb3-0b28-e053-2a95a90a66fe	94d13f48-fbca-67b4-e053-2995a90a791b	94d13f48-fbca-67b4-e053-2995a90a791b	94d13f48-fbca-67b4-e053-2995a90a791b	25500fd1-4fee-43db-9c71-45912594fe06
title	(BIOTEMED) INSTANT HAND SANITIZER (ALCOHOL) GEL [QINGDAO HEALTH OCEAN BIOPHARMACEUTICAL CO...	(CHLOROPROCAINE HCI INJECTION, SOLUTION [HF ACQUISITION CO LLC, DBA HEALTHFIRST]	(CHLOROPROCAINE HCI INJECTION, SOLUTION [HF ACQUISITION CO LLC, DBA HEALTHFIRST]	(CHLOROPROCAINE HCI INJECTION, SOLUTION [HF ACQUISITION CO LLC, DBA HEALTHFIRST]	(DEODORANT PLUS ANTIPERSPIRANT) STICK [RAANI CORPORATION]
spl_version	1	4	4	4	1
rxcul		992801	992801	992801	
rxstring		chloroprocaine HCI 1 % Injectable Solution	chloroprocaine hydrochloride 1 % Injectable Solution	chloroprocaine hydrochloride 10 MG/ML Injectable Solution	
rxtty		PSN	SY	SCD	

column	what it means
setid	SPL Set ID - the stable handle for a US product label.
rxcul	RxNorm concept id. Beware granularity: DailyMed publishes product-level (SCD) ids and substance files carry ingredient-level (IN) ones, so they do not join.

dailymed_pharma_mapping.csv

16.3 MB · 5 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. DailyMed. US structured product labels; supplies SPL setids.

column	row 1	row 2	row 3	row 4	row 5
spl_setid	94d13f48-fbca-67b4-e053-2995a90a791b	a5486903-f5da-bd0e-e053-2995a90ac507	acc70903-6f3a-45db-a1d5-f586341d2214	a5aac064-adf3-e1a7-e053-2a95a90a93be	c38ce5e9-5b1c-4ec8-bf85-12199a84f5a5
title	(CHLOROPROCAINE HCI INJECTION, SOLUTION [HF ACQUISITION CO LLC, DBA HEALTHFIRST]	(FRULI) QUICK-DRY DISPOSABLE HAND SANITIZER (ALCOHOL) LIQUID [SHANDONG ZHUOJIAN MEDICAL TE...	(OCTINOXATE, OCTISALATE, OXYBENZONE, TITANIUM DIOXIDE) SPRAY [SHANGHAI KEJING CLEANING PRO...	(QIQING) CHLORHEXIDINE GLUCONATE ALCOHOL DISINFECTANT (ALCOHOL) LIQUID [QINGDAO PRECISION ...	(REGIONAL ANESTHESIA KIT) KIT [SMITHS MEDICAL ASD, INC.]
spl_version	4	1	1	1	4
pharma_setid	5075a377-0917-4067-9750-8c3e38dba204	c2266a60-b536-445d-a93a-9c1ae01224d5	49a6aaa5-1583-4761-8f5d-c949b9e80855	c2266a60-b536-445d-a93a-9c1ae01224d5	7d0a8797-d20d-43ca-8a4c-9abbbe2d2c7d
pharma_version	2	2	2	2	2

column	what it means
spl_setid	See setid.

ebi.ac.uk-chembl

14 CSV (493.8 MB) · 1 .json (256 B)

example filenames:

_LATEST.json

chembl_action_types.csv

4.6 KB · 3 columns · read by the graph

Serves: agonist / antagonist / inhibitor vocabulary.

Builds: node:Mechanism

column	row 1	row 2	row 3	row 4	row 5
action_type	ACTIVATOR	AGONIST	ALLOSTERIC ANTAGONIST	ANTAGONIST	ANTISENSE INHIBITOR
description	Positively effects the normal functioning of the protein e.g., activation of an enzyme or ...	Binds to and activates a receptor, often mimicking the effect of the endogenous ligand	Binds to a receptor at an allosteric site and prevents activation by a positive allosteric...	Binds to a receptor and prevents activation by an agonist through competing for the bindin...	Prevents translation of a complementary mRNA sequence through binding and targeting it for...
parent_type	POSITIVE MODULATOR	POSITIVE MODULATOR	NEGATIVE MODULATOR	NEGATIVE MODULATOR	NEGATIVE MODULATOR

chembl_atc.csv

71.6 KB · 2 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. ChEMBL. Molecules, structures, synonyms, mechanisms, targets and indications - the widest single source here.

column	row 1	row 2	row 3	row 4	row 5
molregno	2286380	2089491	608601	1927225	1567700
level5	L01EA06	L01EX15	L01EX10	L01EN01	L01EM03

column	what it means
molregno	ChEMBL's internal molecule row id. Not stable across releases - use chembl_id to refer to a molecule.

chembl_component_synonyms.csv

5.1 MB · 4 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. ChEMBL. Molecules, structures, synonyms, mechanisms, targets and indications - the widest single source here.

column	row 1	row 2	row 3	row 4	row 5
compsyn_id	860862	860867	860872	860877	860915
component_id	48	49	50	51	56
component_synonym	Gabra-1	Gabrb-3	Gabrb-2	CDKN5	NMDAR1
syn_type	GENE_SYMBOL_OTHER	GENE_SYMBOL_OTHER	GENE_SYMBOL_OTHER	GENE_SYMBOL_OTHER	GENE_SYMBOL_OTHER

chembl_indications.csv

4.0 MB · 6 columns · read by the graph

Serves: Carries mesh_id AND efo_id on the same row - the crosswalk that stops opentargets' EFO diseases and MeSH becoming two disconnected populations.
Builds: edge: INDICATED_FOR

column	row 1	row 2	row 3	row 4	row 5
molregno	675774	675774	675576	438435	436875
mesh_id	D045743	D001172	D009203	D011471	D003920
mesh_heading	Scleroderma, Diffuse	Arthritis, Rheumatoid	Myocardial Infarction	Prostatic Neoplasms	Diabetes Mellitus
efo_id	EFO:0000404	EFO:0000685	EFO:0000612	EFO:0001663	EFO:0000400
efo_term	diffuse scleroderma	rheumatoid arthritis	myocardial infarction	prostate carcinoma	diabetes mellitus
max_phase_for_ind	2	4	3	4	4

column	what it means
molregno	ChEMBL's internal molecule row id. Not stable across releases - use chembl_id to refer to a molecule.
mesh_id	MeSH descriptor id, e.g. D000544. The Disease key.
mesh_heading	The MeSH descriptor's official name - usually not how anyone writes it ("Carcinoma, Non-Small-Cell Lung").
efo_id	Experimental Factor Ontology id. Crosswalked to MeSH.

chembl_mechanisms.csv

480.4 KB · 6 columns · read by the graph

Serves: Carries molregno -> tid AND mechanism_of_action + action_type, so both edges come from one structured file. No inference.

Builds: node:Mechanism , edge:TARGETS , edge:HAS_MECHANISM

column	row 1	row 2	row 3	row 4	row 5
molregno	1124	675068	674765	1085	1125
tid	11060	10193	10193	10193	10193
mechanism_of_action	Carbonic anhydrase VII inhibitor	Carbonic anhydrase I inhibitor	Carbonic anhydrase I inhibitor	Carbonic anhydrase I inhibitor	Carbonic anhydrase I inhibitor
action_type	INHIBITOR	INHIBITOR	INHIBITOR	INHIBITOR	INHIBITOR
direct_interaction	1	1	1	1	1
molecular_mechanism	1	1	1	1	1

column	what it means
molregno	ChEMBL's internal molecule row id. Not stable across releases - use chembl_id to refer to a molecule.
tid	ChEMBL target row id.

chembl_molecule_hierarchy.csv

64.7 MB · 3 columns · read by the graph

Serves: molregno -> parent_molregno. Salt forms as fact: atorvastatin calcium links to atorvastatin without guessing which trailing tokens are salts.

Builds: resolver

column	row 1	row 2	row 3	row 4	row 5
molregno	1	2	3	4	5
parent_molregno	1	2	3	4	5
active_molregno	1	2	3	4	5

column	what it means
molregno	ChEMBL's internal molecule row id. Not stable across releases - use chembl_id to refer to a molecule.

chembl_molecules.csv

144.7 MB · 13 columns · read by the graph

Serves: Pan-therapeutic molecule table. molecule_type feeds Modality.

Builds: node:Substance , id:CHEMBL_ID , node:Modality

column	row 1	row 2	row 3	row 4	row 5
molregno	1	2	3	4	5
chembl_id	CHEMBL6329	CHEMBL6328	CHEMBL265667	CHEMBL6362	CHEMBL267864
pref_name					
molecule_type	Small molecule	Small molecule	Small molecule	Small molecule	Small molecule
max_phase					
first_approval					
oral	0	0	0	0	0
parenteral	0	0	0	0	0
topical	0	0	0	0	0
black_box_warning	0	0	0	0	0
natural_product	0	0	0	0	0
prodrug	-1	-1	-1	-1	-1
withdrawn_flag	0	0	0	0	0

column	what it means
molregno	ChEMBL's internal molecule row id. Not stable across releases - use chembl_id to refer to a molecule.
chembl_id	ChEMBL accession, e.g. CHEMBL1487. Stable.
pref_name	The source's preferred name for the record.
max_phase	Highest clinical phase reached. 4 = approved. Written as a float, and blank when unknown.
first_approval	Year of first regulatory approval anywhere.

chembl_structures.csv

266.8 MB · 3 columns · read by the graph

Serves: InChIKey is the strongest merge signal there is - it is the chemistry, not a name.

Builds: id:INCHIKEY

column	row 1	row 2	row 3	row 4	row 5
molregno	1	2	3	4	5
standard_inchi_key	OWRSAHYFSSNENM-UHFFFAOYSA-N	ZJYUMURGSZQFMH-UHFFFAOYSA-N	YOMWDCALSDWFSV-UHFFFAOYSA-N	PSOPUAQFGCRDIP-UHFFFAOYSA-N	KEZNSCMBVRNOHO-UHFFFAOYSA-N
canonical_smiles	Cc1cc(-n2ncc(=O)[nH]c2=O)ccc1C(=O)c1ccccc1Cl	Cc1cc(-n2ncc(=O)[nH]c2=O)ccc1C(=O)c1ccc(C#N)cc1	Cc1cc(-n2ncc(=O)[nH]c2=O)cc(C)C1C(O)c1ccc(Cl)cc1	Cc1ccc(C(=O)c2ccc(-n3ncc(=O)[nH]c3=O)cc2)cc1	Cc1cc(-n2ncc(=O)[nH]c2=O)ccc1C(=O)c1ccc(Cl)cc1

column	what it means
molregno	ChEMBL's internal molecule row id. Not stable across releases - use chembl_id to refer to a molecule.
standard_inchi_key	See inchikey.
canonical_smiles	Structure as a text string.

chembl_synonyms.csv

4.1 MB · 3 columns · read by the graph

Serves: Extends the name lookup beyond gsrs, notably brand names.

Builds: resolver

column	row 1	row 2	row 3	row 4	row 5
molregno	463	634	868	906	947
synonyms	Ro-481220	Ro-151310	Ro-147437	Ro-194603	Ro-145975
syn_type	RESEARCH_CODE	RESEARCH_CODE	RESEARCH_CODE	RESEARCH_CODE	RESEARCH_CODE

column	what it means
molregno	ChEMBL's internal molecule row id. Not stable across releases - use chembl_id to refer to a molecule.

chembl_target_component_map.csv

252.8 KB · 3 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. ChEMBL. Molecules, structures, synonyms, mechanisms, targets and indications - the widest single source here.

column	row 1	row 2	row 3	row 4	row 5
tid	11004	11028	11037	11043	11056
component_id	3090	1166	1888	1294	2159
homologue	0	0	0	0	0

column	what it means
tid	ChEMBL target row id.

chembl_target_components.csv

935.8 KB · 5 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. ChEMBL. Molecules, structures, synonyms, mechanisms, targets and indications - the widest single source here.

column	row 1	row 2	row 3	row 4	row 5
component_id	1	2	3	4	5
accession	O09028	P02708	P04637	P04757	P05106
component_type	PROTEIN	PROTEIN	PROTEIN	PROTEIN	PROTEIN
description	Gamma-aminobutyric acid receptor subunit pi	Acetylcholine receptor subunit alpha	Cellular tumor antigen p53	Neuronal acetylcholine receptor subunit alpha-3	Integrin beta-3
organism	Rattus norvegicus	Homo sapiens	Homo sapiens	Rattus norvegicus	Homo sapiens

column	what it means
accession	UniProt accession, e.g. P04637. The Target key.

chembl_targets.csv

1.4 MB · 5 columns · read by the graph

Serves: The Target base. uniprot.org in this lake is disease-scoped (2,782 proteins in themed files), so it cannot be the spine.

Builds: node:Target

column	row 1	row 2	row 3	row 4	row 5
tid	1	2	3	4	5
chembl_id	CHEMBL2074	CHEMBL1971	CHEMBL1827	CHEMBL1859	CHEMBL1884
pref_name	Maltase-glucoamylase	ATP-binding cassette sub-family C member 9	cGMP-specific 3',5'-cyclic phosphodiesterase	Voltage-dependent T-type calcium channel subunit alpha-1H	Nicotinic acetylcholine receptor alpha subunit
target_type	SINGLE PROTEIN	SINGLE PROTEIN	SINGLE PROTEIN	SINGLE PROTEIN	SINGLE PROTEIN
organism	Homo sapiens	Homo sapiens	Homo sapiens	Homo sapiens	Ascaris suum

column	what it means
tid	ChEMBL target row id.
chembl_id	ChEMBL accession, e.g. CHEMBL1487. Stable.
pref_name	The source's preferred name for the record.

chembl_uniprot_mapping.csv

1.2 MB · 4 columns · read by the graph

Serves: chembl tid -> UniProt accession, which is the Target key.

Builds: id:UNIPROT

column	row 1	row 2	row 3	row 4	row 5
uniprot_accession	P21266	O00519	P19217	P97292	P17342
chembl_target_id	CHEMBL2242	CHEMBL2243	CHEMBL2244	CHEMBL2245	CHEMBL2247
target_name	Glutathione S-transferase Mu 3	Fatty-acid amide hydrolase 1	Sulfotransferase 1E1	Histamine H2 receptor	Atrial natriuretic peptide receptor 3
target_type	SINGLE PROTEIN	SINGLE PROTEIN	SINGLE PROTEIN	SINGLE PROTEIN	SINGLE PROTEIN

chembl_usan_stems.csv

59.9 KB · 5 columns · not read by the graph

Serves: not used by the graph — 834 USAN stems. Loaded briefly as Modality and withdrawn: the annotations are not one concept - '-mab' is 'monoclonal antibodies' (modality), '-kinra' is 'interleukin receptor antagonists' (mechanism), '-prazole' is a pharmacologic class - so any single label misfiles most of them. As Modality it put 397 class descriptions beside 9 real modalities. A stem also has several rows with sub-variants ('-mab' as 'monoclonal antibodies', '...: chimeric', '...: humanized') that a name suffix cannot tell apart, so first-match labelled humanized antibodies chimeric by list order. Everything it approximated is stated elsewhere: Modality from ChEMBL molecule_type, DrugClass from ATC, Mechanism from chembl_mechanisms. Revisit only with the stem table hand-classified into those three - that is curation, not a load.

column	row 1	row 2	row 3	row 4	row 5
usan_stem_id	4141	4142	4143	4144	4145
stem	-ac	-ac	-actant	-adenant	-adol
subgroup		-zolac			
annotation	anti-inflammatory agents (acetic acid derivatives)	anti-inflammatory agents (acetic acid derivatives); anti-inflammatory; pyrazole acetic aci...	pulmonary surfactants	adenosine receptor antagonists	analgesics (mixed opiate receptor agonists/antagonists)
stem_class	suffix	suffix	suffix	suffix	suffix

gsrs.ncats.nih.gov

1 CSV (53.5 MB) · 2 json (438 B)

example filenames:

_LATEST.json

gsrs_progress.json

gsrs_substances.csv

53.5 MB · 10 columns · read by the graph

Serves: The naming authority. preferred_name + synonyms build the name->UNII lookup every other loader resolves through.

Builds: node:Substance , id:UNII , id:CAS , resolver

column	row 1	row 2	row 3	row 4	row 5
uuid	00003571-8a34-49de-a980-267d6394cfa3	00003c75-39d4-4005-9fde-f5eca9abd4f1	00006626-ba3a-4949-a089-3263bac5e9e0	00006c59-b268-42a5-b93a-c05cc26859e9	0000d909-a8d0-42d6-a879-31009764269b
unii	B71UA545DE	5Y3NBK9IS7	535OQ68DO6	76RAN2WN7T	12XH8EKL2A
preferred_name	CYNARA SCOLYMUS LEAF	PHENANTHRO(4,5-BCD)THIOPHENE	GARCINIA COWA LATEX	Ethyl (6bR,10aS)-2,3,6b,9,10,10a-hexahydro-3-methyl-1H-pyrido[3',4':4,5]pyrrolo[1,2,3-de]q...	MGS-0210
substance_class	structurallyDiverse	chemical	structurallyDiverse	chemical	chemical
status	approved	approved	approved	approved	approved
definition_type	PRIMARY	PRIMARY	PRIMARY	PRIMARY	PRIMARY
definition_level	COMPLETE	COMPLETE	COMPLETE	COMPLETE	COMPLETE
deprecated	False	False	False	False	False
cas_number	84012-14-6	30796-92-0		3092830-22-0	820244-38-0
synonyms	ARTICHOKE LEAF ARTICHOKE LEAF [EMA HERBAL SUBSTANCE] ARTICHOKE LEAVES [FHFJ] CYNARA [MART....	4,5-EPITHIOPHENANTHRENE BENZO(DE F) DIBENZOTHIOPHENE TRIBENZOTHIOPHENE	CAMBOGIA CRASSIFOLIA LATEX GARCINIA CORNEA LATEX GARCINIA ROXBURGHII LATEX GARCINIA WALLIC...		(+)-MGS-0210[(1R,3R,4R,5R,6R)-4-AMINO-3-((3,4-DICHLOROPHENYL)METHOXY)-6-FLUORO-6-HEPTOXYCA...

column	what it means
unii	FDA Unique Ingredient Identifier. The preferred Substance key in this graph.

pubchem.ncbi.nlm.nih.gov

5 CSV (10.5 GB) · 1 json, 1.txt (523.5 KB)

example filenames:

_LATEST.json

drug_names.txt

pubchem_parent_extracted.csv

2.2 GB · 2 columns · not read by the graph

Serves: not used by the graph — ~291M rows across 5 files, but the two big ones are 2-column lookups (CID->SMILES 133.9M, CID->parent 119.1M). They are 85% of the lake's rows and would dominate the graph. chembl_structures already supplies InChIKey, which is the identifier that matters. Revisit only if a PubChem CID crosswalk is specifically needed.

column	row 1	row 2	row 3	row 4	row 5
CID	461552	461553	461557	461558	461564
Parent_CID	3365	461553	461557	461558	461564

pubchem_properties.csv

790 B · 12 columns · not read by the graph

Serves: not used by the graph — ~291M rows across 5 files, but the two big ones are 2-column lookups (CID->SMILES 133.9M, CID->parent 119.1M). They are 85% of the lake's rows and would dominate the graph. chembl_structures already supplies InChIKey, which is the identifier that matters. Revisit only if a PubChem CID crosswalk is specifically needed.

column	row 1	row 2	row 3
InChI	InChI=1S/C9H8O4/c1-6(10)13-8-5-3-2-4-7(8)9(11)12/h2-5H,1H3,(H,11,12)	InChI=1S/C8H9NO2/c1-6(10)9-7-2-4-8(11)5-3-7/h2-5,11H,1H3,(H,9,10)	InChI=1S/C13H18O2/c1-9(2)8-11-4-6-12(7-5-11)10(3)13(14)15/h4-7,9-10H,8H2,1-3H3,(H,14,15)
InChIKey	BSYNRYMUTXBXSQ-UHFFFAOYSA-N	RZVAJINKPMORJF-UHFFFAOYSA-N	HEFNNSXXWATRW-UHFFFAOYSA-N
IUPACName	2-acetyloxybenzoic acid	N-(4-hydroxyphenyl)acetamide	2-[4-(2-methylpropyl)phenyl]propanoic acid
MolecularFormula	C9H8O4	C8H9NO2	C13H18O2
MolecularWeight	180.16	151.16	206.28
XLogP	1.2	0.5	3.5
TPSA	63.6	49.3	37.3
Charge	0	0	0
Complexity	212	139	203
CID	2244	1983	3672
SMILES	CC(=O)OC1=CC=CC=C1C(=O)O	CC(=O)NC1=CC=C(C=C1)O	CC(C)CC1=CC=C(C=C1)C(C)C(=O)O
ConnectivitySMILES	CC(=O)OC1=CC=CC=C1C(=O)O	CC(=O)NC1=CC=C(C=C1)O	CC(C)CC1=CC=C(C=C1)C(C)C(=O)O

column	what it means
InChIKey	Hashed chemical structure. The strongest merge signal available, because it is chemistry rather than a name.

pubchem_search_results.csv

1.7 MB · 12 columns · not read by the graph

Serves: not used by the graph — ~291M rows across 5 files, but the two big ones are 2-column lookups (CID->SMILES 133.9M, CID->parent 119.1M). They are 85% of the lake's rows and would dominate the graph. chembl_structures already supplies InChIKey, which is the identifier that matters. Revisit only if a PubChem CID crosswalk is specifically needed.

column	row 1	row 2	row 3	row 4	row 5
InChI	InChI=1S/C9H8O4/c1-6(10)13-8-5-3-2-4-7(8)9(11)12/h2-5H,1H3,(H,11,12)	InChI=1S/C8H8O3/c1-11-8(10)6-4-2-3-5-7(6)9/h2-5,9H,1H3	InChI=1S/C14H10O5/c15-11-7-3-1-5-9(11)14(18)19-12-8-4-2-6-10(12)13(16)17/h1-8,15H,(H,16,17...	InChI=1S/C13H10O3/c14-12-9-5-4-8-11(12)13(15)16-10-6-2-1-3-7-10/h1-9,14H	InChI=1S/C9H10O3/c1-2-12-9(11)7-5-3-4-6-8(7)10/h3-6,10H,2H2,1H3
InChIKey	BSYNRYMUTXBXSQ-UHFFFAOYSA-N	OSWPMRLSEHDFF-UHFFFAOYSA-N	WVYADZUPLLSGPU-UHFFFAOYSA-N	ZQBAKBUEJOMQEX-UHFFFAOYSA-N	GYCKQBWUSACYIF-UHFFFAOYSA-N
IUPACName	2-acetyloxybenzoic acid	methyl 2-hydroxybenzoate	2-(2-hydroxybenzoyl)oxybenzoic acid	phenyl 2-hydroxybenzoate	ethyl 2-hydroxybenzoate
MolecularFormula	C9H8O4	C8H8O3	C14H10O5	C13H10O3	C9H10O3
MolecularWeight	180.16	152.15	258.23	214.22	166.17
XLogP	1.2	2.3	3	3.8	3
TPSA	63.6	46.5	83.8	46.5	46.5
Charge	0	0	0	0	0
Complexity	212	144	341	233	156
CID	2244	4133	5161	8361	8365
SMILES	CC(=O)OC1=CC=CC=C1C(=O)O	COC(=O)C1=CC=CC=C1O	C1=CC=C(C(=C1)C(=O)OC2=CC=CC=C2C(=O)O)O	C1=CC=C(C(=C1)OC(=O)C2=CC=CC=C2O	CCOC(=O)C1=CC=CC=C1O
ConnectivitySMILES	CC(=O)OC1=CC=CC=C1C(=O)O	COC(=O)C1=CC=CC=C1O	C1=CC=C(C(=C1)C(=O)OC2=CC=CC=C2C(=O)O)O	C1=CC=C(C(=C1)OC(=O)C2=CC=CC=C2O	CCOC(=O)C1=CC=CC=C1O

column	what it means
InChIKey	Hashed chemical structure. The strongest merge signal available, because it is chemistry rather than a name.

pubchem_smiles_extracted.csv

8.3 GB · 2 columns · not read by the graph

Serves: not used by the graph — ~291M rows across 5 files, but the two big ones are 2-column lookups (CID->SMILES 133.9M, CID->parent 119.1M). They are 85% of the lake's rows and would dominate the graph. chembl_structures already supplies InChIKey, which is the identifier that matters. Revisit only if a PubChem CID crosswalk is specifically needed.

column	row 1	row 2	row 3	row 4	row 5
CID	2253377	2253378	2253381	2253382	2253383
SMILES	C=C1/C(=C(NC2=CC(=C(C=C2)C)C(=O)O)/C(=O)N(N1)C3=CC=CC=C3	CC(=O)NC1=CC=C(C(=C1)N/C=C/C#N)C2=NC(=CS2)C3=CC(=C(C(=C3)Cl)Cl	C1=CC=C2C(=C1)C=CC3=C2C=C(C(=O)O)O3)C4=CSC(=N4)/C(=C/NC5=CC=C(C=C5)S(=O)(=O)N)/C#N	CC1=CC=CC=C1N2C[C@H](CC2=O)C(=O)NC3=CC=C(C(=C3)OC	CCCCOC1=CC=C(C(=C1)NC(=O)[C@H]2CC(=O)N(C2)C3=CC=C(C(=C3)C

rxnorm_drugs.csv

3.2 MB · 7 columns · not read by the graph

Serves: not used by the graph — ~291M rows across 5 files, but the two big ones are 2-column lookups (CID->SMILES 133.9M, CID->parent 119.1M). They are 85% of the lake's rows and would dominate the graph. chembl_structures already supplies InChIKey, which is the identifier that matters. Revisit only if a PubChem CID crosswalk is specifically needed.

column	row 1	row 2	row 3	row 4	row 5
query	(((1-methyl-2-(5-methyl-3-oxazolidinyl)ethoxy)methoxy)methoxy)methanol	((2s,3s,5s)-2-(2-(2,6-dimethylphenoxy)acetamido)-5-((s)-3-methyl-2-(2-oxotetrahydropyrimid...	((4-hydroxybutyl)azanediyl)bis(hexane-6,1-diyl)bis(2-hexyldecanoate)	(-)-ambroxide	(1,1-dimethylethyl)urea
rxcul	1801150	1599828	2599921	2557381	2262004
name	(((1-methyl-2-(5-methyl-3-oxazolidinyl)ethoxy)methoxy)methoxy)methanol	((2s,3s,5s)-2-(2-(2,6-dimethylphenoxy)acetamido)-5-((s)-3-methyl-2-(2-oxotetrahydropyrimid...	((4-hydroxybutyl)azanediyl)bis(hexane-6,1-diyl)bis(2-hexyldecanoate)	(-)-ambroxide	(1,1-dimethylethyl)urea
tty	IN	IN	IN	IN	IN
synonym					
ingredient_rxcul	1801150	1599828	2599921	2557381	2262004
ingredient_name	(((1-methyl-2-(5-methyl-3-oxazolidinyl)ethoxy)methoxy)methoxy)methanol	((2s,3s,5s)-2-(2-(2,6-dimethylphenoxy)acetamido)-5-((s)-3-methyl-2-(2-oxotetrahydropyrimid...	((4-hydroxybutyl)azanediyl)bis(hexane-6,1-diyl)bis(2-hexyldecanoate)	(-)-ambroxide	(1,1-dimethylethyl)urea

column	what it means
rxcul	RxNorm concept id. Beware granularity: DailyMed publishes product-level (SCD) ids and substance files carry ingredient-level (IN) ones, so they do not join.

1 CSV (3.2 MB) · 1 .json (248 B)

example filenames:

_LATEST.json

rxnorm_drugs.csv

3.2 MB · 7 columns · read by the graph

Serves: RXCUI is a merge signal and the join to dailymed.

Builds: id:RXCUI

column	row 1	row 2	row 3	row 4	row 5
query	(((1-methyl-2-(5-methyl-3-oxazolidinyl)ethoxy)methoxy)methoxy)methanol	((2s,3s,5s)-2-(2-(2,6-dimethylphenoxy)acetamido)-5-((s)-3-methyl-2-(2-oxotetrahydropyrimid...	((4-hydroxybutyl)azanediyl)bis(hexane-6,1-diyl)bis(2-hexyldecanoate)	(-)-ambroxide	(1,1-dimethylethyl)urea
rx cui	1801150	1599828	2599921	2557381	2262004
name	(((1-methyl-2-(5-methyl-3-oxazolidinyl)ethoxy)methoxy)methoxy)methanol	((2s,3s,5s)-2-(2-(2,6-dimethylphenoxy)acetamido)-5-((s)-3-methyl-2-(2-oxotetrahydropyrimid...	((4-hydroxybutyl)azanediyl)bis(hexane-6,1-diyl)bis(2-hexyldecanoate)	(-)-ambroxide	(1,1-dimethylethyl)urea
tty	IN	IN	IN	IN	IN
synonym					
ingredient_rxcui	1801150	1599828	2599921	2557381	2262004
ingredient_name	(((1-methyl-2-(5-methyl-3-oxazolidinyl)ethoxy)methoxy)methoxy)methanol	((2s,3s,5s)-2-(2-(2,6-dimethylphenoxy)acetamido)-5-((s)-3-methyl-2-(2-oxotetrahydropyrimid...	((4-hydroxybutyl)azanediyl)bis(hexane-6,1-diyl)bis(2-hexyldecanoate)	(-)-ambroxide	(1,1-dimethylethyl)urea

column	what it means
rx cui	RxNorm concept id. Beware granularity: DailyMed publishes product-level (SCD) ids and substance files carry ingredient-level (IN) ones, so they do not join.

Literature Evidence

Papers and preprints. Titles and abstracts, no full text.

1 CSV (5.5 MB) · 1 .json (237 B)

example filenames:

_LATEST.json

biorxiv_metadata.csv

5.5 MB · 15 columns · read by the graph

Serves: Preprints: keyed by DOI, no PMID and no journal.

Builds: node:Publication

column	row 1	row 2	row 3	row 4	row 5
doi	10.1101/2023.07.19.549703	10.1101/2025.10.30.684093	10.1101/2025.11.10.687610	10.64898/2025.12.22.695988	10.64898/2026.02.12.705626
title	Patterns of diversity under loose genetic draft	Characterization of carbon metabolism in a highly adhesive bacterium Acinetobacter sp. Tol...	Sample size critically shapes the reliability of EEG case-control findings in psychiatry	Environmental complexity constrains evolutionary adaptation across taxa	Evolutionary dynamics of insect odorant receptors reveal ecological tuning shaping olfacto...
authors	Achaz, G.; Schertzer, E.	Inoue, S.; Yoshimoto, S.; Hattori, M.; Yamagishi, S.; Hori, K.	Ebadi, A.; Kaderi, S.; Rodriguez-Herreros, B.; Chabane, N.; Allouch, S.; Hassan, M.	Zilio, G.; Aubin, E.; Bedhomme, S.; Bolick, L.; Bravo, I. G.; Bruand, C.; Capela, D.; Chal...	Zhang, T.; Yang, X.; Fu, Y.; Xue, W.; Zhang, Y.; Duan, S.; Yin, Y.; Guo, Y.; Gao, C.; Liu,...
author_corresponding	Guillaume Achaz	Katsutoshi Hori	Aida Ebadi	Giacomo Zilio	Huimeng Lu
author_corresponding_institution	College de France, Paris, France	Nagoya University	MINDIG, F-35000, Rennes, France	ISEM, Univ of Montpellier, CNRS, EPHE, IRD, Montpellier, France	Northwestern Polytechnical University
date	2026-06-25	2026-06-25	2026-06-25	2026-06-25	2026-06-25
version	5	3	2	3	2
type	new results	new results	new results	new results	new results
license	cc_by_nc_nd	cc_by_nc_nd	cc_no	cc_by	cc_by
category	evolutionary biology	microbiology	neuroscience	evolutionary biology	evolutionary biology
jatsxml	https://www.biorxiv.org/content/early/2026/06/25/2023.07.19.549703.source.xml	https://www.biorxiv.org/content/early/2026/06/25/2025.10.30.684093.source.xml	https://www.biorxiv.org/content/early/2026/06/25/2025.11.10.687610.source.xml	https://www.biorxiv.org/content/early/2026/06/25/2025.12.22.695988.source.xml	https://www.biorxiv.org/content/early/2026/06/25/2026.02.12.705626.source.xml
abstract	Recurrent selective sweeps reduce diversity at linked neutral loci, a regime known as gene...	Sustainable bioproduction requires developing robust microbial chassis with broad metaboli...	Electroencephalography (EEG) studies in psychiatry have produced highly inconsistent findi...	Complex environments combining multiple stressors are the new norm worldwide. Adaptive evo...	Insect olfaction is facilitated by a heterotetrameric odorant receptor-odorant receptor co...
funder	NA	[{'name': 'Japan Society for the Promotion of Science', 'id': 'https://ror.org/00hhkn466',...	[{'name': 'Bretagne Innovation (France)', 'id': '', 'id-type': 'ROR', 'award': '23001155',...	[{'name': 'Occitanie Regional Council's program "Key challenge BiodivOc"', 'id': '', 'id-t...	NA
published	NA	NA	NA	NA	NA
server	bioRxiv	bioRxiv	bioRxiv	bioRxiv	bioRxiv

column	what it means
doi	Digital Object Identifier.

europepmc.org

3 CSV (66.5 MB) · 1 json (246 B)

example filenames:

_LATEST.json

europe_pmc_full_text.csv

30.4 MB · 5 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Europe PMC. Broader than PubMed, includes preprints.

column	row 1	row 2	row 3	row 4	row 5
id	42056906	41654878	42188773	PMC13227432	42042827
status	success	success	success	success	success
full_text	Human immunodeficiency virus (HIV) is a chronic infectious disease that leads to progressi...	Myocardial infarction (MI) is characterized by myocardial cell necrosis due to prolonged a...	Vaccination throughout time has been demonstrated to be the single most effective preventa...	Health research plays a critical role in shaping the well-being of individuals and communi...	Seasonal influenza is a well-known cause of respiratory viral disease and a major source o...
text_chars	42952	27777	22109	23349	—
extracted_at	2026-07-26 00:46:34	2026-07-26 00:46:34	2026-07-26 00:46:34	2026-07-26 00:46:34	—

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Europe PMC. Broader than PubMed, includes preprints.

column	row 1	row 2	row 3	row 4	row 5
id	41654878	40708527	42042827	42188773	42056906
source	MED	MED	MED	MED	MED
pmid	41654878.0	40708527.0	42042827.0	42188773.0	42056906.0
pmcid	PMC12977556	PMC13193655	PMC13119630	PMC13211440	PMC13274098
doi	10.1186/s12889-026-26541-y	10.1093/cid/ciaf405	10.3390/vaccines14040351	10.3390/vaccines14050400	10.1186/s12879-026-13438-9
title	Influenza vaccination and the risk of myocardial infarction: a meta-epidemiology study.	Multimorbidity Profiles and Severe In-Hospital Outcomes in Adults With Respiratory Syncyti...	Seasonal Influenza Vaccine Uptake, Acceptance and Willingness to Vaccinate in Post-COVID-1...	Uptake of Shingles, Influenza, COVID-19 and Pneumococcal Vaccination in Patients with Infl...	Pulmonary complications in people living with HIV: a retrospective evaluation of the etiol...
abstract	BACKGROUND: The association between influenza vaccination and the risk of myocardial infar...	Background Adults hospitalized with acute respiratory infections, including respir...	Background/objectives Reports on seasonal influenza vaccine (SIV) coverage in Gulf...	Introduction: Patients with inflammatory arthritis are at increased risk of infecti...	Introduction Pulmonary complications are a major cause of poor outcomes in people ...
authors	Wu Y; Zhao Y; Liu Z; Zhu A	Ma KC; Surie D; Zhu Y; Grijalva CG; Blair PW; Safdar B; Ginde AA; Peltan ID; Brown SM; Gag...	Aljohani M	Balakrishnan K; Zangana LHM; Ajayi MR; Kowalczyk M; Nagra D; Goh SL; Baghaffar M; Jayesing...	Ertürk D; Candevir A; Akkaya A; Kömür S; Acar O; Kuşçu F; İnal AS; Kurtaran B; Taşova Y
author_affiliations	Zhejiang Engineering Research Center for "Preventive Treatment" Smart Health of Traditiona...	College of Medicine, Texas A&M University, Dallas, Texas, USA.; Coronavirus and Other Resp...	Department of Family and Community Medicine, College of Medicine, Qassim University, Buray...	Centre for Rheumatic Disease, King's College London, London WC2R 2LS, UK.; University Hosp...	Bursa Orhangazi District Health Directorate, Bursa, Turkey.; Infectious Diseases and Clini...
author_orcids		0000-0002-4326-2911; 0000-0001-9849-1634; 0000-0002-2329-7797; 0000-0002-9640-7133; 0000-0...		0009-0006-9377-6618; 0009-0006-8074-4932; 0000-0002-1307-6528	0000-0002-2163-5844; 0000-0001-9340-516X
journal_title	BMC public health	Clinical infectious diseases : an official publication of the Infectious Diseases Society ...	Vaccines	Vaccines	BMC infectious diseases
journal_issn	1471-2458	1058-4838	2076-393X	2076-393X	1471-2334
journal_volume	26.0	82.0	14.0	14.0	26.0
journal_issue	1	3	4	5	1
pub_year	2026.0	2026.0	2026.0	2026.0	2026.0
pub_type	Meta-Analysis; review-article; Journal Article	research-article; Journal Article	review-article; Review; Journal Article	research-article; Journal Article	research-article; Journal Article
is_open_access	True	False	True	True	True
has_pdf	True	True	True	True	True
cited_by_count	0	0	0	0	0
date_of_creation	2026-02-07	2025-07-25	2026-04-27	2026-05-26	2026-04-30
first_publication_date	2026-02-07	2026-03-01	2026-04-15	2026-04-29	2026-04-29
full_text_urls	[DOI doi] https://doi.org/10.1186/s12889-026-26541-y; [Europe_PMC.html] https://europepmc....	[DOI doi] https://doi.org/10.1093/cid/ciaf405; [Europe_PMC.html] https://europepmc.org/art...	[DOI doi] https://doi.org/10.3390/vaccines14040351; [Europe_PMC.html] https://europepmc.or...	[DOI doi] https://doi.org/10.3390/vaccines14050400; [Europe_PMC.html] https://europepmc.or...	[DOI doi] https://doi.org/10.1186/s12879-026-13438-9; [Europe_PMC.html] https://europepmc....
status	success		success	success	success
full_text	Myocardial infarction (MI) is characterized by myocardial cell necrosis due to prolonged a...		Seasonal influenza is a well-known cause of respiratory viral disease and a major source o...	Vaccination throughout time has been demonstrated to be the single most effective preventa...	Human immunodeficiency virus (HIV) is a chronic infectious disease that leads to progressi...
text_chars	27777.0		54844.0	22109.0	—
extracted_at	2026-07-26 00:46:34		2026-07-26 00:46:34	2026-07-26 00:46:34	—

column	what it means
pmid	PubMed identifier.
doi	Digital Object Identifier.

Serves: 66 MB and the largest of the four remaining literature sources. Same 23 columns as pubmed_metadata.csv.

Builds: node:Publication , id:PMID , id:DOI , edge:ABOUT , edge:MENTIONS

column	row 1	row 2	row 3	row 4	row 5
id	41654878	40708527	42042827	42188773	42056906
source	MED	MED	MED	MED	MED
pmid	41654878	40708527	42042827	42188773	42056906
pmcid	PMC12977556	PMC13193655	PMC13119630	PMC13211440	PMC13274098
doi	10.1186/s12889-026-26541-y	10.1093/cid/ciaf405	10.3390/vaccines14040351	10.3390/vaccines14050400	10.1186/s12879-026-13438-9
title	Influenza vaccination and the risk of myocardial infarction: a meta-epidemiology study.	Multimorbidity Profiles and Severe In-Hospital Outcomes in Adults With Respiratory Syncyti...	Seasonal Influenza Vaccine Uptake, Acceptance and Willingness to Vaccinate in Post-COVID-1...	Uptake of Shingles, Influenza, COVID-19 and Pneumococcal Vaccination in Patients with Infl...	Pulmonary complications in people living with HIV: a retrospective evaluation of the etiol...
abstract	BACKGROUND: The association between influenza vaccination and the risk of myocardial infar...	Background Adults hospitalized with acute respiratory infections, including respir...	Background/objectives Reports on seasonal influenza vaccine (SIV) coverage in Gulf...	Introduction: Patients with inflammatory arthritis are at increased risk of infecti...	Introduction Pulmonary complications are a major cause of poor outcomes in people ...
authors	Wu Y; Zhao Y; Liu Z; Zhu A	Ma KC; Surie D; Zhu Y; Grijalva CG; Blair PW; Safdar B; Ginde AA; Peltan ID; Brown SM; Gag...	Aljohani M	Balakrishnan K; Zangana LHM; Ajayi MR; Kowalczyk M; Nagra D; Goh SL; Baghaffar M; Jayesing...	Ertürk D; Candevir A; Akkaya A; Kömür S; Acar O; Kuşçu F; İnal AS; Kurtaran B; Taşova Y
author_affiliations	Zhejiang Engineering Research Center for "Preventive Treatment" Smart Health of Traditiona...	College of Medicine, Texas A&M University, Dallas, Texas, USA.; Coronavirus and Other Resp...	Department of Family and Community Medicine, College of Medicine, Qassim University, Buray...	Centre for Rheumatic Disease, King's College London, London WC2R 2LS, UK.; University Hosp...	Bursa Orhangazi District Health Directorate, Bursa, Turkey.; Infectious Diseases and Clini...
author_orcids		0000-0002-4326-2911; 0000-0001-9849-1634; 0000-0002-2329-7797; 0000-0002-9640-7133; 0000-0...		0009-0006-9377-6618; 0009-0006-8074-4932; 0000-0002-1307-6528	0000-0002-2163-5844; 0000-0001-9340-516X
journal_title	BMC public health	Clinical infectious diseases : an official publication of the Infectious Diseases Society ...	Vaccines	Vaccines	BMC infectious diseases
journal_issn	1471-2458	1058-4838	2076-393X	2076-393X	1471-2334
journal_volume	26	82	14	14	26
journal_issue	1	3	4	5	1
pub_year	2026	2026	2026	2026	2026
pub_type	Meta-Analysis; review-article; Journal Article	research-article; Journal Article	review-article; Review; Journal Article	research-article; Journal Article	research-article; Journal Article
is_open_access	Y	N	Y	Y	Y
has_pdf	Y	Y	Y	Y	Y
cited_by_count	0	0	0	0	0
date_of_creation	2026-02-07	2025-07-25	2026-04-27	2026-05-26	2026-04-30
first_publication_date	2026-02-07	2026-03-01	2026-04-15	2026-04-29	2026-04-29
full_text_urls	[DOI doi] https://doi.org/10.1186/s12889-026-26541-y; [Europe_PMC html] https://europepmc...	[DOI doi] https://doi.org/10.1093/cid/ciaf405; [Europe_PMC html] https://europepmc.org/art...	[DOI doi] https://doi.org/10.3390/vaccines14040351; [Europe_PMC html] https://europepmc.or...	[DOI doi] https://doi.org/10.3390/vaccines14050400; [Europe_PMC html] https://europepmc.or...	[DOI doi] https://doi.org/10.1186/s12879-026-13438-9; [Europe_PMC html] https://europepmc...

column	what it means
pmid	PubMed identifier.
doi	Digital Object Identifier.

medrxiv.org

1 CSV (4.4 MB) · 1 .json (237 B)

example filenames:

_LATEST.json

medrxiv_metadata.csv

4.4 MB · 15 columns · read by the graph

Serves: As biorxiv.

Builds: node:Publication

column	row 1	row 2	row 3	row 4	row 5
doi	10.1101/2024.04.05.24305377	10.1101/2025.05.01.25326820	10.1101/2025.07.31.25332054	10.64898/2026.02.20.26346711	10.64898/2026.02.21.26346696
title	Gut resident Escherichia coli profile predicts the eighteen-month probability and antimicro...	Generalizable AI predicts immunotherapy outcomes across cancers and treatments	Metabolism of the antioxidant micronutrient ergothioneine as a plasma biomarker of cogniti...	Mortality co-benefits of dietary shifts under contrasted trajectories toward net-zero emis...	Human IL-34 Deficiency Primes Microglia Toward Alzheimer's Disease-Associated States
authors	Tchesnokova, V.; Choudhury, D.; Larson, L.; Basova, I.; Sledneva, Y.; Bonilla, T. C.; Soly...	SHEN, W.; Moon, I.; Nguyen, T. H.; Li, M. M. R.; Huang, Y.; Nair, N.; Marbach, D.; Zitnik,...	Chong, J. R.; Cheah, I. K.; Tang, R. M.; Halliwell, B.; Chen, C. P.; Lai, M. K. P.	Masurel, I.; Barbier, C.; Couturier, C.; Slama, R.; Kesse-Guyot, E.; Jean, K.	Hernandez-Rasco, F.; Ruiz, R.; De Rojas, I.; Puerta Fuentes, R.; García-Mayor, C.; Espinos...
author_corresponding	Evgeni V. Sokurenko	Marinka Zitnik	Mitchell K. P. Lai	Ines Masurel	Rocio Ruiz
author_corresponding_institution	University of Washington	Harvard University	Yong Loo Lin School of Medicine, National University of Singapore	Ecole Normale Supérieure, Paris	Instituto de Biomedicina de Sevilla, IBIS/Hospital Universitario Virgen del Rocío/CSIC/Uni...
date	2026-06-25	2026-06-25	2026-06-25	2026-06-25	2026-06-25
version	2	4	4	2	2
type	PUBLISHAHEADOFPRINT	PUBLISHAHEADOFPRINT	PUBLISHAHEADOFPRINT	PUBLISHAHEADOFPRINT	PUBLISHAHEADOFPRINT
license	cc_by	cc_by_nc	cc_by_nd	cc_by_nc	cc0_ng
category	infectious diseases	pharmacology and therapeutics	neurology	public and global health	neurology
jatsxml	https://www.medrxiv.org/content/early/2026/06/25/2024.04.05.24305377.source.xml	https://www.medrxiv.org/content/early/2026/06/25/2025.05.01.25326820.source.xml	https://www.medrxiv.org/content/early/2026/06/25/2025.07.31.25332054.source.xml	https://www.medrxiv.org/content/early/2026/06/25/2026.02.20.26346711.source.xml	https://www.medrxiv.org/content/early/2026/06/25/2026.02.21.26346696.source.xml
abstract	Community-acquired UTI is the most common bacterial infection. We assessed whether gut Esc...	Immune checkpoint inhibitors are standard across cancers, yet most patients do not respond...	BackgroundAssociations between dietary micronutrients and cognitive resilience to Alzheimer...	BackgroundFood systems-- particularly livestock production-- account for substantial greenho...	BackgroundGenome-wide association studies (GWAS), with independent replication in large Eu...
funder					
published	NA	10.1038/s41591-026-04502-7	10.1016/j.freeradbiomed.2026.06.043	NA	NA
server	medrxiv	medrxiv	medrxiv	medrxiv	medrxiv

column	what it means
doi	Digital Object Identifier.

openalex.org

1 CSV (17.5 GB) · 2 json (1.1 KB)

example filenames:

_LATEST.json

openalex_works_progress.json

openalex_works.csv

17.5 GB · 26 columns · not read by the graph

Serves: not used by the graph — 8.70M works, 18.83 GB, already in S3 and ready to load. Left out for one reason: the graph host has 8.8 GB of 29 GB free and this needs about 10 GB - store 5.6 -> ~10-12 GB, build output 4.8 -> ~9 GB, and the import holds staged CSVs on disk alongside the store it replaces, so peak is worse than steady state. Page cache would also go from covering most of a 5.6 GB store to a third of a 12 GB one. NOT blocked, and not an API problem: verified 2026-07-31, the key returns 200, so does the unauthenticated endpoint, and the scraper's own query returns 11,483,614 matches with a live cursor. The budget is a ROLLING quota (x-ratelimit-limit 10000, ~25 min reset); six threads drained the window, took 429 'insufficient budget', and that got recorded as permanent exhaustion. The crawl is 76% done - 2026 complete, 2021-2025 holding live cursors, ~13,900 requests from finished. WHEN THE VM IS UPGRADED: finish the crawl, declare the file here, rebuild. literature.py already handles the shape. Worth filtering on load the way ClinVar is (21.8M rows -> 937,377 kept) - a Publication with no ABOUT and no MENTIONS edge is a title nothing can reach, costing disk and cache to answer nothing.

column	row 1	row 2	row 3	row 4	row 5
openalex_id	https://openalex.org/W1979290264	https://openalex.org/W4247665917	https://openalex.org/W3128646645	https://openalex.org/W2889646458	https://openalex.org/W1847168837
doi	https://doi.org/10.1191/1478088706qp063oa	https://doi.org/10.1176/appi.books.9780890425596	https://doi.org/10.3322/caac.21660	https://doi.org/10.3322/caac.21492	https://doi.org/10.1016/0022-3956(75)90026-6
title	Using thematic analysis in psychology	Diagnostic and Statistical Manual of Mental Disorders	Global Cancer Statistics 2020: GLOBOCAN Estimates of Incidence and Mortality Worldwide for...	Global cancer statistics 2018: GLOBOCAN estimates of incidence and mortality worldwide for...	"Mini-mental state"
publication_year	2006	2013	2021	2018	1975
publication_date	2006-01-01	2013-05-22	2021-02-04	2018-09-12	1975-11-01
type	article	book	article	article	article
language	en	en	en	en	en
journal_name	Qualitative Research in Psychology	American Psychiatric Association eBooks	CA A Cancer Journal for Clinicians	CA A Cancer Journal for Clinicians	Journal of Psychiatric Research
publisher	Taylor & Francis	American Psychiatric Association	Wiley	Wiley	Elsevier BV
issn	1478-0887		0007-9235	0007-9235	0022-3956
is_oa	True	False	True	True	False
oa_status	hybrid	closed	diamond	diamond	closed
oa_url	https://www.tandfonline.com/doi/abs/10.1191/1478088706qp063oa		https://onlinelibrary.wiley.com/doi/pdfdirect/10.3322/caac.21660	https://acsjournals.onlinelibrary.wiley.com/doi/pdfdirect/10.3322/caac.21492	
authors	Virginia Braun; Victoria Clarke	Andrés Santiago González Moreno	Hyuna Sung; Adalberto M. Filho; Mathieu Laversanne; Jacques Ferlay; Rebecca L. Siegel; Isa...	Freddie Bray; Jacques Ferlay; Isabelle Soerjomataram; Rebecca L. Siegel; Lindsey A. Torre;...	Marshal F. Folstein; Susan E. Folstein; Paul R. McHugh
first_author_institution	University of Auckland	University of Southern Denmark	American Cancer Society	Centre international de recherche sur le cancer	NewYork-Presbyterian Hospital
institutions	University of Auckland; University of the West of England	University of Southern Denmark; Psykiatrien i Region Syddanmark	American Cancer Society; Centre international de recherche sur le cancer	Centre international de recherche sur le cancer; American Cancer Society	NewYork-Presbyterian Hospital; Oregon Health & Science University; University of Oregon; C...
countries	NZ; GB	DK	US; FR	FR; US	US
cited_by_count	186680	114780	113256	87960	87053
primary_topic	Community Health and Development	Human Health and Disease	Global Cancer Incidence and Screening	Global Cancer Incidence and Screening	Treatment of Major Depression
primary_topic_field	Health Professions	Medicine	Medicine	Medicine	Medicine
primary_topic_domain	Health Sciences	Health Sciences	Health Sciences	Health Sciences	Health Sciences
mesh_terms			Africa/epidemiology; Americas/epidemiology; Asia/epidemiology; Developing Countries/statis...	Global Burden of Disease/statistics & numerical data; Adolescent; Adult; Aged; Aged, 80 an...	Adult; Affective Symptoms/diagnosis; Aged; Mental Disorders/diagnosis; Bipolar Disorder/di...
major_mesh_terms			Population Dynamics		Cognition; Mental Status Schedule; Psychiatric Status Rating Scales
funders			World Health Organization	World Health Organization	
abstract	Increasingly, adult Indigenous language learners are being identified as the "missing gene...	En la actualidad es importante detectar a tiempo la depresión, con el fin de llevar un tra...	This article provides an update on the global cancer burden using the GLOBOCAN 2020 estima...	This article provides a status report on the global burden of cancer worldwide using the G...	
updated_date	2026-07-23T08:03:31.855105	2026-07-23T08:03:31.855105	2026-07-23T08:03:31.855105	2026-07-23T08:03:31.855105	2026-07-23T08:03:31.855105

column	what it means
doi	Digital Object Identifier.

1 CSV (2.9 MB) · 1 .json (249 B)

example filenames:

_LATEST.json

pubmed_metadata.csv

2.9 MB · 23 columns · read by the graph

Serves: Same shape as Europe PMC.

Builds: node:Publication

column	row 1	row 2	row 3	row 4	row 5
id	42500856	42500855	42500850	42500849	42500847
source	PubMed	PubMed	PubMed	PubMed	PubMed
pmid	42500856	42500855	42500850	42500849	42500847
pmcid					
doi	10.1155/bmri/2340719	10.1080/17434440.2026.2710806	10.1002/1545-5017.70580	10.1177/10732748261470289	10.1111/all.70448
title	A Two-Hit Hypothesis for Chemotherapy-Induced Primary Ovarian Insufficiency in Asian Popul...	Peri-procedural vs. post-procedural mortality after endobronchial valve treatment for seve...	Development and Implementation of a Disease-Targeted Storybook as a Clinical Tool for Chil...	Golden Code Strategy: A Retrospective Study Evaluating the Implementation of a Direct Refe...	Skin Abnormalities at Checkpoint Inhibitor Therapy Initiation Are Associated With Skin Ras...
abstract	As cancer incidence rises in Asian countries, chemotherapy remains central to treatment am...	INTRODUCTION: Endobronchial valve (EBV) treatment improves functional outcomes in severe e...	BACKGROUND: Although significant progress has been made in childhood leukemia survival, he...	IntroductionIn Mexico, delays in pediatric cancer diagnosis remain a major barrier to time...	BACKGROUND: Immune-related cutaneous adverse events (ircAEs) complicate management in many...
authors	Dashti Zahra	Mari Pier-Valerio; Ielo Simone; Coppola Angelo; Ricci Alberto; Licata Maria Angela; Lipsi ...	Ummartyotin Nutvipha; Anurathapan Usanarat; Roongpraiwan Rawiwan; Dandamrongrak Potchanee;...	Arreguín-González Farina Esther; Gómez-García Ana Pamela; Sebastián-Barajas Rubén; Reynoso...	Lyubchenko Taras; Berdyshev Evgeny; Weight Ryan M; Xiao Olivia; Shah Neil J; Markova Alina...
author_affiliations	Faculty of Nursing and Midwifery, Islamic Azad University, Bojnourd Branch, Bojnourd, Iran...	Department of Medicine and Surgery, Section of Otorhinolaryngology, Santa Maria della Mise...	Department of Clinical Epidemiology and Biostatistics, Faculty of Medicine Ramathibodi Hos...	Pediatric Oncology Service, Centro Médico Nacional "20 de Noviembre", Instituto de Segurid...	Memorial Sloan Kettering Cancer Center, New York, New York, USA; NYU Grossman Long Island...
author_orcids	0000-0002-4119-2438		0009-0002-8184-328X; 0000-0002-2791-7471; 0000-0002-1256-7843	0000-0002-5552-8369; 0000-0002-9392-1647; 0009-0002-1520-7007; 0000-0002-7784-2287; 0009-0...	0000-0001-9466-5916; 0000-0002-1376-0098; 0009-0006-0982-2096; 0000-0002-3869-5894; 0000-0...
journal_title	BioMed research international	Expert review of medical devices	Pediatric blood & cancer	Cancer control : journal of the Moffitt Cancer Center	Allergy
journal_issn	2314-6141	1745-2422	1545-5017	1526-2359	1398-9995
journal_volume	2026			33	
journal_issue	1				
pub_year	2026	2026	2026	2026	2026
pub_type	Journal Article; Review	Journal Article; Review	Journal Article	Journal Article; Observational Study	Journal Article
is_open_access	N	N	N	N	N
has_pdf	N	N	N	N	N
cited_by_count					
date_of_creation	2026-07-25			2026-07-25	
first_publication_date	2026	2026-Jul-25	2026-Jul-25	2026	2026-Jul-25
full_text_urls	[PubMed] https://pubmed.ncbi.nlm.nih.gov/42500856/; [DOI] https://doi.org/10.1155/bmri/234...	[PubMed] https://pubmed.ncbi.nlm.nih.gov/42500855/; [DOI] https://doi.org/10.1080/17434440...	[PubMed] https://pubmed.ncbi.nlm.nih.gov/42500850/; [DOI] https://doi.org/10.1002/1545-501...	[PubMed] https://pubmed.ncbi.nlm.nih.gov/42500849/; [DOI] https://doi.org/10.1177/10732748...	[PubMed] https://pubmed.ncbi.nlm.nih.gov/42500847/; [DOI] https://doi.org/10.1111/all.7044...
keywords	FOXO3; PI3K/AKT signaling; asian populations; autophagy; chemotherapy-induced ovarian toxi...	Endobronchial valves; bronchoscopic lung volume reduction; emphysema; mortality; pneumotho...	acute leukemia; anxiety; disease-targeted storybook; knowledge; pediatric oncology	adolescents; care; childhood; children; delays; diagnosis; pediatric cancer; waiting times	

column	what it means
pmid	PubMed identifier.
doi	Digital Object Identifier.

MENA GCC Regulatory Market

Gulf and wider MENA registers. Small files, many of them, and the only coverage of these markets anywhere in the lake.

dha.gov.ae

2 CSV (21.4 KB) · 88 .pdf, 1 .json (57.1 MB)

example filenames:

- Assign or change Narcotic, CD and SCD medication in-charge request form.pdf
- CD and SCD medication transfer form.pdf
- CD, SCD, POM and General Medication disposal request form.pdf

circulars.csv

5.0 KB · 5 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Dubai Health Authority.

column	row 1	row 2	row 3	row 4	row 5
reference					
title	دعوة للمشاركة في استبيان تحديد الاحتياجات التدريبية للكوادر الصحية في إمارة دبي	تعميم رقم (32/2026) سحب تشغيلات متأثرة من أقراص بانتو-دينك 40 ملغ المقاومة لعصارة المعدة	إنذارات السلامة المتعلقة بالأجهزة MD/FSN/2026/14 والمستلزمات الطبية تعميم رقم	تعميم خارجي : معايير هيئة الصحة في دبي للبحوث السريرية – الإصدار الأول	تعميم اداري رقم (30/2026) تعميم توعوي - عبوات مسروقة من مستحضري مونجارو وأوزمبيك
date					
category					
link	https://www.dha.gov.ae/circulars/details/CIR-2026-00000105	https://www.dha.gov.ae/circulars/details/CIR-2026-00000104	https://www.dha.gov.ae/circulars/details/CIR-2026-00000102	https://www.dha.gov.ae/circulars/details/CIR-2026-00000101	https://www.dha.gov.ae/circulars/details/CIR-2026-00000100

dha_documents.csv

16.4 KB · 5 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Dubai Health Authority.

column	row 1	row 2	row 3	row 4	row 5
category	Circulars	Drug Control	Drug Control	Drug Control	Drug Control
file_name	circulars.csv	Assign or change Narcotic, CD and SCD medication in-charge request form.pdf	CD and SCD medication transfer form.pdf	CD, SCD, POM and General Medication disposal request form.pdf	Drug incident report.pdf
local_path	Circulars/circulars.csv	Drug Control/Assign or change Narcotic, CD and SCD medication in-charge request form.pdf	Drug Control/CD and SCD medication transfer form.pdf	Drug Control/CD, SCD, POM and General Medication disposal request form.pdf	Drug Control/Drug incident report.pdf
ext	csv	pdf	pdf	pdf	pdf
size_bytes	5098	453185	624608	1164579	454446

doh.gov.ae

3 CSV (23.2 KB) · 60 .pdf, 1 .json (46.6 MB)

example filenames:

- US01002026.pdf
- US01012026.pdf
- US01022026.pdf

circulars.csv

14.5 KB · 6 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Abu Dhabi Department of Health. Circulars and product notices, documents only.

column	row 1	row 2	row 3	row 4	row 5
reference	133/2026	129/2026	128/2026	127/2026	126/2026
title	USO/133/2026	USO/129/2026	USO/128/2026	USO/127/2026	USO/126/2026
date	Wed, 22 Jul 2026 00:00:00 +0400	Fri, 17 Jul 2026 00:00:00 +0400	Fri, 17 Jul 2026 00:00:00 +0400	Tue, 14 Jul 2026 00:00:00 +0400	Tue, 14 Jul 2026 00:00:00 +0400
description	Medical Devices Field Safety Alert	Updating Designation of "Rehabilitation Centers"	Mandatory Utilization of Abu Dhabi's Public Health Platform for Smoking Cessation Data Rep...	Medical Device Safety Alert for Astral 100/150 Ventilator	Medical Devices Field Safety Alert
pdf_url	https://www.doh.gov.ae/-/media/Feature/Resources/Circulars/2026/133-2026.ashx	https://www.doh.gov.ae/-/media/Feature/Resources/Circulars/2026/129-2026.ashx	https://www.doh.gov.ae/-/media/Feature/Resources/Circulars/2026/128-2026.ashx	https://www.doh.gov.ae/-/media/Feature/Resources/Circulars/2026/127-2026.ashx	https://www.doh.gov.ae/-/media/Feature/Resources/Circulars/2026/126-2026.ashx
link	https://www.doh.gov.ae/-/media/Feature/Resources/Circulars/2026/133-2026.ashx	https://www.doh.gov.ae/-/media/Feature/Resources/Circulars/2026/129-2026.ashx	https://www.doh.gov.ae/-/media/Feature/Resources/Circulars/2026/128-2026.ashx	https://www.doh.gov.ae/-/media/Feature/Resources/Circulars/2026/127-2026.ashx	https://www.doh.gov.ae/-/media/Feature/Resources/Circulars/2026/126-2026.ashx

doh_documents.csv

3.9 KB · 5 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Abu Dhabi Department of Health. Circulars and product notices, documents only.

column	row 1	row 2	row 3	row 4	row 5
category	Circulars	Circulars	Circulars	Circulars	Circulars
file_name	USO1002026.pdf	USO1012026.pdf	USO1022026.pdf	USO1032026.pdf	USO1042026.pdf
local_path	Circulars/USO1002026.pdf	Circulars/USO1012026.pdf	Circulars/USO1022026.pdf	Circulars/USO1032026.pdf	Circulars/USO1042026.pdf
ext	pdf	pdf	pdf	pdf	pdf
size_bytes	434199	614268	479609	398226	1678164

policies_index.csv

4.7 KB · 4 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Abu Dhabi Department of Health. Circulars and product notices, documents only.

column	row 1	row 2	row 3	row 4	row 5
title	Click Here	Click Here	view pdf	view pdf	view pdf
reference			PGMHS/HQS/V1/2026	CPP/ADPHC/V1/2026	DME/HPS/V2/2026
date	2023	2021	2026	2026	2026
url	https://www.doh.gov.ae/-/media/Feature/Resources/Circulars/26--2023.ashx	https://www.doh.gov.ae/-/media/Feature/Resources/Circulars/63--2021attached.ashx	https://www.doh.gov.ae/-/media/6B67F7353EA9454785D7A2F4695E758F.ashx	https://www.doh.gov.ae/-/media/1D1CB7DD7DB1478D9BF4EF7E99FB7501.ashx	https://www.doh.gov.ae/-/media/FEEAD54EBD0C47C1AADE5A9F16E5BA8F.ashx

moh.gov.om

1 CSV (4.8 KB) · 18 .pdf, 1 .json (15.2 MB)

example filenames:

_LATEST.json

Adulterated_Cosmetics_Products.pdf

Adulterated_Slimming_Products.pdf

moh_documents.csv

4.8 KB · 6 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Oman Ministry of Health. Regulatory notices, documents only.

column	row 1	row 2	row 3	row 4	row 5
category	Registered_Pharmaceutical_Products_List_with_Prices	Registered_Pharmaceutical_Products_List_with_Prices	Banned_Adulterated_Products	Banned_Adulterated_Products	Banned_Adulterated_Products
filename	SUPP LIST Registered Pharmaceutical Products List With Prices 07 07 2026	Pharmaceutical Products List With Prices 07 07 2026	Adulterated Virility Products (2024)	Body Buiding Products	Adulterated Slimming Products
ext	pdf	pdf	pdf	pdf	pdf
source_url	https://www.moh.gov.om/media/3vih4dsx/supp-list-registered-pharmaceutical-products-list-wi...	https://www.moh.gov.om/media/zkmlrorx/pharmaceutical-products-list-with-prices-07-07-2026....	https://www.moh.gov.om/media/4zoh1atz/adulterated-virility-products-2024.pdf	https://www.moh.gov.om/media/eq2ntuc5/body-buiding-products.pdf	https://www.moh.gov.om/media/4akgrems/adulterated-slimming-products.pdf
local_path	Registered_Pharmaceutical_Products_List_with_Prices/_downloads/SUPP_LIST_Registered_Pharma...	Registered_Pharmaceutical_Products_List_with_Prices/_downloads/Pharmaceutical_Products_Lis...	Banned_Adulterated_Products/_downl oads/Adulterated_Virility_Products_2024.pdf	Banned_Adulterated_Products/_downl oads/Body_Buiding_Products.pdf	Banned_Adulterated_Products/_downl oads/Adulterated_Slimming_Products.pdf
size_bytes	74370	6889990	1121054	701924	799891

moph.gov.qa

102 CSV (1.1 MB) · 1 .pdf, 1 .json (2.3 MB)

example filenames:

Guidelines for Pharmacists.pdf
_LATEST.json

annual-birth-and-mortality-statistics.csv

549 B · 7 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year	2019	2021	2014	2016	2018
number_of_live_births	28412	26338	25607	26816	28069
number_of_deaths	2086	2741	2197	2207	2274
neonatal_mortality_rate_per_1_000_live_births		3.5	3.6	3.1	3.8
infant_mortality_rate_per_1_000_live_births		4.9	6.6	6.0	6.1
under_5_mortality_rate_per_1_000_live_births		6.3	8.2	7.0	7.6
maternal_mortality_ratio_per_100_000_live_births		7.6	0.0	0.0	3.6

average-age-of-daily-smoking-initiation-by-gender.csv

165 B · 4 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1
year	2013
female_average_age_of_daily_smoking_initiation	
male_average_age_of_daily_smoking_initiation	
overall_average_age_of_daily_smoking_initiation	

cigarettes-and-shisha-industry-advertising-by-nationality-and-type-of-user.csv

1.3 KB · 6 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year	2013	2013	2013	2013	2013
cigarettes_shisha_advertising	Adults who noticed any shisha advertisements/promotions other than in stores	Adults who noticed cigarette marketing in stores where cigarettes are sold	Adults who noticed any cigarette advertisements/promotions other than in stores	Adults who noticed shisha marketing in stores where shisha is sold	Adults who noticed shisha marketing in stores where shisha is sold
nationality	OVERALL	QATARI	OVERALL	QATARI	OVERALL
percentage_of_non_users	11.7	12.2	29.7	4.7	3.9
percentage_of_current_users	19.1	14.2	35.0	8.1	7.8
total_percentage	12.0	12.4	30.3	4.8	4.1

cigarettes-and-shisha-industry-advertising-by-type-of-user.csv

542 B · 6 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4
year	2013	2013	2013	2013
cigarettes_shisha_advertising	Adults who noticed shisha marketing in stores where shisha is sold	Adults who noticed cigarette marketing in stores where cigarettes are sold	Adults who noticed any shisha advertisements/promotions other than in stores	Adults who noticed any cigarette advertisements/promotions other than in stores
nationality	NON-QATARI	NON-QATARI	NON-QATARI	NON-QATARI
percentage_of_non_smokers	3.9	11.5	11.7	29.7
percentage_of_current_smokers	7.8	16.5	19.1	35.0
overall_percentage	4.1	12.1	12.0	30.3

cigarettes-and-shisha-industry-counter-advertising-by-gender.csv

327 B · 5 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2
year	2013	2013
cigarettes_shisha_counter_advertising	Current shisha smokers who thought about quitting because of a warning label on shisha pro...	Current smokers who thought about quitting because of a warning label on cigarette packs
percentage_of_females	31.9	43.7
percentage_of_males	21.3	52.4
total_percentage	23.8	51.4

cigarettes-and-shisha-industry-counter-advertising-by-nationality-and-gender.csv

833 B · 6 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year	2013	2013	2013	2013	2013
cigarettes_shisha_counter_advertising	Current shisha smokers who thought about quitting because of a warning label on shisha pro...	Current smokers who thought about quitting because of a warning label on cigarette packs	Current shisha smokers who thought about quitting because of a warning label on shisha pro...	Current smokers who thought about quitting because of a warning label on cigarette packs	Current shisha smokers who thought about quitting because of a warning label on shisha pro...
nationality	NON-QATARI	NON-QATARI	OVERALL	QATARI	QATARI
percentage_of_females	34.6	47.1	31.9		
percentage_of_males	21.5	54.6	21.3	48.3	21.1
total_percentage	25.3	53.4	23.8	47.0	20.0

crude-birth-death-natural-increase-maternal-mortality-medically-supervised-deliveries-rates.csv

388 B · 6 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year	2014	2016	2022	2013	2018
rate_of_deliveries_under_medical_supervision	100	100	100	100	100
maternal_mortality_rate_per_100000_live_birth	0	7	0	3	
natural_increase_per_1000_population	10	9	8	10	9
crude_death_rate_per_1000_population	1	0	0	1	0
crude_birth_rate_per_1000_population	11	10	8	11	10

daily-percentages-of-air-quality-indicators-aspire-zone.csv

5.1 KB · 10 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year	2016	2014	2014	2014	2018
pollutant	Particulate Matter (PM10)	Sulfur dioxide (So2)	Carbon Monoxide (CO)	Particulate Matter (PM10)	Nitrogen dioxide (No2)
lm1wth	جسيمات دقيقة (PM10)	ثنائي أكسيد الكبريت (SO2)	أول أكسيد الكربون (CO)	جسيمات دقيقة (PM10)	ثنائي أكسيد النيتروجين (NO2)
clean	0.358	1.0	1.0	0.497	0.849
normal	0.511	0.0	0.0	0.5	0.151
less_than_normal	0.126	0.0	0.0	0.003	0.0
limited_polluted	0.005	0.0	0.0	0.0	0.0
polluted	0.0	0.0	0.0	0.0	0.0
extremely_polluted	0.0	0.0	0.0	0.0	0.0
total	1.0	1.0	1.0	1.0	1.0

economics-of-tobacco-smoking-by-nationality-and-gender.csv

755 B · 6 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year	2013	2013	2013	2013	2013
economics_of_tobacco_smoking	Cost of 100 packs of manufactured cigarettes as a percentage of per capita Gross Domestic ...	Average amount spent on 20 manufactured cigarettes (Qatar Riyal)	Average amount spent on 20 manufactured cigarettes (Qatar Riyal)	Cost of 100 packs of manufactured cigarettes as a percentage of per capita Gross Domestic ...	Average amount spent on 20 manufactured cigarettes (Qatar Riyal)
nationality	OVERALL	QATARI	NON-QATARI	QATARI	OVERALL
percentage_of_female_users			8.3		8.3
percentage_of_male_users		11.5	9.6		10.3
overall_percentage	0.3	11.5	9.6		10.2

health-care-facility-classification-by-type-2024.csv

384 B · 2 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
health_care_facility_classification	General Health Centers	Specialized Dental Centers	PHCCs	Private Hospitals	Diagnostic & Treatment Centers (Day surgery)
number	270	99	31	12	22

health-risk-prevalence-data-stepwise-survey-2023.csv

258 B · 2 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
indicator	Prevalence of diabetes	Prevalence of hypertension	Prevalence of Tobacco use	Prevalence of Daily tobacco smoking	Prevalence of High total cholesterol
preliminary_results	18.099999999999998	24.3	13.4	9.9	39.900000000000006

health-sector-projects-2021.csv

303 B · 3 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4
major_projects_distribution_qr_billion	Ministry of Health	Noffer Center	Primary Health Care Corporation	Hamad Medical Corporation
twzy_hm_lms hry_mlyr_ryl	وزارة الصحة	مركز نوفر	مؤسسة الرعاية الصحية الأولية	مؤسسة حمد الطبية
2021	0.1	0.08	0.27	0.89

health-statistics-incidence-rate-of-globally-targeted-communicable-diseases-by-indicator.csv

4.0 KB · 4 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year	2019	2019	2018	2018	2018
indicator	Measles	Leprosy	Tuberculosis	Diarrhoeal Diseases	Sexually Transmitted Diseases
l mw_s hr	الحصبة	الجذام	الدرن	أمراض الإسهال	الأمراض المنقولة جنسياً
incidence_rate_per_10_000_person_of_the_population		0.1	2.7	3.5	2.0

health-statistics-number-and-rate-for-health-indicators-in-government-sector.csv

5.6 KB · 5 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year	2019	2017	2017	2015	2014
indicator	Pharmacists	Population per Physician and Dentist	Allied Health Professionals	Population per Physician and Dentist	Dentists
indicator_ar	الصيدالة	عدد السكان لكل طبيب وطبيب أسنان	العاملون بالمهن الطبية المساعدة	عدد السكان لكل طبيب وطبيب أسنان	أطباء الأسنان
rate_per_1_000_person_of_the_population	0.4		2.4		0.1
number	1219	540	6597	598	291

health-statistics-number-and-rate-for-health-indicators-in-private-sector.csv

5.6 KB · 5 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year	2019	2018	2018	2017	2015
indicator_ar	عدد السكان لكل طبيب	عدد السكان لكل ممرض	العاملون بالمهن الطبية المساعدة	عدد السكان لكل ممرض	عدد السكان لكل طبيب وطبيب أسنان
indicator	Population per Physicians	Population per Nurses	Allied Health Professionals	Population per Nurses	Population per Physician and Dentist
rate_per_1_000_person_of_the_population			0.6		
number	1342	512	1706	604	701

health-statistics-number-of-ambulance-reports-by-cause.csv

163 B · 3 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year_lsn	2019	2016	2017	2020	2018
disease_mrd	191666.0	137100.0	150497.0	217775.0	169661.0
injury_sb	49558.0	40528.0	41585.0	51178.0	44559.0

health-statistics-number-of-ambulance-reports-by-municipality.csv

365 B · 9 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year	2017	2018	2015	2016	2019
al_daayen	4861	6117	2933	3806	7955
al_khor_lkhwr	4446	5404	4011	4282	5360
al_rayyan	74585	84202	54627	65546	91929
al_shamal	1292	1661	937	1174	1420
al_wakrah	13092	14722	9928	12274	16087
doha	86144	92798	82242	84485	107172
umm_salal	7587	9166	5003	5985	10732
unknown	75	150	195	76	569

health-statistics-number-of-ambulance-reports-by-time.csv

279 B · 5 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year_lsn	2016	2015	2017	2020	2018
00_01_06_00	31715.0	27480.0	34567.0	47579.0	46280.0
06_01_12_00	43550.0	39545.0	45975.0	62702.0	53005.0
12_01_18_00	46985.0	42663.0	51493.0	73684.0	59631.0
18_01_24_00	55378.0	50188.0	60047.0	84988.0	55304.0

health-statistics-number-of-beds-in-government-hospitals.csv

92 B · 2 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year_lsn	2016	2019	2017	2014	2015
number_of_beds_dd_1_sr	2373	2778	2223	2047	2208

health-statistics-number-of-beds-in-private-hospitals.csv

86 B · 2 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year_lsn	2017	2016	2019	2018	2014
number_of_beds_dd_1_sr	327	254	356	358	276

health-statistics-number-of-blood-bags-delivered-by-blood-bank-of-hamad-medical-corporation-by-blood.csv

328 B · 10 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year_lsn	2020	2016	2019	2015	2018
a	1045	699	925	701	831
a0	9947	6503	9055	6764	7095
ab	191	144	195	132	177
ab0	2374	1537	2190	1569	1691
b	799	466	658	491	597
b0	8729	5299	7515	5355	5805
o	1679	1217	1488	1225	1512
o0	15367	11097	13370	11169	12501
rare_blood_group	0.0		0.0	2.0	0.0

health-statistics-number-of-discharged-cases-deaths-and-average-daily-stay-at-hamad-medical.csv

9.6 KB · 7 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year_lsn	2019	2019	2019	2018	2017
international_classification_of_diseases	J00-J99	J00-J99	N00-N99	P00-P96	M00-M99
type_of_disease	Diseases of the Ear and Mastoid Process	Diseases of the Respiratory System	Diseases of the Genitourinary System	Certain Conditions Originating in the Perinatal Period	Diseases of the Musculoskeletal System and Connective Tissue
type_of_disease_ar	أمراض الأذن وعظام خلف الأذن	أمراض الجهاز التنفسي	أمراض الجهاز البولي التناسلي	حالات معينة تنشأ في فترة ما حول الولادة	أمراض الجهاز العضلي الهيكلي والنسيج الضام
average_daily_stay_mtwst_lqm_lywmy	1.3	1.4	1.8	4.7	3.4
number_of_deaths_dd_lwfyt	1	1	1	45	0
number_of_discharged_cases_dd_lmrd_ldhyn_l00_khrjh_mn_lmstshf	13937	13937	7391	6944	1669

health-statistics-number-of-laboratory-tests-done-in-hamad-medical-corporation-by-type-of-laboratory.csv

2.4 KB · 4 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year_lsn	2019	2019	2018	2017	2017
type_of_laboratory	Virology	Blood Donor Unit	Chemistry	Histopathology	Blood Donor Unit
type_of_laboratory_ar	علم الفيروسات	وحدة التبرع بالدم	الكيمياء	علم التشريح المرضي	وحدة التبرع بالدم
number_of_laboratory_tests_dd_lthlyl_lmkhshf	1358920	550476	13558978	32603	432033

health-statistics-number-of-paramedics-patients-by-age-group.csv

155 B · 4 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year_lsn	2015	2019	2017	2016	2020
0_14	14279	19493	14662	12836	18232
15	143081	218762	173833	158191	248209
unknown	402	179	27	1261	63

health-statistics-number-of-paramedics-patients-by-gender.csv

156 B · 4 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year	2016	2018	2019	2020	2017
female	46277	62665	74858	80112	54230
male	124330	148226	163493	186329	134156
unknown	1681	81	83	63	136

health-statistics-number-of-paramedics-patients-by-nationality.csv

171 B · 4 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year	2015	2018	2017	2020	2019
non_qatari	132941	84787	86538	218009	95077
qatari	23123	10582	8364	44430	12691
unknown	1698	115603	93620	4065	130666

health-statistics-number-of-patients-who-were-examined-and-diagnosed-with-infectious-diseases-at-the.csv

526 B · 7 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year	2009	2010	2024	2014	2015
aids	201	135	248	244	244
hepatitis_b	261	210	205	366	404
hepatitis_c	53	46	21	84	79
pulmonary_tuberculosis	5430	4089	711	4858	6329
syphilis	25	0	59	122	103
other	20	2	75	0	0

health-statistics-number-of-patients-who-were-examined-at-the-medical-commission.csv

84 B · 2 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year	2018	2017	2014	2016	2015
number_of_patients	718403	721952	765117	769876	804768

health-statistics-number-of-reported-cases-of-tuberculosis-by-nationality.csv

285 B · 12 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year	2017	2019	2018	2015	2016
bangladeshi	81	132	91	53	57
egyptian	5	6	3	2	2
filipino	96.0	127.0	110.0		83.0
indian	133	158	136	120	98
iranian	0	1	1	0	0
nepali	162	170	178	143	123
pakistani	13	26	25	17	12
qatari	21	22	12	18	7
saudi	1	0	7	0	1
somali	4	3	2	0	1
other	119	175	186	176	122

health-statistics-number-of-resources-at-the-ambulance-service-in-hamad-medical-corporation.csv

269 B · 6 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year	2019	2018	2017	2016	2020
number_of_helicopters	2	2	2	2	2
number_of_rapid_response_units	7	6	6	6	6
number_of_ambulances	78	74	74	70	81
number_of_critical_care_paramedics	111	111	102	91	105
number_of_ambulance_paramedics	1373	1285	1255	1410	1493

health-statistics-number-of-surgical-operations-carried-out-in-hamad-medical-corporation-by-type-of.csv

587 B · 14 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year	2015	2016	2017	2018	2019
cardiac_surgery	3800	3921	4158	4175	4844
dental_surgery	845	828	869	961	991
general_surgery	16270	17684	12852	14915	14649
gynecological_surgery	5154	5318	5235	5742	6101
neurosurgery_surgery	970	959	760	817	1028
obstetric_surgery	6672	7253	8488	8404	9805
ophthalmology_surgery	3847	4012	5278	5725	6376
orthopaedic_surgery	5968	6010	6477	6671	6590
otolaryngology_surgery	3698	3202	3670	3776	3899
paediatric_surgery	1342	1606	1849	1393	1086
plastic_surgery	2901	2838	3482	3713	3954
urological_surgery	5932	5794	5500	5933	6434
other	2545	2688	11608	14184	16133

health-statistics-number-of-visitors-to-health-centers-by-health-center-nationality-and-gender.csv

10.9 KB · 8 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year	2019	2019	2019	2019	2019
health_center	MKH M-Khalifa	UMG Um Ghwalina	ARP Airport	SHN Sheehaniya	Al Ruwais Health Center
health_center_ar	مركز مدينة خليفة الصحي	مركز أم غويلينا الصحي	مركز المطار الصحي	مركز الشحانية الصحي	مركز الرويس الصحي
nationality	Qatari	Qatari	Qatari	Non-Qatari	Qatari
nationality_ar	قطري	قطري	قطري	غير قطري	قطري
gender	Female	Male	Female	Male	Female
gender_ar	أنثى	ذكر	أنثى	ذكر	أنثى
number_of_visitors	36454	2416	13184	39141	7559

health-statistics-number-of-visitors-to-outpatient-clinics-by-hospital.csv

6.4 KB · 4 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year	2018	2018	2016	2016	2019
hospital	Al Khor Hospital	Ambulatory Care Center	Ministry of Public Health Staff Clinic	Aspetar Orthopaedic and Sports Medicine Hospital	Women's Wellness and Research Center
hospital_ar	مستشفى الخور	مركز الرعاية الطبية اليومية	عيادة موظفي وزارة الصحة العامة	مستشفى سينتار لجراحة العظام والطب الرياضي	مركز صحة المرأة والأبحاث
number_of_visitors	93113	150841	735843	37629	208857

health-statistics-quantity-of-imported-food-and-the-number-of-tested-samples-by-food-item-category.csv

5.1 KB · 9 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year	2020	2020	2020	2019	2018
food_item_category	Poultry	Canned Food	Bottled Water	Other	Egg
food_item_category_ar	الدواجن	الأغذية المعلبة	المياه المعبأة	أخرى	البيض
usable_quantity_kg	80084101	225370208	48840281	440931617	37812109
rejected_quantity_kg	305271	258840	2211749	2583578	417759
returned_quantity_kg	71600	226377	2208479	1881693	417629
disposed_quantity_kg	233671	32463	3270	701885	130
undamaged_samples	186	363	93	844	71
damaged_samples	42	90	6	358	10

healthcare-workforce-statistics-by-type-and-sector-2024.csv

378 B · 5 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
category	Dentists	Physicians	Physicians	Dentists	Physicians and Dentists
sector	Private	Private	Government	Government	Private
number	1732	2987	6500	539	4719
rate_per_1_000_population	0.6	1.0	2.1	0.2	1.5
population_per_professional	1763.0	1023.0	470.0	5667.0	647.0

human-development-index.csv

137 B · 3 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year	2014	2015	2018	2019	2020
score	0.85	0.856	0.856	0.848	0.848
rank	32	33	37	41	45

column	what it means
score	Open Targets association score, 0-1. Evidence strength, not probability.

incidence-rate-of-communicable-diseases-by-indicator-annual0.csv

3.5 KB · 4 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year	2014	2014	2015	2015	2016
indicator	Leprosy	Sexually Transmitted Diseases	Malaria	Tuberculosis	Measles
lmm_shr	الجذام	الأمراض المنقولة جنسياً	الملاريا	الدرن	الحصبة
incidence_rate_per_10_000_person_of_the_population		1.9	1.9	2.2	0.1

moph_documents.csv

17.4 KB · 5 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
category	Guidelines	Open Data	Open Data	Open Data	Open Data
file_name	Guidelines for Pharmacists.pdf	annual-birth-and-mortality-statistics.csv	average-age-of-daily-smoking-initiation-by-gender.csv	cigarettes-and-shisha-industry-advertising-by-nationality-and-type-of-user.csv	cigarettes-and-shisha-industry-advertising-by-type-of-user.csv
local_path	Guidelines/Guidelines for Pharmacists.pdf	Open Data/annual-birth-and-mortality-statistics.csv	Open Data/average-age-of-daily-smoking-initiation-by-gender.csv	Open Data/cigarettes-and-shisha-industry-advertising-by-nationality-and-type-of-user.csv	Open Data/cigarettes-and-shisha-industry-advertising-by-type-of-user.csv
ext	pdf	csv	csv	csv	csv
size_bytes	2404387	549	165	1348	542

neonatal-mortality-rate.csv

2.5 KB · 8 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year	2003	2005	2006	2009	2011
nationality	Non-Qataris	Qataris	Qataris	Non-Qataris	Qataris
ljnsy	غير قطريين	قطريون	قطريون	غير قطريين	قطريون
early_neonatal_mortality_rate_0_7_days	3.5	2.4	3.96	3.64	2.37
late_neonatal_mortality_rate_7_28_days	3.0	1.91	2.3	1.45	1.32
neonatal_mortality_rate_0_28_days	6.5	4.31	6.24	5.1	3.69
post_neonatal_mortality_rate_28_264_days	3.0	3.4	2.13	1.91	2.77
total	6.5	4.31	6.24	5.1	3.69

number-of-beneficiaries-of-health-services-in-hospitals-and-health-centers-in-qatar-by-nationality.csv

1.2 KB · 5 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
nationality	Kuwaiti	Bahraini	Bahraini	Bahraini	Saudi
nationality_ar	كويتي	بحريني	بحريني	بحريني	سعودي
year	2022	2017	2018	2019	2019
health_centers	1267	3029	2870	3081	9790
hospitals	1988	4352	4321	4777	14373

number-of-government-and-private-hospitals-and-health-centers.csv

174 B · 4 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year	2016	2018	2019	2014	2015
government_hospitals	10	13	13	9	10
private_hospitals	4	6	6	4	4
health_centers	23	27	27	21	22

number-of-health-facilities-by-type-of-health-facility-2019.csv

4.2 KB · 4 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year_lsn	2019	2018	2018	2015	2015
type_of_health_facility	Outpatient Clinic in Hamad General Hospital	Private Hospital	Health Care Center	Government Hospital	Private Laboratory and X-Ray
nw_lmnsh_lshy	عيادة خارجية بمستشفى حمد العام	مستشفى خاص	مركز صحي	مستشفى حكومي	مختبر تحليل وأشعة خاص
number_of_health_facilities_dd_lmnshat_lshy	10	6.0	27.0	10.0	62.0

number-of-insured-individuals-2024.csv

37 B · 1 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1
number_of_insured_individuals	560181

number-of-tuberculosis-cases-and-rate-by-year.csv

173 B · 3 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year	2020	2021	2019	2022	2018
number_of_cases	861.0	983.0	820.0	872.0	751.0
incidence_per_100_000_population	30.4	35.8	30.7	29.7	27.2

number-of-visitors-to-health-centers-by-health-center.csv

13.9 KB · 4 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year_lsn	2020	2019	2019	2019	2019
health_center	Leabaib Health Center	Abu Baker Al Siddiq Health Center	Al Wakra Health Center	West Bay Health Center	Al Karaana Health Center
lmrkz_lshy	مركز لعبيب الصحي	مركز أبو بكر الصديق الصحي	مركز الوكرة الصحي	مركز الخليج الغربي الصحي	مركز الكرانة الصحي
number_of_visitors_dd_lmrj_yn	238477.0	238221.0	207298.0	167291.0	11751.0

people-with-disabilities-15-years-and-above-admitted-to-rumeilah-hospital-and-qatar-rehabilitation0.csv

29.8 KB · 8 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year	2015	2015	2015	2015	2015
type_of_disability	Physical Disability	Intellectual Disability	Visual Disability	Visual Disability	Hearing Disability
nw_l_q	إعاقة حركية	إعاقة ذهنية	إعاقة بصرية	إعاقة بصرية	إعاقة سمعية
nationality	Non-Qatari	Non-Qatari	Non-Qatari	Non-Qatari	Non-Qatari
ljsy	غير قطري	غير قطري	غير قطري	غير قطري	غير قطري
gender	Male	Male	Male	Female	Female
ljns	ذكور	ذكور	ذكور	إناث	إناث
number	429	13	0	0	0

people-with-disabilities-15-years-and-above-who-received-services-at-rumeilah-hospital-and-qatar.csv

15.5 KB · 6 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year	2012	2012	2012	2012	2012
type_of_disability	Physical Disability	Intellectual Disability	Speech & Language Disability	Psycho-Social Disability	Multiple Disability
nw_l_q	إعاقة حركية	إعاقة ذهنية	اضطرابات النطق واللغة	إعاقة نفسية واجتماعية	إعاقة متعددة
gender	Male	Male	Female	Female	Male
ljns	ذكور	ذكور	إناث	إناث	ذكور
number	2002	31	206	35	653

people-with-disabilities-15-years-and-above-who-received-services-at-rumeilah-hospital-and-qatar0.csv

30.0 KB · 8 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year	2015	2015	2015	2015	2015
type_of_disability	Physical Disability	Intellectual Disability	Visual Disability	Visual Disability	Visual Disability
nw_l_q	إعاقة حركية	إعاقة ذهنية	إعاقة بصرية	إعاقة بصرية	إعاقة بصرية
nationality	Non-Qatari	Non-Qatari	Qatari	Qatari	Non-Qatari
ljsy	غير قطري	غير قطري	قطري	قطري	غير قطري
gender	Female	Female	Male	Female	Female
ljns	إناث	إناث	ذكور	إناث	إناث
number	612	3	0	0	0

people-with-disabilities-less-than-15-years-admitted-to-rumeilah-hospital-and-qatar-rehabilitation.csv

11.9 KB · 6 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year	2012	2012	2012	2012	2013
type_of_disability	Intellectual Disability	Hearing Disability	Hearing Disability	Multiple Disability	Physical Disability
nw_l_q	إعاقة ذهنية	إعاقة سمعية	إعاقة سمعية	إعاقة متعددة	إعاقة حركية
gender	Female	Male	Female	Male	Male
ljns	إناث	ذكور	إناث	ذكور	ذكور
number	10	0	0	112	43

people-with-disabilities-less-than-15-years-admitted-to-rumeilah-hospital-and-qatar-rehabilitation0.csv

23.6 KB · 8 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year	2015	2015	2015	2015	2015
type_of_disability	Physical Disability	Physical Disability	Intellectual Disability	Intellectual Disability	Hearing Disability
nw_l_q	إعاقة حركية	إعاقة حركية	إعاقة ذهنية	إعاقة ذهنية	إعاقة سمعية
nationality	Non-Qatari	Non-Qatari	Qatari	Non-Qatari	Qatari
ljnsy	غير قطري	غير قطري	قطري	غير قطري	قطري
gender	Male	Female	Male	Male	Male
ljns	ذكور	إناث	ذكور	ذكور	ذكور
number	39	15	11	4	0

people-with-disabilities-less-than-15-years-who-received-services-at-rumeilah-hospital-and-qatar.csv

12.8 KB · 6 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year	2012	2012	2012	2012	2012
type_of_disability	Physical Disability	Intellectual Disability	Hearing Disability	Speech & Language Disability	Speech & Language Disability
nw_l_q	إعاقة حركية	إعاقة ذهنية	إعاقة سمعية	اضطرابات النطق واللغة	اضطرابات النطق واللغة
gender	Female	Female	Female	Male	Female
ljns	إناث	إناث	إناث	ذكور	إناث
number	905	24	2	643	330

people-with-disabilities-less-than-15-years-who-received-services-at-rumeilah-hospital-and-qatar0.csv

25.1 KB · 8 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year	2015	2015	2015	2015	2015
type_of_disability	Physical Disability	Intellectual Disability	Hearing Disability	Hearing Disability	Speech & Language Disability
nw_l_q	إعاقة حركية	إعاقة ذهنية	إعاقة سمعية	إعاقة سمعية	اضطرابات النطق واللغة
nationality	Non-Qatari	Non-Qatari	Qatari	Non-Qatari	Qatari
ljnsy	غير قطري	غير قطري	قطري	غير قطري	قطري
gender	Male	Male	Male	Male	Female
ljns	ذكور	ذكور	ذكور	ذكور	إناث
number	395	115	7	10	213

percentage-of-adults-who-support-increasing-taxes-on-tobacco-products-by-gender-and-nationality.csv

333 B · 5 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3
year	2013	2013	2013
nationality	QATARI	NON-QATARI	OVERALL
percentage_of_female_adults_who_support_increasing_taxes_on_tobacco_products	89.3		90.3
percentage_of_male_adults_who_support_increasing_taxes_on_tobacco_products	81.2		81.8
percentage_overall_of_adults_who_support_increasing_taxes_on_tobacco_products	84.9		85.9

percentage-of-current-tobacco-users-by-gender-and-nationality.csv

214 B · 5 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3
year	2013	2013	2013
nationality	NON-QATARI	QATARI	OVERALL
percentage_of_current_female_tobacco_users	0.7	0.6	3.1
percentage_of_current_male_tobacco_users	20.7	22.0	21.1
overall_current_tobacco_users	13.5	10.9	12.6

percentage-of-electronic-cigarette-users-by-type-of-user-gender-and-nationality.csv

1.1 KB · 6 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year	2013	2013	2013	2013	2013
type_of_electronic_cigarette_user	Ever heard of electronic cigarettes	Daily user of electronic cigarettes	Current user of electronic cigarettes	Daily user of electronic cigarettes	Ever used an electronic cigarette
nationality	OVERALL	NON-QATARI	NON-QATARI	OVERALL	QATARI
percentage_of_female_users	33.8	0.0	0.1	0.0	0.8
percentage_of_male_users	62.8	0.3	1.7	0.3	4.2
overall_percentage	49.0	0.2	1.0	0.1	2.4

percentage-of-electronic-cigarettes-users-by-gender-and-type-of-user.csv

169 B · 5 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2
year	2013	2013
type_of_electronic_cigarettes_user	Current user	Daily user
percentage_of_female_users	0.2	0.0
percentage_of_male_users	1.6	0.3
overall_percentage	0.9	0.1

percentage-of-exposure-to-secondhand-smoke-by-nationality-and-gender.csv

829 B · 6 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year	2013	2013	2013	2013	2013
exposure_to_secondhand_smoke	Adults exposed to tobacco smoke in restaurants	Adults exposed to tobacco smoke at the workplace	Adults exposed to tobacco smoke at home at least monthly	Adults exposed to tobacco smoke at home at least monthly	Adults exposed to tobacco smoke at the workplace
nationality	NON-QATARI	NON-QATARI	NON-QATARI	QATARI	OVERALL
percentage_of_female_users	29.0	8.4	16.5	17.7	7.8
percentage_of_male_users	20.9	15.7	17.1	15.7	13.7
overall_percentage	24.1	13.8	16.9	16.7	12.0

percentage-of-people-affected-by-secondhand-smoking-by-gender-and-type-of-exposure0.csv

606 B · 6 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3
year	2013	2013	2013
type_of_secondhand_smoke_exposure	Adults exposed to tobacco smoke at the workplace	Adults exposed to tobacco smoke at home at least monthly	Adults exposed to tobacco smoke in restaurants
type_of_secondhand_smoke_exposure_ar	البالغون المعرضون لدخان التبغ في مكان العمل	البالغون المعرضون لدخان التبغ في المنزل مرة واحدة على الأقل شهريًا	البالغون المعرضون لدخان التبغ في المطاعم
of_female_users	7.8	17.0	32.2
of_male_users	13.7	16.7	21.2
overall	12.0	16.8	25.9

percentage-of-perceptions-on-smoking-by-smoker-type.csv

1.1 KB · 4 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year	2013	2013	2013	2013	2013
types_of_perceptions	Adults who believed smokeless tobacco use causes serious illness	Adults who believed smoking causes serious illness	Adults who believed smoking shisha causes serious illness	Adults who believed smoking shisha causes serious illness	Adults who believed breathing other peoples' smoke causes serious illness in Non-Smokers
smokers_type	Non-Smokers	Non-Smokers	Non-Smokers	Current Smokers	Overall
percentage_of_people	80.9	96.7	90.9	89.6	95.1

percentage-of-shisha-smokers-by-type-of-smoker-nationality-and-gender.csv

1.0 KB · 6 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year	2013	2013	2013	2013	2013
type_of_shisha_smokers	Current shisha smokers	Daily shisha smokers	Last shisha smoking session occurred in a cafe	Started smoking shisha before age 18	Last shisha smoking session occurred at home
nationality	OVERALL	OVERALL	NON-QATARI	NON-QATARI	QATARI
percentage_of_female_users	1.6	0.4	38.2	9.5	
percentage_of_male_users	4.9	1.3	84.3	9.4	10.3
overall_percentage	3.4	0.8	71.0	9.4	15.7

percentage-of-smokeless-tobacco-users-by-age-group-and-gender.csv

657 B · 6 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year	2013	2013	2013	2013	2013
age_group	35-44	65+	15-24	15-24	25-34
nationality	QATARI	OVERALL	NON-QATARI	QATARI	QATARI
percentage_of_female_users	0.0	0.0	0.0	0.0	0.0
percentage_of_male_users	1.1	0.0	1.4	2.7	1.5
total_percentage	0.5	0.0	0.7	1.4	0.7

percentage-of-smokeless-tobacco-users-by-nationality-and-gender.csv

930 B · 6 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year	2013	2013	2013	2013	2013
type_of_smokeless_tobacco_users	Former daily smokeless tobacco users (among ever daily users)	Current smokeless tobacco users	Daily smokeless tobacco users	Current smokeless tobacco users	Former daily smokeless tobacco users (among ever daily users)
nationality	NON-QATARI	NON-QATARI	OVERALL	QATARI	QATARI
of_female_users		0.0	0.0	0.0	
of_male_users	30.3	1.3	0.9	1.5	14.1
total	30.3	0.7	0.5	0.7	14.1

percentage-of-smokers-by-age-of-initiation-and-gender.csv

203 B · 5 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2
year	2013	2013
age_of_initiation	Started daily smoking before age 15	Started daily smoking before age 18
percentage_of_female_users	1.3	48.7
percentage_of_male_users	9.6	45.1
overall_percentage	8.6	45.5

percentage-of-smokers-by-age-of-initiation-gender-and-nationality.csv

690 B · 6 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year	2013	2013	2013	2013	2013
age_of_initiation	Average age of daily smoking initiation (Years)	Started daily smoking before age 15	Started daily smoking before age 15	Started daily smoking before age 18	Started daily smoking before age 18
nationality	NON-QATARI	NON-QATARI	QATARI	NON-QATARI	OVERALL
percentage_of_female_users	17.9	1.5		53.4	48.7
percentage_of_male_users	18.8	7.5	12.2	36.4	45.1
total_percentage	18.6	6.4	11.9	39.5	45.5

percentage-of-smokers-by-dependency-and-gender.csv

279 B · 5 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3
year	2013	2013	2013
type_of_dependency	Average number of cigarettes smoked per day	First smoke within 30 minutes after waking	Smoked 16 or more cigarettes per day
percentage_of_female_users	10.9	59.2	27.8
percentage_of_male_users	17.6	39.9	57.5
overall_percentage	17.2	41.5	55.4

percentage-of-smokers-by-type-of-cessation-and-gender.csv

335 B · 5 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3
year	2013	2013	2013
type_of_cessation	Smokers advised to quit by a health care provider in past 12 months	Smokers who made a quit attempt in past 12 months	Current smokers who planned to or were thinking about quitting
percentage_of_female_users	61.6	41.3	53.5
percentage_of_male_users	72.9	37.7	68.6
overall_percentage	71.3	38.2	66.8

percentage-of-smokers-by-type-of-dependency-nationality-and-gender.csv

725 B · 6 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year	2013	2013	2013	2013	2013
type_of_dependency	First smoke within 30 minutes after waking	Average number of cigarettes smoked per day	First smoke within 30 minutes after waking	First smoke within 30 minutes after waking	Smoked 16 or more cigarettes per day
nationality	NON-QATARI	QATARI	QATARI	OVERALL	NON-QATARI
percentage_of_female_users	58.1			59.2	27.9
percentage_of_male_users	43.0	17.7	34.4	39.9	57.3
overall_percentage	44.8	17.6	34.9	41.5	54.2

percentage-of-tobacco-smokers-by-age-group-nationality-and-gender.csv

723 B · 6 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year	2013	2013	2013	2013	2013
age_group	15-24	25-34	25-34	55-64	45-54
nationality	NON-QATARI	NON-QATARI	QATARI	QATARI	OVERALL
percentage_of_female_tobacco_smokers	3.7	3.3	0.7	3.0	5.6
percentage_of_male_tobacco_smokers	8.6	23.9	25.8	28.8	20.7
percentage_total_tobacco_smokers	6.1	12.6	12.2	16.3	14.1

percentage-of-tobacco-smokers-by-type-of-smoker-nationality-and-gender.csv

1.1 KB · 6 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year	2013	2013	2013	2013	2013
type_of_tobacco_smokers	Former daily tobacco smokers (among all adults)	Current tobacco smokers	Daily cigarette smokers	Daily tobacco smokers	Former daily tobacco smokers (among ever daily smokers)
nationality	NON-QATARI	NON-QATARI	QATARI	OVERALL	QATARI
of_female_users	1.2	4.6	0.1	1.7	
of_male_users	7.1	19.6	16.5	16.5	24.2
overall	4.4	12.9	7.9	9.5	23.8

percentage-of-tobacco-user-cessation-by-nationality-and-gender.csv

1.4 KB · 6 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year	2013	2013	2013	2013	2013
type_of_tobacco_user_cessation	Smokers advised to quit by a health care provider in past 12 months	Smokeless users who made a quit attempt in past 12 months	Current smokeless users who planned to or were thinking about quitting	Current smokeless users who planned to or were thinking about quitting	Smokers who made a quit attempt in past 12 months
nationality	QATARI	QATARI	QATARI	OVERALL	OVERALL
percentage_of_female_users					41.3
percentage_of_male_users	81.9	50.3	68.3	77.4	37.7
overall_percentage	82.4	50.3	68.3	77.4	38.2

percentage-of-tobacco-users-by-age-group-nationality-and-gender.csv

719 B · 6 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year	2013	2013	2013	2013	2013
age_group	15-24	45-54	45-54	25-34	45-54
nationality	QATARI	QATARI	OVERALL	NON-QATARI	NON-QATARI
percentage_of_female_tobacco_users	0.0	1.8	5.7	3.3	8.1
percentage_of_male_tobacco_users	14.2	24.5	21.9	24.8	21.0
overall_tobacco_users_percentage	7.0	11.9	14.7	13.1	15.9

percentage-of-tobacco-users-by-type-of-user-and-gender.csv

642 B · 5 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year	2013	2013	2013	2013	2013
type_of_tobacco_users	Former daily Tobacco Smokers (among all adults)	Current Smokeless Tobacco Users	Former daily Tobacco Smokers (among ever daily smokers)	Daily Cigarette Smokers	Daily Shisha Smokers
percentage_of_female_users	0.7	0.0	24.7	1.3	0.4
percentage_of_male_users	6.8	1.3	27.6	15.2	1.3
overall_percentage	3.9	0.7	27.3	8.6	0.8

percentage-of-types-of-perceptions-by-type-of-smokers-or-users-and-nationality.csv

1.2 KB · 6 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year	2013	2013	2013	2013	2013
type_of_perceptions	Adults who believed smoking shisha causes serious illness	Adults who believed breathing other peoples' smoke causes serious illness in non-smokers	Adults who believed smoking causes serious illness	Adults who believed smoking causes serious illness	Adults who believed smoking shisha causes serious illness
nationality	NON-QATARI	QATARI	NON-QATARI	OVERALL	OVERALL
percentage_of_non_smokers_users	89.0	96.4	96.0	96.7	90.9
percentage_of_current_smokers_users	87.7	93.1	90.0	91.3	89.6
total	88.9	96.1	95.3	96.0	90.9

phcc-annual-statistical-summary.csv

182 B · 4 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year	2024	2022	2020	2021	2023
operational_health_centers	31	30	27	28	31
registrations_patients	1874919	1710112	1550711	1612061	1782628
visits	5169993	5025665	3238946	6390018	4579726

phcc-patient-visits-by-health-center-and-region.csv

2.4 KB · 7 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
region	Central	Central	Northern	Northern	Non Regional Services (Centralized or Outreach Services)
health_center_name	MSH Al Mashaf	THM Al Thumama	KHR Al Khor	QUN Qatar Univ	PSC Primary Staff Clinic
2020		167452.0	87907.0	128638.0	2162.0
2021		416737.0	147678.0	262475.0	3043.0
2022	2325.0	199278.0	118256.0	200959.0	4039.0
2023	75637.0	110454.0	98786.0	169274.0	4888.0
2024	126819.0	140831.0	112719.0	172447.0	4269.0

principal-cause-of-death-by-year.csv

1.8 KB · 11 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
principal_cause	Congenital malformations, deformations and chromosomal abnormalities	External causes of morbidity and mortality	Diseases of the circulatory system	Diseases of the digestive system	Diseases of the musculoskeletal system and connective tissue
2014	64.0	438.0	355.0	53.0	
2015	79.0	420.0	359.0	50.0	1.0
2016	67.0	414.0	721.0	55.0	1.0
2017	72.0	378.0	712.0	57.0	2.0
2018	87.0	395.0	756.0	62.0	2.0
2019	67.0	368.0	638.0	62.0	6.0
2020	95.0	368.0	785.0	76.0	3.0
2021	52.0	376.0	856.0	54.0	3.0
2022	64.0	447.0	945.0	57.0	2.0
2023	56	331	880	65	11

quarterly-registered-live-births-by-gender-and-nationality.csv

5.3 KB · 7 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year	2020	2020	2020	2020	2020
quarter	Q1	Q1	Q4	Q4	Q4
nationality	Asian Countries	Other Countries	Qatar	Other G.C.C Countries	Asian Countries
l1njsy	الدول الاسيوية	الدول الأخرى	قطري	دول مجلس التعاون	الدول الاسيوية
male	900	97	801	54	1324
female	902	87	793	54	1173
total	1802	184	1594	108	2497

quarterly-registered-live-births-by-nationality-gender-and-age-group-of-mother.csv

4.2 KB · 9 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year	2021	2021	2021	2021	2021
quarter	Q1	Q1	Q1	Q1	Q1
age_group	25 - 29	50 +	-20	30 - 34	35 - 39
mjmw_l_mr	25 - 29	50 +	-20	30 - 34	35 - 39
gender	Male	Male	Female	Female	Female
ljns	ذكر	ذكر	أنثى	أنثى	أنثى
qataris	214	0	5	205	121
non_qataris	627	0	16	724	387
total	841	0	21	929	508

quarterly-registered-live-births-by-nationality-gender-and-municipality.csv

1.1 KB · 9 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year	2023	2023	2023	2023	2023
quarter	Q4	Q4	Q4	Q4	Q4
municipality	Al Shahannia	Doha	Al Khor	Al Daayen	Al Shamal
lbldy	الشيخانية	الدوحة	الخور	الطعainen	الشمال
gender	Male	Female	Female	Female	Male
ljns	ذكر	أنثى	أنثى	أنثى	ذكر
qataris	32	164	24	75	2
non_qataris	26	1238	69	90	12
total	58	1402	93	165	14

registered-deaths-15-years-and-over-by-marital-status-annual.csv

101.5 KB · 8 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year	2022	2021	2017	2016	2022
lfy_t_l_mry_blsnwt	15 - 19	15 - 19	15 - 19	15 - 19	15 - 19
age_groups_in_years	15 - 19	15 - 19	15 - 19	15 - 19	15 - 19
lnw	ذكور	ذكور	ذكور	ذكور	ذكور
gender	Males	Males	Males	Males	Males
lhl_lzwjy	لم يتزوج	لم يتزوج	مطلق	مطلق	غير ميين
marital_status	Never Married	Never Married	Divorced	Divorced	Not Stated
value	11.0	7.0	0.0	0.0	2.0

registered-deaths-15-years-old-and-over-by-marital-status-gender-and-age-groups-qataris.csv

90.1 KB · 8 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year	2022	2021	2019	2015	2022
lfy_t_l_mry_blsnwt	15 - 19	15 - 19	15 - 19	15 - 19	15 - 19
age_groups_in_years	15 - 19	15 - 19	15 - 19	15 - 19	15 - 19
lnw	ذكور	ذكور	ذكور	ذكور	ذكور
gender	Males	Males	Males	Males	Males
lhl_lzwjy	لم يتزوج	لم يتزوج	لم يتزوج	لم يتزوج	متزوج
marital_status	Never Married	Never Married	Never Married	Never Married	Married
value	28.0	17.0	17.0	25.0	3.0

registered-deaths-by-nationality-gender-and-age-annual.csv

318.7 KB · 8 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year	2018	2016	2021	2020	2017
ahd_l_mr	5	6	6	6	7
single_year_of_age	5	6	6	6	7
ljnsy	غير قطريين	قطريون	غير قطريين	غير قطريين	قطريون
nationality	Non-Qataris	Qataris	Non-Qataris	Non-Qataris	Qataris
lnw	غير مبين	ذكور	ذكور	ذكور	إناث
gender	Not stated	Males	Males	Males	Females
value	0.0	0.0	2.0	3.0	1.0

registered-deaths-by-nationality-gender-and-month.csv

47.7 KB · 8 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year	2019	2014	2016	2016	2021
lshhr	فبراير	فبراير	مارس	مارس	أبريل
month	February	February	March	March	April
ljnsy	غير قطريين	غير قطريين	قطريون	غير قطريين	قطريون
nationality	Non-Qataris	Non-Qataris	Qataris	Non-Qataris	Qataris
lnw	إناث	إناث	غير مبين	غير مبين	إناث
gender	Females	Females	Not stated	Not stated	Females
value	27.0	26.0	0.0	0.0	47.0

registered-deaths-by-nationality-gender-and-municipality.csv

13.2 KB · 9 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year	2020	2020	2020	2020	2020
quarter	Q2	Q2	Q2	Q2	Q2
municipality	Doha	Al Wakra	Umm Salal	Al Khor	Al Shahannia
lbdy	الدوحة	الوكرة	ام صلال	الخور	الشيخانية
gender	Male	Male	Male	Male	Male
ljns	ذكر	ذكر	ذكر	ذكر	ذكر
qataris	54	2	3	2	2
non_qataris	398	12	5	6	2
total	452	14	8	8	4

registered-deaths-by-nationality-sex-and-month.csv

41.2 KB · 8 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year	2010	2010	2010	2010	2010
nationality	Qataris	Non-Qataris	Qataris	Non-Qataris	Qataris
ljnsy	قطريون	غير قطريين	قطريون	غير قطريين	قطريون
gender	Male	Female	Female	Female	Male
ljns	ذكر	أنثى	أنثى	أنثى	ذكر
month	JANUARY	FEBRUARY	FEBRUARY	MARCH	MARCH
lshhr	يناير	فبراير	فبراير	مارس	مارس
total	32	17	21	18	38

registered-infant-deaths-by-nationality-and-gender.csv

43.5 KB · 8 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year	2010	2010	2010	2010	2010
nationality	Non-Qataris	Qataris	Qataris	Qataris	Non-Qataris
ljnsy	غير قطريين	قطريون	قطريون	قطريون	غير قطريين
month	January	January	February	February	March
lshhr	يناير	يناير	فبراير	فبراير	مارس
gender	Males	Females	Males	Females	Males
ljns	ذكور	إناث	ذكور	إناث	ذكور
total	1	6	0	1	7

registered-infant-deaths-by-nationality-and-sex.csv

4.4 KB · 6 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year	2001	2002	2003	2004	2004
nationality	Non-Qataris	Qataris	Qataris	Non-Qataris	Qataris
ljnsy	غير قطريين	قطريون	قطريون	غير قطريين	قطريون
gender	Females	Females	Males	Males	Females
ljns	إناث	إناث	ذكور	ذكور	إناث
total	29	24	37	33	18

registered-infant-deaths-by-nationality-gender-and-municipality.csv

29.9 KB · 8 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year	2010	2010	2010	2010	2010
nationality	Qataris	Qataris	Non-Qataris	Qataris	Qataris
ljnsy	قطريون	قطريون	غير قطريين	قطريون	قطريون
gender	Males	Females	Males	Males	Females
ljns	ذكور	إناث	ذكور	ذكور	إناث
municipality	DOHA	DOHA	DOHA	AL RAYYAN	AL RAYYAN
lbldy	الدوحة	الدوحة	الدوحة	الريان	الريان
total	9	7	33	14	15

registered-live-births-by-nationality-and-age-group-of-mother.csv

7.2 KB · 11 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year	2019	2019	2019	2020	2020
quarter	Q3	Q4	Q4	Q1	Q1
lrb	Q3	Q4	Q4	Q1	Q1
age_group_of_mother_in_years	35 - 39	20 - 24	40 - 44	20 - 24	35 - 39
fy_mr_l_m	35 - 39	20 - 24	40 - 44	20 - 24	35 - 39
qataris	326	277	92	165	252
qtry	326	277	92	165	252
non_qataris	943	575	190	376	829
gyr_qtry	943	575	190	376	829
total	1269	852	282	541	1081
ljmly	1269	852	282	541	1081

registered-live-births-by-nationality-sex-and-birth-weight.csv

26.8 KB · 8 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year	2012	2012	2012	2012	2012
birth_weight_grams	Less than 1500	Less than 1500	2000-2499	2500-2999	3000-3999
lwzn_wqt_lwld	أقل من 1500	أقل من 1500	2000-2499	2500-2999	3000-3999
nationality	Qatari	Qatari	Non-Qatari	Non-Qatari	Non-Qatari
ljnsy	قطري	قطري	غير قطري	غير قطري	غير قطري
gender	Female	Male	Female	Male	Female
ljns	أنثى	ذكر	أنثى	ذكر	أنثى
value	55	36	373	1271	4723

registered-qatari-deaths-by-gender-and-place-of-death.csv

6.8 KB · 8 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year	2019	2019	2019	2019	2019
quarter	Q3	Q3	Q3	Q4	Q4
lrb	الربع الثالث	الربع الثالث	الربع الثالث	الربع الرابع	الربع الرابع
place_of_death	Other G.C.C Countries	European Countries	Other Countries	Qatar	European Countries
mkn_lwf	دول الخليج الأخرى	الدول الأوروبية	الدول الأخرى	قطر	الدول الأوروبية
male	0	12	3	92	3
female	0	6	1	76	7
total	0	18	4	168	10

services-provided-by-naufar-center-by-age-group-and-gender.csv

1.8 KB · 6 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year	2017	2015	2018	2017	2016
age_group	20 - 30	20 - 30	20 - 30	20 - 30	20 - 30
age_group_ar	30-20	30-20	30-20	30-20	30-20
gender	Males	Males	Females	Females	Females
gender_ar	ذكور	ذكور	إناث	إناث	إناث
value	278	80	16	9	6

services-provided-to-cases-received-by-naufar-center-by-gender-and-service-type.csv

1.5 KB · 6 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year	2019	2018	2016	2019	2016
type_of_service	Residential Unit	Residential Unit	Residential Unit	Day Care Service	Day Care Service
type_of_service_ar	وحدة داخلية	وحدة داخلية	وحدة داخلية	خدمة الرعاية النهارية	خدمة الرعاية النهارية
gender	Males	Females	Females	Males	Males
gender_ar	ذكور	إناث	إناث	ذكور	ذكور
value	31	0	0	892	5933

special-needs-statistics-number-of-staff-providing-services-for-disabled-at-rumailah-hospital-and.csv

11.7 KB · 6 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year	2020	2020	2020	2019	2019
occupation	Physiotherapist	Speech Therapy Technician	Nurse	Occupational Therapy Specialist	Physician
gender	Female	Female	Female	Male	Female
number_of_staff	58.0	4.0	997.0	23.0	20.0
gender_ar	أنثى	أنثى	أنثى	ذكر	أنثى
occupation_ar	أخصائي علاج طبيعي	فني علاج نطق	ممرض	أخصائي علاج وظيفي	طبيب

special-needs-statistics-number-of-staff-providing-services-for-disabled-at-rumailah-hospital-and0.csv

12.9 KB · 6 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year_isn	2022	2021	2020	2020	2019
department	Prosthetics Section	Audiology and Balance Center	Plastic Surgery Unit	Physiotherapy Section	Women Rehabilitation Sections
gender	Female	Male	Male	Female	Female
number_of_staff	53.0	4.0	0.0	81.0	60.0
gender_ar	أنثى	ذكر	ذكر	أنثى	أنثى
department_ar	قسم الأطراف الصناعية	مركز السمع والتوازن	وحدة جراحة التجميل	قسم العلاج الطبيعي	وحدات تأهيل النساء

special-needs-statistics-number-of-staff-providing-services-for-disabled-at-rumailah-hospital-and1.csv

29.8 KB · 8 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year	2023	2023	2023	2023	2023
occupation	Occupational Therapy Technician	Speech Therapy Technician	Administrator	Physiotherapist	Case Manager (Case Coordinator)
gender	Female	Female	Female	Male	Male
nationality	Qatari	Qatari	Qatari	Non-Qatari	Non-Qatari
number_of_staff	0	0	71	99	14
nationality_ar	قطري	قطري	قطري	غير قطري	غير قطري
gender_ar	أنثى	أنثى	أنثى	ذكر	ذكر
occupation_ar	فني علاج وظيفي	فني علاج نطق	إداري	أخصائي علاج طبيعي	مدير الحالات (منسق الحالات)

special-needs-statistics-number-of-staff-providing-services-for-disabled-at-rumailah-hospital-and2.csv

31.9 KB · 8 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year	2023	2023	2023	2022	2022
department	Physiotherapy Section	Men Rehabilitation Sections	Prosthetics Section	Stroke Rehabilitation Unit	Speech Therapy Section
gender	Male	Male	Female	Female	Male
nationality	Qatari	Qatari	Qatari	Qatari	Non-Qatari
number_of_staff	0.0	2.0	5.0	14.0	4.0
nationality_ar	قطري	قطري	قطري	قطري	غير قطري
gender_ar	ذكر	ذكر	أنثى	أنثى	ذكر
department_at	قسم العلاج الطبيعي	وحدات تأهيل الرجال	قسم الأطراف الصناعية	وحدة تأهيل الجلطة الدماغية	قسم علاج النطق

special-needs-statistics-number-of-students-with-disabilities-enrolled-at-qatar-university-by0.csv

1.0 KB · 6 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year	2023/2022	2023/2022	2022/2021	2021/2020	2019/2018
nationality	Qatari	Qatari	Non-Qatari	Qatari	Qatari
gender	Male	Female	Female	Male	Male
number_of_students	96	158	38	126	156
gender_ar	ذكر	أنثى	أنثى	ذكر	ذكر
nationality_ar	قطري	قطري	غير قطري	قطري	قطري

special-needs-statistics-number-of-students-with-disabilities-integrated-into-public-schools-by.csv

5.7 KB · 8 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year	2020/2021	2020/2021	2020/2021	2020/2021	2020/2021
level_of_education	Pre-Primary (Kindergartens)	Pre-Primary (Kindergartens)	Secondary	Pre-Primary (Kindergartens)	Primary
level_of_education_ar	ما قبل الابتدائية (روضة)	ما قبل الابتدائية (روضة)	الثانوية	ما قبل الابتدائية (روضة)	الابتدائية
nationality	Qatari	Qatari	Qatari	Non-Qatari	Non-Qatari
nationality_ar	قطري	قطري	قطري	غير قطري	غير قطري
gender	Male	Female	Female	Female	Female
gender_ar	ذكر	أنثى	أنثى	أنثى	أنثى
number_of_students	61	34	272	7	237

tobacco-industry-counter-advertising-by-nationality-and-type-of-users.csv

1009 B · 6 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year	2013	2013	2013	2013	2013
tobacco_industry_counter_advertising	Adults who noticed anti-shisha smoking information in local media	Adults who noticed anti-shisha smoking information in local media	Adults who noticed anti-shisha smoking information in local media	Adults who noticed anti-cigarette smoking information in local media	Adults who noticed anti-cigarette smoking information in local media
nationality	NON-QATARI	OVERALL	QATARI	OVERALL	NON-QATARI
percentage_of_non_smokers_users	42.1	45.8	52.4	64.4	60.7
percentage_of_current_smokers_users	50.0	51.0	53.4	65.8	62.8
total_percentage	42.4	45.9	52.4	64.6	61.0

tobacco-industry-counter-advertising-by-type-of-users.csv

391 B · 5 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3
year	2013	2013	2013
tobacco_industry_counter_advertising	Adults who noticed anti-cigarette smoking information in local media	Adults who noticed anti-smokeless tobacco information in local media	Adults who noticed anti-shisha smoking information in local media
percentage_of_non_smokers_users	64.4	35.1	45.8
percentage_of_current_smokers_users	65.8	24.8	51.0
total_percentage	64.6	35.0	45.9

under-five-years-mortality-rate-by-nationality-and-sex.csv

1.8 KB · 6 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Qatar Ministry of Public Health. Documents only.

column	row 1	row 2	row 3	row 4	row 5
year	2001	2003	2004	2004	2005
nationality	Qatari	Qatari	Qatari	Non Qatari	Non Qatari
ljnsy	قطري	قطري	قطري	غير قطري	غير قطري
gender	Female	Male	Male	Female	Male
ljns	انثى	ذكر	ذكر	انثى	ذكر
value	12.8	8.0	12.9	10.2	8.6

nhra.bh

16 CSV (4.2 MB) · 9 .pdf, 1 .json (3.7 MB)

example filenames:

List of Approved Clinical Trials 2021-2022.pdf

General Sale Health Products List.pdf
General Sale Medicine List 20190613.pdf

Approved Alternative and Complementary Medicine List - 14 June 2026.csv

124.2 KB · 11 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Bahrain National Health Regulatory Authority. Documents only.

column	row 1	row 2	row 3	row 4	row 5
Approved Alternative and Complementary Medicine List	1	2	3	4	
	Product Name	MURIVENNA (VAIDAYRATNAM)	DRAKSHARISHTAM	ARALIA- RACEMOSA Q(HOMCO)	BRYONIA ALBA 200(HOMCO)
	Dosage Form	LIQUID FOR EXTERNAL USE	ORAL LIQUID	ORAL LIQUID (MOTHER TINCTURE)	ORAL LIQUID
	Pack Size	200ML	450ML	30ML	30ML
	Active Ingredients & Strengths	Cocos nucifera 10.000ml, Piper betle 3.250ml, Moringa Oleifera 3.250ml, Erythrina variegat...	SACCHARUM OFFICINARUM- 5.656G, VITIS VINIFERA-1.414G, CINNAMOMUM VERUM-0.028G, ELETTARIA CA...	ARALIA RACEMOSA PLANT EXTRACT STRENGTH MOTHER TINCTURE (Q) ALKALOID -ARALIN IN 1/10 DILUTI...	BRYONIA ALBA PLANT EXTRACT STRENGTH 200TH POTENCY IN 1/10400 DILUTION
	Method of Dispensing	POM	POM	POM	POM
	Agent Name	KOTTAKKAL AYURVEDIC CENTRE/PHARMACY	KOTTAKKAL AYURVEDIC CENTRE/PHARMACY	DR.FATHEYA AL MULLA HOMOEOPATHY UNIT/PHARMACY	DR.FATHEYA AL MULLA HOMOEOPATHY UNIT/PHARMACY
	MAH	VAIDYARATNAM P. S. VARIER'S ARYA VAIDYA SALA, KOTTAKKAL, INDIA.	VAIDYARATNAM P. S. VARIER'S ARYA VAIDYA SALA, KOTTAKKAL, INDIA.	THE KERALA STATE HOMOEOPATHIC CO-OPERATIVE PHARMACY LTD (HOMCO), INDIA.	THE KERALA STATE HOMOEOPATHIC CO-OPERATIVE PHARMACY LTD (HOMCO), INDIA.
	Country of Origin	INDIA.	INDIA.	INDIA.	INDIA.
	Storage Conditions	STORE IN COOL DRY PLACE, AT NOT MORE THAN 30°C, PROTECT FROM DIRECT SUN LIGHT	STORE IN A DRY PLACE, AT NOT MORE THAN 30°C, PROTECT FROM DIRECT SUNLIGHT.	STORE IN A COOL AND DRY PLACE	STORE IN A COOL AND DRY PLACE
	Shelf-life (Months)	36	36	60	60

Cancelled Health Product List By Companies Agent - 14 June 2026.csv

112.5 KB · 11 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Bahrain National Health Regulatory Authority. Documents only.

column	row 1	row 2	row 3	row 4	row 5
S/NO	1	2	3	4	5
HP REGISTRATION NO.	034/09	HPRN-00618/16	HPRN-291/09	HPRN-164/10	HPRN-295/11
TRADE NAME	Imedeen time perfection	Imedeen derma one	Sun sense sport cream SPF 50+	Sun Sense Toddler Milk SPF 50	QV kids hair conditioner
API NAME & STRENGTH	Fish Extract 105mg, tomato extract (lycopersicum esculentum) 14.38mg,grape seed extrct (vi...	Each tablet contains:Fish Extract- 105mg,Vitamin C-30mg,Zinc -2mg	Octyl Methoxycinnamate 7.5%w/w,Oxybenzone -3%w/w,Titanium Dioxide- 2.6%w/w,4-Methylbenzylid...	Titanium Dioxide-32mg/g, ButylMethoxydibenzoylmethane- 25mg/g,Oxybenzone 20mg/g,Octyl triaz...	Water purified 809.46 mg,Behentrimonium methosulfate and Cetearyl alcohol- 40mg,Cetostearyl...
FORM	Tablets	Tablets	Cream	Roll (Liquid)	Cream
PACK SIZE	60's	60	75g	50ml	150g
METHOD OF SALE	Pharmacy	Health Shop			
SHELF LIFE (MONTHS)	36	36	60		
AGENT NAME	nasser pharmacy	Nasser Pharmacy	Maskati pharmacy	Maskati pharmacy	Maskati pharmacy
MANUFACTURER NAME	Ferrosan A/s	Pfizer Consumer Manufacturing for Pfizer Srl	Ego Pharmaceuticals PTY Ltd	Ego Pharmaceuticals PTY Ltd	Ego Pharmaceuticals PTY Ltd
MANUFACTURER COUNTRY	Denmark	Italy	Australia	Australia	Australia

Cancelled Health Product List By Companies Agent - 14 June 2026.csv

112.5 KB · 11 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Bahrain National Health Regulatory Authority. Documents only.

column	row 1	row 2	row 3	row 4	row 5
S/NO	1	2	3	4	5
HP REGISTRATION NO.	034/09	HPRN-00618/16	HPRN-291/09	HPRN-164/10	HPRN-295/11
TRADE NAME	Imedeen time perfection	Imedeen derma one	Sun sense sport cream SPF 50+	Sun Sense Toddler Milk SPF 50	QV kids hair conditioner
API NAME & STRENGTH	Fish Extract 105mg, tomato extract (lycopersicum esculentum) 14.38mg,grape seed extrct (vi...	Each tablet contains:Fish Extract-105mg,Vitamin C-30mg,Zinc -2mg	Octyl Methoxycinnamate 7.5%w/w,Oxybenzone -3%w/w,Titanium Dioxide-2.6%w/w,4-Methylbenzylid...	Titanium Dioxide-32mg/g, ButylMethoxydibenzoylmethane-25mg/g,Oxybenzone 20mg/g,Octyl triaz...	Water purified 809.46 mg,Behentrimonium methosulfate and Cetearyl alcohol-40mg,Cetostearyl...
FORM	Tablets	Tablets	Cream	Roll (Liquid)	Cream
PACK SIZE	60's	60	75g	50ml	150g
METHOD OF SALE	Pharmacy	Health Shop			
SHELF LIFE (MONTHS)	36	36	60		
AGENT NAME	nasser pharmacy	Nasser Pharmacy	Maskati pharmacy	Maskati pharmacy	Maskati pharmacy
MANUFACTURER NAME	Ferrosan A/s	Pfizer Consumer Manufacturing for Pfizer Srl	Ego Pharmaceuticals PTY Ltd	Ego Pharmaceuticals PTY Ltd	Ego Pharmaceuticals PTY Ltd
MANUFACTURER COUNTRY	Denmark	Italy	Australia	Australia	Australia

Cancelled Medicine List 20240720.csv

637.6 KB · 15 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Bahrain National Health Regulatory Authority. Documents only.

column	row 1	row 2	row 3	row 4	row 5
SR	1	2	3	4	5
DRUG REGISTRATION NUMBER	DRN-07179/07	DRN-07180/07	DRN-02463/93	DRN-01142/91	DRN-04507/98
MEDICINE NAME	Avandaryl	Avandaryl	Alveofact	Atrovent	Atrovent
STRENGTH	4	4	50	0.025	0.03
UNIT OF STRENGTH	mg/2mg	mg/4mg	mg/1.2ml	%	%
PHARMACEUTICAL FORM	Tablet	Tablet	Injection	Solution For Inhalation	Nasal Spray
PACK SIZE	28' PVC/PVDC/Aluminium	28' PVC/PVDC/Aluminium	1 Vial	20ml	15ml
ROUTE OF ADMINISTRATION	Oral	Oral	Intrathecal	Inhaler	Nasal
METHOD OF SALE/SUPPLY	POM	POM	POM	POM	POM
PRODUCT TYPE	Standard	Standard	Standard	Standard	Standard
ACTIVE SUBSTANCES	Glimepiride + Rosiglitazone Maleate	Glimepiride + Rosiglitazone Maleate	Phospholipids	Ipratropium Bromide	Ipratropium Bromide
SHELF-LIFE (MONTHS)	24	24	18	48	24
AGENT NAME	Wael Pharmacy	Wael Pharmacy	Yousif Mahmood Hussain Pharmacy	Yousif Mahmood Hussain Pharmacy	Yousif Mahmood Hussain Pharmacy
MAH NAME	GlaxoSmithKline/ USA	GlaxoSmithKline/ USA	Boehringer Ingelheim/ Germany	Boehringer Ingelheim/ Germany	Boehringer Ingelheim/ Germany
BATCH RELEASING SITE NAME					

637.6 KB · 15 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Bahrain National Health Regulatory Authority. Documents only.

column	row 1	row 2	row 3	row 4	row 5
SR	1	2	3	4	5
DRUG REGISTRATION NUMBER	DRN-07179/07	DRN-07180/07	DRN-02463/93	DRN-01142/91	DRN-04507/98
MEDICINE NAME	Avandaryl	Avandaryl	Alveofact	Atrovent	Atrovent
STRENGTH	4	4	50	0.025	0.03
UNIT OF STRENGTH	mg/2mg	mg/4mg	mg/1.2ml	%	%
PHARMACEUTICAL FORM	Tablet	Tablet	Injection	Solution For Inhalation	Nasal Spray
PACK SIZE	28' PVC/PVDC/Aluminium	28' PVC/PVDC/Aluminium	1 Vial	20ml	15ml
ROUTE OF ADMINISTRATION	Oral	Oral	Intrathecal	Inhaler	Nasal
METHOD OF SALE/SUPPLY	POM	POM	POM	POM	POM
PRODUCT TYPE	Standard	Standard	Standard	Standard	Standard
ACTIVE SUBSTANCES	Glimepiride + Rosiglitazone Maleate	Glimepiride + Rosiglitazone Maleate	Phospholipids	Ipratropium Bromide	Ipratropium Bromide
SHELF-LIFE (MONTHS)	24	24	18	48	24
AGENT NAME	Wael Pharmacy	Wael Pharmacy	Yousif Mahmood Hussain Pharmacy	Yousif Mahmood Hussain Pharmacy	Yousif Mahmood Hussain Pharmacy
MAH NAME	GlaxoSmithKline/ USA	GlaxoSmithKline/ USA	Boehringer Ingelheim/ Germany	Boehringer Ingelheim/ Germany	Boehringer Ingelheim/ Germany
BATCH RELEASING SITE NAME					

16.1 KB · 11 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Bahrain National Health Regulatory Authority. Documents only.

column	row 1	row 2	row 3	row 4	row 5
	New CIF PRICES	S.No	1	2	3
		Drug Registration NO	DRN-05783/02	DRN-06147/03	DRN-07267/07
Drug Price List (Generics)		Trade Name	VIROL	LOVRAK	NOVIRAX
		API Name	ACYCLOVIR	ACYCLOVIR	ACYCLOVIR
		Strength	5	5	5
		Unit of Strength	%	%	%
		Dosage Form	CREAM	CREAM	CREAM
		Package size	10G	10G	15G
		New Retail Price BD	2.12	1.91	2.57
		Agent	Wael PHARMACY	JAFFAR PHARMACY (MAIN)	Wael PHARMACY
		Company Name & Country	RIYADH PHARMA (MEDICAL AND COSMETIC PRODUCT CO. LTD), KSA.	GULF PHARMACEUTICAL INDUSTRIES (JULPHAR), UAE.	OMAN PHARMACEUTICAL PRODUCTS CO. LLC (ZYNOVA), OMAN.

Generic Price List 18 Feb 2024.csv

16.1 KB · 11 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Bahrain National Health Regulatory Authority. Documents only.

column	row 1	row 2	row 3	row 4	row 5
	New CIF PRICES	S.No	1	2	3
		Drug Registration NO	DRN-05783/02	DRN-06147/03	DRN-07267/07
Drug Price List (Generics)		Trade Name	VIROL	LOVRAK	NOVIRAX
		API Name	ACYCLOVIR	ACYCLOVIR	ACYCLOVIR
		Strength	5	5	5
		Unit of Strength	%	%	%
		Dosage Form	CREAM	CREAM	CREAM
		Package size	10G	10G	15G
		New Retail Price BD	2.12	1.91	2.57
		Agent	Wael Pharmacy	Jaffar Pharmacy (Main)	Wael Pharmacy
		Company Name & Country	Riyadh Pharma (Medical and Cosmetic Product Co. Ltd), KSA.	Gulf Pharmaceutical Industries (Julphar), UAE.	Oman Pharmaceutical Products Co. LLC (Zynova), Oman.

Innovator Price List - Implementation 18 February 2024.csv

26.6 KB · 10 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Bahrain National Health Regulatory Authority. Documents only.

column	row 1	row 2	row 3	row 4	row 5
Drug Price List (Innovator)	No	1	2	3	4
	Drug Registration Number	DRN-07705/09	DRN-07704/09	DRN-05336/00	DRN-09299/19
	Brand name	Actemra	Actemra	Adalat La Tablets	AIMOVIG Solution for Injection
	API Name	Tocilizumab	Tocilizumab	Nifedipine	Erenumab
	Company Name	Roche - Switzerland	Roche - Switzerland	Bayer Pharma AG Germany	Novartis Pharma AG -- Switzerland
	Strength	20mg/ml (400mg/20ml)	20mg/ml (200mg/10ml)	30mg	70mg/ml
	Pack Size	20ml Vial	10ml Vial	3x10 TAB	1x1 PRE-FILLED PEN (1ml)
	Retail Price (BD)	374.38	189.26	4.57	139.48
	Agent	Wael Pharmacy	Wael Pharmacy	Bahrain Pharmacy (Main)	YMH & Bahrain Pharmacy
	Comments				Implementation 18 April 2024

Innovator Price List 18 Feb 2024.csv

26.6 KB · 10 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Bahrain National Health Regulatory Authority. Documents only.

column	row 1	row 2	row 3	row 4	row 5
Drug Price List (Innovator)	No	1	2	3	4
	Drug Registration Number	DRN-07705/09	DRN-07704/09	DRN-05336/00	DRN-09299/19
	Brand name	Actemra	Actemra	Adalat La Tablets	AIMOVIG Solution for Injection
	API Name	Tocilizumab	Tocilizumab	Nifedipine	Erenumab
	Company Name	Roche - Switzerland	Roche - Switzerland	Bayer Pharma AG Germany	Novartis Pharma AG -- Switzerland
	Strength	20mg/ml (400mg/20ml)	20mg/ml (200mg/10ml)	30mg	70mg/ml
	Pack Size	20ml Vial	10ml Vial	3x10 TAB	1x1 PRE-FILLED PEN (1ml)
	Retail Price (BD)	374.38	189.26	4.57	139.48
	Agent	Wael Pharmacy	Wael Pharmacy	Bahrain Pharmacy (Main)	YMH & Bahrain Pharmacy
	Comments				Implementation 18 April 2024

462 B · 13 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Bahrain National Health Regulatory Authority. Documents only.

column	row 1	row 2	row 3
List of Licensed Scientific Office	No.		1
	Name of Pharmacy		Novartis Pharma Services AG
	Name of Owner		Novartis Pharma Services AG - Foreign Branch
	Practice		Pharmaceutical Scientific Office
	Address	Flat	3904
		Bldg	2504
		Road	2832
		Block	428
		Area	Al Seef
	Tel. No.		36635386
	Tel. No.		17230093
	Fax No.		0
	Email		youssef.youssef@novartis.com

9.1 KB · 19 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Bahrain National Health Regulatory Authority. Documents only.

column	row 1	row 2	row 3	row 4	row 5
List of Licensed Warehouse	No.		1	2	3
	License No		39000001	39000002	39000003
	CR No.		26573-5	4669-4	33697-18
	Name of Warehouse		Wael Pharmacy Central Warehouse and Distribution Facility	Yousuf Mahmood Hussain Company Warehouse	Nasser Pharmacy Warehouse
	Name of Owner		Wael Pharmacy Central Warehouse and Distribution Facility	Yousuf Mahmood Hussain Company WLL	Nasser Pharmacy Warehouse WLL
	Practice		Pharmaceutical Warehouse	Pharmaceutical Warehouse	Pharmaceutical Warehouse
	Address	Flat	0	42	13
		Bldg	2105	252	2576
		Road	1529	410	4450
		Block	115	704	744
		Governorate	Muharraq	North	North
	Area		Hidd	Salimabad	AL Ramli
	Tel. No.		39690097	39797888	17740900
	Tel. No.		17377000	17276176	36441100
	Email		bharath@waelpharmacy.com	drugregulatory@ymh.com.bh	a.fawzi@nasserpharmacy.com
	Type		Pharmaceutical Warehouse	Pharmaceutical Warehouse	Pharmaceutical Warehouse
	License Valif/ From		2025-11-19 00:00:00	2026-06-25 00:00:00	2025-07-29 00:00:00
	License Valid/ To		2026-11-18 00:00:00	2027-06-24 00:00:00	2026-07-28 00:00:00
	Status		Valid	Valid	Valid

282.2 KB · 13 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Bahrain National Health Regulatory Authority. Documents only.

column	row 1	row 2	row 3	row 4	row 5
S/NO	1	2	3	4	5
HP REGISTRATION NO.	HPRN-00193/11	HPRN-00828/19	HPRN-00967/21	HPRN-01366/03	HPRN-00890/20
TRADE NAME	ZYCAL	ZINCOVIT	ZETA MAC	WILD SALMON & FISH OILS	WELLWOMAN ORIGINAL
API NAME & STRENGTH	ELEMENTAL CALCIUM AS CALCIUM CARBONATE 500MG + VITAMIN (D3) 250IU + MAGNESIUM (AS MAGNESI...	VITAMIN A (AS ACETATE) 5000IU + VITAMIN D3 400IU + VITAMIN E 15MG + THIAMINE NITRATE 10MG ...	TAGETES FLOWERS DRY EXTRACT 200MG (LUTEIN 10MG + ZEAXANTHIN MALTRODEXTRIN 2MG) + FISH OIL...	MOLEULARLY DISTILLED WILD SALMON & FISH OIL COMPLEX 1000MG (WILD ALASKAN SALMON, SARDINE ,...	STARFLOWER OIL 100MG + EVENING PRIMROSE OIL 100MG + CITRUS BIOFLAVONIDS 10MG + BETACAROTE...
FORM	SOFTAB	TABLET	CAPSULE	SOFTGEL	CAPSULE
PACK SIZE	30	30	30	90	30
METHOD OF SALE	HEALTH SHOP	HEALTH SHOP	POM	HEALTH SHOP	HEALTH SHOP
SHELF LIFE (MONTHS)	36	24	24	36	36
AGENT NAME	WAEI PHARMACY	HAPPY PHARMACY	HAMAD TOWN PHARMACY	ALHAMAR TRADING STORES W.LL COMPANY	HAMAD TOWN PHARMACY
MAH NAME	OMAN PHARMACEUTICALS PRODUCTS CO. LLC (ZYNOVA), OMAN.	APEX LABORATORIES PRIVATE LIMITED, INDIA.	LABTEC PHARMA SA, SWITZERLAND.	JAMIESON LABORATORIES LTD, CANADA.	VITABIOTICS LTD, UK.
MANUFACTURER NAME	OMAN PHARMACEUTICALS PRODUCTS CO. LLC (ZYNOVA), OMAN.	APEX LABORATORIES PRIVATE LIMITED, INDIA.	IBSA FARMACEUTICI ITALIA S.r.l., ITALY.	JAMIESON LABORATORIES LTD, CANADA.	CENTRAL PHARMA (CONTRACT PACKING) LIMITED, UK.
MANUFACTURER COUNTRY	INDIA	INDIA	ITALY	CANADA	UK
STORAGE CONDITION	STORE BELOW 25°C. PROTECT FROM LIGHT & MOISTURE	STORE BELOW 30°C IN A DRY PLACE. PTOTECT FROM LIGHT.	STORE BELOW 25C, KEEP IN COOL DRY PLACE.	STORE BETWEEN 15°C AND 25°C, AWAY FROM CHILDREN	STORE BELOW 25°C IN A DRY PLACE, OUT OF SIGHT AND REACH OF CHILDREN

Registered Medicine Price List - 14 June 2026.csv

1.8 MB · 20 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Bahrain National Health Regulatory Authority. Documents only.

column	row 1	row 2	row 3	row 4	row 5
SR	1	2	3	4	5
DRUG REGISTRATION NUMBER	DRN-08306/13	DRN-08325/13	DRN-00012/88	DRN-00019/88	DRN-00053/89
MEDICINE NAME	TRAJENTA	JEVTANA	ACTILYSE	REGAINE	TRAMAL
STRENGTH	5	60	50	2	100
UNIT OF STRENGTH	MG	MG	MG	%	MG/2ML
PHARMACEUTICAL FORM	FILM COATED TABLET	CONCENTRATE AND SOLVENT FOR SOLUTION FOR INFUSION	POWDER AND SOLVENT FOR SOLUTION FOR INJECTION/INFUSION	CUTANEOUS SOLUTION	SOLUTION FOR INJECTION/INFUSION
PACK SIZE	30	1 + 1	2	60ML	5 X 2ML
ROUTE OF ADMINISTRATION	ORAL	IV	IV	TOPICAL	IV/IM
METHOD OF SALE/SUPPLY	POM	POM	POM	POM	POM
PRODUCT TYPE	STANDARD	STANDARD	STANDARD	STANDARD	NARCOTIC
ACTIVE SUBSTANCES	LINAGLIPTIN	CABAZITAXEL	ALTEPLASE	MINOXIDIL	TRAMADOL HCL
RETAIL PRICE BD	12.17	1526.91	583.46	8.54	3.14
SHELF-LIFE (MONTHS)	36	36	36	48	60
AGENT NAME	YOUSUF MAHMOOD HUSAIN PHARMACY CO.	BAHRAIN PHARMACY (MAIN)	YOUSUF MAHMOOD HUSAIN PHARMACY CO.	YOUSUF MAHMOOD HUSAIN PHARMACY CO.	HAMAD TOWN PHARMACY
MAH CODE	MAH-0004	MAH-0515	MAH-0004	MAH-0545	MAH-0008
MAH NAME	BOEHRINGER INGELHEIM INTERNATIONAL GMBH, GERMANY.	SANOFI WINTHROP INDUSTRIE, FRANCE.	BOEHRINGER INGELHEIM INTERNATIONAL GMBH, GERMANY.	MCNEIL PRODUCTS LIMITED (BUCKINGHAMSHIRE), UK.	STADA ARZNEIMITTEL AG, GERMANY.
BATCH RELEASING SITE NAME	BOEHRINGER INGELHEIM HELLAS SINGLE MEMBER S.A., GREECE.	SANOFI-AVENTIS DEUTSCHLAND GMBH, GERMANY.	BOEHRINGER INGELHEIM PHARMA GMBH & CO. KG (BIBERACH), GERMANY.	ASM AEROSOL SERVICE AG, SWITZERLAND.	STADA ARZNEIMITTEL AG, GERMANY.
INVOICING COMPANY CODE	IC-0004	IC-0005	IC-0004	IC-0460	IC-0008
INVOICING COMPANY (NAME & COUNTRY)	BOEHRINGER INGELHEIM MIDDLE EAST & AFRICA GMBH, GERMANY.	SANOFI AVENTIS GULF FZE, DUBAI, UAE.	BOEHRINGER INGELHEIM MIDDLE EAST & AFRICA GMBH, GERMANY.	JNTL CONSUMER HEALTH MIDDLE EAST FZ-LLC, UAE.	STADA MENA, UAE.
STORAGE CONDITIONS	STORE BELOW 30°C.	DO NOT STORE ABOVE 30°C, DO NOT REFRIGERATE.	PROTECT FROM LIGHT. DO NOT STORE ABOVE 30 °C.	DO NOT STORE ABOVE 25°C.	DO NOT STORE ABOVE 30°C.

Temporary Importation Medicines List - 14 June 2026.csv

199.9 KB · 9 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Bahrain National Health Regulatory Authority. Documents only.

column	row 1	row 2	row 3	row 4	row 5
Temporary Importation Medicine List	SR	1	2	3	4
	MEDICINE NAME	Ridon	Bicanorm	Apo-Oxycodone CR	Benzhexol
	STRENGTH	4mg	1G	5mg	5mg
	PHARMACEUTICAL FORM	Film Coated Tablet	Gastro-resistant tablet	Extended Release Tablet	Tablet
	PACK SIZE	30	100	100	100
	ACTIVE SUBSTANCES	Risperidone	Sodium Bicarbonate	Oxycodone HCL	Trihexyphenidyl Hydrochloride
	RETAIL PRICE BD	1.05	33.23	5.6	2.6
	COMPANY NAME	Tabuk Pharmaceutical Manufacturing Co., KSA	Fresenius Medical Care Deutschland GmbH, Germany	Apotex Inc., Canada	Remedica Ltd., Cyprus
	AGENT NAME	Hamad Town Pharmacy	Wael Pharmacy	Gulf Pharmacy	Hashim Pharmacy

Temporary Importation Medicines List 20250119.csv

199.9 KB · 9 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Bahrain National Health Regulatory Authority. Documents only.

column	row 1	row 2	row 3	row 4	row 5
Temporary Importation Medicine List	SR	1	2	3	4
	MEDICINE NAME	Ridon	Bicanorm	Apo-Oxycodone CR	Benzhexol
	STRENGTH	4mg	1G	5mg	5mg
	PHARMACEUTICAL FORM	Film Coated Tablet	Gastro-resistant tablet	Extended Release Tablet	Tablet
	PACK SIZE	30	100	100	100
	ACTIVE SUBSTANCES	Risperidone	Sodium Bicarbonate	Oxycodone HCL	Trihexyphenidyl Hydrochloride
	RETAIL PRICE BD	1.05	33.23	5.6	2.6
	COMPANY NAME	Tabuk Pharmaceutical Manufacturing Co., KSA	Fresenius Medical Care Deutschland GmbH, Germany	Apotex Inc., Canada	Remedica Ltd., Cyprus
	AGENT NAME	Hamad Town Pharmacy	Wael Pharmacy	Gulf Pharmacy	Hashim Pharmacy

nhra_documents.csv

8.7 KB · 5 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Bahrain National Health Regulatory Authority. Documents only.

column	row 1	row 2	row 3	row 4	row 5
category	Clinical Trials & CPD Regulation Section	Clinical Trials & CPD Regulation Section	Pharmacy & Pharmaceutical Products Regulation	Pharmacy & Pharmaceutical Products Regulation	Pharmacy & Pharmaceutical Products Regulation
file_name	List of Approved Clinical Trials 2020-2016.pptx	List of Approved Clinical Trials 2021-2022.pdf	Approved Alternative and Complementary Medicine List - 14 June 2026.csv	Approved Alternative and Complementary Medicine List - 14 June 2026.xlsx	Cancelled Health Product List By Companies Agent - 14 June 2026.csv
local_path	Clinical Trials & CPD Regulation Section/List of Approved CT/List of Approved Clinical Tri...	Clinical Trials & CPD Regulation Section/List of Approved CT/List of Approved Clinical Tri...	Pharmacy & Pharmaceutical Products Regulation/Alternative & Complementary/Approved Alterna...	Pharmacy & Pharmaceutical Products Regulation/Alternative & Complementary/Approved Alterna...	Pharmacy & Pharmaceutical Products Regulation/Health Products/Cancelled Health Product Lis...
ext	pptx	pdf	csv	xlsx	csv
size_bytes	137648	1932047	127169	636681	115211

nupco.com

7 CSV (10.9 MB) · 1 json (243 B)

example filenames:

_LATEST.json

1.0 MB · 19 columns · not read by the graph

Serves: not used by the graph — Procurement catalogues - what a buyer purchased, not a regulatory fact about a drug. No node to attach to. Also a spreadsheet export with the report title in A1 and the real header on line 1; lake.header_offset detects that now, but it is worth knowing before anyone maps these columns.

column	row 1	row 2	row 3	row 4	row 5
NUPCO's PHARMACEUTICALS CATALOGUE - JUNE 2026		1	2	3	4
Unnamed: 1	NUPCO Generic Code	5134381100100	5110239700100	5134311000300	5134250100000
Unnamed: 2	Item Description	ABACAVIR 60 MG + DOLUTEGRAVIR 5 MG + LAMIVUDINE 30 MG TABLET FOR ORAL SUSPENSION	ABACAVIR 600 MG + DOLUTEGRAVIR 50 MG + LAMIVUDINE 300 MG TABLET	ABACAVIR 600 MG + LAMIVUDINE 300 MG TABLET	ABACAVIR SULPHATE 300 MG TABLET
Unnamed: 3	UOM	TAB	TAB	TAB	TAB
Unnamed: 4	ALT UOM		TAB	TAB	TAB
Unnamed: 5	Active Ingredients	ABACAVIR + DOLUTEGRAVIR + LAMIVUDINE	ABACAVIR + DOLUTEGRAVIR + LAMIVUDINE	ABACAVIR + LAMIVUDINE	ABACAVIR SULPHATE
Unnamed: 6	Strength Size	60 + 5 + 30	600 + 50 + 300	600 + 300	300
Unnamed: 7	Strength Unit	MG + MG + MG	MG + MG + MG	MG + MG	MG
Unnamed: 8	Fill Size				
Unnamed: 9	Fill Unit				
Unnamed: 10	Unit	TABLET	TABLET	TABLET	TABLET
Unnamed: 11	Division	GENERAL PHARMA	GENERAL PHARMA	GENERAL PHARMA	GENERAL PHARMA
Unnamed: 12	Nupco Classification	INFECTIOUS DISEASE	INFECTIOUS DISEASE	INFECTIOUS DISEASE	INFECTIOUS DISEASE
Unnamed: 13	Sub Category-1 ATC	ANTIVIRALS FOR SYSTEMIC USE	ANTIVIRALS FOR SYSTEMIC USE	ANTIVIRALS FOR SYSTEMIC USE	ANTIVIRALS FOR SYSTEMIC USE
Unnamed: 14	Sub Category-2 ATC	DIRECT ACTING ANTIVIRALS	DIRECT ACTING ANTIVIRALS	DIRECT ACTING ANTIVIRALS	DIRECT ACTING ANTIVIRALS
Unnamed: 15	Extra Classification				
Unnamed: 16	Items Have Changes In Their Codes				
Unnamed: 17	Completed Item Breakdown Linked Code				
Unnamed: 18	Related Old NUPCO Code (Deleted Code)				

2.1 MB · 3 columns · not read by the graph

Serves: not used by the graph — Procurement catalogues - what a buyer purchased, not a regulatory fact about a drug. No node to attach to. Also a spreadsheet export with the report title in A1 and the real header on line 1; lake.header_offset detects that now, but it is worth knowing before anyone maps these columns.

column	row 1	row 2	row 3	row 4	row 5
NUPCO's Laboratory Catalogue	SN	1	2	3	4
Unnamed: 1	NUPCO GENERIC CODE	4014173500000	4015150000100	4016150000200	4016150000300
Unnamed: 2	NUPCO ITEM DESCRIPTION	KIT TOXICOLOGY STERILE FUNNEL 100ML 0.45MM WHITE GRIDDED INDIVIDUALLY PACKED WITH CASSETTE...	OSMOTIC PUMPS MINIATURE IMPLANTABLE PUMP USED FOR EXPERIMENTAL RESEARCH IN MICE RATS AND O...	FILTER MILLEX SYRINGE 0.2 MICRON	FILTER 0.8 MICRON FILTER MELLEX

NUPCOS-MEDICAL-SUPPLIES-Catalogue-Dec2025.csv

4.8 MB · 4 columns · not read by the graph

Serves: not used by the graph — Procurement catalogues - what a buyer purchased, not a regulatory fact about a drug. No node to attach to. Also a spreadsheet export with the report title in A1 and the real header on line 1; lake.header_offset detects that now, but it is worth knowing before anyone maps these columns.

column	row 1	row 2	row 3	row 4	row 5
NUPCO's Medical Supplies Catalogue	SN	1	2	3	4
Unnamed: 1	NUPCO GENERIC CODE	4223160915000	4231151012500	4231151012700	4231151014800
Unnamed: 2	NUPCO ITEM DESCRIPTION	TUBE FEEDING, GASTROSTOMY, SIZE: 24 X 4 CM, LOW PROFILE, DISPOSABLE, STERILE	DRESSING NOT LESS THAN FOUR LAYERS ABSORBENT WITH SOFT SILICON FOAM ADHESIVE BORDER PERMEA...	DRESSING ANTI-MICROBIAL SPONGE 4 MM CENTER HOLE ABSORBENT IMPREGNATED WITH CHLORHEXIDINE G...	DRESSING ABSORBENT HYDROFIBER PAD ADHESIVE SILICONE BORDER SIZE 12 X 12 CM (+/- 2CM) DISPO...
Unnamed: 3	Sub Category	GENERAL MEDICAL SUPPLIES (NURSING AND BURN UNIT) SUPPLEMENTARY	GENERAL MEDICAL SUPPLIES (NURSING AND BURN UNIT) SUPPLEMENTARY	GENERAL MEDICAL SUPPLIES (NURSING AND BURN UNIT) SUPPLEMENTARY	GENERAL MEDICAL SUPPLIES (NURSING AND BURN UNIT) SUPPLEMENTARY

NUPCOs-Medical-Equipment-Catalogue-April-2026.csv

3.0 MB · 6 columns · not read by the graph

Serves: not used by the graph — Procurement catalogues - what a buyer purchased, not a regulatory fact about a drug. No node to attach to. Also a spreadsheet export with the report title in A1 and the real header on line 1; lake.header_offset detects that now, but it is worth knowing before anyone maps these columns.

column	row 1	row 2	row 3	row 4	row 5
NUPCO's Medical Equipment Catalogue	SN	1	2	3	4
Unnamed: 1	Item No	MAL10001	MAL10001-001	MAL10001-002	MAL10001-003
Unnamed: 2	NUPCO Generic Code	4217000000000	4217160000000	4217161300100	4217161300200
Unnamed: 3	NUPCO Item Description	AMBULANCE VEHICLE 4X4	STAIR CHAIR RELATED TO AMBULANCE VEHICLE 4X4	ADULT PLASTIC BACK BOARD RELATED TO AMBULANCE VEHICLE 4X4	PEDIATRIC PLASTIC BACK BOARD RELATED TO AMBULANCE VEHICLE 4X4
Unnamed: 4	Category	AMBULANCE/EMERGE NCY	AMBULANCE/EMERGENCY	AMBULANCE/EMERGENCY	AMBULANCE/EMERGENCY
Unnamed: 5	Sub Category	AMBULANCE CARS	AMBULANCE CARS	AMBULANCE CARS	AMBULANCE CARS

news.csv

7.1 KB · 5 columns · not read by the graph

Serves: not used by the graph — Procurement catalogues - what a buyer purchased, not a regulatory fact about a drug. No node to attach to. Also a spreadsheet export with the report title in A1 and the real header on line 1; lake.header_offset detects that now, but it is worth knowing before anyone maps these columns.

column	row 1	row 2	row 3	row 4	row 5
id					
title	Home	Overview	Board of Directors	Awards & Achievements	Social Responsibility
date					
link	https://www.nupco.com/	https://www.nupco.com/about-nupco/overview/	https://www.nupco.com/about-nupco/board-of-directors-2/	https://www.nupco.com/about-nupco/awards-and-achievements/	https://www.nupco.com/about-nupco/social-responsibility/
excerpt					

tenders_list.csv

3.4 KB · 5 columns · not read by the graph

Serves: not used by the graph — Procurement catalogues - what a buyer purchased, not a regulatory fact about a drug. No node to attach to. Also a spreadsheet export with the report title in A1 and the real header on line 1; lake.header_offset detects that now, but it is worth knowing before anyone maps these columns.

column	row 1	row 2	row 3	row 4	row 5
tender_id	NDP0682/26	NDP0681/26	NDP0677/26	NDP0678/26	NDP0676/26
title	INUPCO – تأمين بنود مستلزمات طبية للسوق الإلكتروني	INUPCO- تأمين بنود مستلزمات طبية لمنصة السوق الالكتروني من خلال منصة	تأمين مستلزمات عناية وجراحة الأسنان	تأمين مستلزمات عناية وجراحة الأسنان	تأمين مستلزمات عناية وجراحة الأسنان
opening_date	Wed, 29/07/2026	Mon, 27/07/2026	Wed, 29/07/2026	Tue, 04/08/2026	Tue, 04/08/2026
submission_deadline	Wed, 29/07/2026	Mon, 27/07/2026	Wed, 29/07/2026	Tue, 04/08/2026	Tue, 04/08/2026
status	Direct Purchase	Direct Purchase	Direct Purchase	Direct Purchase	Direct Purchase

tenders_plan.csv

6.4 KB · 5 columns · not read by the graph

Serves: not used by the graph — Procurement catalogues - what a buyer purchased, not a regulatory fact about a drug. No node to attach to. Also a spreadsheet export with the report title in A1 and the real header on line 1; lake.header_offset detects that now, but it is worth knowing before anyone maps these columns.

column	row 1	row 2	row 3	row 4	row 5
category	Medical & Lab Supplies	Medical & Lab Supplies	Medical & Lab Supplies	Medical & Lab Supplies	Medical & Lab Supplies
number	1	2	3	4	5
title	الاتفاقية الاطارية المفتوحة لتأمين مستلزمات العقم والإخصاب	الاتفاقية الإطارية المفتوحة للتفصيل حسب الطلب للتأهيل والأطراف الصناعية	الاتفاقية الاطارية المفتوحة لتأمين مستلزمات العظام و العمود الفقري	الاتفاقية الاطارية المفتوحة لتأمين مستلزمات ومحاليل لأقسام علم أمراض الأنسجة	الاتفاقية الاطارية المفتوحة لتأمين مستلزمات ومحاليل خاصة بالمختبرات العامة
tender_opening_date	01/04/2026	01/06/2026	01/06/2026	01/06/2026	01/07/2026
final_announcement_date	01/08/2026	01/10/2026	01/10/2026	01/10/2026	01/11/2026

sfda.gov.sa

20 CSV (36.0 MB) · 1 .json (246 B)

Documents: Saudi FDA circulars, guidelines and product lists.

example filenames:

_LATEST.json

Clinical_Trials_List.csv

37.8 KB · 6 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Saudi FDA. Registered products, plus circulars and lists.

column	row 1	row 2	row 3	row 4	row 5
Trial Title	HARF: AI-Enhanced Arabic Speech Therapy Platform for Autism Spectrum Disorder	The Erectile Restoration Registry – IT MATTERS	Efficient configuration of forced-air warming for effective thermoregulation during roboti...	Implantation of Spinal Cord Stimulators for Chronic Spinal Cord Injuries: A randomized, co...	Effectiveness and Feasibility of Non-Invasive Vagus Nerve Stimulation (nVNS) for Trigemina...
Device name	HARF	Penile Prosthesis Tactra and AMS 700	Bair Hugger Warming Unit/ Multi-Position Upper Body Blanket	WaveWriter Alpha Spinal Cord Stimulator System	gammaCore Sapphire non-invasive vagus nerve stimulator
Protocol Number	V 4.0	92457506, Ver I	V.2.0	Version: 1.0	V.1.0
Sponsor	Prince Sultan Military Medical City	Boston Scientific International SA	King Faisal Specialist Hospital and Research Centre	Dr. Mohammad Alshardan	King Faisal Specialist Hospital and Research Centre
Status	Ongoing	Ongoing	Ongoing	Ongoing	Ongoing
Trial Site	King Fahad Armed Forces Hospital, Jeddah	King Fahad Medical City, Riyadh	King Faisal Specialist Hospital and Research Centre, Riyadh	King Fahad Medical City, Riyadh	King Faisal Specialist Hospital and Research Centre, Riyadh

column	what it means
Sponsor	Who is running or paying for the trial.

Drug_Approvals.csv

313.2 KB · 8 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Saudi FDA. Registered products, plus circulars and lists.

column	row 1	row 2	row 3	row 4	row 5
Request Type	New Registration	New Registration	New Registration	New Registration	New Registration
Drug Type	Generic(Multisource) Drug	Generic(Multisource) Drug	Generic(Multisource) Drug	Generic(Multisource) Drug	Generic(Multisource) Drug
Trade Name	Fultra	Pantoloc	Oxetine	AMBRISENTAN GENEPHARM	Meliglptin
Scientific Name	Fulvestrant	Pantoprazole	Fluoxetine	Ambrisentan	Sitagliptin Hydrochloride
Strength	250 / 5 mL	20 mg	20 mg	5 mg	25 mg
Dosage Form	Solution for injection in pre-filled syringe	Enteric-coated tablet	Tablet	Film-coated tablet	Tablet
Approval Date	2025-12-01	2025-12-01	2025-12-01	2025-12-01	2025-12-01
SFDA Approved Use	SFDA Approved Use Fulvestrant is indicated: • as monotherapy for the treatment of estrogen...	SFDA Approved Use Pantoprazole is indicated for use in adults and adolescents 12 years of ...	SFDA Approved Use Adults: Major depressive episodes. Obsessive-compulsive disorder. Bulimi...	SFDA Approved Use Ambrisentan is indicated for treatment of pulmonary arterial hypertensio...	SFDA Approved Use For adult patients with type 2 diabetes mellitus, Sitagliptin is indicat...

Drug_Clinical_Trials_List.csv

268.0 KB · 7 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Saudi FDA. Registered products, plus circulars and lists.

column	row 1	row 2	row 3	row 4	row 5
Study Title	A Randomized, Double-Blind, Phase 3 Trial of Adagrasib plus Pembrolizumab plus Chemothera...	Phase 3 study to evaluate the efficacy and safety of zodasiran in adolescent and adult sub...	A Phase 3, Randomized, Open-label Study to Evaluate the Efficacy and Safety of sac-TMT (Sa...	A Phase 3, Open-label, Randomized, Controlled Trial of Subcutaneous Versus Intravenous Bli...	The Impact of Dupilumab Treatment on Anxiety and Depression Symptoms in Patients with Mode...
Study Sponsor	Bristol-Myers Squibb Company / Balsam CRO	Arrowhead Pharmeceuticals, Inc. / Balsam	Merck Sharp &Dohme KSA	Amgen Inc./ IQIVIA	Sanofi
Status	Ongoing	Ongoing	Ongoing	Ongoing	Ongoing
Study Drug	Adagrasib(BMS-986503/KRAZATI®)	Zodasiran	Sacituzumab and Pembrolizumab	Blinatumomab	Dupilumab
Trial Phase	3	3	3	3	4
Study Protocol Number	CA2390004	AROANG3-3001	MK-6482-033-01	20240113	OBS18647
Site	King Faisal Specialist Hospital and Research Center (Riyadh), King Abdulaziz Medical City ...	King Faisal Specialist Hospital and Research Center (Riyadh)	King Faisal Specialist Hospital and Research Center (Riyadh)	King Khalid University Hospital (Riyadh), King Faisal Specialist Hospital and Research Cen...	Fakeeh Medical Center (Jeddah)

Drug_Companies_List.csv

1.3 MB · 9 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Saudi FDA. Registered products, plus circulars and lists.

column	row 1	row 2	row 3	row 4	row 5
Company Name	FAMAR LYON - FRANCE	BAYER AG - GERMANY	BAYER AG - GERMANY	BAYER AG - GERMANY	BAYER AG - GERMANY
Address	29 Avenue Charles de Gaulle,69230 Saint Genis Laval - France	Kaiser - Wilhelm - Allee 51368 Leverkusen - Germany	Kaiser - Wilhelm - Allee 51368 Leverkusen - Germany	Kaiser - Wilhelm - Allee 51368 Leverkusen - Germany	Kaiser - Wilhelm - Allee 51368 Leverkusen - Germany
Agent Name	شركة فاروق ومأمون تمر وشركاهما	شركة عبدالرؤوف إبراهيم بترجي وإخوانه	شركة عبدالرؤوف إبراهيم بترجي وإخوانه	شركة عبدالرؤوف إبراهيم بترجي وإخوانه	شركة عبدالرؤوف إبراهيم بترجي وإخوانه
Drug Type	بشرية	بشرية	بشرية	بشرية	بشرية
Company status	مسجلة	مسجلة	مسجلة	مسجلة	مسجلة
Company Registration Number	1978/2	1978/4	1978/4	1978/4	1978/4
certificate issue date	1398-01-01	1430-03-01	1430-03-01	1430-03-01	1430-03-01
Production line	CEPHALOSPORIN - TABLETS	TABLET	GRANULES	POWDER	BOTTLE
Country Desc	فرنسا	المانيا	المانيا	المانيا	المانيا

Drugs_Safety_Labeling_Updates.csv

80.4 KB · 5 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Saudi FDA. Registered products, plus circulars and lists.

column	row 1	row 2	row 3	row 4	row 5
Scientific Name	METHYLPHENIDATE	OLMESARTAN MEDOXOMIL, HYDROCHLOROTHIAZIDE, AMLODIPINE BESILATE	Valproate Sodium	Marstacimab	Valproate Sodium
Trade Name	Quillivant XR	SEVIKAR HCT	Epilim Chrono	HYMPAVZI	Depakine
Updated Section	4.2 Posology and method of administration	4.4 Special warnings and precautions for use 4.8. Undesirable effects	4.2 Posology and Method of Administration 6.6 Special Precautions for Disposal and Handlin...	4.8. Undesirable effects	4.6. Fertility, pregnancy and lactation 5.3 Preclinical Safety Data
Safety-Related Labeling Changes	Methylphenidate should not be used in children under the age of 6 years. Safety and effica...	Intestinal angioedema	Epilim Chrono is a Hazardous drug. Recommended to follow applicable special handling and d...	Vascular disorders: Thromboembolic events (thrombosis)*	Congenital hearing and eye abnormalities following in utero valproate exposure. New precli...
Date	Jun, 2026	Jun, 2026	Jun, 2026	Jun, 2026	May,2026

Drugs_Under_Studying_List.csv

369.6 KB · 4 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Saudi FDA. Registered products, plus circulars and lists.

column	row 1	row 2	row 3	row 4	row 5
Trade Name	Dexmedetomidine Kalceks	Posaconazole Hainan	Qarziba	Bevastin 400mg	Posaconazole QO
Dosage Form	Concentrate for solution for infusion	Concentrate for solution for infusion	Concentrate for solution for infusion	Concentrate for solution for infusion	Concentrate for solution for infusion
Applicant Company Name	AL JEDAANI DRUG STORE	ARABIAN OASIS FOR DEVELOPMENT & COMMERCIAL INVESTMENT	SALEHIYA TRADING COMPANY	Altiryaq Alkhalawi Medical Co	Qomel Co
Details	{{"Active Substance": "Dexmedetomidine hydrochloride", "Quantity": "0.236", "Unit": "mg"}}	{{"Active Substance": "Posaconazole", "Quantity": "18", "Unit": "mg/ml"}}	{{"Active Substance": "Dinutuximab beta", "Quantity": "4.5", "Unit": "mg/ml"}}	{{"Active Substance": "Bevacizumab", "Quantity": "25", "Unit": "mg/ml"}}	{{"Active Substance": "Posaconazole", "Quantity": "18", "Unit": "mg/ml"}}

Hospitals_that_reported_side_effects.csv

5 B · 1 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Saudi FDA. Registered products, plus circulars and lists.

No data row could be sampled — the file is header-only, or its first record is larger than the read window.
column

Incentive_Project_List.csv

46.7 KB · 5 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Saudi FDA. Registered products, plus circulars and lists.

column	row 1	row 2	row 3	row 4	row 5
Scientific Name	ACETAMINOPHEN + CODEINE	ACYCLOVIR (ACICLOVIR)	AMILORIDE	AMINO ACIDS,CARBOHYDRATE,FAT	AMINO ACIDS,ELECTROLYTES
Strength	120 MG + 12 MG / 5ML, 473ML	3% (30 MG/G)	5MG		
Dosage Form	ELIXIR	EYE OINTMENT	TABLET		
Purpose	To be registered	To be registered	To be registered	To be registered	To be registered
Date of Update	20/07/2025	20/07/2025	20/07/2025	20/07/2025	20/07/2025

International_Standards_Lists.csv

7.9 KB · 3 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Saudi FDA. Registered products, plus circulars and lists.

column	row 1	row 2	row 3	row 4	row 5
Title	مواصفات الأجهزة الطبية الخاصة بنقل وضع وحقن الدم	مواصفات أجهزة إدخال / حقن المنتجات العلاجية والقسطار	مواصفات أجهزة ومنتجات الأسنان	مواصفات أجهزة التخدير والتنفس	مواصفات الأجهزة الطبية المزروعة لأغراض الجراحة
Code	ISO-TC 076	ISO-TC 084	ISO-TC 106	ISO-TC 121	ISO-TC 150
Details	{{"Organization": "المنظمة الدولية للتقييس (ISO)", "Code": "ISO-TC 076", "Organization Numb...	{{"Organization": "المنظمة الدولية للتقييس (ISO)", "Code": "ISO-TC 084", "Organization Numb...	{{"Organization": "المنظمة الدولية للتقييس (ISO)", "Code": "ISO-TC 106", "Organization Numb...	{{"Organization": "المنظمة الدولية للتقييس (ISO)", "Code": "ISO-TC 121", "Organization Numb...	{{"Organization": "المنظمة الدولية للتقييس (ISO)", "Code": "ISO-TC 150", "Organization Numb...

Licensed_Pharmacies_List.csv

10.4 KB · 4 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Saudi FDA. Registered products, plus circulars and lists.

column	row 1	row 2	row 3	row 4	row 5
Pharmacy Name	Saudi German Clinics Pharmacy	Pharmacy Nahdi six nine	united pharmacy four hundred and twenty one	durrat laymoun	Alazhar Pharmacy
Contact Number				114343800	0114386535
Pharmacy Address	Abha	Hasa	Jeddah	RIYADH	Riyadh
Region	Aseer Province	Eastern Province	Mecca	Riyadh	

List_of_Registered_HumanHerbalVeterinary_Drugs.csv

32.3 MB · 36 columns · read by the graph

Serves: 36 columns incl. scientificName, atcCode1/2, registerNumber. Headers carry a UTF-8 BOM - strip it.

Builds: node:Product , edge:CONTAINS , edge:IN_CLASS

36 columns. Showing the 6 that identify a record; **30 hidden**.

column	row 1	row 2	row 3	row 4	row 5
registerNumber	1807245616	1-585-09	0406269864	2710246119	2710246117
registerYear	1995	2009	2008	2008	2003
oldRegisterNumber	90-149-95		33-390-08	32-390-08	3-390-03
referenceNumber	HG03664-00-00-00-6117	HG03950-00-00-00-6876	HG03058-00-00-00-5434	HG03059-00-00-00-3669	HG04668-00-00-00-3668
gtin	06285111003124	00866142000069	06285105001600	06285105001594	06285105001570
certificateDate	2024-07-18				

List_of_available_drugs_in_reference_warehouses.csv

436.7 KB · 5 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Saudi FDA. Registered products, plus circulars and lists.

column	row 1	row 2	row 3	row 4	row 5
Warehouse Name	شركة منصور ربيع الطبية	شركة منصور ربيع الطبية	شركة منصور ربيع الطبية	شركة منصور ربيع الطبية	شركة منصور ربيع الطبية
Scientific Name	ACICLOVIR	ACICLOVIR	SIMVASTATIN	AZITHROMYCIN	CEFUROXIME AXETIL
Drug Name	ZOVIRAX	ZOVIRAX	ZOCOR 20MG TAB	ZOCIN 250MG CAPSULE	ZINNAT
Registration number	174-276-20	912211447	302210489	2-347-03	2505210754
Details	{"Warehouse Distribution Area": "المنطقة الوسطى, المنطقة الشمالية", "contact number": "056..."}	{"Warehouse Distribution Area": "المنطقة الوسطى, المنطقة الشمالية", "contact number": "056..."}	{"Warehouse Distribution Area": "المنطقة الوسطى, المنطقة الشمالية", "contact number": "056..."}	{"Warehouse Distribution Area": "المنطقة الوسطى, المنطقة الشمالية", "contact number": "056..."}	{"Warehouse Distribution Area": "المنطقة الوسطى, المنطقة الشمالية", "contact number": "056..."}

Pharmacovigilance.csv

12.4 KB · 4 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Saudi FDA. Registered products, plus circulars and lists.

column	row 1	row 2	row 3	row 4	row 5
Product	Fingolimod SPC (fingolimod)	Tecfidera (dimethyl fumarate)	Gilenya (fingolimod)	Haldol (Haloperidol)	Esbriet (pirfenidone)
Date	2021-01-13	2021-01-12	2021-01-10	2020-12-27	2020-12-14
Safety information	Updated recommendations to minimize the risk of drug-induced liver injury (DILI).	Updated recommendations in the light of cases of progressive multifocal leukoencephalopath...	Updated recommendations to minimize the risk of drug-induced liver injury (DILI)	HALDOL® 5mg/ml (HALOPERIDOL) solution for injection: Incorrect information on route of adm...	Esbriet (pirfenidone): Important safety update and new recommendations to prevent Drug-Ind...
Attachments	https://www.sfda.gov.sa/sites/default/files/2021-01/Fingolimod2ndDHPC.pdf	https://www.sfda.gov.sa/sites/default/files/2021-01/TecfideraDHPCtoNPC.pdf	https://www.sfda.gov.sa/sites/default/files/2021-01/Gilenya%28fingolimod%29.pdf	https://www.sfda.gov.sa/sites/default/files/2021-01/DHPC-HALDOL5MG.pdf	https://www.sfda.gov.sa/sites/default/files/2020-12/ExbrietDHPC-DILI.pdf

Released_Vaccines.csv

60.2 KB · 4 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Saudi FDA. Registered products, plus circulars and lists.

column	row 1	row 2	row 3	row 4	row 5
Product Name	BNT162b2 Pfizer-BioNTech COVID-19 vaccine	Prevenar 13 pre-filled syringe vaccine	Newxixtek HVT+ND	BCG VACCINE	ROTARIX VACCINE
Batch No	EL0200	EH5838	RO124	120031C	VA2H
Manufacturer	PFIZER BIONTECH	PFIZER	Boehringer Ingelheim Animal Health USA Inc.	AJ vaccine	GLAXOSMITHKLINE (GSK)
Result	Pass	Pass	Pass	Pass	Pass

Results_and_studies_of_marketed_pharmaceutical_products.csv

422 B · 5 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Saudi FDA. Registered products, plus circulars and lists.

column	row 1	row 2	row 3
Register Number	7-1205-2017	161-9-19	6-1205-2017
Trade Name	VITA LADIES	PATANOL 0.1% OPHTHALMIC SOLUTION	VITA KIDS
Scientific Name	MULTIVITAMINS, CALCIUM, IRON	OLOPATADINE	MULTIVITAMINS
Dosage Form	Tablet	Eye drops, solution	Chewable tablet
#	Details [LINK: https://www.sfda.gov.sa/en/node/5287823]	Details [LINK: https://www.sfda.gov.sa/en/node/5287824]	Details [LINK: https://www.sfda.gov.sa/en/node/5287822]

Risk_Minimization_Measures_List.csv

280.0 KB · 6 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Saudi FDA. Registered products, plus circulars and lists.

column	row 1	row 2	row 3	row 4	row 5
Scientific Name	Naltrexone/Bupropion	Benzylpenicillin (Penicillin G)	Leuprorelin acetate	Methotrexate	NALOXONE
Brand name	Contrave	Penicillin G Infectopharm 1 Mega 9	Lutrate Depot Mensual 3.75 mg	METOJECT 50 mg/ml	NALOXONE
Approval Date	2026-07-02	2026-06-29	2026-06-29	2026-06-25	2026-06-23
Last Update		2026-06-29			
risk	long-term cardiovascular risk and new recommendations on annual assessment	Important Safety Information Regarding Distribution of certain Batches without English Pac...	Minimizing medication errors and patient safety risks caused by language barriers, includi...	Risk of Misinterpretation of the Arabic Patient Information Leaflet (PIL) Due to Incorrect...	Presence of Foreign Language on the Outer Packaging and Package Leaflet of a Specific Batc...
materials	[[{"name": "Dear Healthcare Professional Communication (DHPC) for Healthcare Professionals" ...	[[{"name": "Dear Healthcare Professional Communication (DHPC) for Healthcare Professionals" ...	[[{"name": "Dear Healthcare Professional Communication (DHPC) for Healthcare Professionals" ...	[[{"name": "Dear Healthcare Professional Communication (DHPC) for Healthcare Professionals" ...	[[{"name": "Dear Healthcare Professional Communication (DHPC) for Healthcare Professionals" ...

Safety_Alert.csv

44.6 KB · 5 columns · read by the graph

Serves: type=safety_alert

Builds: node:RegulatoryEvent

column	row 1	row 2	row 3	row 4	row 5
#	258	257	256	255	254
Title	Safety Signals Identified by the SFDA (April - June) 2026	Safety Signal of Cefadroxil and the Risk of Dyspnea (Shortness Of Breath)	Safety Signal of Aripiprazole and the Risk of Memory impairment	Signal of Apremilast and the Risk of Diverticulitis	Safety Signal of Apixaban and the Risk of Hyperacidity
Type of news	Signal	Signal	Signal	Signal	Signal
Date	2026-07-21	2026-06-17	2026-06-17	2026-06-17	2026-06-17
Link of news	https://www.sfda.gov.sa/sites/default/files/2026-07/Safety%20Signals%20Identified%20by%20t...	https://www.sfda.gov.sa/sites/default/files/2026-06/CEFADROXIL%20and%20the%20Risk%20of%20D...	https://www.sfda.gov.sa/sites/default/files/2026-06/Aripiprazole%20and%20the%20Risk%20of%2...	https://www.sfda.gov.sa/sites/default/files/2026-06/APREMILAST%20and%20the%20Risk%20of%20D...	https://www.sfda.gov.sa/sites/default/files/2026-06/Apixaban%20and%20the%20Risk%20of%20Hyp...

20.8 KB · 7 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Saudi FDA. Registered products, plus circulars and lists.

column	row 1	row 2	row 3	row 4	row 5
Trade name	Abrilada	Acloran Plus	Adrixa	Afstyla	Argenta
Scientific name	ADALIMUMAB	Candesartan Cilexetil, Amlodipine Besilate, Hydrochlorothiazide	DEXAMETHASONE	LONOCOCTOG ALFA	Etoricoxib
Dosage form	Solution for injection in pre-filled syringe	Capsule	Solution for injection	Powder and solvent for solution for injection	Film-coated tablet
Marketing company	PFIZER	MS Pharma Saudi (MSPS)	TABUK PHARMACEUTICAL MANUFACTURING CO	CSL BEHRING	ALPHA PHARMA INDUSTRY
Manufacture company	CATALENT	ADAMED Pharma S.A	TABUK PHARMACEUTICAL MANUFACTURING CO	CSL BEHRING	ALPHA PHARMA INDUSTRY
License status	valid	valid	valid	valid	valid
Details	https://www.sfda.gov.sa/sites/default/files/2022-11/Abrilada.pdf	https://www.sfda.gov.sa/sites/default/files/2025-03/Summary%20Report%20-%20Acloran%20Plus....	https://www.sfda.gov.sa/sites/default/files/2022-11/Adrixa.pdf	https://www.sfda.gov.sa/sites/default/files/2022-11/Afstyla.pdf	https://www.sfda.gov.sa/sites/default/files/2025-06/Summary%20Report-Argenta_0.pdf

92.4 KB · 3 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Saudi FDA. Registered products, plus circulars and lists.

column	row 1	row 2	row 3	row 4	row 5
Standard Name	الفحوصات المخبرية السريرية ونظم الاختبارات التشخيصية – اختبارات الحساسية للعوامل المعدية و	الأطراف الصناعية وتقويم العظام - المصطلحات - الجزء2: مفردات متعلقة بالأطراف الصناعية الخارج	الأطراف الصناعية وتقويم العظام - المصطلحات - الجزء3: مفردات متعلقة بالأجهزة التعويضية	الأطراف الصناعية وتقويم العظام - المصطلحات - الجزء4: مفردات متعلقة بالطرف المبتور	الأطراف الصناعية وتقويم العظام - النقصات الوظيفية - وصف الشخص الذي يعالج بجهاز تعويضي
Standard Name Eng	Clinical laboratory testing and in vitro diagnostic test systems -- Susceptibility testing...	Prosthetics and orthotics -- Vocabulary -- Part 2: Terms relating to external limb prosthe...	Prosthetics and orthotics -- Vocabulary -- Part 3: Terms relating to external orthoses	Prosthetics and orthotics -- Vocabulary -- Part 4: Terms relating to limb amputation	Prosthetics and orthotics -- Functional deficiencies -- Description of the person to be tr...
Standard Number	SFDA.MD/ISO 20776-1:2017	SFDA.MD/ISO 8549-2:2019	SFDA.MD/ISO 8549-3:2019	SFDA.MD/ISO 8549-4:2019	SFDA.MD/ISO 8551:2019

367.3 KB · 10 columns · read by the graph

Serves: type=shortage

Builds: node:RegulatoryEvent

column	row 1	row 2	row 3	row 4	row 5
SCIENTIFICNAME_EN	HYDRALAZINE	METRONIDAZOLE	AFATINIB	AFATINIB	AFATINIB
TRADENAME_EN	Hydralazine Sciegen	FLAZOL 125MG-5ML ORAL SUSP	AFATYK	AFATYK	AFATYK
REGISTRATION_NO	2303257129	2102221749	1305269703	1305269698	1305269699
Manufacturer_Name	ScieGen Pharmaceuticals, Inc	TABUK PHARMACEUTICAL MANUFACTURING CO.	MSN LABORATORIES PRIVATE LIMITED	MSN LABORATORIES PRIVATE LIMITED	MSN LABORATORIES PRIVATE LIMITED
UPDATE_TIME	2026-07-02 13:16:25	2026-07-02 10:34:20	2026-07-02 10:02:36	2026-07-02 10:02:17	2026-07-02 10:01:54
Agent	ARABIAN OASIS	Tabuk Pharmaceutical Manufacturing Company	AL HOBAIL MEDICAL OFFICE COMPANY LTD.	AL HOBAIL MEDICAL OFFICE COMPANY LTD.	AL HOBAIL MEDICAL OFFICE COMPANY LTD.
SHORTAGE_TYPE_EN	Currently in Shortage	Currently in Shortage	Currently in Shortage	Currently in Shortage	Currently in Shortage
SHORTAGE_START_DATE	2025-07-31 00:00:00	2026-02-02 00:00:00	2026-05-13 00:00:00	2026-05-13 00:00:00	2026-05-13 00:00:00
duration	17	11	7	7	7
SHORTAGE_REASON_EN	Regulations Related Issue	Commercial /Manufacturing Issue	Commercial /Manufacturing Issue	Commercial /Manufacturing Issue	Commercial /Manufacturing Issue

Ontologies Standards

Controlled vocabularies. These supply the nodes that let two sources which never agree on wording point at the same concept.

cdisc.org

10 CSV (18.2 MB) · 1 .json (238 B)

example filenames:

_LATEST.json

ADaM Terminology.csv

53.0 KB · 9 columns · not read by the graph

Serves: not used by the graph — CDISC controlled terminology - the code lists that describe how a trial submission is FORMATTED, not facts about drugs or diseases. 67,455 rows across 10 files, the bulk of it SDTM (46,774) and SEND (17,610). Worth revisiting if trial protocol structure is ever modelled; nothing in the current schema has an endpoint for a codelist term.

column	row 1	row 2	row 3	row 4	row 5
Code	C208382	C209274	C209275	C208381	C209274
Codelist Code		C208382	C208382		C208381
Codelist Extensible (Yes/No)	No			No	
Codelist Name	Acute Physiology and Chronic Health Evaluation II Clinical Classification Parameter Code	Acute Physiology and Chronic Health Evaluation II Clinical Classification Parameter Code	Acute Physiology and Chronic Health Evaluation II Clinical Classification Parameter Code	Acute Physiology and Chronic Health Evaluation II Clinical Classification Parameter Name	Acute Physiology and Chronic Health Evaluation II Clinical Classification Parameter Name
CDISC Submission Value	APCH1PC	APCH1TPS	APCH1TS	APCH1PN	APCH1-A: Total Acute Physiology Score - Analysis
CDISC Synonym(s)	Acute Physiology and Chronic Health Evaluation II Clinical Classification Parameter Code	APCH1-A: Total Acute Physiology Score - Analysis	APCH1-Total APACHE II Score - Analysis	Acute Physiology and Chronic Health Evaluation II Clinical Classification Parameter Name	APCH1-A: Total Acute Physiology Score - Analysis
CDISC Definition	A parameter code codelist for the Acute Physiology and Chronic Health Evaluation II Clinic...	Acute Physiology and Chronic Health Evaluation II - Total acute physiology score used for ...	Acute Physiology and Chronic Health Evaluation II - Total score used for analysis.	A parameter name codelist for the Acute Physiology and Chronic Health Evaluation II Clinic...	Acute Physiology and Chronic Health Evaluation II - Total acute physiology score used for ...
NCI Preferred Term	CDISC ADaM Acute Physiology and Chronic Health Evaluation II Clinical Classification Param...	APACHE II - A: Total Acute Physiology Score - Analysis	APACHE II - Total APACHE II Score - Analysis	CDISC ADaM Acute Physiology and Chronic Health Evaluation II Clinical Classification Param...	APACHE II - A: Total Acute Physiology Score - Analysis
Standard	ADaM	ADaM	ADaM	ADaM	ADaM

CDASH Terminology.csv

62.2 KB · 9 columns · not read by the graph

Serves: not used by the graph — CDISC controlled terminology - the code lists that describe how a trial submission is FORMATTED, not facts about drugs or diseases. 67,455 rows across 10 files, the bulk of it SDTM (46,774) and SEND (17,610). Worth revisiting if trial protocol structure is ever modelled; nothing in the current schema has an endpoint for a codelist term.

column	row 1	row 2	row 3	row 4	row 5
Code	C78418	C42887	C25158	C28944	C42933
Codelist Code		C78418	C78418	C78418	C78418
Codelist Extensible (Yes/No)	Yes				
Codelist Name	Concomitant Medication Dose Form	Concomitant Medication Dose Form	Concomitant Medication Dose Form	Concomitant Medication Dose Form	Concomitant Medication Dose Form
CDISC Submission Value	CMDOSFRM	AEROSOL	CAPSULE	CREAM	GAS
CDISC Synonym(s)	Concomitant Medication Dose Form	aer	cap		
CDISC Definition	A terminology subset of the CDISC SDTM Pharmaceutical Dosage Form codelist created for CDA...	A product that is packaged under pressure and contains therapeutically active ingredients ...	A solid pharmaceutical dosage form that contains medicinal agent within either a hard or s...	A semisolid emulsion of either the oil-in-water or the water-in-oil type, ordinarily inten...	Any elastic aeriform fluid in which the molecules are separated from one another and have ...
NCI Preferred Term	CDISC CDASH Concomitant Medication Dose Form Terminology	Aerosol Dosage Form	Capsule Dosage Form	Cream Dosage Form	Gas Dosage Form
Standard	SDTM	SDTM	SDTM	SDTM	SDTM

CDISC Glossary.csv

339.3 KB · 9 columns · not read by the graph

Serves: not used by the graph — CDISC controlled terminology - the code lists that describe how a trial submission is FORMATTED, not facts about drugs or diseases. 67,455 rows across 10 files, the bulk of it SDTM (46,774) and SEND (17,610). Worth revisiting if trial protocol structure is ever modelled; nothing in the current schema has an endpoint for a codelist term.

column	row 1	row 2	row 3	row 4	row 5
Code	C67497	C80442	C42610	C71733	C156638
Codelist Code		C67497	C67497	C67497	C67497
Codelist Extensible (Yes/No)					
Codelist Name	CDISC Glossary	CDISC Glossary	CDISC Glossary	CDISC Glossary	CDISC Glossary
CDISC Submission Value	CDISC Glossary	510(k)	abbreviation	absorption	accelerated approval
CDISC Synonym(s)	CDISC Glossary				fast track designation
CDISC Definition	The terminology of the Clinical Data Interchange Standards Consortium (CDISC) glossary.	510(k). Premarket Notification (PMN) required for certain medical devices. See http://www....	A set of letters that are drawn from a word or from a sequence of words and that are used ...	The process by which medications reach the blood stream when administered other than intra...	Regulatory mechanism by which new drugs meant to treat serious life-threatening diseases a...
NCI Preferred Term	CDISC Glossary Terminology	Premarket Device Notification	Abbreviation	Biological Absorption	Accelerated Approval
Standard	Glossary	Glossary	Glossary	Glossary	Glossary

DDF Terminology.csv

157.0 KB · 9 columns · not read by the graph

Serves: not used by the graph — CDISC controlled terminology - the code lists that describe how a trial submission is FORMATTED, not facts about drugs or diseases. 67,455 rows across 10 files, the bulk of it SDTM (46,774) and SEND (17,610). Worth revisiting if trial protocol structure is ever modelled; nothing in the current schema has an endpoint for a codelist term.

column	row 1	row 2	row 3	row 4	row 5
Code	C215479	C45997	C215483	C215659	C215660
Codelist Code		C215479		C215483	C215483
Codelist Extensible (Yes/No)	Yes		Yes		
Codelist Name	Administrable Product Property Type Value Set Terminology	Administrable Product Property Type Value Set Terminology	Administrable Product Sourcing Value Set Terminology	Administrable Product Sourcing Value Set Terminology	Administrable Product Sourcing Value Set Terminology
CDISC Submission Value	Administrable Product Property Type Value Set Terminology	pH	Administrable Product Sourcing Value Set Terminology	Centrally Sourced	Locally Sourced
CDISC Synonym(s)	Administrable Product Property Type Value Set Terminology	pH	Administrable Product Sourcing Value Set Terminology		
CDISC Definition	The terminology relevant to the administrable product property type value set.	The negative logarithm (base 10) of the concentration of hydronium ions, which is used as ...	The terminology relevant to the administrable product sourcing value set.	An indication that the entity is obtained from a central source.	An indication that the entity is obtained from a local source.
NCI Preferred Term	CDISC DDF Administrable Product Property Type Value Set Terminology	pH	CDISC DDF Administrable Product Sourcing Value Set Terminology	Centrally Sourced Indicator	Locally Sourced Indicator
Standard	DDF	DDF	DDF	DDF	DDF

Define-XML Terminology.csv

29.7 KB · 9 columns · not read by the graph

Serves: not used by the graph — CDISC controlled terminology - the code lists that describe how a trial submission is FORMATTED, not facts about drugs or diseases. 67,455 rows across 10 files, the bulk of it SDTM (46,774) and SEND (17,610). Worth revisiting if trial protocol structure is ever modelled; nothing in the current schema has an endpoint for a codelist term.

column	row 1	row 2	row 3	row 4	row 5
Code	C165635	C172452	C189348	C165637	C177903
Codelist Code		C165635	C165635	C165635	
Codelist Extensible (Yes/No)	No				No
Codelist Name	ADaM Basic Data Structure Subclass	ADaM Basic Data Structure Subclass	ADaM Basic Data Structure Subclass	ADaM Basic Data Structure Subclass	ADaM Medical Device Basic Data Structure Subclass
CDISC Submission Value	BDSSC	NON-COMPARTMENTAL ANALYSIS	POPULATION PHARMACOKINETIC ANALYSIS	TIME-TO-EVENT	MDBDSSC
CDISC Synonym(s)	ADaM Basic Data Structure Subclass	NCA	PPK	TTE	ADaM Medical Device Basic Data Structure Subclass
CDISC Definition	Terminology relevant to the subclasses of the ADaM basic data structure.	A dataset containing data that is used for non-compartmental analyses.	A dataset containing data that is used for population pharmacokinetic analyses.	A dataset containing data that is used for Time-to-Event analyses.	Terminology relevant to the subclasses of the ADaM device level basic data structure.
NCI Preferred Term	CDISC Define-XML ADaM Basic Data Structure Subclass Terminology	Non-Compartmental Analysis Dataset	Population Pharmacokinetic Analysis Dataset	Time-to-Event Dataset	CDISC Define-XML ADaM Medical Device Basic Data Structure Subclass Terminology
Standard	Define-XML	Define-XML	Define-XML	Define-XML	Define-XML

Protocol Terminology.csv

133.0 KB · 9 columns · not read by the graph

Serves: not used by the graph — CDISC controlled terminology - the code lists that describe how a trial submission is FORMATTED, not facts about drugs or diseases. 67,455 rows across 10 files, the bulk of it SDTM (46,774) and SEND (17,610). Worth revisiting if trial protocol structure is ever modelled; nothing in the current schema has an endpoint for a codelist term.

column	row 1	row 2	row 3	row 4	row 5
Code	C179587	C179744	C70700	C178869	C70945
Codelist Code		C179587	C179587	C179587	C179587
Codelist Extensible (Yes/No)					
Codelist Name	Biological Sample Attribute Terminology	Biological Sample Attribute Terminology	Biological Sample Attribute Terminology	Biological Sample Attribute Terminology	Biological Sample Attribute Terminology
CDISC Submission Value	Biological Sample Attribute Terminology	Biological Sample Accountability	Biological Sample Collection Method	Biological Sample Collection Timing	Biological Sample Collection
CDISC Synonym(s)	Biological Sample Attribute Terminology				
CDISC Definition	A terminology value set relevant to the attributes of the biological sample.	The activities describing the documentation of the storage, inventory tracking, and dispos...	A description of the methodology by which biological material is obtained from a subject.	A description of the timing for the collection of a biological sample, in relation to a st...	The activities describing biological sample collection, such as specimen type, timing and ...
NCI Preferred Term	CDISC Protocol Biological Sample Attribute Terminology	Biospecimen Handling Accountability Record	Biospecimen Collection Method	Biospecimen Collection Time	Biospecimen Collection
Standard	Protocol	Protocol	Protocol	Protocol	Protocol

SDTM Terminology.csv

13.4 MB · 9 columns · not read by the graph

Serves: not used by the graph — CDISC controlled terminology - the code lists that describe how a trial submission is FORMATTED, not facts about drugs or diseases. 67,455 rows across 10 files, the bulk of it SDTM (46,774) and SEND (17,610). Worth revisiting if trial protocol structure is ever modelled; nothing in the current schema has an endpoint for a codelist term.

column	row 1	row 2	row 3	row 4	row 5
Code	C141657	C174106	C141700	C147592	C141701
Codelist Code		C141657	C141657	C141657	C141657
Codelist Extensible (Yes/No)	No				
Codelist Name	10-Meter Walk/Run Functional Test Test Code	10-Meter Walk/Run Functional Test Test Code	10-Meter Walk/Run Functional Test Test Code	10-Meter Walk/Run Functional Test Test Code	10-Meter Walk/Run Functional Test Test Code
CDISC Submission Value	TENMW1TC	TENMW101	TENMW102	TENMW103	TENMW104
CDISC Synonym(s)	10-Meter Walk/Run Functional Test Test Code	TENMW1-Was Walk/Run Performed	TENMW1-Time to Walk/Run 10 Meters	TENMW1-Wear Orthoses	TENMW1-Test Grade
CDISC Definition	10-Meter Walk/Run test code.	10-Meter Walk/Run - Was the 10-meter walk/run performed?	10-Meter Walk/Run - If yes, time to walk or run 10 meters.	10-Meter Walk/Run - If yes, did subject wear orthoses?	10-Meter Walk/Run - Test grade.
NCI Preferred Term	CDISC Functional Test 10-Meter Walk/Run Test Code Terminology	10-Meter Walk/Run - Was Walk/Run Performed	10-Meter Walk/Run - Time to Walk/Run 10 Meters	10-Meter Walk/Run - Wear Orthoses	10-Meter Walk/Run - Test Grade
Standard	SDTM	SDTM	SDTM	SDTM	SDTM

SEND Terminology.csv

4.0 MB · 9 columns · not read by the graph

Serves: not used by the graph — CDISC controlled terminology - the code lists that describe how a trial submission is FORMATTED, not facts about drugs or diseases. 67,455 rows across 10 files, the bulk of it SDTM (46,774) and SEND (17,610). Worth revisiting if trial protocol structure is ever modelled; nothing in the current schema has an endpoint for a codelist term.

column	row 1	row 2	row 3	row 4	row 5
Code	C158118	C158324	C158323	C20989	C128940
Codelist Code		C158118	C158118	C158118	C158118
Codelist Extensible (Yes/No)	Yes				
Codelist Name	Age Estimation Method Response	Age Estimation Method Response	Age Estimation Method Response	Age Estimation Method Response	Age Estimation Method Response
CDISC Submission Value	AGESMETH	ANIMAL RECORDS	DENTAL EXAM	PHYSICAL EXAMINATION	RADIOGRAPHY
CDISC Synonym(s)	Age Estimation Method Response			Physical Exam	Radiographic Exam
CDISC Definition	Terminology related to the method by which the age of an individual is determined through ...	Information obtained from medical records, acquisition records, or other official document...	A systematic evaluation of the mouth, face, and neck, which may include tooth counting, cl...	A systemic evaluation of the body and its functions using visual inspection, palpation, pe...	A radiographic procedure using the emission of penetrating energy waves to form an image o...
NCI Preferred Term	CDISC SEND Age Estimation Method Response Terminology	Animal Record Information	Dental Examination	Physical Examination	Radiographic Examination
Standard	SEND	SEND	SEND	SEND	SEND

TMF Terminology.csv

75.3 KB · 9 columns · not read by the graph

Serves: not used by the graph — CDISC controlled terminology - the code lists that describe how a trial submission is FORMATTED, not facts about drugs or diseases. 67,455 rows across 10 files, the bulk of it SDTM (46,774) and SEND (17,610). Worth revisiting if trial protocol structure is ever modelled; nothing in the current schema has an endpoint for a codelist term.

column	row 1	row 2	row 3	row 4	row 5
Code	C208283	C207194	C207177	C207199	C207196
Codelist Code		C208283	C208283	C208283	C208283
Codelist Extensible (Yes/No)					
Codelist Name	Central and Local Testing Zone	Central and Local Testing Zone	Central and Local Testing Zone	Central and Local Testing Zone	Central and Local Testing Zone
CDISC Submission Value	Central and Local Testing Zone	Certification or Accreditation	Filenote	Head of Facility Curriculum Vitae	Laboratory Results Documentation
CDISC Synonym(s)	Central and Local Testing Zone				
CDISC Definition	The terminology codelist for the Trial Master File Reference Model that contains the secti...	Documentation verifying the competence of a testing facility by an accrediting body.	Documentation pertaining to any decision or clarifying any information of the clinical tri...	Documentation detailing the education, qualification and work experience of the head of th...	Documentation of laboratory results for the clinical trial.
NCI Preferred Term	CDISC TMF-RM Central and Local Testing Zone Terminology	Testing Facility Certification or Accreditation Documentation	Clinical Trial Filenote Documentation	Clinical Trial Head of Facility Curriculum Vitae Documentation	Clinical Trial Laboratory Results Documentation
Standard	TMF	TMF	TMF	TMF	TMF

therapeutic_areas.csv

4.1 KB · 2 columns · not read by the graph

Serves: not used by the graph — CDISC controlled terminology - the code lists that describe how a trial submission is FORMATTED, not facts about drugs or diseases. 67,455 rows across 10 files, the bulk of it SDTM (46,774) and SEND (17,610). Worth revisiting if trial protocol structure is ever modelled; nothing in the current schema has an endpoint for a codelist term.

column	row 1	row 2	row 3	row 4	row 5
Name	Acute Kidney Injury	Alzheimer's	Asthma	Breast Cancer	Cardiovascular
URL	https://www.cdisc.org/standards/therapeutic-areas/acute-kidney-injury	https://www.cdisc.org/standards/therapeutic-areas/alzheimers	https://www.cdisc.org/standards/therapeutic-areas/asthma	https://www.cdisc.org/standards/therapeutic-areas/breast-cancer	https://www.cdisc.org/standards/therapeutic-areas/cardiovascular

evs.nci.nih.gov

9 CSV (106.6 MB) · 1 .json (244 B)

example filenames:

_LATEST.json

antineoplastic_agents.csv

7.2 MB · 5 columns · not read by the graph

Serves: not used by the graph — NCI Thesaurus, 413k rows. A third disease vocabulary after MeSH and ICD-11. Two coding systems already crosswalk via chembl_indications; a third adds mapping burden without new coverage.

column	row 1	row 2	row 3	row 4	row 5
Code	C957	C28780	C49172	C28781	C41441
NCIt Preferred Name	10-Deacetyltaxol	117-126:FGF-5 Peptide	11C Topotecan	11D10 AluGel Anti-Idiotyp Monoclonal Antibody	12-Allyldeoxoartemisinin
Synonyms	10-DEACETYLPACLITAXEL 10-Deacetylpaclitaxel 10-Deacetyltaxol 10-Deacetyltaxol ...	117-126:FGF-5 Peptide Fibroblast Growth Factor-5 (117-126) Peptide	11C Topotecan 11C topotecan	11D10 AluGel Anti-Idiotyp Monoclonal Antibody TriAb	12-Allyldeoxoartemisinin 12-Allyldeoxoartemisinin
Definition	An analog of paclitaxel with antineoplastic activity. 10-Deacetyltaxol binds to and stabi...	A fragment of fibroblast growth factor-5 (FGF-5). Originally isolated from a renal cell ca...	A semisynthetic derivative of camptothecin, a cytotoxic, quinoline-based alkaloid extracte...	A monoclonal anti-idiotype antibody adsorbed to aluminum hydroxide gel (AluGel) with poten...	A semi-synthetic analogue of Artemisinin - a sesquiterpene lactone extracted from the dry ...
Semantic Type	Organic Chemical Pharmacologic Substance	Amino Acid, Peptide, or Protein Pharmacologic Substance	Indicator, Reagent, or Diagnostic Aid Pharmacologic Substance	Amino Acid, Peptide, or Protein Immunologic Factor Pharmacologic Substance	Pharmacologic Substance

mapping_go_ncit.csv

5.8 KB · 2 columns · not read by the graph

Serves: not used by the graph — NCI Thesaurus, 413k rows. A third disease vocabulary after MeSH and ICD-11. Two coding systems already crosswalk via chembl_indications; a third adds mapping burden without new coverage.

column	row 1	row 2	row 3	row 4	row 5
go_id	GO:0006919	GO:0009060	GO:0007568	GO:0009653	GO:0008209
ncit_code	C42784	C17894	C16269	C16879	C19958

mapping_ncit_chebi.csv

69.3 KB · 2 columns · not read by the graph

Serves: not used by the graph — NCI Thesaurus, 413k rows. A third disease vocabulary after MeSH and ICD-11. Two coding systems already crosswalk via chembl_indications; a third adds mapping burden without new coverage.

column	row 1	row 2	row 3	row 4	row 5
ncit_code	C1003	C1005	C1009	C1011	C1012
chebi_id	CHEBI:22565	CHEBI:30621	CHEBI:30969	CHEBI:3000	CHEBI:22720

mapping_ncit_hgnc.csv

120.0 KB · 2 columns · not read by the graph

Serves: not used by the graph — NCI Thesaurus, 413k rows. A third disease vocabulary after MeSH and ICD-11. Two coding systems already crosswalk via chembl_indications; a third adds mapping burden without new coverage.

column	row 1	row 2	row 3	row 4	row 5
ncit_code	C101088	C101091	C101095	C101098	C101101
hgnc_id	HGNC:18037	HGNC:20893	HGNC:24224	HGNC:23438	HGNC:23445

column	what it means
hgnc_id	HGNC gene identifier.

mapping_ncit_swissprot.csv

305.6 KB · 3 columns · read by the graph

Serves: 3,399 of 6,410 land on a Target; the rest name proteins this graph has none for, and are skipped rather than dangled.

Builds: id:NCIT

column	row 1	row 2	row 3	row 4	row 5
ncit_code	C150023	C179160	C179163	C104761	C114748
swissprot_id	Q9C0C9	Q15119	Q15120	Q15118	Q16654
ncit_preferred_name	(E3-Independent) E2 Ubiquitin-Conjugating Enzyme	[Pyruvate Dehydrogenase (Acetyl-Transferring)] Kinase Isozyme 2, Mitochondrial	[Pyruvate Dehydrogenase (Acetyl-Transferring)] Kinase Isozyme 3, Mitochondrial	[Pyruvate Dehydrogenase [Lipoamide]] Kinase Isozyme 1, Mitochondrial	[Pyruvate Dehydrogenase [Lipoamide]] Kinase Isozyme 4, Mitochondrial

nci_code_cui_map.csv

3.4 MB · 2 columns · not read by the graph

Serves: not used by the graph — NCI Thesaurus, 413k rows. A third disease vocabulary after MeSH and ICD-11. Two coding systems already crosswalk via chembl_indications; a third adds mapping burden without new coverage.

column	row 1	row 2	row 3	row 4	row 5
code	C100000	C100001	C100002	C100003	C100004
cui	C3272245	C3272246	C3272247	C3272248	C3272249

nci_thesaurus_concepts.csv

94.4 MB · 10 columns · not read by the graph

Serves: not used by the graph — NCI Thesaurus, 413k rows. A third disease vocabulary after MeSH and ICD-11. Two coding systems already crosswalk via chembl_indications; a third adds mapping burden without new coverage.

column	row 1	row 2	row 3	row 4	row 5
code	C100000	C100001	C100002	C100003	C100004
concept_iri	<http://ncicb.nci.nih.gov/xml/owl/EVS/Thesaurus.owl#C100000>	<http://ncicb.nci.nih.gov/xml/owl/EVS/Thesaurus.owl#C100001>	<http://ncicb.nci.nih.gov/xml/owl/EVS/Thesaurus.owl#C100002>	<http://ncicb.nci.nih.gov/xml/owl/EVS/Thesaurus.owl#C100003>	<http://ncicb.nci.nih.gov/xml/owl/EVS/Thesaurus.owl#C100004>
parents	C99521	C99521	C99521	C80449	C80430
preferred_name	Percutaneous Coronary Intervention for ST Elevation Myocardial Infarction-Stable-Over 12 H...	Percutaneous Coronary Intervention for ST Elevation Myocardial Infarction-Stable After Suc...	Percutaneous Coronary Intervention for ST Elevation Myocardial Infarction-Unstable-Over 12...	Percutaneous Mitral Valve Repair	Pericardial Stripping
synonyms	Percutaneous Coronary Intervention for ST Elevation Myocardial Infarction-Stable-Over 12 H...	Percutaneous Coronary Intervention for ST Elevation Myocardial Infarction-Stable After Suc...	Percutaneous Coronary Intervention for ST Elevation Myocardial Infarction-Unstable-Over 12...	Percutaneous Mitral Valve Repair PERCUTANEOUS MITRAL REPAIR	Pericardial Stripping PERICARDIAL STRIPPING
definition	A percutaneous coronary intervention is necessary for a myocardial infarction that present...	A percutaneous coronary intervention is necessary for a myocardial infarction that present...	A percutaneous coronary intervention is necessary for a myocardial infarction that present...	Invasive procedure through a puncture in the skin, performed for the purpose of reducing r...	Removal or resection of the pericardium. (ACC)
display_name					
concept_status					
semantic_types	Therapeutic or Preventive Procedure	Therapeutic or Preventive Procedure	Therapeutic or Preventive Procedure	Therapeutic or Preventive Procedure	Therapeutic or Preventive Procedure
concept_in_subsets	CDISC SDTM Cardiac Procedure Indication Terminology CDISC SDTM Terminology Clinical Data I...	CDISC SDTM Cardiac Procedure Indication Terminology CDISC SDTM Terminology Clinical Data I...	CDISC SDTM Cardiac Procedure Indication Terminology CDISC SDTM Terminology Clinical Data I...	CDISC SDTM Procedure Terminology CDISC SDTM Terminology Clinical Data Interchange Standard...	CDISC SDTM Procedure Terminology CDISC SDTM Terminology Clinical Data Interchange Standard...

neoplasm_core.csv

555.0 KB · 5 columns · not read by the graph

Serves: not used by the graph — NCI Thesaurus, 413k rows. A third disease vocabulary after MeSH and ICD-11. Two coding systems already crosswalk via chembl_indications; a third adds mapping burden without new coverage.

column	row 1	row 2	row 3	row 4	row 5
Code	C7419	C3173	C45929	C3768	C5649
Preferred Term	Acanthoma	Accelerated Phase Chronic Myelogenous Leukemia, BCR-ABL1 Positive	Acidophil Stem Cell Pituitary Gland Adenoma	Acinar Cell Carcinoma	Acinar Lung Adenocarcinoma
Synonyms		Accelerated Phase CML Accelerated Phase Chronic Granulocytic Leukemia Accelerated Phase Ch...	Acidophil Stem Cell Adenoma	Acinar Adenocarcinoma Acinar Carcinoma Acinar Cell Adenocarcinoma Acinar Cell Carcinoma Ac...	Acinar Adenocarcinoma of Lung Acinar Adenocarcinoma of the Lung
Definition	A benign skin neoplasm composed of epithelial cells.	A phase of chronic myelogenous leukemia characterized by one or more of the following: 1) ...	An infrequent pituitary gland adenoma composed of cells showing immunoreactivity for prola...	A malignant glandular epithelial neoplasm consisting of secretory cells forming acinar pat...	A morphologic variant of lung adenocarcinoma characterized by the presence of acinar struc...
Neoplastic Status	Benign	Malignant	Benign	Malignant	Malignant

neoplasm_core_rels_ncit_molecular.csv

549.6 KB · 5 columns · not read by the graph

Serves: not used by the graph — NCI Thesaurus, 413k rows. A third disease vocabulary after MeSH and ICD-11. Two coding systems already crosswalk via chembl_indications; a third adds mapping burden without new coverage.

column	row 1	row 2	row 3	row 4	row 5
Code	C3173	C3173	C3173	C3173	C3173
Preferred Term	Accelerated Phase Chronic Myelogenous Leukemia, BCR-ABL1 Positive	Accelerated Phase Chronic Myelogenous Leukemia, BCR-ABL1 Positive	Accelerated Phase Chronic Myelogenous Leukemia, BCR-ABL1 Positive	Accelerated Phase Chronic Myelogenous Leukemia, BCR-ABL1 Positive	Accelerated Phase Chronic Myelogenous Leukemia, BCR-ABL1 Positive
Relationship	Disease_Has_Molecular_Abnormality	Disease_Mapped_To_Gene	Disease_Mapped_To_Gene	Disease_May_Have_Cytogenetic_Abnormality	Disease_May_Have_Cytogenetic_Abnormality
Code	C36715	C17346	C94600	C36477	C36605
Preferred Term	BCR-ABL1 Fusion Protein Expression	ABL1 Gene	BCR/ABL1 Fusion Gene	i(17q)	i(19)

icd.who.int

4 CSV (10.2 MB) · 1 json (239 B)

example filenames:

_LATEST.json

icd10_blocks.csv

45.6 KB · 7 columns · read by the graph

Serves: Code ranges (C00-C97). chapter_id gives the parent directly.

Builds: node:Disease , edge:SUBTYPE_OF

column	row 1	row 2	row 3	row 4	row 5
block_id	A00-A09	A15-A19	A20-A28	A30-A49	A50-A64
title	Intestinal infectious diseases (A00-A09)	Tuberculosis (A15-A19)	Certain zoonotic bacterial diseases (A20-A28)	Other bacterial diseases (A30-A49)	Infections with a predominantly sexual mode of transmission (A50-A64)
code_range	A00-A09	A15-A19	A20-A28	A30-A49	A50-A64
chapter_id	I	I	I	I	I
inclusions		infections due to Mycobacterium tuberculosis and Mycobacterium bovis			
exclusions		congenital tuberculosis (P37.0);human immunodeficiency [HIV] disease resulting in tubercu...			human immunodeficiency virus [HIV] disease (B20-B24);nonspecific and nongonococcal ureth...
notes					

icd10_chapters.csv

14.2 KB · 6 columns · read by the graph

Serves: The 22 chapters. The top of the tree.

Builds: node:Disease

column	row 1	row 2	row 3	row 4	row 5
chapter_id	I	II	III	IV	IX
title	Certain infectious and parasitic diseases	Neoplasms	Diseases of the blood and blood-forming organs and certain disorders involving the immune ...	Endocrine, nutritional and metabolic diseases	Diseases of the circulatory system
code_range	A00-B99	C00-D48	D50-D89	E00-E90	I00-I99
inclusions	diseases generally recognized as communicable or transmissible				
exclusions	carrier or suspected carrier of infectious disease (Z22.-);certain localized infections ...		autoimmune disease (systemic) NOS (M35.9);certain conditions originating in the perinata...	complications of pregnancy, childbirth and the puerperium (O00-O99);symptoms, signs and ...	certain conditions originating in the perinatal period (P00-P96);certain infectious and ...
notes	Use additional code (U82-U84), if desired, to identify resistance to antimicrobial drugs			All neoplasms, whether functionally active or not, are classified in Chapter II. Appropria...	

icd10_codes.csv

1.1 MB · 10 columns · read by the graph

Serves: parent_code first, block_id only for the top of a subtree - writing both would make the tree wrong, not just redundant. A code whose title matches a MeSH descriptor exactly IS that node, so the two vocabularies describe one disease.

Builds: node:Disease , id:ICD10 , edge:SUBTYPE_OF

column	row 1	row 2	row 3	row 4	row 5
code	A00	A00.0	A00.1	A00.9	A01
title	Cholera	Cholera due to Vibrio cholerae 01, biovar cholerae	Cholera due to Vibrio cholerae 01, biovar eltor	Cholera, unspecified	Typhoid and paratyphoid fevers
class_kind	Category1	Category2	Category2	Category2	Category1
block_id	A00-A09	A00-A09	A00-A09	A00-A09	A00-A09
chapter_id	I	I	I	I	I
parent_code		A00	A00	A00	
inclusions		Classical cholera	Cholera eltor		
exclusions					
hints					
is_leaf	False	True	True	True	False

icd11_codes.csv

9.0 MB · 13 columns · read by the graph

Serves: Second coding system on the same Disease nodes.

Builds: node:Disease , id:ICD11

column	row 1	row 2	row 3	row 4	row 5
code				1A00	1A01
title	Certain infectious or parasitic diseases	Gastroenteritis or colitis of infectious origin	Bacterial intestinal infections	Cholera	Intestinal infection due to other Vibrio
class_kind	chapter	block	block	category	category
depth_in_kind	1	1	2	1	1
is_residual	False	False	False	False	False
chapter_no	01	01	01	01	01
block_id		BlockL1-1A0	BlockL2-1A0		
foundation_uri	http://id.who.int/icd/entity/1435254666	http://id.who.int/icd/entity/588616678	http://id.who.int/icd/entity/13535227	http://id.who.int/icd/entity/257068234	http://id.who.int/icd/entity/416025325
linearization_uri	http://id.who.int/icd/release/11/mms/1435254666	http://id.who.int/icd/release/11/mms/588616678	http://id.who.int/icd/release/11/mms/135352227	http://id.who.int/icd/release/11/mms/257068234	http://id.who.int/icd/release/11/mms/416025325
browser_link	https://icd.who.int/browse/latestrelease/mms/en#1435254666	https://icd.who.int/browse/latestrelease/mms/en#588616678	https://icd.who.int/browse/latestrelease/mms/en#135352227	https://icd.who.int/browse/latestrelease/mms/en#257068234	https://icd.who.int/browse/latestrelease/mms/en#416025325
is_leaf	False	False	False	True	True
coding_note					
parent		http://id.who.int/icd/entity/1435254666	http://id.who.int/icd/entity/588616678	http://id.who.int/icd/entity/13535227	http://id.who.int/icd/entity/13535227

loinc.org

52 CSV (957.8 MB) · 16 .txt, 1 .json, 1 .pdf (510.9 KB)

example filenames:

- _LATEST.json
- AnswerFileReadMe.txt
- ChangeSnapshotReadMe.txt

AnswerList.csv

7.9 MB · 19 columns · not read by the graph

Serves: not used by the graph — 4.4M rows of laboratory observation codes across 56 files. Nothing in the schema consumes them; LOINC describes measurements, not drugs.

column	row 1	row 2	row 3	row 4	row 5
AnswerListId	LL1000-0	LL1000-0	LL1000-0	LL1001-8	LL1001-8
AnswerListName	PhenX05_13_30D bread amt	PhenX05_13_30D bread amt	PhenX05_13_30D bread amt	PhenX05_14_30D freq amts	PhenX05_14_30D freq amts
AnswerListOID	1.3.6.1.4.1.12009.10.1.165	1.3.6.1.4.1.12009.10.1.165	1.3.6.1.4.1.12009.10.1.165	1.3.6.1.4.1.12009.10.1.166	1.3.6.1.4.1.12009.10.1.166
ExtDefinedYN	N	N	N	N	N
ExtDefinedAnswerListCodeSystem					
ExtDefinedAnswerListLink					
AnswerStringId	LA13825-7	LA13838-0	LA13892-7	LA6270-8	LA13836-4
LocalAnswerCode	1	2	3	00	01
LocalAnswerCodeSystem					
SequenceNumber	1	2	3	1	2
DisplayText	1 slice or 1 dinner roll	2 slices or 2 dinner rolls	More than 2 slices or 2 dinner rolls	Never	1-3 times per month
ExtCodeId					
ExtCodeDisplayName					
ExtCodeSystem					
ExtCodeSystemVersion					
ExtCodeSystemCopyrightNotice					
SubsequentTextPrompt					
Description					
Score					

column	what it means
Score	Open Targets association score, 0-1. Evidence strength, not probability.

ComponentHierarchyBySystem.csv

22.5 MB · 5 columns · not read by the graph

Serves: not used by the graph — 4.4M rows of laboratory observation codes across 56 files. Nothing in the schema consumes them; LOINC describes measurements, not drugs.

column	row 1	row 2	row 3	row 4	row 5
PATH_TO_ROOT		LP432695-7	LP432695-7.LP29693-6	LP432695-7.LP29693-6.LP343406-7	LP432695-7.LP29693-6.LP343406-7.LP7819-8
SEQUENCE	1	1	1	1	1
IMMEDIATE_PARENT		LP432695-7	LP29693-6	LP343406-7	LP7819-8
CODE	LP432695-7	LP29693-6	LP343406-7	LP7819-8	LP14559-6
CODE_TEXT	{component}	Laboratory	Microbiology and Antimicrobial susceptibility	Microbiology	Microorganism

ConsumerName.csv

3.1 MB · 2 columns · not read by the graph

Serves: not used by the graph — 4.4M rows of laboratory observation codes across 56 files. Nothing in the schema consumes them; LOINC describes measurements, not drugs.

column	row 1	row 2	row 3	row 4	row 5
LoincNumber	93418-2	102115-3	112033-6	17271-8	38624-3
ConsumerName	(8;8)(q13;q21)(HEY1,NCOA2) fusion transcript analysis, Tissue	(Dog dander+Cat epithelium+Horse dander) IgE pl, Blood	, Endoscopy	1,1,1-Trichloroethane, Blood	1,1,2-Trichloroethane, Air

DocumentOntology.csv

873.5 KB · 5 columns · not read by the graph

Serves: not used by the graph — 4.4M rows of laboratory observation codes across 56 files. Nothing in the schema consumes them; LOINC describes measurements, not drugs.

column	row 1	row 2	row 3	row 4	row 5
LoincNumber	100018-1	100018-1	100018-1	100438-1	100438-1
PartNumber	LP173418-7	LP173061-5	LP431539-8	LP173418-7	LP173213-2
PartTypeName	Document.Kind	Document.Setting	Document.SubjectMatterDomain	Document.Kind	Document.TypeOfService
PartSequenceOrder	1	1	1	1	1
PartName	Note	{Setting}	Hospice care	Note	Progress

Group.csv

581.8 KB · 6 columns · not read by the graph

Serves: not used by the graph — 4.4M rows of laboratory observation codes across 56 files. Nothing in the schema consumes them; LOINC describes measurements, not drugs.

column	row 1	row 2	row 3	row 4	row 5
ParentGroupId	LG100-4	LG100-4	LG100-4	LG100-4	LG100-4
GroupId	LG8749-6	LG8626-6	LG51496-4	LG8750-4	LG8717-3
Group	(Acer negundo+Betula verrucosa+Fagus grandifolia+Quercus alba+Juglans californica) Ab.IgE ...	(Acer negundo+Betula verrucosa+Quercus alba+Ulmus americana+Juglans californica) Ab.IgE AC...	(Allium cepa+Allium sativum+Sesamum indicum+Yeast) Ab.IgE PrThr Pt ANYBldSerPl	(Alnus incana+Betula verrucosa+Corylus avellana+Quercus alba+Salix caprea) Ab.IgE ACnc Pt ...	(Alnus incana+Corylus avellana+Ulmus americana+Salix caprea+Populus deltoides) Ab.IgE ACnc...
Archetype					
Status	Active	Active	Active	Active	Active
VersionFirstReleased					

GroupAttributes.csv

92.3 KB · 4 columns · not read by the graph

Serves: not used by the graph — 4.4M rows of laboratory observation codes across 56 files. Nothing in the schema consumes them; LOINC describes measurements, not drugs.

column	row 1	row 2	row 3	row 4	row 5
ParentGroupId	LG100-4	LG100-4	LG100-4	LG100-4	LG100-4
GroupId	LG10324-8	LG10368-5	LG10712-4	LG10841-1	LG10852-8
Type	MolecularWeightOfAnalyte	MolecularWeightOfAnalyte	MolecularWeightOfAnalyte	MolecularWeightOfAnalyte	MolecularWeightOfAnalyte
Value	176.219	65.38	312.538	165.19	94.97

GroupLoincTerms.csv

4.1 MB · 5 columns · not read by the graph

Serves: not used by the graph — 4.4M rows of laboratory observation codes across 56 files. Nothing in the schema consumes them; LOINC describes measurements, not drugs.

column	row 1	row 2	row 3	row 4	row 5
Category					
GroupId	LG51973-2	LG51973-2	LG51973-2	LG51973-2	LG51973-2
Archetype					
LoincNumber	100675-8	105880-9	29604-6	30247-1	72493-0
LongCommonName	Cytomegalovirus DNA [Units/volume] (viral load) in Blood by NAA with probe detection	Cytomegalovirus DNA [Units/volume] in Serum or Plasma	Cytomegalovirus DNA [# /volume] (viral load) in Blood by NAA with probe detection	Cytomegalovirus DNA [# /volume] (viral load) in Serum or Plasma by NAA with probe detection	Cytomegalovirus DNA [Units/volume] (viral load) in Serum or Plasma by NAA with probe detec...

ImagingDocumentCodes.csv

363.2 KB · 2 columns · not read by the graph

Serves: not used by the graph — 4.4M rows of laboratory observation codes across 56 files. Nothing in the schema consumes them; LOINC describes measurements, not drugs.

column	row 1	row 2	row 3	row 4	row 5
LOINC_NUM	100349-0	100369-8	100655-0	100760-8	100852-3
LONG_COMMON_NAME	US.doppler Penis vessels W vasodilator IV	NM Thyroid gland Views W TI-201 IV	XR Sella turcica Lateral	XR Radius and Ulna - left Single view	NM Bones Views for metastasis W Sr-89 IV

column	what it means
LOINC_NUM	LOINC code for a laboratory observation.

LinguisticVariants.csv

2.0 KB · 5 columns · not read by the graph

Serves: not used by the graph — 4.4M rows of laboratory observation codes across 56 files. Nothing in the schema consumes them; LOINC describes measurements, not drugs.

column	row 1	row 2	row 3	row 4	row 5
ID	28	29	32	5	7
ISO_LANGUAGE	es	pl	ar	zh	es
ISO_COUNTRY	MX	PL	JO	CN	AR
LANGUAGE_NAME	Spanish (MEXICO)	Polish (POLAND)	Arabic (JORDAN)	Chinese (CHINA)	Spanish (ARGENTINA)
PRODUCER	Manuel Aragonés. Deep Dive Data Science.	Medical University of Lodz (UMED) and Polish Society of Laboratory Diagnostics (PTDL)	MedLabs Group	Lin Zhang, A LOINC volunteer from China	Conceptum Medical Terminology Center

Loinc.csv

78.4 MB · 40 columns · not read by the graph

Serves: not used by the graph — 4.4M rows of laboratory observation codes across 56 files. Nothing in the schema consumes them; LOINC describes measurements, not drugs.

40 columns. Showing the 13 that identify a record; **27 hidden**.

column	row 1	row 2	row 3	row 4	row 5
LOINC_NUM	100000-9	100001-7	100002-5	100003-3	100004-1
COMPONENT	Health informatics pioneer and the father of LOINC	Health informatics pioneer and cofounder of LOINC	Specimen care is maintained	Team communication is maintained throughout care	Demonstrates knowledge of the expected psychosocial responses to the procedure
PROPERTY	Hx	Hx	Find	Find	Find
TIME_ASPCT	Pt	Pt	Pt	Pt	Pt
SYSTEM	^Patient	^Patient	^Patient	^Patient	^Patient
SCALE_TYP	Nar	Nar	Ord	Ord	Ord
CHNG_TYPE	ADD	ADD	ADD	ADD	ADD
STATUS	ACTIVE	ACTIVE	ACTIVE	ACTIVE	ACTIVE
CONSUMER_NAME					
HL7_FIELD_SUBFIELD_ID					
LONG_COMMON_NAME	Health informatics pioneer and the father of LOINC	Health informatics pioneer and cofounder of LOINC	Specimen care is maintained	Team communication is maintained throughout care	Demonstrates knowledge of the expected psychosocial responses to the procedure
STATUS_REASON					
STATUS_TEXT					

column	what it means
LOINC_NUM	LOINC code for a laboratory observation.

LoincAnswerListLink.csv

3.7 MB · 6 columns · not read by the graph

Serves: not used by the graph — 4.4M rows of laboratory observation codes across 56 files. Nothing in the schema consumes them; LOINC describes measurements, not drugs.

column	row 1	row 2	row 3	row 4	row 5
LoincNumber	100002-5	100003-3	100004-1	100005-8	100006-6
LongCommonName	Specimen care is maintained	Team communication is maintained throughout care	Demonstrates knowledge of the expected psychosocial responses to the procedure	Demonstrates knowledge of nutritional management related to the procedure	Demonstrates knowledge of medication management
AnswerListId	LL6136-7	LL6136-7	LL6136-7	LL6136-7	LL6136-7
AnswerListName	Met/Not met/Ongoing/Unable to assess	Met/Not met/Ongoing/Unable to assess	Met/Not met/Ongoing/Unable to assess	Met/Not met/Ongoing/Unable to assess	Met/Not met/Ongoing/Unable to assess
AnswerListLinkType	NORMATIVE	NORMATIVE	NORMATIVE	NORMATIVE	NORMATIVE
ApplicableContext	100017-3	100017-3	100017-3	100017-3	100017-3

LoincChangeSnapshot.csv

408.9 KB · 6 columns · not read by the graph

Serves: not used by the graph — 4.4M rows of laboratory observation codes across 56 files. Nothing in the schema consumes them; LOINC describes measurements, not drugs.

column	row 1	row 2	row 3	row 4	row 5
VersionEffective	2.82	2.82	2.82	2.82	2.82
LOINC_NUM	100346-6	100346-6	100346-6	100346-6	100347-4
Property	COMPONENT	LONG_COMMON_NAME	METHOD_TYP	SHORTNAME	COMPONENT
ValuePrior	Clotting time.extrinsic coagulation system activated.platelets inhibited	Clotting time.extrinsic coagulation system activated.platelets inhibited of Blood by Rotat...	Thromboelastography.rotational	CT.extr plt inhib Bld ROTEM	Clot formation.extrinsic coagulation system activated.platelets inhibited
ValueCurrent	Clotting time	Clotting time of Blood by Thromboelastography.rotational.extrinsic coagulation system acti...	Thromboelastography.rotational.extrinsic coagulation system activated.platelets inhibited	Clot tm Bld TEG rot extrinsic coag plt	Clot formation
ChangeReason					

column	what it means
LOINC_NUM	LOINC code for a laboratory observation.

LoincIeeeMedicalDeviceCodeMappingTable.csv

66.0 KB · 5 columns · not read by the graph

Serves: not used by the graph — 4.4M rows of laboratory observation codes across 56 files. Nothing in the schema consumes them; LOINC describes measurements, not drugs.

column	row 1	row 2	row 3	row 4	row 5
LOINC_NUM	11556-8	11557-6	11558-4	12961-9	14749-6
LOINC_LONG_COMMON_NAME	Oxygen [Partial pressure] in Blood	Carbon dioxide [Partial pressure] in Blood	pH of Blood	Urea nitrogen [Mass/volume] in Arterial blood	Glucose [Moles/volume] in Serum or Plasma
IEEE_CF_CODE10	160116	160064	160004	160080	160196
IEEE_REFID	MDC_CONC_PO2_GEN	MDC_CONC_PCO2_GEN	MDC_CONC_PH_GEN	MDC_CONC_UREA_ART	MDC_CONC_GLU_VENOUS_PLASMA
EQUIVALENCE	equivalent	equivalent	equivalent	equivalent	broader

column	what it means
LOINC_NUM	LOINC code for a laboratory observation.

LoincPartLink_Primary.csv

110.2 MB · 8 columns · not read by the graph

Serves: not used by the graph — 4.4M rows of laboratory observation codes across 56 files. Nothing in the schema consumes them; LOINC describes measurements, not drugs.

column	row 1	row 2	row 3	row 4	row 5
LoincNumber	100000-9	100000-9	100000-9	100000-9	100000-9
LongCommonName	Health informatics pioneer and the father of LOINC	Health informatics pioneer and the father of LOINC	Health informatics pioneer and the father of LOINC	Health informatics pioneer and the father of LOINC	Health informatics pioneer and the father of LOINC
PartNumber	LP431397-1	LP6817-3	LP6960-1	LP310005-6	LP7749-7
PartName	Health informatics pioneer and the father of LOINC	Hx	Pt	^Patient	Nar
PartCodeSystem	http://loinc.org	http://loinc.org	http://loinc.org	http://loinc.org	http://loinc.org
PartTypeName	COMPONENT	PROPERTY	TIME	SYSTEM	SCALE
LinkTypeName	Primary	Primary	Primary	Primary	Primary
Property	http://loinc.org/property/COMPONENT	http://loinc.org/property/PROPERTY	http://loinc.org/property/TIME_ASPECT	http://loinc.org/property/SYSTEM	http://loinc.org/property/SCALE_TYPE

LoincPartLink_Supplementary.csv

225.1 MB · 8 columns · not read by the graph

Serves: not used by the graph — 4.4M rows of laboratory observation codes across 56 files. Nothing in the schema consumes them; LOINC describes measurements, not drugs.

column	row 1	row 2	row 3	row 4	row 5
LoincNumber	100000-9	100000-9	100000-9	100000-9	100000-9
LongCommonName	Health informatics pioneer and the father of LOINC	Health informatics pioneer and the father of LOINC	Health informatics pioneer and the father of LOINC	Health informatics pioneer and the father of LOINC	Health informatics pioneer and the father of LOINC
PartNumber	LP431397-1	LP6817-3	LP6960-1	LP7749-7	LP6985-8
PartName	Health informatics pioneer and the father of LOINC	Hx	Pt	Nar	Patient
PartCodeSystem	http://loinc.org	http://loinc.org	http://loinc.org	http://loinc.org	http://loinc.org
PartTypeName	COMPONENT	PROPERTY	TIME	SCALE	SUPER SYSTEM
LinkTypeName	DetailedModel	DetailedModel	DetailedModel	DetailedModel	DetailedModel
Property	http://loinc.org/property/analyte	http://loinc.org/property/PROPERTY	http://loinc.org/property/time-core	http://loinc.org/property/SCALE_TYPE	http://loinc.org/property/super-system

LoincRsnaRadioIologyPlaybook.csv

7.2 MB · 10 columns · not read by the graph

Serves: not used by the graph — 4.4M rows of laboratory observation codes across 56 files. Nothing in the schema consumes them; LOINC describes measurements, not drugs.

column	row 1	row 2	row 3	row 4	row 5
LoincNumber	100349-0	100349-0	100349-0	100349-0	100349-0
LongCommonName	US.doppler Penis vessels W vasodilator IV	US.doppler Penis vessels W vasodilator IV	US.doppler Penis vessels W vasodilator IV	US.doppler Penis vessels W vasodilator IV	US.doppler Penis vessels W vasodilator IV
PartNumber	LP207608-3	LP207609-1	LP200078-6	LP199998-8	LP208051-5
PartTypeName	Rad.Modality.Modality Type	Rad.Modality.Modality Subtype	Rad.Pharmaceutical.Route	Rad.Anatomic Location.Region Imaged	Rad.Anatomic Location.Imaging Focus
PartName	US	Doppler	IV	Pelvis	Penis vessels
PartSequenceOrder	A	A	A	A	A
RID	RID10326	RID10375	RID11160	RID2507	RID49825
PreferredName	Ultrasound	Doppler	intravenous	Pelvis	set of penis vessels
RPID					
LongName					

LoincTableCore.csv

24.8 MB · 15 columns · not read by the graph

Serves: not used by the graph — 4.4M rows of laboratory observation codes across 56 files. Nothing in the schema consumes them; LOINC describes measurements, not drugs.

column	row 1	row 2	row 3	row 4	row 5
LOINC_NUM	100000-9	100001-7	100002-5	100003-3	100004-1
COMPONENT	Health informatics pioneer and the father of LOINC	Health informatics pioneer and cofounder of LOINC	Specimen care is maintained	Team communication is maintained throughout care	Demonstrates knowledge of the expected psychosocial responses to the procedure
PROPERTY	Hx	Hx	Find	Find	Find
TIME_ASPECT	Pt	Pt	Pt	Pt	Pt
SYSTEM	^Patient	^Patient	^Patient	^Patient	^Patient
SCALE_TYP	Nar	Nar	Ord	Ord	Ord
METHOD_TYP					
CLASS	H&P.HX	H&P.HX	SURVEY.PNDS	SURVEY.PNDS	SURVEY.PNDS
CLASSTYPE	2	2	4	4	4
LONG_COMMON_NAME	Health informatics pioneer and the father of LOINC	Health informatics pioneer and cofounder of LOINC	Specimen care is maintained	Team communication is maintained throughout care	Demonstrates knowledge of the expected psychosocial responses to the procedure
SHORTNAME	Health Info Pioneer+Father of LOINC	Health Info Pioneer+Cofound LOINC			
EXTERNAL_COPYRIGHT_NOTICE					
STATUS	ACTIVE	ACTIVE	ACTIVE	ACTIVE	ACTIVE
VersionFirstReleased	2.74	2.74	2.72	2.72	2.72
VersionLastChanged	2.74	2.74	2.72	2.72	2.72

column	what it means
LOINC_NUM	LOINC code for a laboratory observation.

LoincUniversalLabOrdersValueSet.csv

109.4 KB · 3 columns · not read by the graph

Serves: not used by the graph — 4.4M rows of laboratory observation codes across 56 files. Nothing in the schema consumes them; LOINC describes measurements, not drugs.

column	row 1	row 2	row 3	row 4	row 5
LOINC_NUM	42176-8	53835-5	31019-3	6765-2	1668-3
LONG_COMMON_NAME	1,3 beta glucan [Mass/volume] in Serum	1,5-Anhydroglucitol [Mass/volume] in Serum or Plasma	10-Hydroxycarbazepine [Mass/volume] in Serum or Plasma	17-Hydroxypregnenolone [Mass/volume] in Serum or Plasma	17-Hydroxyprogesterone [Mass/volume] in Serum or Plasma
ORDER_OBS	Both	Both	Both	Both	Both

column	what it means
LOINC_NUM	LOINC code for a laboratory observation.

MapTo.csv

119.8 KB · 3 columns · not read by the graph

Serves: not used by the graph — 4.4M rows of laboratory observation codes across 56 files. Nothing in the schema consumes them; LOINC describes measurements, not drugs.

column	row 1	row 2	row 3	row 4	row 5
LOINC	1009-0	101408-3	10165-9	101721-9	101764-9
MAP_TO	1007-4	102124-5	11358-9	94531-1	101765-6
COMMENT					

PanelsAndForms.csv

32.7 MB · 29 columns · not read by the graph

Serves: not used by the graph — 4.4M rows of laboratory observation codes across 56 files. Nothing in the schema consumes them; LOINC describes measurements, not drugs.

29 columns. Showing the 6 that identify a record; **23 hidden**.

column	row 1	row 2	row 3	row 4	row 5
ParentId	10142	10142	10142	10142	10142
ParentLoinc	13361-1	13361-1	13361-1	13361-1	13361-1
ParentName	Semen Analysis Pnl	Semen Analysis Pnl	Semen Analysis Pnl	Semen Analysis Pnl	Semen Analysis Pnl
ID	10142	10143	10144	10145	10146
SEQUENCE	1	1	2	3	4
Loinc	13361-1	3160-9	10580-9	32789-0	10569-2

ParentGroup.csv

4.0 KB · 3 columns · not read by the graph

Serves: not used by the graph — 4.4M rows of laboratory observation codes across 56 files. Nothing in the schema consumes them; LOINC describes measurements, not drugs.

column	row 1	row 2	row 3	row 4	row 5
ParentGroupId	LG100-4	LG103-8	LG105-3	LG106-1	LG27-5
ParentGroup	Chem_DrugTox_ChaL_Sero_Allergy<SAME:Comp Prop Tm Syst (except intravascular and urine)> <AN...	ReportableMicroViruses<SAME:Virus> <ROLLUP:everything else>	ReportableMicroNon-virus<SAME:Genus+species> <ROLLUP:everything else>	ReportableMicroNon-virus<SAME:Genus> <ROLLUP:everything else>	CellDiffCount<SAME:Comp Prop Tm Sys> <ROLLUP:Meth>
Status	ACTIVE	ACTIVE	ACTIVE	ACTIVE	ACTIVE

ParentGroupAttributes.csv

17.4 KB · 3 columns · not read by the graph

Serves: not used by the graph — 4.4M rows of laboratory observation codes across 56 files. Nothing in the schema consumes them; LOINC describes measurements, not drugs.

column	row 1	row 2	row 3	row 4	row 5
ParentGroupId	LG100-4	LG103-8	LG105-3	LG106-1	LG27-5
Type	Description	Description	Description	Description	Description
Value	This parent group contains groups for terms in any of the following classes: CHEM, DRUG/TO...	This parent group contains separate groups for individual viruses that are considered repo...	This parent group contains separate groups at the genus+species level, for individual non-...	This parent group contains separate groups at the genus level, for individual non-virus mi...	This parent group contains specific groups for each type of cell in a cell differential. E...

Part.csv

7.6 MB · 5 columns · not read by the graph

Serves: not used by the graph — 4.4M rows of laboratory observation codes across 56 files. Nothing in the schema consumes them; LOINC describes measurements, not drugs.

column	row 1	row 2	row 3	row 4	row 5
PartNumber	LP101394-7	LP101907-6	LP115711-6	LP147359-6	LP173482-3
PartTypeName	ADJUSTMENT	ADJUSTMENT	ADJUSTMENT	ADJUSTMENT	ADJUSTMENT
PartName	adjusted for maternal weight	corrected for age	corrected for background	adjusted for body weight	1st specimen
PartDisplayName	adjusted for maternal weight	corrected for age	corrected for background	adjusted for body weight	1st specimen
Status	ACTIVE	ACTIVE	ACTIVE	ACTIVE	DEPRECATED

PartChangeSnapshot.csv

41.7 KB · 6 columns · not read by the graph

Serves: not used by the graph — 4.4M rows of laboratory observation codes across 56 files. Nothing in the schema consumes them; LOINC describes measurements, not drugs.

column	row 1	row 2	row 3	row 4	row 5
VersionEffective	2.82	2.82	2.82	2.82	2.82
PartNumber	LP101300-4	LP133413-7	LP145522-1	LP14701-4	LP15597-5
PROPERTY	STATUS	STATUS	STATUS	STATUS	STATUS
ValuePrior	ACTIVE	ACTIVE	ACTIVE	ACTIVE	ACTIVE
ValueCurrent	INACTIVE	INACTIVE	INACTIVE	INACTIVE	INACTIVE
ChangeReason					

PartRelatedCodeMapping.csv

9.4 MB · 10 columns · not read by the graph

Serves: not used by the graph — 4.4M rows of laboratory observation codes across 56 files. Nothing in the schema consumes them; LOINC describes measurements, not drugs.

column	row 1	row 2	row 3	row 4	row 5
PartNumber	LP100006-8	LP100007-6	LP100018-3	LP100019-1	LP100019-1
PartName	Human papilloma virus 18 DNA	Human papilloma virus 16 DNA	Arylsulfatase C	Cholesterol	Cholesterol
PartTypeName	COMPONENT	COMPONENT	COMPONENT	DIVISORS	DIVISORS
ExtCodeId	708299006	708298003	12917005	5997	84698008
ExtCodeDisplayName	Deoxyribonucleic acid of Human papillomavirus 18 (substance)	Deoxyribonucleic acid of Human papillomavirus 16 (substance)	Steryl-sulfatase (substance)	Cholesterol	Cholesterol (substance)
ExtCodeSystem	http://snomed.info/sct	http://snomed.info/sct	http://snomed.info/sct	http://pubchem.ncbi.nlm.nih.gov	http://snomed.info/sct
Equivalence	equivalent	equivalent	equivalent	equivalent	equivalent
ContentOrigin	LN	LN	Both		Both
ExtCodeSystemVersion	http://snomed.info/sct/900000000000207008/version/20250730	http://snomed.info/sct/900000000000207008/version/20250730	http://snomed.info/sct/900000000000207008/version/20250730		http://snomed.info/sct/900000000000207008/version/20250730
ExtCodeSystemCopyrightNotice	This material includes SNOMED Clinical Terms® (SNOMED CT®) which is used by permission of ...	This material includes SNOMED Clinical Terms® (SNOMED CT®) which is used by permission of ...	This material includes SNOMED Clinical Terms® (SNOMED CT®) which is used by permission of ...		This material includes SNOMED Clinical Terms® (SNOMED CT®) which is used by permission of ...

SourceOrganization.csv

35.7 KB · 6 columns · not read by the graph

Serves: not used by the graph — 4.4M rows of laboratory observation codes across 56 files. Nothing in the schema consumes them; LOINC describes measurements, not drugs.

column	row 1	row 2	row 3	row 4	row 5
ID	3	4	5	8	32
COPYRIGHT_ID	Pfizer	UCHSC	interRAI	UMich	WHO_Q
NAME	Pfizer, Inc	Center for Health Policy Research, UCHSC, Denver, CO	interRAI	The Regents of the University of Michigan	World Health Organization (WHO) Questionnaires
COPYRIGHT	Copyright © Pfizer Inc. All rights reserved.	Copyright © 2002 Center for Health Services Research, UCHSC, Denver, CO.	InterRAI holds the copyright to Version 2.0 of the RAI for long term care outside of the U...	Copyright © 2019 The Regents of the University of Michigan	Copyright © 2012 World Health Organization.
TERMS_OF_USE	Developed by Drs. Robert L. Spitzer, Janet B.W. Williams, Kurt Kroenke and colleagues, wit...	Used with permission.	As a not for profit corporation under the US Tax Code, interRAI holds the copyright to a n...	Users must obtain a license to use the FLACC and rFLACC instruments. The license can be ob...	Used with permission.
URL	https://www.phqscreeners.com/		http://www.interrai.org	https://umich.flintbox.com/?embed=true#technologies/45bdf7ff-2a1c-4d5f-89e5-a0f94ce42a35	https://www.who.int/about/policies/publishing/copyright

Updates.csv

283.3 KB · 9 columns · not read by the graph

Serves: not used by the graph — 4.4M rows of laboratory observation codes across 56 files. Nothing in the schema consumes them; LOINC describes measurements, not drugs.

column	row 1	row 2	row 3	row 4	row 5
RecType	BEFORE	CHANGED	BEFORE	CHANGED	BEFORE
LOINC_NUM	100346-6	100346-6	100347-4	100347-4	101078-4
COMPONENT	Clotting time.extrinsic coagulation system activated.platelets inhibited	Clotting time	Clot formation.extrinsic coagulation system activated.platelets inhibited	Clot formation	D little w Ab
PROPERTY	Time	Time	Time	Time	PrThr
TIME_ASPCT	Pt	Pt	Pt	Pt	Pt
SYSTEM	Bld	Bld	Bld	Bld	Ser/Plas
SCALE_TYP	Qn	Qn	Qn	Qn	Ord
METHOD_TYP	Thromboelastography.rotational	Thromboelastography.rotational.extrinsic coagulation system activated.platelets inhibited	Thromboelastography.rotational	Thromboelastography.rotational.extrinsic coagulation system activated.platelets inhibited	
CLASS	COAG	COAG	COAG	COAG	BLDBK

column	what it means
LOINC_NUM	LOINC code for a laboratory observation.

UpdatesAdditionalFields.csv

5.5 MB · 41 columns · not read by the graph

Serves: not used by the graph — 4.4M rows of laboratory observation codes across 56 files. Nothing in the schema consumes them; LOINC describes measurements, not drugs.

41 columns. Showing the 13 that identify a record; **28 hidden**.

column	row 1	row 2	row 3	row 4	row 5
RecType	BEFORE	CHANGED	BEFORE	CHANGED	BEFORE
LOINC_NUM	100030-6	100030-6	100031-4	100031-4	100032-2
COMPONENT	Axis I: Temporal aspects score	Axis I: Temporal aspects score	Axis II: Spatial aspects score	Axis II: Spatial aspects score	Axis III: Drug taking behavior score
PROPERTY	Score	Score	Score	Score	Score
TIME_ASPCT	Pt	Pt	Pt	Pt	Pt
SYSTEM	^Patient	^Patient	^Patient	^Patient	^Patient
CHNG_TYPE	ADD	ADD	ADD	ADD	ADD
STATUS	ACTIVE	ACTIVE	ACTIVE	ACTIVE	ACTIVE
CONSUMER_NAME					
HL7_FIELD_SUBFIELD_ID					
LONG_COMMON_NAME	Axis I: Temporal aspects score [Mainz Pain Staging System]	Axis I: Temporal aspects score [Mainz Pain Staging System]	Axis II: Spatial aspects score [Mainz Pain Staging System]	Axis II: Spatial aspects score [Mainz Pain Staging System]	Axis III: Drug taking behavior score [Mainz Pain Staging System]
STATUS_REASON					
STATUS_TEXT					

column	what it means
LOINC_NUM	LOINC code for a laboratory observation.

Serves: not used by the graph — 4.4M rows of laboratory observation codes across 56 files. Nothing in the schema consumes them; LOINC describes measurements, not drugs.

column	row 1	row 2	row 3	row 4	row 5
LOINC_NUM	50544-6	51760-7	5351-2	47855-2	48598-7
COMPONENT					
PROPERTY					
TIME_ASPECT					
SYSTEM					
SCALE_TYP					
METHOD_TYP					
CLASS					
SHORTNAME					
LONG_COMMON_NAME	Everolimus [Mass/volume] in Blood	Ehrlichia chaffeensis IgG+IgM Ab [Presence] in Serum or Plasma	Sjogrens syndrome-A extractable nuclear Ab [Presence] in Serum by Immunoassay	Fibroblast growth factor 23,C-terminal [Units/volume] in Plasma	BBS2 gene targeted mutation analysis in Blood or Tissue by Molecular genetics method
RELATEDNAMES2					
LinguisticVariantDisplayName	الإيفيروليمس في الدم (بتقنية الكتلة / الحجم)	الكشف عن تواجد أضداد الغلوبولين ليكتيريا إيرليخيا M و G المناعي نمط...شافينسيس في المصل أو ا	الكشف عن تواجد الأجسام المضادة النووية القابلة للاستخلاص من متلازمة...شوغرن-ا في المصل باستخ	الطرف الكربوكسيلي لعامل نمو الخلايا الليفية 23 في البلازما (بتقنية الوحدات / الحجم)	BBS2 تحليل الطفرات المستهدفة لجين في الدم أو الأنسجة باستخدام طريقة علم الوراثة الجزيئية

column	what it means
LOINC_NUM	LOINC code for a laboratory observation.

Serves: not used by the graph — 4.4M rows of laboratory observation codes across 56 files. Nothing in the schema consumes them; LOINC describes measurements, not drugs.

column	row 1	row 2	row 3	row 4	row 5
LOINC_NUM	101797-9	101801-9	105125-9	10929-8	1223-7
COMPONENT	8-aminoklonazolam	Diethylamid kyseliny 2-oxo-3-hydroxylysergové	Lysozomální střádavá onemocnění screening panel	Fenykl (Foeniculum vulgare) semeno IgE	M little g Ag
PROPERTY	Přítomnost nebo práh	Přítomnost nebo práh	-	Arbitrární koncentrace	Přítomnost nebo práh
TIME_ASPECT	Časový bod	Časový bod	Časový bod	Časový bod	Časový bod
SYSTEM	Moč	Moč	Moč	Sérum	Erytrocyty^Krevní produkt jednotka (BPU)
SCALE_TYP	Ordinální	Ordinální	-	Kvantitativní	Ordinální
METHOD_TYP	Konfirmace	Konfirmace			
CLASS	DRUG/TOX	DRUG/TOX	PANELCHEM	ALLERGY	BLDBK
SHORTNAME					
LONG_COMMON_NAME	8-aminoklonazolam [Přítomnost], systém: Moč, metoda: Konfirmace	Diethylamid kyseliny 2-oxo-3-hydroxylysergové [Přítomnost], systém: Moč, metoda: Konfirmac...	Lysozomální střádavá onemocnění screening panel, systém: Moč	Fenykl (Foeniculum vulgare) semeno IgE [Jednotky/objem], systém: Sérum	M little g Ag [Přítomnost], systém: Erytrocyty^Krevní produkt jednotka (BPU)
RELATEDNAMES2					
LinguisticVariantDisplayName					

column	what it means
LOINC_NUM	LOINC code for a laboratory observation.

deAT24LinguisticVariant.csv

654.5 KB · 12 columns · not read by the graph

Serves: not used by the graph — 4.4M rows of laboratory observation codes across 56 files. Nothing in the schema consumes them; LOINC describes measurements, not drugs.

column	row 1	row 2	row 3	row 4	row 5
LOINC_NUM	33512-5	35745-9	35867-1	4069-1	45269-8
COMPONENT					
PROPERTY					
TIME_ASPECT					
SYSTEM					
SCALE_TYP					
METHOD_TYP					
CLASS					
SHORTNAME					
LONG_COMMON_NAME					
RELATEDNAMES2	Farbe /SM	Steatokrit /ST	Acetoacetat	Triazolam	Chr.Leukämiepanel FC
LinguisticVariantDisplayName	Farbe /Sondermaterial	Steatokrit /ST	Acetoacetat	Triazolam	Chronisches Leukämiepanel Flowzytometrie

column	what it means
LOINC_NUM	LOINC code for a laboratory observation.

deDE15LinguisticVariant.csv

4.0 MB · 12 columns · not read by the graph

Serves: not used by the graph — 4.4M rows of laboratory observation codes across 56 files. Nothing in the schema consumes them; LOINC describes measurements, not drugs.

column	row 1	row 2	row 3	row 4	row 5
LOINC_NUM	14394-1	14396-6	24141-4	24147-1	25684-2
COMPONENT	Harnstoff-Stickstoff	Harnstoff-Stickstoff	Iva ciliata Ak.IgG	(Hühnerfeder+Entenfeder+Gänse feder) Ak.IgE	Immunglobulin Leichtketten.lambda
PROPERTY	Massenkonzentration	Massenkonzentration	Arbiträre Konzentration	Arbiträre Konzentration	Massenrate
TIME_ASPECT	Zeitpunkt	Zeitpunkt	Zeitpunkt	Zeitpunkt	24 Stunden
SYSTEM	Pleuraflüssigkeit	Synovialflüssigkeit	Serum	Serum	Urin
SCALE_TYP	Quantitativ	Quantitativ	Quantitativ	Quantitativ	Quantitativ
METHOD_TYP				Multidisk	
CLASS	Klinische Chemie (keine Funktionstests)	Klinische Chemie (keine Funktionstests)	Allergie	Allergie	Klinische Chemie (keine Funktionstests)
SHORTNAME					
LONG_COMMON_NAME	Harnstoff-Stickstoff [Masse/Volumen] in Pleuraflüssigkeit	Harnstoff-Stickstoff [Masse/Volumen] in Synovialflüssigkeit	Iva ciliata IgG-Antikörper [Einheiten/Volumen] in Serum	(Hühnerfeder+Entenfeder+Gänse feder) IgE-Antikörper [Einheiten/Volumen] in Serum mittels Mu...	Lambda-Leichtketten [Masse/Zeit] in 24-Stunden-Sammelurin
RELATEDNAMES2		Gelenksflüssigkeit			
LinguisticVariantDisplayName					

column	what it means
LOINC_NUM	LOINC code for a laboratory observation.

e1GR17LinguisticVariant.csv

27.7 MB · 12 columns · not read by the graph

Serves: not used by the graph — 4.4M rows of laboratory observation codes across 56 files. Nothing in the schema consumes them; LOINC describes measurements, not drugs.

column	row 1	row 2	row 3	row 4	row 5
LOINC_NUM	107877-3	107882-3	108217-1	108221-3	108347-6
COMPONENT	Κόκκινο φασόλι Αντισώματα IgG	Ocimum basilicum (Βασιλικός) Αντισώματα IgG	Ιός Epstein Barr DNA	Κυτταρομεγαλοϊός DNA	Λήψεις
PROPERTY	ACnc	ACnc	ACnc	LaCnc	Εύρεση
TIME_ASPECT	Pt	Pt	Pt	Pt	Pt
SYSTEM	Ορός/Πλάσμα	Ορός/Πλάσμα	XXX	ENY	Ολόκληρο σώμα
SCALE_TYP	Qn	Qn	Qn	Qn	Doc
METHOD_TYP	IA	IA	Ανιχνευτής,ενίσχυση,στόχου	Ανιχνευτής,ενίσχυση,στόχου	Ακτινογραφία XR.slot
CLASS	ALLERGY	ALLERGY	MICRO	MICRO	RAD
SHORTNAME					
LONG_COMMON_NAME					
RELATEDNAMES2	ACnc ALLERGY IA Pt Qn Ανοσοσφαιρίνη G Αντίσωμα Αντισώματα IgG Κόκκινο φασόλι Ορός Ορός/Πλά...	ACnc ALLERGY IA Ocimum basilicum (Βασιλικός) Pt Qn Ανοσοσφαιρίνη G Αντίσωμα Αντισώματα IgG...	ACnc DNA MICRO Pt Qn XXX Ανιχνευτής Ανιχνευτής,ενίσχυση Ανιχνευτής,ενίσχυση,στόχου Ιός Ιός...	DNA LaCnc MICRO Pt Qn Ανιχνευτής Ανιχνευτής,ενίσχυση Ανιχνευτής,ενίσχυση,στόχου ENY Κυτταρ...	Doc Pt RAD Ακτινογραφία Ακτινογραφία XR.slot Εύρεση Λήψεις Ολόκληρο σώμα Κυτταρ...
LinguisticVariantDisplayName					

column	what it means
LOINC_NUM	LOINC code for a laboratory observation.

esAR7LinguisticVariant.csv

10.0 MB · 12 columns · not read by the graph

Serves: not used by the graph — 4.4M rows of laboratory observation codes across 56 files. Nothing in the schema consumes them; LOINC describes measurements, not drugs.

column	row 1	row 2	row 3	row 4	row 5
LOINC_NUM	10369-7	10370-5	11295-3	11881-0	12297-8
COMPONENT	opíaceos	fenciclidina	empleo actual	cinta de medición	clorato
PROPERTY	contenido másico	contenido másico	hallazgo	longitud	concentración arbitraria
TIME_ASPECT	punto en el tiempo	punto en el tiempo	punto en el tiempo	punto en el tiempo	punto en el tiempo
SYSTEM	pelo	pelo	^paciente	útero	sangre
SCALE_TYP	cuantitativo	cuantitativo	Nominal	cuantitativo	ordinal
METHOD_TYP			informado	TAPE MEASURE	
CLASS	nivel de drogas y toxicología	nivel de drogas y toxicología	anamnesis y examen físico.anamnesis	obstetricia.ultrasonido	nivel de drogas y toxicología
SHORTNAME	opíaceos:contenido másico:punto en el tiempo;pelo:cuantitativo:	fenciclidina:contenido másico:punto en el tiempo;pelo:cuantitativo:	empleo actual:hallazgo:punto en el tiempo:^paciente:Nominal:informado	cinta de medición:longitud:punto en el tiempo:útero:cuantitativo:TAPE MEASURE	clorato:concentración arbitraria:punto en el tiempo:sangre:ordinal:
LONG_COMMON_NAME					
RELATEDNAMES2					
LinguisticVariantDisplayName					

column	what it means
LOINC_NUM	LOINC code for a laboratory observation.

esES12LinguisticVariant.csv

10.7 MB · 12 columns · not read by the graph

Serves: not used by the graph — 4.4M rows of laboratory observation codes across 56 files. Nothing in the schema consumes them; LOINC describes measurements, not drugs.

column	row 1	row 2	row 3	row 4	row 5
LOINC_NUM	106555-6	110114-6	110117-9	106513-5	110121-1
COMPONENT	Virus Herpes simplex 1 ADN	Barbituratos	TIF1-gamma Anticuerpos	Saltbush anual IgE	Theileria equi Anticuerpos
PROPERTY	PrThr	Medición	Medición	Concentración arbitraria	Medición
TIME_ASPECT	Punto temporal	-	-	Punto temporal	-
SYSTEM	Faringe	Suero o Plasma	Suero	Suero o Plasma	Suero
SCALE_TYP	Ord	-	-	Qn	-
METHOD_TYP	Sonda con amplificación dirigida			IA	
CLASS	Pruebas de Microbiología (Cultivos, DNA, antígenos y anticuerpos)	LABORDERS.ontology	LABORDERS.ontology	Pruebas de alergia	LABORDERS.ontology
SHORTNAME					
LONG_COMMON_NAME					
RELATEDNAMES2	Cuantitativo				
LinguisticVariantDisplayName					

column	what it means
LOINC_NUM	LOINC code for a laboratory observation.

esMX28LinguisticVariant.csv

18.3 MB · 12 columns · not read by the graph

Serves: not used by the graph — 4.4M rows of laboratory observation codes across 56 files. Nothing in the schema consumes them; LOINC describes measurements, not drugs.

column	row 1	row 2	row 3	row 4	row 5
LOINC_NUM	33512-5	24355-0	10003-2	10006-5	10007-3
COMPONENT	Color	Panel macroscópico de análisis de orina	Duración de la onda R. derivación III	Duración de la onda R. derivación V3	Duración de la onda R. derivación V4
PROPERTY	Tipo	-	Tiempo	Tiempo	Tiempo
TIME_ASPECT	Punto temporal	Punto temporal	Punto temporal	Punto temporal	Punto temporal
SYSTEM	XXX	Orina	Corazón	Corazón	Corazón
SCALE_TYP	Nominal	-	Cuantitativo	Cuantitativo	Cuantitativo
METHOD_TYP			EKG	EKG	EKG
CLASS					
SHORTNAME					
LONG_COMMON_NAME	Color: XXX : Punto temporal: Tipo: Nominal:	Panel macroscópico de análisis de orina: Orina : Punto temporal: -: -:	Duración de la onda R. derivación III:Corazón :Punto temporal:Tiempo:Cuantitativo:EKG	Duración de la onda R. derivación V3:Corazón :Punto temporal:Tiempo:Cuantitativo:EKG	Duración de la onda R. derivación V4:Corazón :Punto temporal:Tiempo:Cuantitativo:EKG
RELATEDNAMES2					
LinguisticVariantDisplayName					

column	what it means
LOINC_NUM	LOINC code for a laboratory observation.

etEE10LinguisticVariant.csv

3.6 MB · 12 columns · not read by the graph

Serves: not used by the graph — 4.4M rows of laboratory observation codes across 56 files. Nothing in the schema consumes them; LOINC describes measurements, not drugs.

column	row 1	row 2	row 3	row 4	row 5
LOINC_NUM	93488-5	93505-6	93729-2	93748-2	95073-3
COMPONENT	Guanidinoatsetaat	Heptakarboksüülporfüriin I	Beeta-2-mikroglobuliin/kreatiniin	Fibriini monomeerid	Histoplasma capsulatum antigeen
PROPERTY	SCnc	SRat	Suhe	MCnc	MCnc
TIME_ASPECT	Pt	24 tunni	24 tunni	Pt	Pt
SYSTEM	Vereplekk	U	U	PPP	BaF
SCALE_TYP	Qn	Qn	Qn	Qn	Qn
METHOD_TYP				IA	IA
CLASS	CHEM	CHEM	CHEM	COAG	MICRO
SHORTNAME					
LONG_COMMON_NAME					
RELATEDNAMES2	Aine kontsentratsioon Juhuslik Kvantitatiivne Veri	Aine määr Kvantitatiivne Uriin	Kvantitatiivne Uriin	Juhuslik Kvantitatiivne Trombotsüütidevaene plasma	Juhuslik Kvantitatiivne
LinguisticVariantDisplayName					

column	what it means
LOINC_NUM	LOINC code for a laboratory observation.

frBE23LinguisticVariant.csv

6.1 MB · 12 columns · not read by the graph

Serves: not used by the graph — 4.4M rows of laboratory observation codes across 56 files. Nothing in the schema consumes them; LOINC describes measurements, not drugs.

column	row 1	row 2	row 3	row 4	row 5
LOINC_NUM	103631-8	106016-9	106033-4	106034-2	103648-2
COMPONENT	Natalizumab	Bactéries	Bactéries	Champignon	Hormone folliculo-stimulante^4 h post dose hormone de libération des gonadotrophines
PROPERTY	Concentration de masse	Présence ou identité	Présence ou identité	Présence ou identité	Concentration arbitraire
TIME_ASPECT	Temps ponctuel	Temps ponctuel	Temps ponctuel	Temps ponctuel	Temps ponctuel
SYSTEM	Sérum	Pénis	Pus	Pus	Sérum/Plasma
SCALE_TYP	Ordinal	Nominal	Nominal	Nominal	Quantitatif
METHOD_TYP	IA	Culture	Culture anaérobie	Culture	
CLASS	Médicaments et produits toxiques	Microbiologie	Microbiologie	Microbiologie	Tests de provocation
SHORTNAME					
LONG_COMMON_NAME					
RELATEDNAMES2		Verge			4 h post dose GNRH FSH Gn-RF, Gonadotrophines-releasing factor
LinguisticVariantDisplayName					

column	what it means
LOINC_NUM	LOINC code for a laboratory observation.

frCA8LinguisticVariant.csv

6.7 MB · 12 columns · not read by the graph

Serves: not used by the graph — 4.4M rows of laboratory observation codes across 56 files. Nothing in the schema consumes them; LOINC describes measurements, not drugs.

column	row 1	row 2	row 3	row 4	row 5
LOINC_NUM	102269-8	102272-2	94618-6	100876-2	101053-7
COMPONENT	Taxodium distichum, IgE	Chrysanthemum leucanthemum, IgE	Virus respiratoire syncytial bovin	Imagerie multicoupe	Note d'évaluation
PROPERTY	Présence-Seuil	Présence-Seuil	Présence-Seuil	Observation	Observation
TIME_ASPECT	Temps ponctuel	Temps ponctuel	Temps ponctuel	Temps ponctuel	Temps ponctuel
SYSTEM	Sérum	Sérum	XXX	cœur^Foetus	{Situation}
SCALE_TYP	SemiQn	SemiQn	Ordinal	Document	Document
METHOD_TYP	RAST	RAST	Culture spécifique à un microorganisme	Échographie	Obstétrique.sage-femme
CLASS	Allergie	Allergie	Microbiologie	Obstétrique - échographie	Document.ontologie
SHORTNAME					
LONG_COMMON_NAME					
RELATEDNAMES2					
LinguisticVariantDisplayName					

column	what it means
LOINC_NUM	LOINC code for a laboratory observation.

frFR18LinguisticVariant.csv

11.6 MB · 12 columns · not read by the graph

Serves: not used by the graph — 4.4M rows of laboratory observation codes across 56 files. Nothing in the schema consumes them; LOINC describes measurements, not drugs.

column	row 1	row 2	row 3	row 4	row 5
LOINC_NUM	14576-3	14575-5	19145-2	19147-8	19146-0
COMPONENT	Anticorps irréguliers (RAI)	Anticorps irréguliers (RAI)	Nom du test de laboratoire de référence	Normes du test de laboratoire de référence	Résultats des tests du laboratoire de référence
PROPERTY	Interprétation	Interprétation	Type	Recherche	Recherche
TIME_ASPECT	Ponctuel	Ponctuel	Ponctuel	Ponctuel	Ponctuel
SYSTEM	Plasma/Érythrocytes	Plasma/Érythrocytes	Test de laboratoire de référence	Test de laboratoire de référence	Test de laboratoire de référence
SCALE_TYP	Résultat nominal	Résultat nominal	Résultat textuel	Résultat nominal	Résultat textuel
METHOD_TYP	Sénior relecture				
CLASS	Immunohématologie	Immunohématologie	Renseignements patient	Renseignements patient	Renseignements patient
SHORTNAME					
LONG_COMMON_NAME	Anticorps irréguliers (RAI) [Interprétation] Plasma/ Érythrocytes ; Résultat nominal ; Séni...	Anticorps irréguliers (RAI) [Interprétation] Plasma/ Érythrocytes ; Résultat nominal	Nom du test de laboratoire de référence [Type] Test de laboratoire de référence ; Résultat...	Normes du test de laboratoire de référence [Recherche] Test de laboratoire de référence ; ...	Résultats des tests du laboratoire de référence [Recherche] Test de laboratoire de référen...
RELATEDNAMES2					
LinguisticVariantDisplayName					

column	what it means
LOINC_NUM	LOINC code for a laboratory observation.

Serves: not used by the graph — 4.4M rows of laboratory observation codes across 56 files. Nothing in the schema consumes them; LOINC describes measurements, not drugs.

column	row 1	row 2	row 3	row 4	row 5
LOINC_NUM	96976-6	96981-6	96983-2	96992-3	97003-8
COMPONENT	Diossido di carbonio^a fine espirazione-Diossido di carbonio^a fine espirazione+Con eserc...	Trisomia 13+trisomia 18+triploidia, rischio	Gravidanza gemellare	Stato di somministrazione di vaccino	Persone in strutture a lunga degenza che sono completamente vaccinate
PROPERTY	PPresDiff	Probabilità	Osservazione	Loc	Num
TIME_ASPECT	Pt	Pt	Pt	Pt	Pt
SYSTEM	Exhl gas	WBC.DNA+Plas.cfDNA	^Paziente	^Evento	^popolazione
SCALE_TYP	Qn	Qn	Ord	Nom	Qn
METHOD_TYP		Calcolato			
CLASS	CARDIO-POLM	PATOL MOLECOLARE	CLIN	VACCINAZIONI	VACCINAZIONI
SHORTNAME					
LONG_COMMON_NAME					
RELATEDNAMES2	a fine espirazione+Con esercizio submassimale alla fine dell"espirazione Biossido di carb...	DNA libero circolante nel plasma Globuli bianchi Globuli bianchi+DNA libero circolante nel...	Clinico Osservazione paziente Punto nel tempo (episodio)	Posizione Punto nel tempo (episodio) Vaccinazioni	Numero (conta) Punto nel tempo (episodio) Vaccinazioni
LinguisticVariantDisplayName					

column	what it means
LOINC_NUM	LOINC code for a laboratory observation.

Serves: not used by the graph — 4.4M rows of laboratory observation codes across 56 files. Nothing in the schema consumes them; LOINC describes measurements, not drugs.

column	row 1	row 2	row 3	row 4	row 5
LOINC_NUM	10340-8	10341-6	10342-4	10343-2	10344-0
COMPONENT	Molindone	Norpropoxyphene	솔파메톡사졸	템마이즈팜	트라닐시프로민
PROPERTY	질량농도	질량농도	질량농도	질량농도	질량농도
TIME_ASPECT	검사시점	검사시점	검사시점	검사시점	검사시점
SYSTEM	혈청/혈장	혈청/혈장	혈청/혈장	혈청/혈장	혈청/혈장
SCALE_TYP	정량	정량	정량	정량	정량
METHOD_TYP					
CLASS					
SHORTNAME					
LONG_COMMON_NAME					
RELATEDNAMES2					
LinguisticVariantDisplayName					

column	what it means
LOINC_NUM	LOINC code for a laboratory observation.

loinc_crawled_codes.csv

5.4 KB · 20 columns · not read by the graph

Serves: not used by the graph — 4.4M rows of laboratory observation codes across 56 files. Nothing in the schema consumes them; LOINC describes measurements, not drugs.

column	row 1	row 2	row 3	row 4	row 5
loinc_num	100014-0	100019-9	100020-7	100024-9	100027-2
long_common_name	Psychosocial health is maintained at or improved from baseline	ALK gene mutations found [Identifier] in Blood or Tissue by Molecular genetics method Nomi...	GNA11 gene mutations found [Identifier] in Blood or Tissue by Molecular genetics method No...	SETBP1 gene mutations found [Identifier] in Blood or Tissue by Molecular genetics method N...	SMAD4 gene mutations found [Identifier] in Blood or Tissue by Molecular genetics method No...
status	Active	Active	Active	Active	Active
description					
fully_specified_name	Psychosocial health is maintained at or improved from baseline:Find:Pt:~Patient:Ord:	ALK gene targeted mutation analysis:Prid:Pt:Bld/Tiss:Nom:Molge n	GNA11 gene targeted mutation analysis:Prid:Pt:Bld/Tiss:Nom:Molge n	SETBP1 gene targeted mutation analysis:Prid:Pt:Bld/Tiss:Nom:Molge n	SMAD4 gene targeted mutation analysis:Prid:Pt:Bld/Tiss:Nom:Molge n
component	Psychosocial health is maintained at or improved from baseline	ALK gene targeted mutation analysis	GNA11 gene targeted mutation analysis	SETBP1 gene targeted mutation analysis	SMAD4 gene targeted mutation analysis
property	Find	Prid	Prid	Prid	Prid
time_aspect	Pt	Pt	Pt	Pt	Pt
system	^Patient	Bld/Tiss	Bld/Tiss	Bld/Tiss	Bld/Tiss
scale_type	Ord	Nom	Nom	Nom	Nom
method_type		Molgen	Molgen	Molgen	Molgen
short_name		ALK gene Mut Anl Bld/T	GNA11 gene Mut Anl Bld/T	SETBP1 gene Mut Anl Bld/T	SMAD4 gene Mut Anl Bld/T
display_name		ALK gene targeted mutation analysis Molgen Nom (Bld/Tiss)	GNA11 gene targeted mutation analysis Molgen Nom (Bld/Tiss)	SETBP1 gene targeted mutation analysis Molgen Nom (Bld/Tiss)	SMAD4 gene targeted mutation analysis Molgen Nom (Bld/Tiss)
class	SURVEY.PNDS	MOLPATH.MUT	MOLPATH.MUT	MOLPATH.MUT	MOLPATH.MUT
type	Surveys	Laboratory	Laboratory	Laboratory	Laboratory
first_released	Version 2.72	Version 2.72	Version 2.72	Version 2.72	Version 2.72
last_updated	Version 2.72 (ADD)	Version 2.72 (ADD)	Version 2.72 (ADD)	Version 2.72 (ADD)	Version 2.72 (ADD)
order_obs	Observation	Both	Both	Both	Both
related_names	Finding; Findings; Ordinal; Point in time; QL; Qual; Qualitative; Random; Screen; Survey; ...	ALK receptor tyrosine kinase; Anaplastic lymphoma kinase (Ki-1); Blood; Identity or presen...	Blood; FBH; FBH2; FHH2; G protein subunit alpha 11; GNA-11; HHC2; HYPOC2; Identity or pres...	Blood; Identity or presence; Molecular genetics; Molecular pathology; MOLPATH; MOLPATH.MUT...	Blood; Identity or presence; Molecular genetics; Molecular pathology; MOLPATH; MOLPATH.MUT...
example_units					

column	what it means
loinc_num	LOINC code for a laboratory observation.

loinc_parts.csv

7.6 MB · 5 columns · not read by the graph

Serves: not used by the graph — 4.4M rows of laboratory observation codes across 56 files. Nothing in the schema consumes them; LOINC describes measurements, not drugs.

column	row 1	row 2	row 3	row 4	row 5
PartNumber	LP101394-7	LP101907-6	LP115711-6	LP147359-6	LP173482-3
PartTypeName	ADJUSTMENT	ADJUSTMENT	ADJUSTMENT	ADJUSTMENT	ADJUSTMENT
PartName	adjusted for maternal weight	corrected for age	corrected for background	adjusted for body weight	1st specimen
PartDisplayName	adjusted for maternal weight	corrected for age	corrected for background	adjusted for body weight	1st specimen
Status	ACTIVE	ACTIVE	ACTIVE	ACTIVE	DEPRECATED

loinc_table.csv

24.8 MB · 15 columns · not read by the graph

Serves: not used by the graph — 4.4M rows of laboratory observation codes across 56 files. Nothing in the schema consumes them; LOINC describes measurements, not drugs.

column	row 1	row 2	row 3	row 4	row 5
LOINC_NUM	100000-9	100001-7	100002-5	100003-3	100004-1
COMPONENT	Health informatics pioneer and the father of LOINC	Health informatics pioneer and cofounder of LOINC	Specimen care is maintained	Team communication is maintained throughout care	Demonstrates knowledge of the expected psychosocial responses to the procedure
PROPERTY	Hx	Hx	Find	Find	Find
TIME_ASPECT	Pt	Pt	Pt	Pt	Pt
SYSTEM	^Patient	^Patient	^Patient	^Patient	^Patient
SCALE_TYP	Nar	Nar	Ord	Ord	Ord
METHOD_TYP					
CLASS	H&P.HX	H&P.HX	SURVEY.PNDS	SURVEY.PNDS	SURVEY.PNDS
CLASSTYPE	2	2	4	4	4
LONG_COMMON_NAME	Health informatics pioneer and the father of LOINC	Health informatics pioneer and cofounder of LOINC	Specimen care is maintained	Team communication is maintained throughout care	Demonstrates knowledge of the expected psychosocial responses to the procedure
SHORTNAME	Health Info Pioneer+Father of LOINC	Health Info Pioneer+Cofound LOINC			
EXTERNAL_COPYRIGHT_NOTICE					
STATUS	ACTIVE	ACTIVE	ACTIVE	ACTIVE	ACTIVE
VersionFirstReleased	2.74	2.74	2.72	2.72	2.72
VersionLastChanged	2.74	2.74	2.72	2.72	2.72

column	what it means
LOINC_NUM	LOINC code for a laboratory observation.

nINL22LinguisticVariant.csv

12.4 MB · 12 columns · not read by the graph

Serves: not used by the graph — 4.4M rows of laboratory observation codes across 56 files. Nothing in the schema consumes them; LOINC describes measurements, not drugs.

column	row 1	row 2	row 3	row 4	row 5
LOINC_NUM	106031-8	99395-6	99397-2	99398-0	99598-5
COMPONENT	Chlamydia trachomatis DNA	siderocyten/100 erythroblasten	siderocyten.type 2/100 erythroblasten	siderocyten.type 3/100 erythroblasten	dysmorfe erythrocyten/100 erythrocyten
PROPERTY	identificator	getalsfractie	getalsfractie	getalsfractie	getalsfractie
TIME_ASPECT	moment	moment	moment	moment	moment
SYSTEM	peritoneaalvocht	bloed of beenmerg	bloed of beenmerg	bloed of beenmerg	urine
SCALE_TYP	nominaal	kwantitatief	kwantitatief	kwantitatief	kwantitatief
METHOD_TYP	probe-detectie	puisisch-blauwkleuring	puisisch-blauwkleuring	puisisch-blauwkleuring	geautomatiseerde telling
CLASS	microbiologie	hematologie en celtelling	hematologie en celtelling	hematologie en celtelling	urineonderzoek
SHORTNAME					
LONG_COMMON_NAME	Chlamydia trachomatis DNA [identificator] in peritoneaalvocht d.m.v. probe-detectie	Siderocyten/100 erythroblasten [getalsfractie] in bloed of beenmerg d.m.v. puisisch-blauwk...	Siderocyten.type 2/100 erythroblasten [getalsfractie] in bloed of beenmerg d.m.v. puisisch...	Siderocyten.type 3/100 erythroblasten [getalsfractie] in bloed of beenmerg d.m.v. puisisch...	Dysmorfe erythrocyten/100 erythrocyten [getalsfractie] in urine d.m.v. geautomatiseerde tell...
RELATEDNAMES2	probe.amp.tar		soort	soort	erythrocyten.dysmorf
LinguisticVariantDisplayName					

column	what it means
LOINC_NUM	LOINC code for a laboratory observation.

Serves: not used by the graph — 4.4M rows of laboratory observation codes across 56 files. Nothing in the schema consumes them; LOINC describes measurements, not drugs.

column	row 1	row 2	row 3	row 4	row 5
LOINC_NUM	13401-5	2198-0	27337-5	27352-4	27355-7
COMPONENT	Hydroksypolina	Delta aminolewulinian	Amino beta guanidynopropionian	Homocystyna	Lipoproteina.pre-beta
PROPERTY	stężenie masowe	stężenie masowe	stężenie molowe	stężenie w jednostkach umownych	granica wykrywalności
TIME_ASPECT	punkt w czasie	punkt w czasie	punkt w czasie	punkt w czasie	punkt w czasie
SYSTEM	płyn owodniowy	osocze	płyn mózgowo-rdzeniowy	surowica lub osocze	płyn opłukowy
SCALE_TYP	ilościowy	ilościowy	ilościowy	ilościowy	uporządkowany
METHOD_TYP					
CLASS	badania biochemiczne - testy bez obciążenia	badania biochemiczne - testy bez obciążenia	badania biochemiczne - testy bez obciążenia	badania biochemiczne - testy bez obciążenia	badania biochemiczne - testy bez obciążenia
SHORTNAME					
LONG_COMMON_NAME					
RELATEDNAMES2	Kwas delta-aminolewulinowy;ALA				Pre-beta lipoproteina
LinguisticVariantDisplayName					

column	what it means
LOINC_NUM	LOINC code for a laboratory observation.

Serves: not used by the graph — 4.4M rows of laboratory observation codes across 56 files. Nothing in the schema consumes them; LOINC describes measurements, not drugs.

column	row 1	row 2	row 3	row 4	row 5
LOINC_NUM	2750-8	4276-2	52060-1	52061-9	58527-3
COMPONENT	pH	Hidrocodona	Standers + quadro permanente anexado	Superfícies de apoio anexo	Corticotrofina^90 min após dose de glucagon
PROPERTY	LsCnc	Massa	Achado	Achado	
TIME_ASPECT	Pt	Pt	Pt	Pt	Pt
SYSTEM	LiqPleur	Dose	^Paciente	^Paciente	Plas
SCALE_TYP	Qn	Qn	Doc	Doc	Qn
METHOD_TYP					
CLASS	CHEM	DRUGDOSE	ATTACH.GENERAL	ATTACH.GENERAL	CHAL
SHORTNAME	pH Plr	Hydrocodone Dose			
LONG_COMMON_NAME					
RELATEDNAMES2	Log molar concentration; Point in time; Random; thoracentesis fluid; Pleural fluid; Quanti...	Vicodin; Dihydrocodeinone; Point in time; Random; Quantitative; QNT; Quant; Quan; DRUG DOS...	Finding; Findings; Point in time; Random	Finding; Findings; Point in time; Random	
LinguisticVariantDisplayName					

column	what it means
LOINC_NUM	LOINC code for a laboratory observation.

ruRU20LinguisticVariant.csv

16.1 MB · 12 columns · not read by the graph

Serves: not used by the graph — 4.4M rows of laboratory observation codes across 56 files. Nothing in the schema consumes them; LOINC describes measurements, not drugs.

column	row 1	row 2	row 3	row 4	row 5
LOINC_NUM	99416-0	99424-4	99367-5	99368-3	99384-0
COMPONENT	Протеин.моноклональная полоса 2	Пенициллин G At.IgG4	Theobroma cacao At.IgG	Глиадин At.IgG	Креатинин
PROPERTY	МассКонц	МассКонц	МассКонц	МассКонц	МольРасх
TIME_ASPECT	ТчкВрм	ТчкВрм	ТчкВрм	ТчкВрм	6 часов
SYSTEM	Сыв/Плаз	Сыв	Сыв	Сыв	Моча
SCALE_TYP	Колич	Колич	Колич	Колич	Колич
METHOD_TYP	Иммунофиксация				
CLASS	CHEM	ALLERGY	ALLERGY	SERO	CHEM
SHORTNAME					
LONG_COMMON_NAME					
RELATEDNAMES2	Белок Белок.моноклональная полоса 2 Количественный Массовая концентрация Плазма Сыворотка ...	Антитело Количественный Массовая концентрация Сыворотка Точка во времени;Момент	Антитело Какао (Theobroma cacao) Количественный Массовая концентрация Сыворотка Точка во в...	Антитело Количественный Массовая концентрация Сыворотка Точка во времени;Момент	Количественный Молярная скорость;Молярный расход
LinguisticVariantDisplayName					

column	what it means
LOINC_NUM	LOINC code for a laboratory observation.

trTR19LinguisticVariant.csv

5.1 MB · 12 columns · not read by the graph

Serves: not used by the graph — 4.4M rows of laboratory observation codes across 56 files. Nothing in the schema consumes them; LOINC describes measurements, not drugs.

column	row 1	row 2	row 3	row 4	row 5
LOINC_NUM	93429-9	93432-3	93450-5	91860-7	91866-4
COMPONENT	Blastomyces sp Ag	Blastomyces sp Ag	Koagülasyon faktörü VIII inhibitörü	Chlamydia trachomatis Ag	Bakteri
PROPERTY	KütlKons	KütlKons	SçKons	MevcEşik	MevcKimlik
TIME_ASPECT	Zmli	Zmli	Zmli	Zmli	Zmli
SYSTEM	İdrar	BAL	TFkP	Genital	Ağız
SCALE_TYP	Kant	Kant	Kant	Srl	Snf
METHOD_TYP	İA	İA	Kromo	İF	Aerobik kültür
CLASS	MICRO	MICRO	COAG	MICRO	MICRO
SHORTNAME					
LONG_COMMON_NAME					
RELATEDNAMES2	Antijen İmmünölçüm, immünoassay	Antijen Bronkoalveoler lavaj İmmünölçüm, immünoassay		Antijen İmmünflorerans Mevcut	
LinguisticVariantDisplayName					

column	what it means
LOINC_NUM	LOINC code for a laboratory observation.

ukUA30LinguisticVariant.csv

2.3 MB · 12 columns · not read by the graph

Serves: not used by the graph — 4.4M rows of laboratory observation codes across 56 files. Nothing in the schema consumes them; LOINC describes measurements, not drugs.

column	row 1	row 2	row 3	row 4	row 5
LOINC_NUM	34703-9	36921-5	44873-8	44871-2	41149-6
COMPONENT	Вірус Гепатиту С РНК	Вірус простого герпесу 1+2 Антитіла.IgG	ВІЛ 1 та 2, Антитіла	ВІЛ 1 провірусна ДНК	Вірус простого герпесу 1+2 Антитіла.IgM
PROPERTY	Довільна Концентрація	Наявність або Поріг	Наявність або Поріг	Наявність або Поріг	Наявність або Поріг
TIME_ASPECT	МоментЧасу	МоментЧасу	МоментЧасу	МоментЧасу	МоментЧасу
SYSTEM	Сироватка/Плазма	Сироватка	Сироватка	Кров	Сироватка
SCALE_TYP	Кількісно	Порядково	Порядково	Порядково	Порядково
METHOD_TYP	Зонд-детекція. цільова ампліфікація НК межа визначення = 500 МО/мл		Імуноблот	Зонд-детекція. цільова ампліфікація НК	
CLASS	Мікробіологія	Мікробіологія	Мікробіологія	Мікробіологія	Мікробіологія
SHORTNAME	Вірус Гепатиту С РНК ДовКонц Свтк/Плаз Зонд-детек. ціль ампліф НК меж визн = 500 МО/мл	Вірус простого герпесу 1+2 Антитіла.IgG НвнПор Свтк	ВІЛ 1 та 2, Антитіла НвнПор Свтк ІВ	ВІЛ 1 провірусна ДНК НвнПор Кров Зонд-детек. ціль ампліф НК	Вірус простого герпесу 1+2 Антитіла.IgM НвнПор Свтк
LONG_COMMON_NAME	Вірус Гепатиту С РНК [Довільна Концентрація] у Сироватці/Плазмі методом Зонд-детекції.ціль...	Вірус простого герпесу 1+2 Антитіла.IgG [Наявність або Поріг] у Сироватці	ВІЛ 1 та 2, Антитіла [Наявність або Поріг] у Сироватці методом Імуноблоту	ВІЛ 1 провірусна ДНК [Наявність або Поріг] у Крові методом Зонд-детекції.цільової ампліфі...	Вірус простого герпесу 1+2 Антитіла.IgM [Наявність або Поріг] у Сироватці
RELATEDNAMES2	3 Self-Sustaining Sequence Replication; 3SR SR; Amplif; Amplification; Amplified; Arbitrar...	ABS; Aby; Antby; Anti; Antibodies; Antibody; Autoantibodies; Autoantibody; Herp splx; Herp...	ABS; Aby; AIDS; Antby; Anti; Antibodies; Antibody; Autoantibodies; Autoantibody; BIt; HIV ...	3 Self-Sustaining Sequence Replication; 3SR SR; AIDS; Amplif; Amplification; Amplified; Bl...	ABS; Aby; Antby; Anti; Antibodies; Antibody; Autoantibodies; Autoantibody; Herp splx; Herp...
LinguisticVariantDisplayName	Вірус Гепатиту С РНК Зонд-детек. ціль ампліф НК межа визначення = 500 МО/мл (Свтк/Плаз) [Д...	Вірус простого герпесу 1+2 Антитіла.IgG (Свтк) [НвнПор]	ВІЛ 1 та 2, Антитіла ІВ (Свтк) [НвнПор]	ВІЛ 1 провірусна ДНК Зонд-детек. ціль ампліф НК (Крові) [НвнПор]	Вірус простого герпесу 1+2 Антитіла.IgM (Свтк) [НвнПор]

column	what it means
LOINC_NUM	LOINC code for a laboratory observation.

zhCN5LinguisticVariant.csv

90.6 MB · 12 columns · not read by the graph

Serves: not used by the graph — 4.4M rows of laboratory observation codes across 56 files. Nothing in the schema consumes them; LOINC describes measurements, not drugs.

column	row 1	row 2	row 3	row 4	row 5
LOINC_NUM	11702-8	11704-4	11707-7	11708-5	11712-7
COMPONENT	血流速度.收缩期.最大值	血流速度.收缩期.最大值	血流速度.收缩期.最大值	血流速度.收缩期.最大值	血流速度.收缩期.最大值
PROPERTY	速度	速度	速度	速度	速度
TIME_ASPECT	时间点	时间点	时间点	时间点	时间点
SYSTEM	大脑中动脉	动脉导管	二尖瓣^胎儿	二尖瓣	三尖瓣
SCALE_TYP	定量型	定量型	定量型	定量型	定量型
METHOD_TYP	超声.多普勒	超声.多普勒	超声.多普勒	超声.多普勒	超声.多普勒
CLASS	产科学检查与测量指标.超声	产科学检查与测量指标.超声	产科学检查与测量指标.超声	心脏病学检查与变量.超声	心脏病学检查与变量.超声
SHORTNAME					
LONG_COMMON_NAME					
RELATEDNAMES2	Cereb 产科.产科.超声.产科.超声.印象与测量指标.产科学.超声.产科学.超声.印象与测量指标.产科学检查与测量指标.超声.印象与测量指标.产科学超声印象与测量指标.产科学 ...	产科.产科.超声.产科.超声.印象与测量指标.产科学.超声.产科学.超声.印象与测量指标.产科学检查与测量指标.超声.印象与测量指标.产科学超声印象与测量指标.产科学动态.动脉管...	产科.产科.超声.产科.超声.印象与测量指标.产科学.超声.产科学.超声.印象与测量指标.产科学检查与测量指标.超声.印象与测量指标.产科学超声印象与测量指标.产科学僧帽瓣.动态...	僧帽瓣.动态.可用数量表示的.定量性.数值型.数量型.连续数值型标尺.心脏病学.心脏病学.超声.心脏超声.心脏超声.多普勒.时刻.随机.随意.瞬间.最大.极大值.流.流量.流速;流...	动态.可用数量表示的.定量性.数值型.数量型.连续数值型标尺.心脏病学.心脏病学.超声.心脏超声.心脏超声.多普勒.时刻.随机.随意.瞬间.最大.极大值.流.流量.流速.流体.血...
LinguisticVariantDisplayName					

column	what it means
LOINC_NUM	LOINC code for a laboratory observation.

4 CSV (52.0 MB) · 1 json (245 B)

example filenames:

_LATEST.json

mesh_descriptors.csv

13.5 MB · 7 columns · read by the graph

Serves: tree_numbers give the hierarchy: C04.588.322's parent is the descriptor owning C04.588.

Builds: node:Disease , edge:SUBTYPE_OF

column	row 1	row 2	row 3	row 4	row 5
descriptor_ui	D000001	D000002	D000003	D000004	D000005
name	Calcimycin	Temefos	Abattoirs	Abbreviations as Topic	Abdomen
scope_note	An ionophorous, polyether antibiotic from Streptomyces chartreusensis. It binds and transp...	An organothiophosphate insecticide.	Places where animals are slaughtered and dressed for market.	Works about shortened forms of written words or phrases used for brevity.	That portion of the body that lies between the THORAX and the PELVIS.
tree_numbers	D02.355.291.933.125;D02.540.576.6 25.125;D03.633.100.221.173;D04.34 5.241.654.125;D04.345.67...	D02.705.400.625.800;D02.705.539.3 45.800;D02.886.300.692.800	J01.576.423.200.700.100;J03.540.02 0	L01.559.598.400.556.131	A01.923.047
registry_number	37H9VM9WZL	ONP3ME32DL			
synonyms	4-Benzoxazolecarboxylic acid, 5-(methylamino)-2-((3,9,11-trimethyl-8-(1-methyl-2-oxo-2-(1H...	Abate;Difos;Temephos	Abattoir;House, Slaughter;Houses, Slaughter;Slaughter House;Slaughter Houses;Slaughterhous...	Acronyms as Topic	Abdomens
pharmacological_actions	Anti-Bacterial Agents;Calcium Ionophores	Insecticides			

mesh_pharmacological_actions.csv

2.5 MB · 5 columns · read by the graph

Serves: 568 action classes. 21,164 of the substance names resolve; the rest are supplemental records GSRS has never heard of, and an IN_CLASS edge to a provisional key is worse than no edge.

Builds: node:DrugClass , edge:IN_CLASS

column	row 1	row 2	row 3	row 4	row 5
action_descriptor_ui	D000019	D000019	D000019	D000019	D000019
action_name	Abortifacient Agents	Abortifacient Agents	Abortifacient Agents	Abortifacient Agents	Abortifacient Agents
substance_record_ui	C068866	C411102	C010714	C016767	C002443
substance_name	alatriopril	Z13752A	dinoprost tromethamine	sulprostone	neem oil
substance_type	Supplemental	Supplemental	Supplemental	Supplemental	Supplemental

mesh_qualifiers.csv

17.0 KB · 5 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. MeSH. The disease spine of the graph.

column	row 1	row 2	row 3	row 4	row 5
qualifier_ui	Q000002	Q000008	Q000009	Q000031	Q000032
name	abnormalities	administration & dosage	adverse effects	analogs & derivatives	analysis
abbreviation	AB	AD	AE	AA	AN
scope_note	Used with organs for congenital defects producing changes in the morphology of the organ. ...	Used with drugs for dosage forms, routes of administration, frequency and duration of admi...	Used with drugs, chemicals, or biological agents in accepted dosage - or with physical age...	Used with drugs and chemicals for substances that share the same parent molecule or have s...	Used for the identification or quantitative determination of a substance or its constituen...
tree_numbers	Y02.030.010	Y07.010;Y10.010	Y07.020;Y10.020	Y03.020	Y01

mesh_supplemental_concepts.csv

36.0 MB · 6 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. MeSH. The disease spine of the graph.

column	row 1	row 2	row 3	row 4	row 5
supplemental_ui	C000002	C000006	C000009	C000011	C000015
name	bevonium	insulin, neutral	N-acetylglucosaminylasparagine	5-(n-acetaminophenylazo)-8-oxyquinoline	N-acetyl-L-arginine
registry_number	34B0471E08	AVT680JB39	2776-93-4	26424-51-1	TQ7DL04CAE
heading_mapped_to_uis	*D001561	*D061389	D000117	D015125	D001120
heading_mapped_to_names	Benzilates	Insulin, Regular, Pork	Acetylglucosamine	Oxyquinoline	Arginine
synonyms	2-(hydroxymethyl)-N,N-dimethylpiperidinium benzilate;Acabel;CG 201;bevonium methyl sulfate...	Actrapid insulin;Novo MC insulin;insulin (ox), 8(A)-L-threonine-10(A)-L-isoleucine;-insuli...	2-acetamido-1-(beta-L-aspartamido)-1,2-dideoxy-beta-D-glucose;2-acetamido-1-N-(4'-L-aspart...		N-alpha-acetylarginine;acetyl arginine

Regulatory Approvals

Agency registers, and the source of nearly every document in the lake. Products, approvals, patents, exclusivities, labels.

accessdata.fda.gov-orangebook

4 CSV (20.7 MB) · 1 json (384 B)

example filenames:

_LATEST.json

exclusivity_enriched.csv

293.7 KB · 6 columns · read by the graph

Serves: FDA market exclusivity periods. With patents, the other half of when a drug can face generic competition - and frozen, since Orange Book is IP-blocked.

Builds: node:Exclusivity , edge:HAS_EXCLUSIVITY

column	row 1	row 2	row 3	row 4	row 5
Appl_Type	N	N	N	N	N
Appl_No	017031	018680	018735	018735	018735
Product_No	001	001	002	003	006
Exclusivity_Code	RTO	D-193	I-975	I-975	I-975
Exclusivity_Date	Jul 13, 2026	Jun 28, 2027	Oct 10, 2028	Oct 10, 2028	Oct 10, 2028
Exclusivity_Definition	RX TO OTC SWITCH OR OTC USE	NEW INSERTER INTENDED TO FACILITATE SINGLE-HAND PLACEMENT	FOR ORAL ADMINISTRATION TO DELINEATE THE GASTROINTESTINAL TRACT ON COMPUTED TOMOGRAPHY OF ...	FOR ORAL ADMINISTRATION TO DELINEATE THE GASTROINTESTINAL TRACT ON COMPUTED TOMOGRAPHY OF ...	FOR ORAL ADMINISTRATION TO DELINEATE THE GASTROINTESTINAL TRACT ON COMPUTED TOMOGRAPHY OF ...

column	what it means
Appl_No	See application_no.
Product_No	Product number within an FDA application.
Exclusivity_Code	FDA exclusivity type code.

Serves: Chosen over products.csv: same rows, 18 columns instead of 14, including Applicant_Full_Name and TE_Code.

Builds: node:Product , id:FDA_APPL_NO , edge:CONTAINS , node:Company , node:Approval

column	row 1	row 2	row 3	row 4	row 5
Ingredient	BUDESONIDE	BUDESONIDE	MINOCYCLINE HYDROCHLORIDE	AZELAIC ACID	BETAMETHASONE VALERATE
Trade_Name	BUDESONIDE	UCERIS	AMZEEQ	AZELAIC ACID	BETAMETHASONE VALERATE
Dosage_Form_Route	AEROSOL, FOAM;RECTAL	AEROSOL, FOAM;RECTAL	AEROSOL, FOAM;TOPICAL	AEROSOL, FOAM;TOPICAL	AEROSOL, FOAM;TOPICAL
Strength	2MG/ACTUATION	2MG/ACTUATION	EQ 4% BASE	15%	0.12%
Applicant	PADAGIS ISRAEL	SALIX	JOURNEY	AUROBINDO PHARMA USA	ALEMBIC
Applicant_Full_Name	PADAGIS ISRAEL PHARMACEUTICALS LTD	SALIX PHARMACEUTICALS INC	JOURNEY MEDICAL CORP	AUROBINDO PHARMA USA INC	ALEMBIC PHARMACEUTICALS LTD
Appl_Type	A	N	N	A	A
Appl_No	215328	205613	212379	210928	215832
Product_No	001	001	001	001	001
TE_Code	AB	AB			AB
Approval_Date	Apr 12, 2023	Oct 7, 2014	Oct 18, 2019	Oct 7, 2020	Aug 22, 2024
Type	RX	RX	RX	DISCN	RX
RLD	No	Yes	Yes	No	No
RS	Yes	No	Yes	No	No
Active_Patents_Count	0	0	12	0	0
Active_Patents_List	Patent 10137200 (Exp: Oct 1, 2030) [Use: U-2647 - TREATMENT OF NON-NODULAR ACNE VULGARIS] ...				
Active_Exclusivities_Count	0	0	0	0	0
Active_Exclusivities_List					

column	what it means
Appl_No	See application_no.
Product_No	Product number within an FDA application.

patents_enriched.csv

2.9 MB · 11 columns · read by the graph

Serves: Joins to Product on Appl_No + Product_No. Patent_Use_Code distinguishes a substance patent from a formulation one.

Builds: node:Patent , edge:PROTECTED_BY

column	row 1	row 2	row 3	row 4	row 5
Appl_Type	N	N	N	N	N
Appl_No	020610	018613	019734	019734	020832
Product_No	001	001	002	005	007
Patent_No	7625884	7560445	8455524	8455524	7422388
Patent_Expire_Date_Text	Aug 24, 2026	Feb 1, 2027	Apr 18, 2027	Apr 18, 2027	Apr 25, 2027
Drug_Substance_Flag		Y			
Drug_Product_Flag		Y			Y
Patent_Use_Code	U-141	U-986	U-1029	U-1029	U-1397
Delist_Flag					
Submission_Date			Jun 27, 2013		
Patent_Use_Definition	TREATMENT OF ULCERATIVE COLITIS	TREATMENT OF PATIENTS INFECTED WITH PEDICULUS HUMANUS CAPITIS (HEAD LICE AND THEIR OVA) OF...	METHOD FOR TREATING ACUTE ELEVATIONS OF BLOOD PRESSURE IN HUMAN SUBJECT IN NEED THEREOF	METHOD FOR TREATING ACUTE ELEVATIONS OF BLOOD PRESSURE IN HUMAN SUBJECT IN NEED THEREOF	USE AS AN ANTISEPTIC FOR THE PREPARATION OF A PATIENT'S SKIN PRIOR TO SURGERY

column	what it means
Appl_No	See application_no.
Product_No	Product number within an FDA application.
Patent_No	US patent number from the Orange Book.
Patent_Expire_Date_Text	Written as free text, including values like "Approved Prior to Jan 1, 1982". Not comparable as a date.

products.csv

7.2 MB · 14 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Orange Book. Patents and exclusivities for small molecules - the only source of either. Now IP-blocked, so this data is frozen.

column	row 1	row 2	row 3	row 4	row 5
Ingredient	BUDESONIDE	BUDESONIDE	MINOCYCLINE HYDROCHLORIDE	AZELAIC ACID	BETAMETHASONE VALERATE
DF;Route	AEROSOL, FOAM;RECTAL	AEROSOL, FOAM;RECTAL	AEROSOL, FOAM;TOPICAL	AEROSOL, FOAM;TOPICAL	AEROSOL, FOAM;TOPICAL
Trade_Name	BUDESONIDE	UCERIS	AMZEEQ	AZELAIC ACID	BETAMETHASONE VALERATE
Applicant	PADAGIS ISRAEL	SALIX	JOURNEY	AUROBINDO PHARMA USA	ALEMBIC
Strength	2MG/ACTUATION	2MG/ACTUATION	EQ 4% BASE	15%	0.12%
Appl_Type	A	N	N	A	A
Appl_No	215328	205613	212379	210928	215832
Product_No	001	001	001	001	001
TE_Code	AB	AB			AB
Approval_Date	Apr 12, 2023	Oct 7, 2014	Oct 18, 2019	Oct 7, 2020	Aug 22, 2024
RLD	No	Yes	Yes	No	No
RS	Yes	No	Yes	No	No
Type	RX	RX	RX	DISCN	RX
Applicant_Full_Name	PADAGIS ISRAEL PHARMACEUTICALS LTD	SALIX PHARMACEUTICALS INC	JOURNEY MEDICAL CORP	AUROBINDO PHARMA USA INC	ALEMBIC PHARMACEUTICALS LTD

column	what it means
Appl_No	See application_no.
Product_No	Product number within an FDA application.

ema.europa.eu

15 CSV (12.8 MB) · 22,150 .pdf, 1 .json (17.5 GB)

Documents: EPARs - European Public Assessment Reports. Assessment history, SmPC and package leaflet per product.

example filenames:

- _LATEST.json
- document_4d66cfc8_en.pdf
- document_55ab17fe_en.pdf

dhpc.csv

38.1 KB · 16 columns · read by the graph

Serves: type=dhpc

Builds: node:RegulatoryEvent , edge:SUBJECT_OF

column	row 1	row 2	row 3	row 4	row 5
category	Human	Human	Human	Human	Human
name_of_medicine	Vyvgart	Tavneos	Ixchiq	Evrysdi	Tecovirimat SIGA
procedure_number		EMA/REF/0000325221			EMA/REF/0000287477
active_substances	efgartigimod alfa	avacopan	Chikungunya virus, strain CHIKV LR2006-OPY1, live attenuated	risdiplam	tecovirimat monohydrate
dhpc_type	Quality defect	Referral - Article 20 procedure	Adverse event;Restriction of indication	Quality defect	Restriction of indication
regulatory_outcome		Revocation	Variation		Variation
referral_name		Tavneos	Ixchiq		Tecovirimat SIGA
atc_code_human	L04AA58	L04	J07BP01	M09AX10	J05AX24
atcvet_code_veterinary					
therapeutic_area_mesh	Myasthenia Gravis;Polyradiculoneuropathy, Chronic Inflammatory Demyelinating	Microscopic Polyangiitis;Wegener Granulomatosis	Chikungunya virus	Muscular Atrophy, Spinal	Poxviridae Infections;Cowpox;Monkeypox; Vaccinia;Smallpox
species					
other_related_medicines_nationally_authorised					
dissemination_date	23/07/2026	16/07/2026	14/07/2026	12/06/2026	11/05/2026
first_published_date	24/07/2026	17/07/2026	14/07/2026	22/06/2026	13/05/2026
last_updated_date					13/05/2026
dhpc_url	https://www.ema.europa.eu/en/medicines/dhpc/vyvgart	https://www.ema.europa.eu/en/medicines/dhpc/tavneos	https://www.ema.europa.eu/en/medicines/dhpc/ixchiq-1	https://www.ema.europa.eu/en/medicines/dhpc/evrysdi-0	https://www.ema.europa.eu/en/medicines/dhpc/tecovirimat-siga

ema_clinical_trials.csv

231 B · 18 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. European Medicines Agency. Product register plus EPAR documents.

No data row could be sampled — the file is header-only, or its first record is larger than the read window.

column
document_url
ema_product_number
medicine_name
nct_id
brief_title
official_title
overall_status
start_date
sponsor
condition
phase
intervention_name
intervention_type
primary_outcome
secondary_outcome
country
study_type
enrollment

column	what it means
nct_id	ClinicalTrials.gov registration number.
overall_status	Recruiting, Completed, Terminated, and so on.
sponsor	Who is running or paying for the trial.
phase	Trial phase. Spellings vary by registry.
enrollment	Participant count. Some registries write prose here instead of a number - 131,158 ChiCTR rows do.

ema_documents.csv

5.0 MB · 9 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. European Medicines Agency. Product register plus EPAR documents.

column	row 1	row 2	row 3	row 4	row 5
ema_product_number	EMA/H/C/006517	EMA/H/C/006937	EMA/H/C/006695	EMA/H/C/006695	EMA/H/C/006730
medicine_name	Evlarco	Cavoley	Azacididine Adienne	Azacididine Adienne	Icotyde
document_title	View	View	View	View	View
language	en	en	en	en	en
document_type	smop-initial	smop-initial	medicine-qa	withdrawal-letter	smop-initial
document_url	https://www.ema.europa.eu/en/documents/smop-initial/chmp-summary-positive-opinion-evlarco_...	https://www.ema.europa.eu/en/documents/smop-initial/chmp-summary-positive-opinion-cavoley_...	https://www.ema.europa.eu/en/documents/medicine-qa/questions-answers-withdrawal-applicatio...	https://www.ema.europa.eu/en/documents/withdrawal-letter/withdrawal-letter-azacididine-adi...	https://www.ema.europa.eu/en/documents/smop-initial/chmp-summary-positive-opinion-icotyde_...
download_status	completed	completed	completed	completed	completed
local_path	pdfs/Evlarco/document_8c3d3606_en.pdf	pdfs/Cavoley/document_67de7e5b_en.pdf	pdfs/Azacididine_Adienne/document_307cf72d_en.pdf	pdfs/Azacididine_Adienne/document_2296ebcc_en.pdf	pdfs/Icotyde/document_12fa8870_en.pdf
file_size_bytes	149034	135131	128012	132472	135736

ema_drug_summary.csv

170 B · 10 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. European Medicines Agency. Product register plus EPAR documents.

No data row could be sampled — the file is header-only, or its first record is larger than the read window.

column
ema_product_number
medicine_name
nct_numbers
composition
therapeutic_indications
posology
contraindications
undesirable_effects
benefits_in_studies
benefit_risk_balance

ema_medicines.csv

2.0 MB · 39 columns · read by the graph

Serves: 39 columns: active_substance, MAH, atc_code, therapeutic area. Small but dense - centrally authorised EU products.

Builds: node:Product , id:EMA_PRODUCT , edge:CONTAINS , edge:IN_CLASS , node:Company

39 columns. Showing the 21 that identify a record; **18 hidden**.

column	row 1	row 2	row 3	row 4	row 5
category	Human	Human	Human	Human	Human
name_of_medicine	Desloratadine Teva	Azacitidine Adienne	Cavoley	Evlarco	Icotyde
ema_product_number	EMEA/H/C/002419	EMEA/H/C/006695	EMEA/H/C/006937	EMEA/H/C/006517	EMEA/H/C/006730
medicine_status	Authorised	Application withdrawn	Opinion	Opinion	Opinion
opinion_status			Positive	Positive	Positive
latest_procedure_affecting_product_information	at 10/000347448				
international_non_proprietary_name_inn_code	desloratadine	azacitidine	pegfilgrastim	obicetrapib;ezetimibe	icotrokinra hydrochloride
atc_code_human	R06AX27	L01BC07	L03AA13	C10B	
atcvet_code_veterinary					
european_commission_decision_date	14/07/2026				
start_of_rolling_review_date					
start_of_evaluation_date					
opinion_adopted_date	22/09/2011		23/07/2026	23/07/2026	23/07/2026
withdrawal_of_application_date		13/07/2026			
marketing_authorisation_date	24/11/2011				
refusal_of_marketing_authorisation_date					
withdrawal_expiry_revocation_lapse_of_marketing_authorisation_date					
suspension_of_marketing_authorisation_date					
revision_number	19.0				
first_published_date	13/03/2018	24/07/2026	24/07/2026	24/07/2026	24/07/2026
last_updated_date	24/07/2026				

ema_pdf_extractions.csv

2.6 MB · 17 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. European Medicines Agency. Product register plus EPAR documents.

column	row 1	row 2	row 3	row 4	row 5
document_url	https://www.ema.europa.eu/en/documents/smop-initial/chmp-summary-positive-opinion-evlarco_...	https://www.ema.europa.eu/en/documents/smop-initial/chmp-summary-positive-opinion-icotyde_...	https://www.ema.europa.eu/en/documents/medicine-qa/questions-answers-withdrawal-applicatio...	https://www.ema.europa.eu/en/documents/smop-initial/chmp-summary-positive-opinion-cavoley_...	https://www.ema.europa.eu/en/documents/withdrawal-letter/withdrawal-letter-azacitidine-adi...
ema_product_number	EMA/H/C/006517	EMA/H/C/006730	EMA/H/C/006695	EMA/H/C/006937	EMA/H/C/006695
medicine_name	Evlarco	Icotyde	Azacitidine Adienne	Cavoley	Azacitidine Adienne
document_type	smop-initial	smop-initial	medicine-qa	smop-initial	withdrawal-letter
extraction_status	raw_saved	raw_saved	raw_saved	raw_saved	raw_saved
extraction_error					
extracted_at	2026-07-25 10:21:40	2026-07-25 10:21:40	2026-07-25 10:21:40	2026-07-25 10:21:40	2026-07-25 10:21:40
nct_numbers					
composition					
therapeutic_indications					
posology					
contraindications					
undesirable_effects					
benefits_in_studies					
benefit_risk_balance					
document_summary					
document_procedure_dates					

herbal_medicines.csv

73.4 KB · 13 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. European Medicines Agency. Product register plus EPAR documents.

column	row 1	row 2	row 3	row 4	row 5
latin_name	Liquiritiae radix	Lecithinum ex soya	Fragariae folium	Fragariae folium	Fragariae folium
combination	No	No	No	No	No
english_common_name	Liquorice Root	Soya-bean lecithin	Wild Strawberry Leaf	Wild Strawberry Leaf	Wild Strawberry Leaf
botanical_name	Glycyrrhiza glabra L.; Glycyrrhiza inflata Bat.; Glycyrrhiza uralensis Fisch.	Glycine max (L) Merr.	Fragaria vescaL.;Fragaria moschataWeston;Fragaria viridisWeston;Fragaria x ananassa (Westo...	Fragaria vescaL.;Fragaria moschataWeston;Fragaria viridisWeston;Fragaria x ananassa (Westo...	Fragaria vescaL.;Fragaria moschataWeston;Fragaria viridisWeston;Fragaria x ananassa (Westo...
therapeutic_area	Cough and cold;Gastrointestinal disorders	Fatigue and weakness	Urinary tract and genital disorders;Gastrointestinal disorders	Urinary tract and genital disorders;Gastrointestinal disorders	Urinary tract and genital disorders;Gastrointestinal disorders
status	D: Draft under discussion	P: Draft published	F: Assessment finalised	F: Assessment finalised	F: Assessment finalised
outcome_of_european_assessment	European Union herbal monograph	European Union herbal monograph	European Union herbal monograph	European Union herbal monograph	European Union herbal monograph
additional_information					
date_added_to_the_inventory	31/10/2007	28/01/2014	30/10/2007	30/10/2007	30/10/2007
date_added_to_the_priority_list	03/07/2008	28/01/2014	09/01/2008	09/01/2008	09/01/2008
first_published_date	31/12/2009	17/02/2014	31/12/2009	31/12/2009	31/12/2009
last_updated_date	20/07/2026	01/06/2026	12/05/2026	12/05/2026	12/05/2026
herbal_medicine_url	https://www.ema.europa.eu/en/medicines/herbal/liquiritiae-radix	https://www.ema.europa.eu/en/medicines/herbal/lecithinum-ex-soya	https://www.ema.europa.eu/en/medicines/herbal/fragariae-folium	https://www.ema.europa.eu/en/medicines/herbal/fragariae-folium	https://www.ema.europa.eu/en/medicines/herbal/fragariae-folium

maximum_residue_limits.csv

105.7 KB · 10 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. European Medicines Agency. Product register plus EPAR documents.

column	row 1	row 2	row 3	row 4	row 5
title	Recombinant equine Chorionic Gonadotropin (reCG)	Lidocaine	Thiabendazole	Acetylsalicylic acid	Cabergoline
active_substance	recombinant equine Chorionic Gonadotropin (reCG)	lidocaine	thiabendazole	acetylsalicylic acid	cabergoline
mrl_therapeutic_classification	Chemical-unlike biological substance	Local anaesthetic	Antiparasitic agents;Agents (acting) against endoparasites	No entry	Prolactin inhibitor
target_species	All food producing species	Equidae;Bovine;Porcine	Caprine;Bovine	All food producing species except fin fish	Bovine
date_of_commission_implementing_decision		23/04/2026			19/06/2014
regulation_number		Regulation (EU) 2026/892			Regulation (EU) No 677/2014
regulation_url		https://eur-lex.europa.eu/eli/reg_impl/2026/892/oj			https://eur-lex.europa.eu/legal-content/EN/TXT/?uri=celex%3A32014R0677
first_published_date	25/06/2026	08/04/2026	08/04/2026	08/04/2026	08/04/2026
last_updated_date		28/04/2026			
url	https://www.ema.europa.eu/en/medicines/veterinary/mrl/recombinant-equine-chorionic-gonadot...	https://www.ema.europa.eu/en/medicines/veterinary/mrl/lidocaine-maximum-residue-limit	https://www.ema.europa.eu/en/medicines/veterinary/mrl/thiabendazole-maximum-residue-limit	https://www.ema.europa.eu/en/medicines/veterinary/mrl/acetysalicylic-acid-maximum-residue...	https://www.ema.europa.eu/en/medicines/veterinary/mrl/cabergoline-maximum-residue-limit

opinions_outside_eu.csv

13.0 KB · 16 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. European Medicines Agency. Product register plus EPAR documents.

column	row 1	row 2	row 3	row 4	row 5
name_of_medicine	Dengue Tetraivalent Vaccine (Live, Attenuated) Takeda	Acoziborole Winthrop	Mosquirix	Lenacapavir Gilead	Aluvia
ema_opinion_number	EMA/H/W/005362	EMA/H/W/006686	H-W-2300	EMA/H/W/006659	H-W-764
ema_opinion_status	Positive opinion	Positive opinion	Positive opinion	Positive opinion	Positive opinion
active_substance	Dengue virus, serotype 2, expressing Dengue virus, serotype 1, surface proteins, live, att...	acoziborole	RTS,S [Portion of P. falciparum circumsporozoite protein fused with hepatitis B surface an...	lenacapavir sodium	lopinavir;ritonavir
international_non_proprietary_name_inn_common_name	Dengue tetraivalent vaccine (live, attenuated)	acoziborole	Plasmodium falciparum and hepatitis B vaccine (recombinant, adjuvanted)	lenacapavir	lopinavir;ritonavir
therapeutic_area_mesh	Dengue	Trypanosomiasis, African	Malaria	HIV Infections;HIV-1	HIV Infections
atc_code_human	J07BX04	P01CX	J07XA01	J05AX31	J05AR10
latest_procedure_affecting_product_information	EMA/0000308360		II/0086	VR/0000323127	VR/0000256267
opinion_holder	Takeda Pharmaceuticals International AG Ireland Branch	Sanofi Winthrop Industrie		Gilead Sciences Ireland Unlimited Company	AbbVie Deutschland GmbH & Co. KG
pharmacotherapeutic_group_human	Vaccines	Antiprotozoals	Malaria vaccines	Antivirals for systemic use	Antivirals for systemic use
therapeutic_indication	Dengue Tetraivalent Vaccine (Live, Attenuated) Takeda is indicated for the prevention of de...	Acoziborole Winthrop is indicated for the treatment of both first-stage (hemo-lymphatic) a...	Active immunisation of children aged 6 weeks up to 17 months against malaria caused by Pla...	Solution for injection: Lenacapavir Gilead injection is indicated in combination with safe...	Aluvia is indicated in combination with other antiretroviral medicinal products for the tr...
date_of_opinion	13/10/2022	24/02/2026	23/07/2015	24/07/2025	21/09/2006
date_of_outcome	26/03/2026		27/03/2025		09/04/2025
first_published_date	14/10/2022	27/02/2026	01/10/2015	25/07/2025	20/08/2020
last_updated_date	08/05/2026	15/04/2026	18/03/2026	20/02/2026	02/12/2025
opinion_on_medicines_for_use_outside_eu_url	https://www.ema.europa.eu/en/opinion-medicine-use-outside-EU/human/dengue-tetraivalent-vacc...	https://www.ema.europa.eu/en/opinion-medicine-use-outside-EU/human/acoziborole-winthrop	https://www.ema.europa.eu/en/opinion-medicine-use-outside-EU/human/mosquirix	https://www.ema.europa.eu/en/opinion-medicine-use-outside-EU/human/lenacapavir-gilead	https://www.ema.europa.eu/en/opinion-medicine-use-outside-EU/human/aluvia

orphan_designations.csv

745.4 KB · 10 columns · read by the graph

Serves: type=orphan_designation

Buils: node:RegulatoryEvent , edge:SUBJECT_OF

column	row 1	row 2	row 3	row 4	row 5
medicine_name					
related_ema_product_number					
active_substance	infliximab	allogeneic human induced pluripotent stem cell-derived photoreceptor precursor cells	allogeneic human Wharton's jelly-derived mesenchymal stem cells	humanised IgG1 monoclonal antibody against delta-like ligand 3, octakis(thioether) with N-...	peptide-oligonucleotide conjugate against CNOT3 mRNA
date_of_designation_refusal	20/05/2026	20/05/2026	20/05/2026	20/05/2026	20/05/2026
intended_use	Treatment of Kawasaki disease	Treatment of non-syndromic inherited retinal dystrophies of the rod-dominant phenotype	Treatment of Charcot-Marie-Tooth disease	Treatment of pulmonary neuroendocrine carcinoma	Treatment of inherited retinal dystrophies due to mutation in the PRPF31 gene
eu_designation_number	EU/3/26/3236	EU/3/26/3238	EU/3/26/3237	EU/3/26/3234	EU/3/26/3230
status	Positive	Positive	Positive	Positive	Positive
first_published_date	17/07/2026	17/07/2026	17/07/2026	17/07/2026	17/07/2026
last_updated_date					
orphan_designation_url	https://www.ema.europa.eu/en/medicines/human/orphan-designations/eu-3-26-3236	https://www.ema.europa.eu/en/medicines/human/orphan-designations/eu-3-26-3238	https://www.ema.europa.eu/en/medicines/human/orphan-designations/eu-3-26-3237	https://www.ema.europa.eu/en/medicines/human/orphan-designations/eu-3-26-3234	https://www.ema.europa.eu/en/medicines/human/orphan-designations/eu-3-26-3230

paediatric_investigation_plans.csv

1.6 MB · 17 columns · read by the graph

Serves: type=pip

Buils: node:RegulatoryEvent , edge:SUBJECT_OF

column	row 1	row 2	row 3	row 4	row 5
decision_number	P/0028/2023	EMA/PE/0000235924	EMA/PE/0000240621	EMA/PE/0000241250	EMA/PE/0000182809
pip_number	EMA/PE/0000228512	EMA/PE/0000235924	EMA/PE/0000240621	EMA/PE/0000241250	EMA/PE/0000182809
active_substance	satralizumab	Mitazalimab	lunsekimig	trilaciclib (dihydrochloride)	afimkibart
invented_name	Enspryng				
therapeutic_area		Neoplasms benign, malignant and unspecified (incl cysts and polyps)	Respiratory, thoracic and mediastinal disorders	Surgical and medical procedures	Gastrointestinal disorders
pharmaceutical_forms	Solution for injection	All pharmaceutical forms	Solution for injection	All pharmaceutical forms	Solution for injection/infusion
condition_indication	Treatment of autoimmune encephalitis	Treatment of pancreatic cancer	Treatment of nasal polyposis	Prevention of chemotherapy-induced myelosuppression in small-cell lung cancer	Treatment of ulcerative colitis
routes_of_administration	Subcutaneous use	All routes of administration	Subcutaneous use	All routes of administration	Subcutaneous use;Intravenous use
decision_type	PM: decision on the application for modification of an agreed PIP	P: decision agreeing on a investigation plan, with or without partial waiver(s) and or def...	P: decision agreeing on a investigation plan, with or without partial waiver(s) and or def...	P: decision agreeing on a investigation plan, with or without partial waiver(s) and or def...	P: decision agreeing on a investigation plan, with or without partial waiver(s) and or def...
decision_date	14/04/2025	16/05/2025	16/05/2025	16/05/2025	16/05/2025
compliance_outcome					
compliance_opinion_date					
compliance_procedure_number					
contact_for_public_enquiries	Roche Registration GmbH E-mail: global.paediatrics@roche.comTel: +41 6169 79411	Alligator Bioscience AB E-mail: info@alligatorbioscience.comTel: +46 46 540 82 00	Sanofi Winthrop IndustrieE-mail: catherine.anselmينو@sanofi.comTel: 0640438252	Pharmacosmos A/S E-mail: bim@pharmacosmos.comTel: +45 41644665	Roche Registration GmbH E-mail: global.eu_regulatory_office@roche.comTel: +41 616879411
first_published_date	13/02/2024	14/07/2026	14/07/2026	14/07/2026	14/07/2026
last_updated_date	16/07/2026				
pip_url	https://www.ema.europa.eu/en/medicines/human/paediatric-investigation-plans/ema-pe-0000228...	https://www.ema.europa.eu/en/medicines/human/paediatric-investigation-plans/ema-pe-0000235...	https://www.ema.europa.eu/en/medicines/human/paediatric-investigation-plans/ema-pe-0000240...	https://www.ema.europa.eu/en/medicines/human/paediatric-investigation-plans/ema-pe-0000241...	https://www.ema.europa.eu/en/medicines/human/paediatric-investigation-plans/ema-pe-0000182...

periodic_safety_update_report_single_assessments.csv

436.4 KB · 9 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. European Medicines Agency. Product register plus EPAR documents.

column	row 1	row 2	row 3	row 4	row 5
category	Human	Human	Human	Human	Human
active_substances_in_scope_of_procedure	lisinopril, lisinopril / hydrochlorothiazide	bivalirudin	sufentanil	gemfibrozil	amiloride, amiloride / furosemide, amiloride / hydrochlorothiazide, amiloride / hydrochlor...
active_substance	lisinopril;hydrochlorothiazide	Bivalirudin	sufentanil	Gemfibrozil	amiloride hydrochloride dihydrate;furosemide;hydrochl orthiazide;timolol, amiloride;bumetan...
related_medicines					
procedure_number	PSUSA/00010532/202509	PSUSA/00000421/202509	PSUSA/00002798/202411	PSUSA/00001521/202505	PSUSA/00000148/202506
regulatory_outcome	Maintenance	Maintenance	Maintenance	Maintenance	Maintenance
first_published_date	17/07/2026	17/07/2026	17/07/2026	16/07/2026	15/07/2026
last_updated_date					
psusa_url	https://www.ema.europa.eu/en /medicines/psusa/psusa-00010532-202509	https://www.ema.europa.eu/en /medicines/psusa/psusa-00000421-202509	https://www.ema.europa.eu/en /medicines/psusa/psusa-00002798-202411	https://www.ema.europa.eu/en /medicines/psusa/psusa-00001521-202505	https://www.ema.europa.eu/en /medicines/psusa/psusa-00000148-202506

post_authorisation.csv

45.8 KB · 27 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. European Medicines Agency. Product register plus EPAR documents.

27 columns. Showing the 15 that identify a record; **12 hidden**.

column	row 1	row 2	row 3	row 4	row 5
category	Human	Human	Human	Human	Human
name_of_medicine	Imfinzi	Enhertu	Rinvoq	Repatha	Triexo Aerosphere
ema_product_number	EMA/H/C/004771	EMA/H/C/005124	EMA/H/C/004760	EMA/H/C/003766	EMA/H/C/004983
active_substance	durvalumab	trastuzumab deruxtecan	upadacitinib	Evolocumab	formoterol fumarate dihydrate;glycopyrronium bromide;budesonide
international_non_proprietary_name_inn_common_name	durvalumab	trastuzumab deruxtecan	upadacitinib	evolocumab	formoterol;glycopyrronium bromide;budesonide
therapeutic_area_mesh	Carcinoma, Non-Small-Cell Lung	Breast Neoplasms	Arthritis, Rheumatoid;Arthritis, Psoriatic;Axial Spondyloarthritis;Spondylitis, Ankylosing...	Dyslipidemias;Hypercholesterolemia	Pulmonary Disease, Chronic Obstructive
atc_code_human	L01XC28	L01FD04	L04AA44	C10AX13	R03AL
atcvet_code_veterinary					
post_authorisation_procedure_status	Application withdrawn	Opinion	Opinion	Opinion	Opinion
post_authorisation_opinion_status		Positive	Positive	Positive	Positive
post_authorisation_opinion_date		23/07/2026	23/07/2026	23/07/2026	23/07/2026
withdrawal_of_application_date	24/06/2026				
marketing_authorisation_date	21/09/2018	18/01/2021	16/12/2019	17/07/2015	09/12/2020
first_published_date	24/07/2026	24/07/2026	24/07/2026	24/07/2026	24/07/2026
last_updated_date					

Serves: type=referral

Builds: node:RegulatoryEvent , edge:SUBJECT_OF

column	row 1	row 2	row 3	row 4	row 5
category	Veterinary	Human	Human	Human	Human
referral_name	Veterinary medicinal products containing amoxicillin	Sodium oxybate-containing syrup and oral solution for alcohol dependence	Ipidacrine-containing medicinal products	Tavneos	Rifadin oral suspension and syrup and associated names
international_non_proprietary_name_inn_common_name	amoxicillin	sodium oxybate	ipidacrine	avacopan	rifampicin
current_status	Under evaluation	Under evaluation	Under evaluation	CHMP opinion	Procedure started
safety_referral	No	No	No	No	No
referral_type		Article 31 referrals	Article 31 referrals	Article 20 procedures	Article 31 referrals
associated_names_centrally_authorised_medicines				Tavneos	
associated_names_non_centrally_authorised_medicines					
class				Antineoplastic and immunomodulating agents	
reference_number	EMA/REF/0000290626	EMA/REF/0000278933	EMA/REF/0000271842	EMA/REF/0000325221	EMA/REF/0000355053
non_prac_decision_making_model		CHMP-EC	CHMP-EC	CHMP-EC	CHMP-EC
prac_decision_making_model					
authorisation_model	Nationally authorised product(s)	Nationally authorised product(s)	Nationally authorised product(s)	Centrally authorised product(s)	Nationally authorised product(s)
prac_recommendation					
procedure_start_date	06/11/2025	19/06/2025	22/05/2025	29/01/2026	25/06/2026
prac_recommendation_date					
cmdh_position_date					
chmp_cvmp_opinion_date				25/06/2026	
european_commission_decision_date					
first_published_date	06/11/2025	20/06/2025	23/05/2025	30/01/2026	26/06/2026
last_updated_date	17/07/2026	30/06/2026	30/06/2026	26/06/2026	
referral_url	https://www.ema.europa.eu/en/medicines/veterinary/referrals/veterinary-medicinal-products-...	https://www.ema.europa.eu/en/medicines/human/referrals/sodium-oxybate-containing-syrup-ora...	https://www.ema.europa.eu/en/medicines/human/referrals/ipidacrine-containing-medicinal-pro...	https://www.ema.europa.eu/en/medicines/human/referrals/tavneos	https://www.ema.europa.eu/en/medicines/human/referrals/rifadin-oral-suspension-syrup-assoc...

shortages.csv

20.1 KB · 14 columns · read by the graph

Serves: type=shortage

Builds: node:RegulatoryEvent , edge:SUBJECT_OF

column	row 1	row 2	row 3	row 4	row 5
category	Human	Human	Human	Human	Human
medicine_affected	Azactam	Tegsedi	Mycobutin (rifabutin)	Topamax	Salbutamol inhalation products
supply_shortage_status	Shortage ongoing	Shortage ongoing	Shortage ongoing	Shortage ongoing	Shortage resolved
international_non_proprietary_name_inn_or_chemical_name	azactam		inotersen	topiramate	salbutamol
therapeutic_area_mesh	Bacterial Infections		Tuberculosis;Acquired Immunodeficiency Syndrome	Epilepsy;Migraine Disorders	Asthma;Pulmonary Disease, Chronic Obstructive
pharmaceutical_forms_affected	Powder for solution for injection;Powder for solution for infusion	Solution for injection in pre-filled syringe	Capsule	Tablet	Inhaler;Nebuliser solution
strengths_affected	1 g;2 g		150 mg	25 mg, 50 mg, 100 mg and 200 mg	
availability_of_alternatives	Yes	Yes	Yes, in some Member States	Yes	
start_of_shortage_date					
expected_resolution_date					
expected_resolution			Expected to resolve by November 2026	End of 2026	
first_published_date	10/07/2026	03/07/2026	30/06/2026	29/06/2026	05/06/2024
last_updated_date					12/06/2026
shortage_url	https://www.ema.europa.eu/en/medicines/human/shortages/azactam	https://www.ema.europa.eu/en/medicines/human/shortages/tegse	https://www.ema.europa.eu/en/medicines/human/shortages/mycobutin-rifabutin	https://www.ema.europa.eu/en/medicines/human/shortages/topamax	https://www.ema.europa.eu/en/medicines/human/shortages/salbutamol-inhalation-products

health-products.canada.ca

12 CSV (48.8 MB) · 1 .json (385 B)

example filenames:

_LATEST.json

biosimilar.csv

9.5 KB · 5 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Health Canada Drug Product Database. Already a relational product schema - drug, ingredient, company, route and therapeutic class as separate tables - which makes it the cleanest product source in the lake.

column	row 1	row 2	row 3	row 4	row 5
DRUG_CODE	81048	81049	90410	92587	93005
BIOSIMILAR_FLAG_EN	Biosimilar	Biosimilar	Biosimilar	Biosimilar	Biosimilar
BIOSIMILAR_FLAG_FR	Biosimilaire	Biosimilaire	Biosimilaire	Biosimilaire	Biosimilaire
BIOSIMILAR_TYPE_CODE	6	6	6	6	6
STATUS_CATEGORY	marketed	marketed	marketed	marketed	marketed

comp.csv

7.9 MB · 19 columns · read by the graph

Serves: Canadian marketing authorisation holders. Names are normalised by norm_company(), so Pfizer Inc. and Pfizer Canada ULC do not become two companies.

Builds: node:Company , edge:DEVELOPS

column	row 1	row 2	row 3	row 4	row 5
DRUG_CODE	9	15	16	57	68
MFR_CODE				ATL07	ATL07
COMPANY_CODE	16816	14412	14412	3659	3659
COMPANY_NAME	KNIGHT THERAPEUTICS INC.	AA PHARMA INC	AA PHARMA INC	LABORATOIRE ATLAS INC	LABORATOIRE ATLAS INC
COMPANY_TYPE	DIN_OWNER	DIN_OWNER	DIN_OWNER	DIN_OWNER	DIN_OWNER
ADDRESS_MAILING_FLAG	Y	Y	Y	Y	Y
ADDRESS_BILLING_FLAG	Y	Y	Y	Y	Y
ADDRESS_NOTIFICATION_FLAG	N	Y	Y	Y	Y
ADDRESS_OTHER_FLAG	N	N	N	N	N
SUITE_NUMBER		UNIT 1	UNIT 1		
STREET_NAME	100 ALEXIS-NIHON BLVD., SUITE 600	1165 CREDITSTONE ROAD	1165 CREDITSTONE ROAD	9600 BOUL. DES SCIENCES	9600 BOUL. DES SCIENCES
CITY_NAME	MONTREAL	VAUGHAN	VAUGHAN	MONTREAL	MONTREAL
PROVINCE_NAME	QUEBEC	ONTARIO	ONTARIO	QUEBEC	QUEBEC
COUNTRY_NAME	CANADA	CANADA	CANADA	CANADA	CANADA
POSTAL_CODE	H4M 2P2	L4K 4N7	L4K 4N7	H1J 3B6	H1J 3B6
POST_OFFICE_BOX					
PROVINCE_NAME_FR	QUÉBEC	ONTARIO	ONTARIO	QUÉBEC	QUÉBEC
COUNTRY_NAME_FR	CANADA	CANADA	CANADA	CANADA	CANADA
STATUS_CATEGORY	marketed	marketed	marketed	marketed	marketed

drug.csv

5.8 MB · 15 columns · read by the graph

Serves: Canada DPD is already a relational product schema - drug, ingred, comp, route, ther as separate tables. Cleanest source.

Builds: node:Product

column	row 1	row 2	row 3	row 4	row 5
DRUG_CODE	9	15	16	57	68
WEB_REFERRAL_FLAG					
PRODUCT_CATEGORIZATION	Human	Human	Human	Human	Human
DRUG_IDENTIFICATION_NUMBER	00015741	00015229	00015237	00050520	00050466
BRAND_NAME	TAPAZOLE	AVENTYL	AVENTYL	MINERALE LEGERE HUILE	METHYLENE BLEU LIQ 1%
DESCRIPTOR					
PEDIATRIC_FLAG	N	N	N	N	N
ACCESS_DEMENTIA_FLAG	00135	00226	00227	01811	01860
THERAPEUTIC_CLASS_FLAG	1	1	1	1	1
LAST_UPDATE_DATE	24-DEC-2025	22-MAR-2025	22-MAR-2025	22-MAR-2025	22-MAR-2025
EXPIRY_DATE	0104552001	0102630002	0102630001	0126693001	0106816001
PRODUCT_CATEGORIZATION_FR	Humain	Humain	Humain	Humain	Humain
DESCRIPTOR_FR					
EXTERNAL_STATUS_CODE					
STATUS_CATEGORY	marketed	marketed	marketed	marketed	marketed

form.csv

2.3 MB · 5 columns · read by the graph

Serves: Dosage form per DRUG_CODE. Read because drug.csv's PRODUCT_CATEGORIZATION is 'Human' or 'Veterinary' - a product class, not a form - and using it wrote HUMAN into form on every Canadian product.

Builds: node:Product

column	row 1	row 2	row 3	row 4	row 5
DRUG_CODE	9	15	16	57	68
PHARMACEUTICAL_FORM_CODE	85	5	5	34	34
PHARMACEUTICAL_FORM_EN	TABLET	CAPSULE	CAPSULE	LIQUID	LIQUID
PHARMACEUTICAL_FORM_FR	Comprimé	Capsule	Capsule	Liquide	Liquide
STATUS_CATEGORY	marketed	marketed	marketed	marketed	marketed

ingred.csv

12.1 MB · 16 columns · read by the graph

Serves: product -> active ingredients.

Builds: edge:CONTAINS

column	row 1	row 2	row 3	row 4	row 5
DRUG_CODE	9	15	16	57	68
ACTIVE_INGREDIENT_CODE	9107	11121	11121	298	7160
INGREDIENT_NAME	METHIMAZOLE	NORTRIPTYLINE (NORTRIPTYLINE HYDROCHLORIDE)	NORTRIPTYLINE (NORTRIPTYLINE HYDROCHLORIDE)	MINERAL OIL LIGHT	METHYLENE BLUE
INGREDIENT_FLAG	I	I	I	I	I
STRENGTH	5	10	25	100	1
STRENGTH_UNIT	MG	MG	MG	%	%
STRENGTH_TYPE					
DOSAGE_VALUE					
DOSAGE_UNIT	N	N	N	N	N
RARE_INGREDIENT_FLAG					
HISTORIC_FREEFORM	HISTORIC FREEFORM TEXT: METHIMAZOLE			HISTORIC FREEFORM TEXT: PETROLATUM LIQUID 2019.05.10. ACTIVE INGREDIENT REVISED TO LIGHT ...	HISTORIC FREEFORM TEXT: METHYLENE BLUE
INGREDIENT_NAME_FR	Méthimazole	Nortriptyline (Chlorhydrate de nortriptyline)	Nortriptyline (Chlorhydrate de nortriptyline)	Huile minérale légère	Bleu de méthylène
STRENGTH_UNIT_FR	MG	MG	MG	%	%
DOSAGE_UNIT_FR					
EXTRA_FLAG					
STATUS_CATEGORY	marketed	marketed	marketed	marketed	marketed

package.csv

1.3 MB · 9 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Health Canada Drug Product Database. Already a relational product schema - drug, ingredient, company, route and therapeutic class as separate tables - which makes it the cleanest product source in the lake.

column	row 1	row 2	row 3	row 4	row 5
DRUG_CODE	15	16	57	68	85
UPC					
PACKAGE_SIZE_UNIT_EN					
PACKAGE_SIZE					
PRODUCT_INFORMATION_EN					
PACKAGE_TYPE_EN	100/500	100/500	500ML	25ML	50 ML
PACKAGE_SIZE_UNIT_FR					
PRODUCT_INFORMATION_FR					
STATUS_CATEGORY	marketed	marketed	marketed	marketed	marketed

pharm.csv

549.4 KB · 3 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Health Canada Drug Product Database. Already a relational product schema - drug, ingredient, company, route and therapeutic class as separate tables - which makes it the cleanest product source in the lake.

column	row 1	row 2	row 3	row 4	row 5
DRUG_CODE	9	15	16	57	85
PHARMACEUTICAL_STD	MFR	USP	USP	NF	USP
STATUS_CATEGORY	marketed	marketed	marketed	marketed	marketed

route.csv

2.7 MB · 5 columns · read by the graph

Serves: Route vocabulary and the product->route edge in one file.

Builds: node:Route , edge:HAS_ROUTE

column	row 1	row 2	row 3	row 4	row 5
DRUG_CODE	9	15	16	57	68
ROUTE_OF_ADMINISTRATION_CODE	56	56	56	70	56
ROUTE_OF_ADMINISTRATION_EN	ORAL	ORAL	ORAL	TOPICAL	ORAL
ROUTE_OF_ADMINISTRATION_FR	Orale	Orale	Orale	Topique	Orale
STATUS_CATEGORY	marketed	marketed	marketed	marketed	marketed

schedule.csv

3.3 MB · 4 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Health Canada Drug Product Database. Already a relational product schema - drug, ingredient, company, route and therapeutic class as separate tables - which makes it the cleanest product source in the lake.

column	row 1	row 2	row 3	row 4	row 5
DRUG_CODE	9	15	16	57	68
SCHEDULE_EN	PRESCRIPTION	PRESCRIPTION	PRESCRIPTION	NON-PRESCRIPTION DRUGS	NON-PRESCRIPTION DRUGS
SCHEDULE_FR	Médicaments sur ordonnance	Médicaments sur ordonnance	Médicaments sur ordonnance	Médicaments sans ordonnance	Médicaments sans ordonnance
STATUS_CATEGORY	marketed	marketed	marketed	marketed	marketed

status.csv

10.2 MB · 8 columns · read by the graph

Serves: Status history per DIN - marketed, cancelled, dormant. One product has many rows, which is why Approval is its own node rather than a property of Product.

Builds: node:Approval

column	row 1	row 2	row 3	row 4	row 5
DRUG_CODE	9	9	9	9	9
CURRENT_STATUS_FLAG	N	N	N	N	N
STATUS_EN	APPROVED	APPROVED	APPROVED	APPROVED	MARKETED
HISTORY_DATE	19-DEC-2025	07-MAR-2025	07-MAR-2025	24-JAN-2001	16-APR-2001
STATUS_FR	APPROUVÉ	APPROUVÉ	APPROUVÉ	APPROUVÉ	COMMERCIALISÉ
EXTRA_FIELD_1					
EXTRA_FIELD_2					
STATUS_CATEGORY	marketed	marketed	marketed	marketed	marketed

ther.csv

2.4 MB · 5 columns · read by the graph

Serves: TC_ATC -> DrugClass.

Builds: edge:IN_CLASS

column	row 1	row 2	row 3	row 4	row 5
DRUG_CODE	9	15	16	57	68
TC_ATC_NUMBER	H03BB02	N06AA10	N06AA10	D02AC	V04CG05
TC_ATC	THIAMAZOLE	NORTRIPTYLINE	NORTRIPTYLINE	SOFT PARAFFIN AND FAT PRODUCTS	METHYLTHIONINE
TC_AHFS_NUMBER					
STATUS_CATEGORY	marketed	marketed	marketed	marketed	marketed

vet.csv

235.6 KB · 5 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Health Canada Drug Product Database. Already a relational product schema - drug, ingredient, company, route and therapeutic class as separate tables - which makes it the cleanest product source in the lake.

column	row 1	row 2	row 3	row 4	row 5
DRUG_CODE	85	85	85	85	85
VETERINARY_SPECIES_EN	CATTLE	SWINE (PIGS)	GOATS	DOGS	CATS
VETERINARY_SPECIES_FR					
EXTRA_VET_FIELD	Bétails	Porcs	Chèvres	Chiens	Chats
STATUS_CATEGORY	marketed	marketed	marketed	marketed	marketed

open.fda.gov

1 CSV (48.6 MB) · 1 json (240 B)

example filenames:

_LATEST.json

openfda_drugs.csv

48.6 MB · 25 columns · read by the graph

Serves: openFDA drug records. Supplies the NDC codes that identify a US package.

Builds: node:Product , id:NDC

column	row 1	row 2	row 3	row 4	row 5
application_number	NDA000004	NDA000159	NDA000552	NDA000552	NDA000552
sponsor_name	PHARMICS	LILLY	ASPEN GLOBAL INC	ASPEN GLOBAL INC	ASPEN GLOBAL INC
product_number	004	001	008	012	004
brand_name	PAREDRIINE	SULFAPYRIDINE	HEPARIN SODIUM	LIQUAEMIN SODIUM PRESERVATIVE FREE	LIQUAEMIN SODIUM
reference_drug	No	No	No	No	No
reference_standard	No	No	No	No	No
dosage_form	SOLUTION/DROPS	TABLET	INJECTABLE	INJECTABLE	INJECTABLE
route	OPHTHALMIC	ORAL	INJECTION	INJECTION	INJECTION
marketing_status	Discontinued	Discontinued	Discontinued	Discontinued	Discontinued
active_ingredients	HYDROXYAMPHETAMINE HYDROBROMIDE (1%)	SULFAPYRIDINE (500MG)	HEPARIN SODIUM (1,000 UNITS/ML)	HEPARIN SODIUM (5,000 UNITS/ML)	HEPARIN SODIUM (1,000 UNITS/ML)
openfda_brand_names					
openfda_generic_names					
openfda_manufacturers					
openfda_product_ndcs					
openfda_package_ndcs					
openfda_rxcuis					
openfda_uniis					
openfda_substance_names					
openfda_spl_set_ids					
openfda_product_types					
openfda_pharm_class_epc					
openfda_pharm_class_moa					
openfda_pharm_class_pe					
submissions	SUPPL(11) - AP (1987-05-26) ORIG(1) - AP (1969-07-16) SUPPL(10) - AP (1980-05-08)	ORIG(1) - AP (1939-03-09) SUPPL(4) - AP (1986-05-28) SUPPL(3) - AP (1986-12-09)	SUPPL(14) - AP (1980-11-28) SUPPL(20) - AP (1986-07-28) SUPPL(12) - AP (1978-01-25) ...	SUPPL(14) - AP (1980-11-28) SUPPL(20) - AP (1986-07-28) SUPPL(12) - AP (1978-01-25) ...	SUPPL(14) - AP (1980-11-28) SUPPL(20) - AP (1986-07-28) SUPPL(12) - AP (1978-01-25) ...
application_docs			Label (2024-10-25): http://www.accessdata.fda.gov/dru gsatfda_docs/label/2024/000552s0 26lbl...	Label (2024-10-25): http://www.accessdata.fda.gov/dru gsatfda_docs/label/2024/000552s0 26lbl...	Label (2024-10-25): http://www.accessdata.fda.gov/dru gsatfda_docs/label/2024/000552s0 26lbl...

pmda.go.jp

1 CSV (87.9 KB) · 547 .pdf, 1 .json (532.5 MB)

Documents: Japanese review reports and package inserts, mostly Japanese-language.

example filenames:

- _LATEST.json
- 0007aa44.pdf
- 00720892.pdf

pmda_metadata.csv

87.9 KB · 9 columns · read by the graph

Serves: Japan.

Builds: node:Product

column	row 1	row 2	row 3	row 4	row 5
id	246d445c	2b21b7a2	fbdbb7a0	39e644f7	23d78e1c
category	drug	drug	drug	drug	drug
brand_name	Abraxane	Actemra	Actemra	Actemra	Acoalan
generic_name	Paclitaxel	Tocilizumab (genetical recombination)	Tocilizumab (genetical recombination)	Tocilizumab (genetical recombination)	Antithrombin gamma (genetical recombination)
approval_type	Partial Change Approval	Initial Approval	Partial Change Approval	Partial Change Approval	Initial Approval
approval_date	2019-09	2008-04	2017-06	2017-08	2015-07
approval_date_raw	September 2019	April 2008	June 2017	August 2017	July 2015
source_pdf_url	https://www.pmda.go.jp/files/000234773.pdf	https://www.pmda.go.jp/files/000153709.pdf	https://www.pmda.go.jp/files/000224729.pdf	https://www.pmda.go.jp/files/000224730.pdf	https://www.pmda.go.jp/files/000216795.pdf
local_pdf_path	pdfs/246d445c.pdf	pdfs/2b21b7a2.pdf	pdfs/fbdbb7a0.pdf	pdfs/39e644f7.pdf	pdfs/23d78e1c.pdf

products.mhra.gov.uk

2 CSV (49.0 MB) · 70,559 .pdf, 1 .json (34.4 GB)

example filenames:

_LATEST.json
50_WV_GLUCCOSE_INTRAVENOUS_INFUSION_BP_PL035510156_par.pdf
ABACAVIRLAMIVUDINE_PL347710263_par.pdf

mhra_documents.csv

8.0 MB · 19 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. UK MHRA. Product register plus PAR, SPC and PIL documents - 70,559 PDFs, the largest document source here. The filename embeds the PL licence number, which is the only reliable join from a document back to the graph.

column	row 1	row 2	row 3	row 4	row 5
id					
product_name					
doc_type	par	par	par	par	par
pl_number					
substance_name					
title					
created					
metadata_storage_size	633723	1338708	655105	178792	178792
original_filename					
azure_blob_url					
local_pdf_path	pdfs/par/ABACAVIRLAMIVUDINE_PL347710263_par.pdf	pdfs/par/ABECMA_PLGB151050191_par.pdf	pdfs/par/ABEVMY_PLGB463020237_par.pdf	pdfs/par/ABILIFY_MAINTENA_PLGB506970034_par.pdf	pdfs/par/ABILIFY_MAINTENA_PLGB506970035_par.pdf
therapeutic_indication					
posology_and_administration					
active_substances_detailed					
contraindications					
adverse_effects_summary					
storage_conditions					
marketing_authorisation_holder					
approval_or_revision_date					

column	what it means
pl_number	UK MHRA product licence number. Embedded in MHRA document filenames, which is what joins a document to the graph.

raw_metadata.csv

41.0 MB · 19 columns · read by the graph

Serves: The UK product population - the same documents the vector store indexes, joined here by licence number.

Builds: node:Product , id:MHRA_PL

column	row 1	row 2	row 3	row 4	row 5
@search.score	1.0	1.0	1.0	1.0	1.0
created	2024-09-06T08:17:59Z	2024-09-06T09:01:58Z	2024-09-06T09:13:49Z	2024-09-06T07:26:22Z	2024-09-06T06:31:23Z
doc_type	Spc	Pil	Pil	Pil	Spc
facets	E;E, ERAVACYCLINE;E, ERAVACYCLINE, XERAVA 100 MG POWDER FOR CONCENTRATE FOR SOLUTION FOR I...	D;D, DEGARELIX;D, DEGARELIX, FIRMAGON 80 MG POWDER AND SOLVENT FOR SOLUTION FOR INJECTION;...	L;L, LITHIUM CARBONATE;L, LITHIUM CARBONATE, CAMCOLIT 400 MG CONTROLLED RELEASE TABLETS	C;C, COLECALCIFEROL;C, COLECALCIFEROL, VITAMIN D3 1 000 IU CAPSULES SOFT	G;G, GLIMEPIRIDE;G, GLIMEPIRIDE, GLIMEPIRIDE 1MG TABLETS
file_name	CON1725610677580	CON1725613315327	CON1725614028313	CON1725607580575	CON1725604280897
id	0e25498c	a55fd986	968c03a7	37f0c8b3	623edb38
keywords					
local_pdf_path	pdfs/spc/XERAVA_100_MG_POWDER_FOR_CONCENTRATE_FOR_SOLUTION_FOR_INFUSION_PLGB246260006_spc....	pdfs/pil/FIRMAGON_80_MG_POWDER_AND_SOLVENT_FOR_SOLUTION_FOR_INJECTION_PLPI459850542_pil.pd...	pdfs/pil/CAMCOLIT_400_MG_CONTROLLED_RELEASE_TABLETS_PLPI459850691_pil.pdf	pdfs/pil/VITAMIN_D3_1_000_IU_CAPSULES_SOFT_PL303220022_pil.pdf	pdfs/spc/GLIMEPIRIDE_1MG_TABLETS_PL157640025_spc.pdf
metadata_storage_name	b24a9ac3ef0735e2afb202f9cf20f85678ae8952	ecc7e5f1a795cc3b3b303c751bd4920d721909f7	ff59dc69bb80e6d016783f1a4a8bdff466a4cb2f	823e56568989b59925c120a612659ca630548c27	d730d1595542f46067cc5c24d1559c44ad449ff2
metadata_storage_path	https://mhraproducts4853.blob.core.windows.net/docs/b24a9ac3ef0735e2afb202f9cf20f85678ae89...	https://mhraproducts4853.blob.core.windows.net/docs/ecc7e5f1a795cc3b3b303c751bd4920d721909...	https://mhraproducts4853.blob.core.windows.net/docs/ff59dc69bb80e6d016783f1a4a8bdff466a4cb...	https://mhraproducts4853.blob.core.windows.net/docs/823e56568989b59925c120a612659ca630548c...	https://mhraproducts4853.blob.core.windows.net/docs/d730d1595542f46067cc5c24d1559c44ad449f...
metadata_storage_size	76343	204990	1402207	143276	59535
pl_number	PLGB246260006	PLPI459850542	PLPI459850691	PL303220022	PL157640025
product_name	XERAVA 100 MG POWDER FOR CONCENTRATE FOR SOLUTION FOR INFUSION	FIRMAGON 80 MG POWDER AND SOLVENT FOR SOLUTION FOR INJECTION	CAMCOLIT 400 MG CONTROLLED RELEASE TABLETS	VITAMIN D3 1 000 IU CAPSULES SOFT	GLIMEPIRIDE 1MG TABLETS
release_state	Y	Y	Y	Y	Y
rev_label	1	1	1	1	1
substance_name	ERAVACYCLINE	NO ACTIVES PRESENT;DEGARELIX	LITHIUM CARBONATE	COLECALCIFEROL	GLIMEPIRIDE
suggestions					
territory	GB	GB	UK	UK	UK
title	spc-doc_PLGB 24626-0006.pdf	leaflet MAH BRAND_PLPI 45985-0542.pdf	leaflet MAH BRAND_PLPI 45985-0691.pdf	leaflet MAH GENERIC_PL 30322-0022.pdf	spc-doc_PL 15764-0025.pdf

column	what it means
pl_number	UK MHRA product licence number. Embedded in MHRA document filenames, which is what joins a document to the graph.

purplebooksearch.fda.gov

4 CSV (1.3 MB) · 1 .json (251 B)

example filenames:

_LATEST.json

glossary.csv

8.7 KB · 2 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Purple Book. Biologics licensures, biosimilar relationships and their exclusivities.

column	row 1	row 2	row 3	row 4	row 5
Term	351(a)	351(k) Biosimilar	351(k) Interchangeable	Applicant (sponsor)	Approval Date
Definition	A biological product licensed under section 351(a) of the PHS Act. A 351(a) BLA must conta...	A biological product licensed under section 351(k) of the PHS Act. Among other things, a 3...	A biological product licensed under section 351(k) of the PHS Act. Among other things, a 3...	The manufacturer or company that submits an application to FDA for approval of a drug, inc...	The date FDA approved the application or supplement.

patent_list.csv

32.2 KB · 6 columns · read by the graph

Serves: Biologics patents, joined on BLA number.

Builds: node:Patent , edge:PROTECTED_BY

column	row 1	row 2	row 3	row 4	row 5
Reference Product BLA Number	103705	103705	103705	103705	103705
Applicant Name	Genentech, Inc.	Genentech, Inc.	Genentech, Inc.	Genentech, Inc.	Genentech, Inc.
Proprietary Name	Rituxan	Rituxan	Rituxan	Rituxan	Rituxan
Proper Name	rituximab	rituximab	rituximab	rituximab	rituximab
Patent Number	8,512,983	7,976,838	8,460,895	7,485,704	8,574,869
Patent Expiration Date	January 4, 2031	June 30, 2025	August 8, 2029	March 8, 2025	July 8, 2028

purplebook_enriched_products.csv

834.2 KB · 27 columns · read by the graph

Serves: license_type 351(a)/351(k) plus resolved_reference_bla gives the biosimilar->originator edge already resolved.

Builds: node:Product , node:Approval , edge:BIOSIMILAR_OF

27 columns. Showing the 16 that identify a record; **11 hidden**.

column	row 1	row 2	row 3	row 4	row 5
bla_number	101062	101062	101066	101066	101066
proprietary_name	N/A	N/A	Recombivax, Recombivax Hb	Recombivax, Recombivax Hb	Recombivax, Recombivax Hb
proper_name	Antivenin (Latrodectus mactans)	Antivenin (Latrodectus mactans)	Hepatitis B Vaccine (Recombinant)	Hepatitis B Vaccine (Recombinant)	Hepatitis B Vaccine (Recombinant)
license_type	351(a)	351(a)	351(a)	351(a)	351(a)
applicant	Merck Sharp & Dohme LLC	Merck Sharp & Dohme LLC	Merck Sharp & Dohme LLC	Merck Sharp & Dohme LLC	Merck Sharp & Dohme LLC
licensure	Licensed	Licensed	Licensed	Licensed	Licensed
approval_date	13-Feb-36	13-Feb-36	23-Jul-86	23-Jul-86	23-Jul-86
marketing_status	Rx	Rx	Rx	Rx	Rx
product_number	001	002	001	002	003
date_of_first_licensure					
exclusivity_expiration_date					
first_interchangeable_exclusivity_exp_date					
ref_product_exclusivity_exp_date					
orphan_exclusivity_exp_date					
reference_proprietary_name					
reference_proper_name					

purplebook_raw_monthly.csv

446.5 KB · 28 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Purple Book. Biologics licensures, biosimilar relationships and their exclusivities.

28 columns. Showing the 6 that identify a record; **22 hidden**.

column	row 1	row 2	row 3	row 4	row 5
Purple Book Monthly Historical Data Changes Report New/Updated Products (N) / Products Added in Current Release (R) / Updated Products (U...			N/R/U	U	U
			Applicant	Merck Sharp & Dohme LLC	CSL Behring GmbH
			BLA Number	101084	125317
			Proprietary Name	N/A	Riastap
			Proper Name	Normal Horse Serum	Fibrinogen Concentrate (Human)
			License Type	351(a)	351(a)

Safety Pharmacovigilance

Adverse events, recalls, shortages, safety communications.

adrreports.eu

2 CSV (3.0 MB) · 2 .json (811 B)

example filenames:

`_LATEST.json`
`_MANIFEST.json`

`adrreports_products.csv`

412.4 KB · 4 columns · not read by the graph

Serves: not used by the graph — meddra.org holds no terminology. The scrape reached only public pages - meddra_timeline.csv is news announcements and meddra_versions.csv is release history - because MedDRA itself is licensed. It was planned as the source of the reaction hierarchy and cannot be; vigiaccess publishes reactions already grouped by System Organ Class and is loaded instead. adrreports.eu is an index, not data: adrreports_substances.csv is name + EMA code + a report URL, with no reaction or count in it. Worth revisiting only to add EudraVigilance substance codes as identifiers.

column	row 1	row 2	row 3	row 4	row 5
medicinal_product	ABASAGLAR	ABASAGLAR KWIKPEN	ABECMA	ABEVMY	ABILIFY
product_code	22377074	184449210	196322753	187476421	45122
letter	a	a	a	a	a
report_url	https://dap.ema.europa.eu/analytics SOAP/saw.dll? PortalPages&PortalPath=%2Fshared %2FPHV%20D...	https://dap.ema.europa.eu/analytics SOAP/saw.dll? PortalPages&PortalPath=%2Fshared %2FPHV%20D...	https://dap.ema.europa.eu/analytics SOAP/saw.dll? PortalPages&PortalPath=%2Fshared %2FPHV%20D...	https://dap.ema.europa.eu/analytics SOAP/saw.dll? PortalPages&PortalPath=%2Fshared %2FPHV%20D...	https://dap.ema.europa.eu/analytics SOAP/saw.dll? PortalPages&PortalPath=%2Fshared %2FPHV%20D...

`adrreports_substances.csv`

1.1 MB · 4 columns · not read by the graph

Serves: not used by the graph — meddra.org holds no terminology. The scrape reached only public pages - meddra_timeline.csv is news announcements and meddra_versions.csv is release history - because MedDRA itself is licensed. It was planned as the source of the reaction hierarchy and cannot be; vigiaccess publishes reactions already grouped by System Organ Class and is loaded instead. adrreports.eu is an index, not data: adrreports_substances.csv is name + EMA code + a report URL, with no reaction or count in it. Worth revisiting only to add EudraVigilance substance codes as identifiers.

column	row 1	row 2	row 3	row 4	row 5
active_substance	1-NAPHTHALENEACETIC ACID, TOLYLMETHYLCARBINOL NICOTINATE	1-PROPANOL	13C-UREA	2,4 DICHLOROBENZYL ALCOHOL	2,4 DICHLOROBENZYL ALCOHOL, CETRIMIDE PH. EUR., ALLANTOIN BP
substance_code	42326870	160811	27344	24728	25097808
letter	0-9	0-9	0-9	0-9	0-9
report_url	https://dap.ema.europa.eu/analytics SOAP/saw.dll? PortalPages&PortalPath=%2Fshared %2FPHV%20D...	https://dap.ema.europa.eu/analytics SOAP/saw.dll? PortalPages&PortalPath=%2Fshared %2FPHV%20D...	https://dap.ema.europa.eu/analytics SOAP/saw.dll? PortalPages&PortalPath=%2Fshared %2FPHV%20D...	https://dap.ema.europa.eu/analytics SOAP/saw.dll? PortalPages&PortalPath=%2Fshared %2FPHV%20D...	https://dap.ema.europa.eu/analytics SOAP/saw.dll? PortalPages&PortalPath=%2Fshared %2FPHV%20D...

meddra.org

2 CSV (29.4 KB) · 1 .json (239 B)

example filenames:

`_LATEST.json`

meddra_timeline.csv

24.7 KB · 4 columns · not read by the graph

Serves: not used by the graph — Holds no terminology. The scrape reached only public pages - meddra_timeline.csv is news announcements and meddra_versions.csv is release history - because MedDRA itself is licensed. It was planned as the source of the reaction hierarchy and cannot be; vigiaccess publishes reactions already grouped by System Organ Class and is loaded instead.

column	row 1	row 2	row 3	row 4	row 5
date	2025-10-23	2025-09-15	2025-09-15	2025-01-07	2024-11-27
title	Release of the MedDRA translation in Slovenian	Release of MedDRA Translations in Norwegian and Slovak	Release of Translations of MedDRA in Norwegian and Slovak	MedDRA Learning Management System Released	Release of MedDRA Translation in Icelandic
url	https://www.meddra.org/node/3394	https://www.meddra.org/node/3464	https://www.meddra.org/node/3393	https://www.meddra.org/node/3465	https://www.meddra.org/node/3293
summary	The MSSO is pleased to announce that the Slovenian translation of MedDRA is now available....	The MSSO released the initial versions of MedDRA in Norwegian and Slovak. These new MedDRA...	The MSSO is pleased to announce that the Norwegian and Slovak translations of MedDRA are n...	The MSSO launched the MedDRA Learning Management System (LMS) which provides users with a ...	The MSSO released the initial translation of MedDRA in Icelandic. This new MedDRA translat...

meddra_versions.csv

4.8 KB · 5 columns · not read by the graph

Serves: not used by the graph — Holds no terminology. The scrape reached only public pages - meddra_timeline.csv is news announcements and meddra_versions.csv is release history - because MedDRA itself is licensed. It was planned as the source of the reaction hierarchy and cannot be; vigiaccess publishes reactions already grouped by System Organ Class and is loaded instead.

column	row 1	row 2	row 3	row 4	row 5
version	7.0	7.1	8.0	8.1	9.0
release_date					
announcement_date					
source_title	MedDRA Version 7.0 Deutsch	MedDRA Version 7.1 Deutsch	MedDRA Version 8.0 Deutsch	MedDRA Version 8.1 Deutsch	MedDRA Version 9.0 Deutsch
source_url	https://www.meddra.org/meddra-version-70-deutsch	https://www.meddra.org/meddra-version-71-deutsch	https://www.meddra.org/meddra-version-80-deutsch	https://www.meddra.org/meddra-version-81-deutsch	https://www.meddra.org/meddra-version-90-deutsch

open.fda.gov

16 CSV (3.0 GB) · 1 .json (247 B)

example filenames:

_LATEST.json

drug_approvals.csv

5.7 MB · 12 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. openFDA. FAERS adverse event reports, recalls and shortages.

column	row 1	row 2	row 3	row 4	row 5
application_number	NDA017398	NDA017441	ANDA076831	ANDA077426	ANDA077426
sponsor_name	SANDOZ	ALLERGAN	PADAGIS US	ANI PHARMS	ANI PHARMS
product_number	001	001	001	002	001
brand_name	REGONOL	INFED	FLAVOXATE HYDROCHLORIDE	RANITIDINE HYDROCHLORIDE	RANITIDINE HYDROCHLORIDE
active_ingredients	PYRIDOSTIGMINE BROMIDE 5MG/ML	IRON DEXTRAN EQ 100MG IRON/2ML (EQ 50MG IRON/ML)	FLAVOXATE HYDROCHLORIDE 100MG	RANITIDINE HYDROCHLORIDE EQ 300MG BASE	RANITIDINE HYDROCHLORIDE EQ 150MG BASE
dosage_form	INJECTABLE	INJECTABLE	TABLET	TABLET	TABLET
route	INJECTION	INJECTION	ORAL	ORAL	ORAL
marketing_status	Prescription	Prescription	Prescription	Discontinued	Discontinued
submission_type	SUPPL	SUPPL	ORIG	SUPPL	SUPPL
submission_number	25	103	1	1	1
submission_status	AP	AP	AP	AP	AP
submission_status_date	20210405	19780731	20041216	20071030	20071030

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. openFDA. FAERS adverse event reports, recalls and shortages.

column	row 1	row 2	row 3	row 4	row 5
application_number		M003	ANDA078250	505G(a)(3)	M006
brand_name	SILICEA	Betadine	Naproxen	Moisturizing Antibacterial	Quick Action
generic_name	SILICEA	POVIDONE-IODINE	NAPROXEN	BENZALKONIUM CHLORIDE	SALICYLIC ACID
substance_name	SILICON DIOXIDE	POVIDONE-IODINE	NAPROXEN	BENZALKONIUM CHLORIDE	SALICYLIC ACID
manufacturer_name	Rxhomeo Private Limited d.b.a. Rxhomeo, Inc	Atlantis Consumer Healthcare, Inc.	A-S Medication Solutions	Walmart Inc.	Walmart Inc.
product_type	HUMAN OTC DRUG	HUMAN OTC DRUG	HUMAN PRESCRIPTION DRUG	HUMAN OTC DRUG	HUMAN OTC DRUG
route	ORAL	TOPICAL	ORAL	TOPICAL	TOPICAL
pharm_class_epc		Antiseptic [EPC]	Nonsteroidal Anti-inflammatory Drug [EPC]		
pharm_class_moa			Cyclooxygenase Inhibitors [MoA]		
dosage_form					
indications_and_usage	INDICATIONS Condition listed above or as directed by the physician	Uses First aid to help prevent infection in minor cuts scrapes burns	1 INDICATIONS AND USAGE Naproxen tablets and naproxen sodium tablets are indicated for: th...	Use For handwashing to decrease bacteria on the skin	Use for the treatment of acne
warnings	WARNINGS This product is to be used for self-limiting conditions If symptoms do not improv...	Warnings For external use only		Warnings For external use only: hands only	Warnings For external use only
adverse_reactions			6 ADVERSE REACTIONS The following adverse reactions are discussed in greater detail in oth...		ADVERSE REACTION Information: 1-888-287-1915 or Walmart.com/help DISTRIBUTED BY: Walmart I...
drug_interactions			7 DRUG INTERACTIONS See Table 1 for clinically significant drug interactions with naproxen...		
contraindications			4 CONTRAINDICATIONS Naproxen tablets and naproxen sodium tablets are contraindicated in th...		
boxed_warning			WARNING: RISK OF SERIOUS CARDIOVASCULAR AND GASTROINTESTINAL EVENTS Cardiovascular Thrombo...		
pregnancy			8.1 Pregnancy Risk Summary Use of NSAIDs, including naproxen tablets and naproxen sodium t...		

drug_recalls.csv

8.9 MB · 20 columns · read by the graph

Serves: type=recall. classification I/II/III is the severity.

Builds: node:RegulatoryEvent , edge:SUBJECT_OF

column	row 1	row 2	row 3	row 4	row 5
recall_number	D-321-2016	D-0080-2021	D-0115-2026	D-1285-2020	D-0623-2022
event_id	72241	86162	97808	85712	88905
status	Terminated	Ongoing	Ongoing	Terminated	Terminated
classification	Class II	Class II	Class II	Class II	Class II
recalling_firm	Kalman Health & Wellness, Inc. dba Essential Wellness Pharma	Albek De Mexico S.A. De C.V.	ProRx LLC	Teva Pharmaceuticals USA	Perrigo Company PLC
city	Peoria	San Juan Del Rio	Exton	Parsippany	Allegan
state	IL	N/A	PA	NJ	MI
country	United States	Mexico	United States	United States	United States
product_description	Progesterone 100 mg/mL in Corn Oil Injection, 2 mL vials, Rx only, Essential Wellness PHAR...	Assured Instant Hand Sanitizer Aloe & Moisturizers (Ethyl Alcohol 70% v/v) 8 fl oz / 237 m...	Semaglutide Injection, 10 mg/4 mL (2.5 mg/mL), 4mL Multidose Vial, For Subcutaneous Use, R...	Dextroamphetamine Saccharate, Amphetamine Aspartate, Dextroamphetamine Sulfate and Ampheta...	No Drip Nasal Spray, Oxymetazoline HCl 0.05% Nasal Decongestant, 1 FL Oz (30 mL) per bottl...
reason_for_recall	Lack of Assurance of Sterility: A recall of all compounded sterile preparations within ex...	CGMP Deviations: Next Advanced Antibacterial Hand Sanitizer was found to be below the labe...	Lack of Assurance of Sterility	Some bottles may contain mixed strengths of the product.	CGMP Deviations: Products were manufactured with contaminated excipient that was recalled ...
product_quantity	1 vial	27,000 bottles	8,400 vials	33,280 bottles	1,560 bottles
distribution_pattern	Nationwide	USA Nationwide	TX and UT	Nationwide within the United State and Puerto Rico.	Nationwide in the USA
voluntary_mandated	Voluntary: Firm initiated	Voluntary: Firm initiated	Voluntary: Firm initiated	Voluntary: Firm initiated	Voluntary: Firm initiated
recall_initiation_date	20150903	20200730	20251015	20200522	20211026
center_classification_date	20151117	20201117	20251027	20200604	20220223
termination_date	20171229			20210525	20230929
report_date	20151125	20201125	20251105	20200610	20220302
brand_name				DEXTROAMPHETAMINE SACCHARATE, AMPHETAMINE ASPARTATE, DEXTROAMPHETAMINE SULFATE AND AMPHETA...	EQUALINE NASAL
generic_name				DEXTROAMPHETAMINE SACCHARATE, AMPHETAMINE ASPARTATE, DEXTROAMPHETAMINE SULFATE AND AMPHETA...	OXYMETAZOLINE HCL
manufacturer_name				Teva Pharmaceuticals USA, Inc.	United Natural Foods, Inc. dba UNFI

faers_2020.csv

61.8 MB · 24 columns · read by the graph

Serves: AGGREGATE at load: one edge per (drug_substance, reaction) with report/serious/death counts. Never one node per report.

Builds: node:AdverseEvent , edge:HAS_ADVERSE_EVENT

column	row 1	row 2	row 3	row 4	row 5
safetyreportid	10004057	10004057	10004057	10004057	10004057
receiptdate	20200421	20200421	20200421	20200421	20200421
serious	2	2	2	2	2
seriousnessdeath					
seriousnesshospitalization					
seriousnesslifethreatening					
seriousnessdisabling					
occurcountry	US	US	US	US	US
reporttype	1	1	1	1	1
drug_name	JAKAFI	FISH OIL	LEXAPRO	JAKAFI	ASPIRIN.
drug_brand	JAKAFI	OMEGAVEN	LEXAPRO	JAKAFI	BAYER GENUINE ASPIRIN; ASPIRIN; ENTERIC ASPIRIN; ADULT LOW DOSE ASPIRIN; CHEWABLE ASPIRIN;...
drug_generic	RUXOLITINIB	FISH OIL	ESCITALOPRAM	RUXOLITINIB	ASPIRIN; ASPIRIN 81 MG; ASPIRIN 325 MG
drug_substance	RUXOLITINIB	FISH OIL	ESCITALOPRAM OXALATE	RUXOLITINIB	ASPIRIN
drug_indication	MYELOFIBROSIS	PRODUCT USED FOR UNKNOWN INDICATION	PRODUCT USED FOR UNKNOWN INDICATION		PRODUCT USED FOR UNKNOWN INDICATION
drug_route	ORAL	INTRAVENOUS	ORAL	ORAL	ORAL; RECTAL
drug_characterization	1	2	2	1	2
drug_pharm_class	Kinase Inhibitor [EPC]; Janus Kinase Inhibitor [EPC]			Kinase Inhibitor [EPC]; Janus Kinase Inhibitor [EPC]	Nonsteroidal Anti-inflammatory Drug [EPC]; Platelet Aggregation Inhibitor [EPC]
drug_manufacturer	Incyte Corporation	Fresenius Kabi USA, LLC	Allergan, Inc.	Incyte Corporation	Unifirst First Aid Corporation; Health Pharma USA LLC; Topco Associates, LLC; Walgreen Com...
reaction	Malaise; Nausea; Haemoglobin decreased; Headache	Malaise; Nausea; Haemoglobin decreased; Headache	Malaise; Nausea; Haemoglobin decreased; Headache	Malaise; Nausea; Haemoglobin decreased; Headache	Malaise; Nausea; Haemoglobin decreased; Headache
reaction_outcome	3; 3; 6; 3	3; 3; 6; 3	3; 3; 6; 3	3; 3; 6; 3	3; 3; 6; 3
patient_sex					
patient_age					
patient_age_unit					
patient_weight					

column	what it means
safetyreportid	FAERS report identifier. One adverse event report.
reaction	MedDRA preferred term for what happened.

faers_2021.csv

182.7 MB · 24 columns · read by the graph

Serves: AGGREGATE at load: one edge per (drug_substance, reaction) with report/serious/death counts. Never one node per report.

Builds: node:AdverseEvent , edge:HAS_ADVERSE_EVENT

column	row 1	row 2	row 3	row 4	row 5
safetyreportid	10004234	10004234	10004234	10004234	10004234
receiptdate	20210629	20210629	20210629	20210629	20210629
serious	1	1	1	1	1
seriousnessdeath					
seriousnesshospitalization					
seriousnesslifethreatening					
seriousnessdisabling					
occurcountry	FR	FR	FR	FR	FR
reporttype	2	2	2	2	2
drug_name	HUMAN CLOTTABLE PROTEIN/HUMAN THROMBIN	TEMESTA [LORAZEPAM]	OMEPRAZOLE.	LACTULOSE.	SMECTA
drug_brand			GOOD NEIGHBOR PHARMACY OMEPRAZOLE; OMEPRAZOLE/SODIUM BICARBONATE; KIRKLAND SIGNATURE OMEPR...	GENERLAC; LACTULOSE; KRISTALOSE; CONSTULOSE; LACTULOSE CRYSTALLINE; ENULOSE	
drug_generic			OMEPRAZOLE; OMEPRAZOLE MAGNESIUM	LACTULOSE	
drug_substance			OMEPRAZOLE; SODIUM BICARBONATE; OMEPRAZOLE MAGNESIUM	LACTULOSE	
drug_indication	HAEMOSTASIS	PRODUCT USED FOR UNKNOWN INDICATION		PRODUCT USED FOR UNKNOWN INDICATION	PRODUCT USED FOR UNKNOWN INDICATION
drug_route			ORAL	ORAL; RECTAL	
drug_characterization	1	2	2	2	2
drug_pharm_class			Proton Pump Inhibitor [EPC]	Osmotic Laxative [EPC]	
drug_manufacturer			Amerisource Bergen; Strides Pharma Science Limited; Costco Wholesale Company; INNOVUS PHAR...	Chartwell RX, LLC; PAI Holdings, LLC dba PAI Pharma; APOZEAL PHARMACEUTICALS INC; Sun Phar...	
reaction	Skin necrosis	Skin necrosis	Skin necrosis	Skin necrosis	Skin necrosis
reaction_outcome	1	1	1	1	1
patient_sex					
patient_age	81	81	81	81	81
patient_age_unit	801	801	801	801	801
patient_weight	64	64	64	64	64

column	what it means
safetyreportid	FAERS report identifier. One adverse event report.
reaction	MedDRA preferred term for what happened.

faers_2022.csv

258.2 MB · 24 columns · read by the graph

Serves: AGGREGATE at load: one edge per (drug_substance, reaction) with report/serious/death counts. Never one node per report.

Builds: node:AdverseEvent , edge:HAS_ADVERSE_EVENT

column	row 1	row 2	row 3	row 4	row 5
safetyreportid	10005883	10005883	10005883	10005883	10005883
receiptdate	20220812	20220812	20220812	20220812	20220812
serious	1	1	1	1	1
seriousnessdeath	2	2	2	2	2
seriousnesshospitalization	1	1	1	1	1
seriousnesslifethreatening	1	1	1	1	1
seriousnessdisabling	2	2	2	2	2
occurcountry	FR	FR	FR	FR	FR
reporttype	1	1	1	1	1
drug_name	ACETAMINOPHEN	TRAMADOL	BROMAZEPAM	ZOLPIDEM	CETIRIZINE
drug_brand	AMAZON BASIC CARE ACETAMINOPHEN; PAIN RELIEF; MAXIMUM STRENGTH NON- ASPIRIN 100; MAXIMUM ST...			ZOLPIDEM	CETIRIZINE HCL; CETIRIZINE HYDROCHLORIDE; CETIRIZINE; ZERVIAE; CETIRIZINE HYDROCHLORIDE H...
drug_generic	ACETAMINOPHEN; ACETAMINOPHEN 500MG; ACETAMINOPHEN TABLET EXTENDED RELEASE; PAIN RELIEVER			ZOLPIDEM TARTRATE	CETIRIZINE; CETIRIZINE HYDROCHLORIDE; CETIIRIZINE
drug_substance	ACETAMINOPHEN; DEXTROMETHORPHAN HYDROBROMIDE; DOXYLAMINE SUCCINATE; DIPHENHYDRAMINE HYDROC...			ZOLPIDEM TARTRATE	CETIRIZINE HYDROCHLORIDE; CETIRIZINE
drug_indication	Product used for unknown indication	Product used for unknown indication	Product used for unknown indication	Product used for unknown indication	Product used for unknown indication
drug_route	ORAL; RECTAL; INTRAVENOUS			ORAL	ORAL; OPHTHALMIC
drug_characterization	1	1	1	1	1
drug_pharm_class	Nonsteroidal Anti-inflammatory Drug [EPC]				Histamine-1 Receptor Antagonist [EPC]
drug_manufacturer	Amazon.com Services LLC; Meijer, Inc.; JHK Inc dba American Safety & First Aid; H E B; Six...			ACI Healthcare USA, Inc	GERI-CARE PHARMACEUTICAL CORP; Amneal Pharmaceuticals LLC; Major Pharmaceuticals; Harrow E...
reaction	Drug-induced liver injury; Intentional overdose; Suicide attempt	Drug-induced liver injury; Intentional overdose; Suicide attempt	Drug-induced liver injury; Intentional overdose; Suicide attempt	Drug-induced liver injury; Intentional overdose; Suicide attempt	Drug-induced liver injury; Intentional overdose; Suicide attempt
reaction_outcome	6; 6; 6	6; 6; 6	6; 6; 6	6; 6; 6	6; 6; 6
patient_sex	2	2	2	2	2
patient_age	31	31	31	31	31
patient_age_unit	801	801	801	801	801
patient_weight					

column	what it means
safetyreportid	FAERS report identifier. One adverse event report.
reaction	MedDRA preferred term for what happened.

Serves: AGGREGATE at load: one edge per (drug_substance, reaction) with report/serious/death counts. Never one node per report.

Builds: node:AdverseEvent , edge:HAS_ADVERSE_EVENT

column	row 1	row 2	row 3	row 4	row 5
safetyreportid	10005154	10005154	10005154	10011639	10011639
receiptdate	20230726	20230726	20230726	20230607	20230607
serious	2	2	2	1	1
seriousnessdeath	2	2	2	2	2
seriousnesshospitalization	2	2	2	2	2
seriousnesslifethreatening	2	2	2	2	2
seriousnessdisabling	2	2	2	2	2
occurcountry	US	US	US	CA	CA
reporttype	1	1	1	2	2
drug_name	JAKAFI	JAKAFI	JAKAFI	SANDOSTATIN	SANDOSTATIN
drug_brand	JAKAFI	JAKAFI	JAKAFI	SANDOSTATIN	SANDOSTATIN
drug_generic	RUXOLITINIB	RUXOLITINIB	RUXOLITINIB	OCTREOTIDE ACETATE	OCTREOTIDE ACETATE
drug_substance	RUXOLITINIB	RUXOLITINIB	RUXOLITINIB	OCTREOTIDE ACETATE	OCTREOTIDE ACETATE
drug_indication	Myelofibrosis			Neuroendocrine tumour	
drug_route	ORAL	ORAL	ORAL	INTRAVENOUS; SUBCUTANEOUS	INTRAVENOUS; SUBCUTANEOUS
drug_characterization	1	1	1	1	1
drug_pharm_class	Kinase Inhibitor [EPC]; Janus Kinase Inhibitor [EPC]	Kinase Inhibitor [EPC]; Janus Kinase Inhibitor [EPC]	Kinase Inhibitor [EPC]; Janus Kinase Inhibitor [EPC]		
drug_manufacturer	Incyte Corporation	Incyte Corporation	Incyte Corporation	Novartis Pharmaceuticals Corporation	Novartis Pharmaceuticals Corporation
reaction	Product availability issue; Fatigue	Product availability issue; Fatigue	Product availability issue; Fatigue	Post procedural swelling; Post procedural discharge; Blood pressure increased; Metastases ...	Post procedural swelling; Post procedural discharge; Blood pressure increased; Metastases ...
reaction_outcome	6; 6	6; 6	6; 6	6; 6; 6; 3; 6; 6; 2; 6; 6; 6; 6; 6; 6; 6; 6	6; 6; 6; 3; 6; 6; 2; 6; 6; 6; 6; 6; 6; 6; 6
patient_sex				2	2
patient_age				44	44
patient_age_unit				801	801
patient_weight					

column	what it means
safetyreportid	FAERS report identifier. One adverse event report.
reaction	MedDRA preferred term for what happened.

faers_2024Q1.csv

207.0 MB · 24 columns · read by the graph

Serves: AGGREGATE at load: one edge per (drug_substance, reaction) with report/serious/death counts. Never one node per report.

Builds: node:AdverseEvent , edge:HAS ADVERSE EVENT

[illegible]

column	what it means
safetyreportid	FAERS report identifier. One adverse event report.
reaction	MedDRA preferred term for what happened.

Serves: AGGREGATE at load: one edge per (drug_substance, reaction) with report/serious/death counts. Never one node per report.

Builds: node:AdverseEvent , edge:HAS_ADVERSE_EVENT

column	row 1	row 2	row 3	row 4	row 5
safetyreportid	10011307	10011307	10032297	10032297	10032297
receiptdate	20240625	20240625	20240527	20240527	20240527
serious	2	2	1	1	1
seriousnessdeath	2	2	2	2	2
seriousnesshospitalization	2	2	1	1	1
seriousnesslifethreatening	2	2	2	2	2
seriousnessdisabling	2	2	2	2	2
occurcountry	CA	CA	CA	CA	CA
reporttype	2	2	2	2	2
drug_name	STELARA	STELARA	SANDOSTATIN	SANDOSTATIN	SANDOSTATIN
drug_brand	STELARA	STELARA	SANDOSTATIN	SANDOSTATIN	SANDOSTATIN
drug_generic	USTEKINUMAB	USTEKINUMAB	OCTREOTIDE ACETATE	OCTREOTIDE ACETATE	OCTREOTIDE ACETATE
drug_substance	USTEKINUMAB	USTEKINUMAB	OCTREOTIDE ACETATE	OCTREOTIDE ACETATE	OCTREOTIDE ACETATE
drug_indication	Psoriasis		Acromegaly		
drug_route	INTRAVENOUS; SUBCUTANEOUS	INTRAVENOUS; SUBCUTANEOUS	INTRAVENOUS; SUBCUTANEOUS	INTRAVENOUS; SUBCUTANEOUS	INTRAVENOUS; SUBCUTANEOUS
drug_characterization	1	1	1	1	1
drug_pharm_class	Interleukin-12 Antagonist [EPC]; Interleukin-23 Antagonist [EPC]	Interleukin-12 Antagonist [EPC]; Interleukin-23 Antagonist [EPC]			
drug_manufacturer	Janssen Biotech, Inc.	Janssen Biotech, Inc.	Novartis Pharmaceuticals Corporation	Novartis Pharmaceuticals Corporation	Novartis Pharmaceuticals Corporation
reaction	Cataract	Cataract	Cerebrospinal fluid leakage; Renal failure; Pituitary tumour; Rheumatoid arthritis; Arthra...	Cerebrospinal fluid leakage; Renal failure; Pituitary tumour; Rheumatoid arthritis; Arthra...	Cerebrospinal fluid leakage; Renal failure; Pituitary tumour; Rheumatoid arthritis; Arthra...
reaction_outcome	6	6	6; 6; 6; 6; 3; 6; 6; 1; 6; 6; 6; 6; 6; 6; 3; 6; 6; 6; 1; 6; 6; 6; 6; 6; 1; 6; 6; 6; 1; 1; ...	6; 6; 6; 6; 3; 6; 6; 1; 6; 6; 6; 6; 6; 6; 3; 6; 6; 6; 1; 6; 6; 6; 6; 6; 1; 6; 6; 6; 1; 1; ...	6; 6; 6; 6; 3; 6; 6; 1; 6; 6; 6; 6; 6; 6; 3; 6; 6; 6; 1; 6; 6; 6; 6; 6; 1; 6; 6; 6; 1; 1; ...
patient_sex	2	2	2	2	2
patient_age	46	46	61	61	61
patient_age_unit	801	801	801	801	801
patient_weight					

column	what it means
safetyreportid	FAERS report identifier. One adverse event report.
reaction	MedDRA preferred term for what happened.

Serves: AGGREGATE at load: one edge per (drug_substance, reaction) with report/serious/death counts. Never one node per report.

Builds: node: AdverseEvent , edge: HAS_ADVERSE_EVENT

column	row 1	row 2	row 3	row 4	row 5
safetyreportid	10013839	10013839	10023105	10023105	10023105
receiptdate	20240726	20240726	20240715	20240715	20240715
serious	1	1	1	1	1
seriousnessdeath	1	1			
seriousnesshospitalization	2	2	1	1	1
seriousnesslifethreatening	2	2			
seriousnessdisabling	2	2			
occurcountry	FI	FI	CA	CA	CA
reporttype	1	1	2	2	2
drug_name	EMEND	YONDELIS	XOLAIR	XOLAIR	XOLAIR
drug_brand	EMEND	YONDELIS	XOLAIR	XOLAIR	XOLAIR
drug_generic	APREPITANT; FOSAPREPITANT DIMEGLUMINE	TRABECTEDIN	OMALIZUMAB	OMALIZUMAB	OMALIZUMAB
drug_substance	APREPITANT; FOSAPREPITANT DIMEGLUMINE	TRABECTEDIN	OMALIZUMAB	OMALIZUMAB	OMALIZUMAB
drug_indication	Prophylaxis of nausea and vomiting	Synovial sarcoma	Asthma	Chronic spontaneous urticaria	
drug_route	ORAL; INTRAVENOUS	INTRAVENOUS	SUBCUTANEOUS	SUBCUTANEOUS	SUBCUTANEOUS
drug_characterization	3	3	1	1	1
drug_pharm_class	Substance P/Neurokinin-1 Receptor Antagonist [EPC]	Alkylating Drug [EPC]	Anti-IgE [EPC]	Anti-IgE [EPC]	Anti-IgE [EPC]
drug_manufacturer	Merck Sharp & Dohme LLC	Janssen Products, LP	Genentech, Inc.	Genentech, Inc.	Genentech, Inc.
reaction	Hepatic function abnormal; Rhabdomyolysis; Renal disorder; Drug interaction; Liver functio...	Hepatic function abnormal; Rhabdomyolysis; Renal disorder; Drug interaction; Liver functio...	Respiratory distress; Forced vital capacity decreased; Illness; Fall; Lower respiratory tr...	Respiratory distress; Forced vital capacity decreased; Illness; Fall; Lower respiratory tr...	Respiratory distress; Forced vital capacity decreased; Illness; Fall; Lower respiratory tr...
reaction_outcome	5; 5; 5; 6	5; 5; 5; 6	6; 6; 6; 6; 6; 6; 6; 1; 6; 6; 6; 6; 6; 6; 2; 6; 6; 6; 6; 6; 6; 6; 6; ...	6; 6; 6; 6; 6; 6; 6; 6; 1; 6; 6; 6; 6; 6; 6; 2; 6; 6; 6; 6; 6; 6; 6; 6; ...	6; 6; 6; 6; 6; 6; 6; 6; 1; 6; 6; 6; 6; 6; 6; 2; 6; 6; 6; 6; 6; 6; 6; 6; ...
patient_sex	1	1	2	2	2
patient_age	37	37	66	66	66
patient_age_unit	801	801	801	801	801
patient_weight					

column	what it means
safetyreportid	FAERS report identifier. One adverse event report.
reaction	MedDRA preferred term for what happened.

Serves: AGGREGATE at load: one edge per (drug_substance, reaction) with report/serious/death counts. Never one node per report.

Builds: node:AdverseEvent , edge:HAS_ADVERSE_EVENT

column	row 1	row 2	row 3	row 4	row 5
safetyreportid	10010024	10010024	10010024	10010024	10010024
receiptdate	20241109	20241109	20241109	20241109	20241109
serious	1	1	1	1	1
seriousnessdeath	2	2	2	2	2
seriousnesshospitalization	2	2	2	2	2
seriousnesslifethreatening	2	2	2	2	2
seriousnessdisabling	2	2	2	2	2
occurcountry	DE	DE	DE	DE	DE
reporttype	1	1	1	1	1
drug_name	ADALIMUMAB	ADALIMUMAB	CYCLOSPORINE	REMICADE	ETANERCEPT
drug_brand	HUMIRA; ADALIMUMAB	HUMIRA; ADALIMUMAB	NEORAL; CYCLOSPORINE; CYCLOSPORINE, MODIFIED; VERKAZIA; CYCLOSPORINE MODIFIED; SANDIMMUNE; ...	REMICADE	ENBREL
drug_generic	ADALIMUMAB; ADALIMUMAB-AATY; ADALIMUMAB-ADAZ; ADALIMUMAB-FKJP	ADALIMUMAB; ADALIMUMAB-AATY; ADALIMUMAB-ADAZ; ADALIMUMAB-FKJP	CYCLOSPORINE	INFLIXIMAB	ETANERCEPT
drug_substance	ADALIMUMAB	ADALIMUMAB	CYCLOSPORINE	INFLIXIMAB	ETANERCEPT
drug_indication	Psoriasis	Psoriasis	Psoriasis	Psoriasis	Psoriasis
drug_route	SUBCUTANEOUS	SUBCUTANEOUS	ORAL; OPHTHALMIC; TOPICAL; INTRAVENOUS	INTRAVENOUS	SUBCUTANEOUS
drug_characterization	1	1	1	1	1
drug_pharm_class	Tumor Necrosis Factor Blocker [EPC]	Tumor Necrosis Factor Blocker [EPC]	Calcineurin Inhibitor Immunosuppressant [EPC]	Tumor Necrosis Factor Blocker [EPC]	Tumor Necrosis Factor Blocker [EPC]
drug_manufacturer	Cordavis Limited; CELLTRION USA, Inc.; AbbVie Inc.; Sandoz Inc; Biocon Biologics Inc	Cordavis Limited; CELLTRION USA, Inc.; AbbVie Inc.; Sandoz Inc; Biocon Biologics Inc	Novartis Pharmaceuticals Corporation; Teva Pharmaceuticals, Inc.; Apotex Corp.; Harrow Eye...	Janssen Biotech, Inc.	Immunex Corporation
reaction	Malignant melanoma stage I; Keratoacanthoma; Blood pressure increased; Hyperkeratosis; The...	Malignant melanoma stage I; Keratoacanthoma; Blood pressure increased; Hyperkeratosis; The...	Malignant melanoma stage I; Keratoacanthoma; Blood pressure increased; Hyperkeratosis; The...	Malignant melanoma stage I; Keratoacanthoma; Blood pressure increased; Hyperkeratosis; The...	Malignant melanoma stage I; Keratoacanthoma; Blood pressure increased; Hyperkeratosis; The...
reaction_outcome	1; 2; 6; 6; 3	1; 2; 6; 6; 3	1; 2; 6; 6; 3	1; 2; 6; 6; 3	1; 2; 6; 6; 3
patient_sex	1	1	1	1	1
patient_age	56	56	56	56	56
patient_age_unit	801	801	801	801	801
patient_weight					

column	what it means
safetyreportid	FAERS report identifier. One adverse event report.
reaction	MedDRA preferred term for what happened.

faers_2025Q1.csv

303.6 MB · 24 columns · read by the graph

Serves: AGGREGATE at load: one edge per (drug_substance, reaction) with report/serious/death counts. Never one node per report.

Builds: node:AdverseEvent , edge:HAS_ADVERSE_EVENT

column	row 1	row 2	row 3	row 4	row 5
safetyreportid	10029453	10029453	10029453	10029453	10029453
receiptdate	20250326	20250326	20250326	20250326	20250326
serious	1	1	1	1	1
seriousnessdeath	2	2	2	2	2
seriousnesshospitalization	2	2	2	2	2
seriousnesslifethreatening	2	2	2	2	2
seriousnessdisabling	2	2	2	2	2
occurcountry	IT	IT	IT	IT	IT
reporttype	1	1	1	1	1
drug_name	LETROZOLE	LAPATINIB	FULVESTRANT	CAPECITABINE	TRASTUZUMAB
drug_brand	LETROZOLE; FEMARA	LAPATINIB; TYKERB	FULVESTRANT; CLIGAVYX; FASLODEX	CAPECITABINE; CAPECITABINE 150MG; XELODA; CAPECITABINE 500MG	ONTRUZANT; HERCEPTIN; HERZUMA
drug_generic	LETROZOLE; LETROZOLE TABLETS	LAPATINIB	FULVESTRANT	CAPECITABINE	TRASTUZUMAB
drug_substance	LETROZOLE	LAPATINIB DITOSYLATE	FULVESTRANT	CAPECITABINE	TRASTUZUMAB
drug_indication	Breast cancer metastatic	Breast cancer metastatic	Breast cancer metastatic	Breast cancer metastatic	Breast cancer metastatic
drug_route	ORAL	ORAL	INTRAMUSCULAR; INTRAVENOUS	ORAL	INTRAVENOUS
drug_characterization	1	1	1	1	1
drug_pharm_class	Aromatase Inhibitor [EPC]		Estrogen Receptor Antagonist [EPC]	Nucleoside Metabolic Inhibitor [EPC]	HER2/neu Receptor Antagonist [EPC]
drug_manufacturer	Accord Healthcare, Inc.; Dr. Reddy's Laboratories Limited; Aurobindo Pharma Limited; Natco...	Teva Pharmaceuticals, Inc.; Novartis Pharmaceuticals Corporation; Lupin Pharmaceuticals, I...	Meitheal Pharmaceuticals Inc; Zydus Lifesciences Limited; Northstar Rx, LLC.; Alembic Phar...	Cipla USA Inc.; BluePoint Laboratories; Dr. Reddy's Laboratories Limited; NorthStar RxLLC;...	Organon LLC; Genentech, Inc.; Cephalon, Inc.
reaction	Breast cancer metastatic; Malignant neoplasm progression; Metastases to liver; Metastases ...	Breast cancer metastatic; Malignant neoplasm progression; Metastases to liver; Metastases ...	Breast cancer metastatic; Malignant neoplasm progression; Metastases to liver; Metastases ...	Breast cancer metastatic; Malignant neoplasm progression; Metastases to liver; Metastases ...	Breast cancer metastatic; Malignant neoplasm progression; Metastases to liver; Metastases ...
reaction_outcome	6; 6; 6; 6; 6	6; 6; 6; 6; 6	6; 6; 6; 6; 6	6; 6; 6; 6; 6	6; 6; 6; 6; 6
patient_sex	2	2	2	2	2
patient_age	53	53	53	53	53
patient_age_unit	801	801	801	801	801
patient_weight					

column	what it means
safetyreportid	FAERS report identifier. One adverse event report.
reaction	MedDRA preferred term for what happened.

faers_2025Q2.csv

286.4 MB · 24 columns · **read by the graph**

Serves: AGGREGATE at load: one edge per (drug_substance, reaction) with report/serious/death counts. Never one node per report.

Builds: node:AdverseEvent , edge:HAS ADVERSE EVENT

column	row 1	row 2	row 3	row 4	row 5
safetyreportid	10023627	10023627	10023627	10156482	10156482
receiptdate	20250522	20250522	20250522	20250605	20250605
serious	1	1	1	1	1
seriousnessdeath	2	2	2		
seriousnesshospitalization	2	2	2		
seriousnesslifethreatening	2	2	2		
seriousnessdisabling	2	2	2		
occurcountry	US	US	US	CA	CA
reporttype	1	1	1	2	2
drug_name	RISPERDAL	RISPERDAL	TENEX	ACTEMRA	ACTEMRA
drug_brand	RISPERDAL	RISPERDAL		ACTEMRA	ACTEMRA
drug_generic	RISPERIDONE	RISPERIDONE		TOCILIZUMAB	TOCILIZUMAB
drug_substance	RISPERIDONE	RISPERIDONE		TOCILIZUMAB	TOCILIZUMAB
drug_indication	Autism spectrum disorder	Affective disorder	Attention deficit hyperactivity disorder	Rheumatoid arthritis	
drug_route	ORAL	ORAL		INTRAVENOUS; SUBCUTANEOUS	INTRAVENOUS; SUBCUTANEOUS
drug_characterization	1	1	1	1	1
drug_pharm_class	Atypical Antipsychotic [EPC]	Atypical Antipsychotic [EPC]		Interleukin-6 Receptor Antagonist [EPC]	Interleukin-6 Receptor Antagonist [EPC]
drug_manufacturer	Janssen Pharmaceuticals, Inc.	Janssen Pharmaceuticals, Inc.		Genentech, Inc.	Genentech, Inc.
reaction	Glucose tolerance impaired; Obesity; Tardive dyskinesia; Aggression; Gynaecomastia; Emotio...	Glucose tolerance impaired; Obesity; Tardive dyskinesia; Aggression; Gynaecomastia; Emotio...	Glucose tolerance impaired; Obesity; Tardive dyskinesia; Aggression; Gynaecomastia; Emotio...	Weight decreased; Swelling; Arthralgia; Musculoskeletal stiffness; Weight increased; Dysph...	Weight decreased; Swelling; Arthralgia; Musculoskeletal stiffness; Weight increased; Dysph...
reaction_outcome	6; 6; 6; 6; 6; 6; 6; 6	6; 6; 6; 6; 6; 6; 6; 6	6; 6; 6; 6; 6; 6; 6; 6	3; 3; 3; 3; 3; 3; 3; 6; 3; 6; 3; 3; 6; 6; 6; 6; 1; 6; 6; 3; 6; 3; 1; 1; 3; 6; 6; 6; ...	3; 3; 3; 3; 3; 3; 3; 6; 3; 6; 3; 3; 6; 6; 6; 6; 1; 6; 6; 6; 3; 6; 3; 1; 1; 3; 6; 6; 6; ...
patient_sex	1	1	1	2	2
patient_age	9	9	9	65	65
patient_age_unit	801	801	801	801	801
patient_weight				63.5	63.5

column	what it means
safetyreportid	FAERS report identifier. One adverse event report.
reaction	MedDRA preferred term for what happened.

Serves: AGGREGATE at load: one edge per (drug_substance, reaction) with report/serious/death counts. Never one node per report.

Builds: node:AdverseEvent , edge:HAS_ADVERSE_EVENT

column	row 1	row 2	row 3	row 4	row 5
safetyreportid	10028977	10028977	10028977	10028977	10028977
receiptdate	20250806	20250806	20250806	20250806	20250806
serious	1	1	1	1	1
seriousnessdeath	2	2	2	2	2
seriousnesshospitalization	1	1	1	1	1
seriousnesslifethreatening	2	2	2	2	2
seriousnessdisabling	2	2	2	2	2
occurcountry	IN	IN	IN	IN	IN
reporttype	1	1	1	1	1
drug_name	DICLOFENAC POTASSIUM	DICLOFENAC POTASSIUM	ONDANSETRON	ONDANSETRON	TRAMADOL
drug_brand	DICLOFENAC POTASSIUM; LOFENA; ZIPSOR; CAMBIA	DICLOFENAC POTASSIUM; LOFENA; ZIPSOR; CAMBIA	ONDANSETRON	ONDANSETRON	
drug_generic	DICLOFENAC POTASSIUM; DICLOFENAC POTASSIUM, FILM COATED; DICLOFENAC POTASSIUM TABLETS	DICLOFENAC POTASSIUM; DICLOFENAC POTASSIUM, FILM COATED; DICLOFENAC POTASSIUM TABLETS	ONDANSETRON HYDROCHLORIDE; ONDANSETRON; ONDANSETRON TABLETS	ONDANSETRON HYDROCHLORIDE; ONDANSETRON; ONDANSETRON TABLETS	
drug_substance	DICLOFENAC POTASSIUM	DICLOFENAC POTASSIUM	ONDANSETRON HYDROCHLORIDE; ONDANSETRON	ONDANSETRON HYDROCHLORIDE; ONDANSETRON	
drug_indication	Pancreatitis chronic	Abdominal pain	Antiemetic supportive care	Vomiting	Analgesic therapy
drug_route	ORAL	ORAL	ORAL; INTRAMUSCULAR; INTRAVENOUS	ORAL; INTRAMUSCULAR; INTRAVENOUS	
drug_characterization	1	1	2	2	2
drug_pharm_class			Serotonin-3 Receptor Antagonist [EPC]	Serotonin-3 Receptor Antagonist [EPC]	
drug_manufacturer	Lifsa Drugs LLC; Marlex Pharmaceuticals, Inc.; Ingenus Pharmaceuticals, LLC; Amici Pharma,...	Lifsa Drugs LLC; Marlex Pharmaceuticals, Inc.; Ingenus Pharmaceuticals, LLC; Amici Pharma,...	Dr. Reddy's Laboratories Limited; AvKARE; Accord Healthcare, Inc.; JVET PHARMACEUTICALS LL...	Dr. Reddy's Laboratories Limited; AvKARE; Accord Healthcare, Inc.; JVET PHARMACEUTICALS LL...	
reaction	Fixed eruption; Stevens-Johnson syndrome; Toxic epidermal necrolysis	Fixed eruption; Stevens-Johnson syndrome; Toxic epidermal necrolysis	Fixed eruption; Stevens-Johnson syndrome; Toxic epidermal necrolysis	Fixed eruption; Stevens-Johnson syndrome; Toxic epidermal necrolysis	Fixed eruption; Stevens-Johnson syndrome; Toxic epidermal necrolysis
reaction_outcome	4; 1; 1	4; 1; 1	4; 1; 1	4; 1; 1	4; 1; 1
patient_sex	1	1	1	1	1
patient_age	53	53	53	53	53
patient_age_unit	801	801	801	801	801
patient_weight					

column	what it means
safetyreportid	FAERS report identifier. One adverse event report.
reaction	MedDRA preferred term for what happened.

Serves: AGGREGATE at load: one edge per (drug_substance, reaction) with report/serious/death counts. Never one node per report.

Builds: node:AdverseEvent , edge:HAS_ADVERSE_EVENT

column	row 1	row 2	row 3	row 4	row 5
safetyreportid	10016781	10016781	10016781	10016781	10016781
receiptdate	20260203	20260203	20260203	20260203	20260203
serious	1	1	1	1	1
seriousnessdeath	2	2	2	2	2
seriousnesshospitalization	2	2	2	2	2
seriousnesslifethreatening	2	2	2	2	2
seriousnessdisabling	2	2	2	2	2
occurcountry	CA	CA	CA	CA	CA
reporttype	2	2	2	2	2
drug_name	SANDOSTATIN	SANDOSTATIN	SANDOSTATIN	SANDOSTATIN LAR DEPOT	SANDOSTATIN LAR DEPOT
drug_brand	SANDOSTATIN	SANDOSTATIN	SANDOSTATIN	SANDOSTATIN LAR DEPOT	SANDOSTATIN LAR DEPOT
drug_generic	OCTREOTIDE ACETATE	OCTREOTIDE ACETATE	OCTREOTIDE ACETATE	OCTREOTIDE ACETATE	OCTREOTIDE ACETATE
drug_substance	OCTREOTIDE ACETATE	OCTREOTIDE ACETATE	OCTREOTIDE ACETATE		
drug_indication	Neuroendocrine tumour			Neuroendocrine tumour	
drug_route	INTRAVENOUS; SUBCUTANEOUS	INTRAVENOUS; SUBCUTANEOUS	INTRAVENOUS; SUBCUTANEOUS		
drug_characterization	1	1	1	1	1
drug_pharm_class					
drug_manufacturer	Novartis Pharmaceuticals Corporation	Novartis Pharmaceuticals Corporation	Novartis Pharmaceuticals Corporation	Novartis Pharmaceuticals Corporation	Novartis Pharmaceuticals Corporation
reaction	Hypertension; Pneumonia; Cellulitis; Metastasis; Metastases to liver; Rosacea; Paronychia;...	Hypertension; Pneumonia; Cellulitis; Metastasis; Metastases to liver; Rosacea; Paronychia;...	Hypertension; Pneumonia; Cellulitis; Metastasis; Metastases to liver; Rosacea; Paronychia;...	Hypertension; Pneumonia; Cellulitis; Metastasis; Metastases to liver; Rosacea; Paronychia;...	Hypertension; Pneumonia; Cellulitis; Metastasis; Metastases to liver; Rosacea; Paronychia;...
reaction_outcome	6; 3; 6; 6; 2; 6; 1; 6; 6; 2; 3; 2; 6; 2; 6; 3; 3; 6; 3; 2; 6; 6; 6; 6; 2; 6; 6; 6; 6; ...	6; 3; 6; 6; 2; 6; 1; 6; 6; 2; 3; 2; 6; 2; 6; 3; 3; 6; 3; 2; 6; 6; 6; 6; 2; 6; 6; 6; 6; ...	6; 3; 6; 6; 2; 6; 1; 6; 6; 2; 3; 2; 6; 2; 6; 3; 3; 6; 3; 2; 6; 6; 6; 6; 2; 6; 6; 6; 6; ...	6; 3; 6; 6; 2; 6; 1; 6; 6; 2; 3; 2; 6; 2; 6; 3; 3; 6; 3; 2; 6; 6; 6; 6; 2; 6; 6; 6; 6; ...	6; 3; 6; 6; 2; 6; 1; 6; 6; 2; 3; 2; 6; 2; 6; 3; 3; 6; 3; 2; 6; 6; 6; 6; 2; 6; 6; 6; 6; ...
patient_sex	2	2	2	2	2
patient_age	56	56	56	56	56
patient_age_unit	801	801	801	801	801
patient_weight					

column	what it means
safetyreportid	FAERS report identifier. One adverse event report.
reaction	MedDRA preferred term for what happened.

ndc_directory.csv

4.8 MB · 11 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. openFDA. FAERS adverse event reports, recalls and shortages.

column	row 1	row 2	row 3	row 4	row 5
product_ndc	76329-6300	76354-783	76420-164	80513-403	80684-207
brand_name	Lidocaine Hydrochloride	Hydrating Camo CC Cream SPF30 Medium 370 N	Fluconazole	Mucus Relief	B-Pure Moisturizing Hand SanitizerSugared Strawberry Scented
generic_name	Lidocaine Hydrochloride	ZINC OXIDE, TITANIUM DIOXIDE, HOMOSALATE, OCTISALATE, OCTOCRYLENE	Fluconazole	Guaifenesin	ALCOHOL
labeler_name	International Medication Systems, Limited	e.l.f. Cosmetics, Inc.	Asclemed USA, Inc.	Advanced Rx LLC	Fourstar Group USA, Inc.
active_ingredients	LIDOCAINE HYDROCHLORIDE 40 mg/mL	ZINC OXIDE 50 mg/g; TITANIUM DIOXIDE 45 mg/g; HOMOSALATE 30 mg/g; OCTISALATE 60 mg/g; OCTO...	FLUCONAZOLE 150 mg/1	GUAIFENESIN 600 mg/1	ALCOHOL 70 mL/100mL
dosage_form	SOLUTION	CREAM	TABLET	TABLET, EXTENDED RELEASE	LIQUID
route	TOPICAL	TOPICAL	ORAL	ORAL	TOPICAL
marketing_category	ANDA	OTC MONOGRAPH DRUG	ANDA	ANDA	OTC MONOGRAPH DRUG
marketing_start_date	20120619	20230815	20201120	20200508	20260312
product_type	HUMAN PRESCRIPTION DRUG	HUMAN OTC DRUG	HUMAN PRESCRIPTION DRUG	HUMAN OTC DRUG	HUMAN OTC DRUG
pharm_class			Azole Antifungal [EPC]	Expectorant [EPC]	

vigiaccess.org

2 CSV (564.9 KB) · 2 .json (788 B)

example filenames:

_LATEST.json
_MANIFEST.json

vigiaccess_adr.csv

282.2 KB · 9 columns · read by the graph

Serves: The MedDRA System Organ Class per reaction - the hierarchy meddra.org itself does not provide. Counts are VigiBase, not FAERS, and are deliberately not merged with FAERS counts.

Builds: node:OrganClass , edge:IN_ORGAN_CLASS

column	row 1	row 2	row 3	row 4	row 5
search_term	paracetamol	paracetamol	paracetamol	paracetamol	paracetamol
product_name	Paracetamol	Paracetamol	Paracetamol	Paracetamol	Paracetamol
system_organ_class	Blood and lymphatic system disorders	Blood and lymphatic system disorders	Blood and lymphatic system disorders	Blood and lymphatic system disorders	Blood and lymphatic system disorders
soc_percent	1	1	1	1	1
soc_total_count	5033	5033	5033	5033	5033
adverse_reaction	Thrombocytopenia	Coagulopathy	Anaemia	Agranulocytosis	Neutropenia
reaction_count	1075	779	548	527	450
total_reports					
dataset_date	7/19/2026	7/19/2026	7/19/2026	7/19/2026	7/19/2026

vigiaccess_meta.csv

253 B · 4 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. WHO VigiAccess. Supplies the MedDRA system organ class hierarchy that groups reactions.

column	row 1	row 2	row 3	row 4	row 5
search_term	paracetamol	ibuprofen	aspirin	metformin	atorvastatin
product_name	Paracetamol	Ibuprofen	AspirinAcetylsalicylic acid;Ascorbic acid	Metformin	Atorvastatin
total_reports					
dataset_date	7/19/2026	7/19/2026	7/19/2026	7/19/2026	7/19/2026

Targets Genomics Biomarkers

Proteins, genes, variants, and the assay data linking compounds to targets.

cancer.sanger.ac.uk

40 CSV (1.8 MB) · 1 json (254 B)

example filenames:

_LATEST.json

ABL1_mutations.csv

52.8 KB · 9 columns · not read by the graph

Serves: not used by the graph — COSMIC gene lists, 40 files / 20k rows. Gene-level cancer census - belongs with a Variant/Gene extension, not the current schema.

column	row 1	row 2	row 3	row 4	row 5
MutationID	224189616	224189616	224189616	224189616	224189616
GeneName	ABL1	ABL1	ABL1	ABL1	ABL1
MutationAA	p.?	p.?	p.?	p.?	p.?
MutationCDS	c.?	c.?	c.?	c.?	c.?
MutationDescription					
PrimarySite	ovary	skin	biliary_tract	haematopoietic_and_lymphoid_tissue	haematopoietic_and_lymphoid_tissue
PrimaryHistology	carcinoma	malignant_melanoma	carcinoma	lymphoid_neoplasm	haematopoietic_neoplasm
PubmedPMID	29986747; 26564006	24628946	26500333	20659155	20673586; 23053188
MutationGenomePosition	-:	-:	-:	-:	-:

column	what it means
MutationID	COSMIC mutation id.
GeneName	Gene symbol. What variants join to targets on.
MutationAA	Amino-acid change, e.g. p.V600E.
MutationCDS	Change in coding DNA sequence.
PrimarySite	Tissue the tumour arose in.
PrimaryHistology	Tumour type by microscopic appearance.
PubmedPMID	PubMed identifier of the citing paper.
MutationGenomePosition	Genomic coordinates of the mutation.

ALK_mutations.csv

45.7 KB · 9 columns · not read by the graph

Serves: not used by the graph — COSMIC gene lists, 40 files / 20k rows. Gene-level cancer census - belongs with a Variant/Gene extension, not the current schema.

column	row 1	row 2	row 3	row 4	row 5
MutationID	224188273	224188273	224188273	224188273	224188273
GeneName	ALK	ALK	ALK	ALK	ALK
MutationAA	p.?	p.?	p.?	p.?	p.?
MutationCDS	c.?	c.?	c.?	c.?	c.?
MutationDescription					
PrimarySite	eye	endometrium	lung	breast	breast
PrimaryHistology	malignant_melanoma	carcinoma	carcinoma	carcinoma	carcinoma
PubmedPMID	31647501	27170661	29308976	26527317	38970069
MutationGenomePosition	:-	:-	:-	:-	:-

column	what it means
MutationID	COSMIC mutation id.
GeneName	Gene symbol. What variants join to targets on.
MutationAA	Amino-acid change, e.g. p.V600E.
MutationCDS	Change in coding DNA sequence.
PrimarySite	Tissue the tumour arose in.
PrimaryHistology	Tumour type by microscopic appearance.
PubmedPMID	PubMed identifier of the citing paper.
MutationGenomePosition	Genomic coordinates of the mutation.

APC_mutations.csv

37.6 KB · 9 columns · not read by the graph

Serves: not used by the graph — COSMIC gene lists, 40 files / 20k rows. Gene-level cancer census - belongs with a Variant/Gene extension, not the current schema.

column	row 1	row 2	row 3	row 4	row 5
MutationID	224188459	224188459	224188459	224188459	224188459
GeneName	APC	APC	APC	APC	APC
MutationAA	p.?	p.?	p.?	p.?	p.?
MutationCDS	c.?	c.?	c.?	c.?	c.?
MutationDescription					
PrimarySite	large_intestine	large_intestine	small_intestine	upper_aerodigestive_tract	skin
PrimaryHistology	carcinoma	carcinoma	adenoma	carcinoma	malignant_melanoma
PubmedPMID	12110635; 18977219; 23354438; 27004155; 27302369; 9482574	10638959; 11127266; 11819789; 12374230; 1338904; 1528264; 17454753; 21380628; 26434631; 26...	28790112	28084339	24628946
MutationGenomePosition	:-	:-	:-	:-	:-

column	what it means
MutationID	COSMIC mutation id.
GeneName	Gene symbol. What variants join to targets on.
MutationAA	Amino-acid change, e.g. p.V600E.
MutationCDS	Change in coding DNA sequence.
PrimarySite	Tissue the tumour arose in.
PrimaryHistology	Tumour type by microscopic appearance.
PubmedPMID	PubMed identifier of the citing paper.
MutationGenomePosition	Genomic coordinates of the mutation.

BRAF_mutations.csv

43.9 KB · 9 columns · not read by the graph

Serves: not used by the graph — COSMIC gene lists, 40 files / 20k rows. Gene-level cancer census - belongs with a Variant/Gene extension, not the current schema.

column	row 1	row 2	row 3	row 4	row 5
MutationID	224188057	224188057	224188057	224188057	224188057
GeneName	BRAF	BRAF	BRAF	BRAF	BRAF
MutationAA	p.?	p.?	p.?	p.?	p.?
MutationCDS	c.?	c.?	c.?	c.?	c.?
MutationDescription					
PrimarySite	breast	soft_tissue; large_intestine	lung	NS	thyroid
PrimaryHistology	carcinoma	gastrointestinal_stromal_tumour; carcinoma		NS	carcinoma
PubmedPMID	39849870	32646927; 16849360; 22228154; 22331825; 22608338; 24553385; 25069797; 25673644		27432227	27895743
MutationGenomePosition	:-	:-	:-	:-	:-

column	what it means
MutationID	COSMIC mutation id.
GeneName	Gene symbol. What variants join to targets on.
MutationAA	Amino-acid change, e.g. p.V600E.
MutationCDS	Change in coding DNA sequence.
PrimarySite	Tissue the tumour arose in.
PrimaryHistology	Tumour type by microscopic appearance.
PubmedPMID	PubMed identifier of the citing paper.
MutationGenomePosition	Genomic coordinates of the mutation.

BRCA1_mutations.csv

47.7 KB · 9 columns · not read by the graph

Serves: not used by the graph — COSMIC gene lists, 40 files / 20k rows. Gene-level cancer census - belongs with a Variant/Gene extension, not the current schema.

column	row 1	row 2	row 3	row 4	row 5
MutationID	224188426	224188426	224188426	224188426	224188426
GeneName	BRCA1	BRCA1	BRCA1	BRCA1	BRCA1
MutationAA	p.?	p.?	p.?	p.?	p.?
MutationCDS	c.?	c.?	c.?	c.?	c.?
MutationDescription					
PrimarySite	breast	endometrium	upper_aerodigestive_tract	lung	ovary
PrimaryHistology	carcinoma	carcinoma	carcinoma	carcinoma	carcinoma
PubmedPMID	27194814	36746489	28961834	31694833; 33608032	24240112
MutationGenomePosition	:-	:-	:-	:-	:-

column	what it means
MutationID	COSMIC mutation id.
GeneName	Gene symbol. What variants join to targets on.
MutationAA	Amino-acid change, e.g. p.V600E.
MutationCDS	Change in coding DNA sequence.
PrimarySite	Tissue the tumour arose in.
PrimaryHistology	Tumour type by microscopic appearance.
PubmedPMID	PubMed identifier of the citing paper.
MutationGenomePosition	Genomic coordinates of the mutation.

BRCA2_mutations.csv

46.0 KB · 9 columns · not read by the graph

Serves: not used by the graph — COSMIC gene lists, 40 files / 20k rows. Gene-level cancer census - belongs with a Variant/Gene extension, not the current schema.

column	row 1	row 2	row 3	row 4	row 5
MutationID	224188316	224188316	224188316	224188316	224188316
GeneName	BRCA2	BRCA2	BRCA2	BRCA2	BRCA2
MutationAA	p.?	p.?	p.?	p.?	p.?
MutationCDS	c.?	c.?	c.?	c.?	c.?
MutationDescription					
PrimarySite	large_intestine	breast	large_intestine	large_intestine	ovary
PrimaryHistology	carcinoma	carcinoma	carcinoma	carcinoma	carcinoma
PubmedPMID	28465371	39849870	37239414	28465371	27566247
MutationGenomePosition	:-	:-	:-	:-	:-

column	what it means
MutationID	COSMIC mutation id.
GeneName	Gene symbol. What variants join to targets on.
MutationAA	Amino-acid change, e.g. p.V600E.
MutationCDS	Change in coding DNA sequence.
PrimarySite	Tissue the tumour arose in.
PrimaryHistology	Tumour type by microscopic appearance.
PubmedPMID	PubMed identifier of the citing paper.
MutationGenomePosition	Genomic coordinates of the mutation.

DNMT3A_mutations.csv

50.2 KB · 9 columns · not read by the graph

Serves: not used by the graph — COSMIC gene lists, 40 files / 20k rows. Gene-level cancer census - belongs with a Variant/Gene extension, not the current schema.

column	row 1	row 2	row 3	row 4	row 5
MutationID	224188601	224188601	224188601	224188601	224188601
GeneName	DNMT3A	DNMT3A	DNMT3A	DNMT3A	DNMT3A
MutationAA	p.?	p.?	p.?	p.?	p.?
MutationCDS	c.?	c.?	c.?	c.?	c.?
MutationDescription					
PrimarySite	large_intestine	haematopoietic_and_lymphoid_tissue	haematopoietic_and_lymphoid_tissue	liver	adrenal_gland
PrimaryHistology	carcinoid-endocrine_tumour	lymphoid_neoplasm	haematopoietic_neoplasm	carcinoma	adrenal_cortical_carcinoma
PubmedPMID	29422640	26268241	23782935	28126467	25078331
MutationGenomePosition	:-	:-	:-	:-	:-

column	what it means
MutationID	COSMIC mutation id.
GeneName	Gene symbol. What variants join to targets on.
MutationAA	Amino-acid change, e.g. p.V600E.
MutationCDS	Change in coding DNA sequence.
PrimarySite	Tissue the tumour arose in.
PrimaryHistology	Tumour type by microscopic appearance.
PubmedPMID	PubMed identifier of the citing paper.
MutationGenomePosition	Genomic coordinates of the mutation.

EGFR_mutations.csv

45.4 KB · 9 columns · not read by the graph

Serves: not used by the graph — COSMIC gene lists, 40 files / 20k rows. Gene-level cancer census - belongs with a Variant/Gene extension, not the current schema.

column	row 1	row 2	row 3	row 4	row 5
MutationID	224187937	224187937	224187937	224187937	224187937
GeneName	EGFR	EGFR	EGFR	EGFR	EGFR
MutationAA	p.?	p.?	p.?	p.?	p.?
MutationCDS	c.?	c.?	c.?	c.?	c.?
MutationDescription					
PrimarySite	meninges	breast	upper_aerodigestive_tract	lung	lung
PrimaryHistology	meningioma	carcinoma	carcinoma	other	other
PubmedPMID	31872418	38970069	18754871	33400370	33400370
MutationGenomePosition	:-	:-	:-	:-	:-

column	what it means
MutationID	COSMIC mutation id.
GeneName	Gene symbol. What variants join to targets on.
MutationAA	Amino-acid change, e.g. p.V600E.
MutationCDS	Change in coding DNA sequence.
PrimarySite	Tissue the tumour arose in.
PrimaryHistology	Tumour type by microscopic appearance.
PubmedPMID	PubMed identifier of the citing paper.
MutationGenomePosition	Genomic coordinates of the mutation.

ERBB2_mutations.csv

48.7 KB · 9 columns · not read by the graph

Serves: not used by the graph — COSMIC gene lists, 40 files / 20k rows. Gene-level cancer census - belongs with a Variant/Gene extension, not the current schema.

column	row 1	row 2	row 3	row 4	row 5
MutationID	224188210	224188210	224188210	224188210	224188210
GeneName	ERBB2	ERBB2	ERBB2	ERBB2	ERBB2
MutationAA	p.?	p.?	p.?	p.?	p.?
MutationCDS	c.?	c.?	c.?	c.?	c.?
MutationDescription					
PrimarySite	large_intestine	lung	breast	cervix	lung
PrimaryHistology	adenoma	other	carcinoma	carcinoma	carcinoma
PubmedPMID	26991699	33400370; 35663079	27034166; 27284958; 39849870	29279289	32777674
MutationGenomePosition	:-	:-	:-	:-	:-

column	what it means
MutationID	COSMIC mutation id.
GeneName	Gene symbol. What variants join to targets on.
MutationAA	Amino-acid change, e.g. p.V600E.
MutationCDS	Change in coding DNA sequence.
PrimarySite	Tissue the tumour arose in.
PrimaryHistology	Tumour type by microscopic appearance.
PubmedPMID	PubMed identifier of the citing paper.
MutationGenomePosition	Genomic coordinates of the mutation.

FGFR2_mutations.csv

49.4 KB · 9 columns · not read by the graph

Serves: not used by the graph — COSMIC gene lists, 40 files / 20k rows. Gene-level cancer census - belongs with a Variant/Gene extension, not the current schema.

column	row 1	row 2	row 3	row 4	row 5
MutationID	224188462	224188462	224188462	224188462	224188462
GeneName	FGFR2	FGFR2	FGFR2	FGFR2	FGFR2
MutationAA	p.?	p.?	p.?	p.?	p.?
MutationCDS	c.?	c.?	c.?	c.?	c.?
MutationDescription					
PrimarySite	pleura	skin	stomach	breast	large_intestine
PrimaryHistology	mesothelioma	malignant_melanoma	carcinoma	carcinoma	carcinoma
PubmedPMID	25902174	24628946	37745263	28921573	28465371
MutationGenomePosition	:-	:-	:-	:-	:-

column	what it means
MutationID	COSMIC mutation id.
GeneName	Gene symbol. What variants join to targets on.
MutationAA	Amino-acid change, e.g. p.V600E.
MutationCDS	Change in coding DNA sequence.
PrimarySite	Tissue the tumour arose in.
PrimaryHistology	Tumour type by microscopic appearance.
PubmedPMID	PubMed identifier of the citing paper.
MutationGenomePosition	Genomic coordinates of the mutation.

FGFR3_mutations.csv

47.1 KB · 9 columns · not read by the graph

Serves: not used by the graph — COSMIC gene lists, 40 files / 20k rows. Gene-level cancer census - belongs with a Variant/Gene extension, not the current schema.

column	row 1	row 2	row 3	row 4	row 5
MutationID	224188761	224188761	224188761	224188761	224188761
GeneName	FGFR3	FGFR3	FGFR3	FGFR3	FGFR3
MutationAA	p.?	p.?	p.?	p.?	p.?
MutationCDS	c.?	c.?	c.?	c.?	c.?
MutationDescription					
PrimarySite	soft_tissue	urinary_tract	haematopoietic_and_lymphoid_tissue	lung	urinary_tract
PrimaryHistology	haemangioma	other	haematopoietic_neoplasm	carcinoma	carcinoma
PubmedPMID	30601876	28261332	24446311	39670006	20404005; 23401075; 27356691
MutationGenomePosition	:-	:-	:-	:-	:-

column	what it means
MutationID	COSMIC mutation id.
GeneName	Gene symbol. What variants join to targets on.
MutationAA	Amino-acid change, e.g. p.V600E.
MutationCDS	Change in coding DNA sequence.
PrimarySite	Tissue the tumour arose in.
PrimaryHistology	Tumour type by microscopic appearance.
PubmedPMID	PubMed identifier of the citing paper.
MutationGenomePosition	Genomic coordinates of the mutation.

FLT3_mutations.csv

50.4 KB · 9 columns · not read by the graph

Serves: not used by the graph — COSMIC gene lists, 40 files / 20k rows. Gene-level cancer census - belongs with a Variant/Gene extension, not the current schema.

column	row 1	row 2	row 3	row 4	row 5
MutationID	224187915	224187915	224187915	224187915	224187915
GeneName	FLT3	FLT3	FLT3	FLT3	FLT3
MutationAA	p.?	p.?	p.?	p.?	p.?
MutationCDS	c.?	c.?	c.?	c.?	c.?
MutationDescription					
PrimarySite	haematopoietic_and_lymphoid_tis sue	haematopoietic_and_lymphoid_tis sue	haematopoietic_and_lymphoid_tis sue	haematopoietic_and_lymphoid_tis sue	haematopoietic_and_lymphoid_tissue
PrimaryHistology	lymphoid_neoplasm	haematopoietic_neoplasm	haematopoietic_neoplasm	haematopoietic_neoplasm	haematopoietic_neoplasm
PubmedPMID	25207766	23443343; 24446311	31145495	20029046; 9324277	20029046; 22715121; 24036946; 19657110
MutationGenomePosition	:-	:-	:-	:-	:-

column	what it means
MutationID	COSMIC mutation id.
GeneName	Gene symbol. What variants join to targets on.
MutationAA	Amino-acid change, e.g. p.V600E.
MutationCDS	Change in coding DNA sequence.
PrimarySite	Tissue the tumour arose in.
PrimaryHistology	Tumour type by microscopic appearance.
PubmedPMID	PubMed identifier of the citing paper.
MutationGenomePosition	Genomic coordinates of the mutation.

IDH1_mutations.csv

47.8 KB · 9 columns · not read by the graph

Serves: not used by the graph — COSMIC gene lists, 40 files / 20k rows. Gene-level cancer census - belongs with a Variant/Gene extension, not the current schema.

column	row 1	row 2	row 3	row 4	row 5
MutationID	224188607	224188607	224188607	224188607	224188607
GeneName	IDH1	IDH1	IDH1	IDH1	IDH1
MutationAA	p.?	p.?	p.?	p.?	p.?
MutationCDS	c.?	c.?	c.?	c.?	c.?
MutationDescription					
PrimarySite	biliary_tract	haematopoietic_and_lymphoid_tissue	haematopoietic_and_lymphoid_tissue	central_nervous_system	upper_aerodigestive_tract
PrimaryHistology	carcinoma	haematopoietic_neoplasm	haematopoietic_neoplasm	glioma	carcinoma
PubmedPMID	34439216; 37267699	25809997; 24859829; 31942545; 23996483; 34946913	21880636; 24476767	23072665; 28874004	32500594
MutationGenomePosition	:-	:-	:-	:-	:-

column	what it means
MutationID	COSMIC mutation id.
GeneName	Gene symbol. What variants join to targets on.
MutationAA	Amino-acid change, e.g. p.V600E.
MutationCDS	Change in coding DNA sequence.
PrimarySite	Tissue the tumour arose in.
PrimaryHistology	Tumour type by microscopic appearance.
PubmedPMID	PubMed identifier of the citing paper.
MutationGenomePosition	Genomic coordinates of the mutation.

IDH2_mutations.csv

48.7 KB · 9 columns · not read by the graph

Serves: not used by the graph — COSMIC gene lists, 40 files / 20k rows. Gene-level cancer census - belongs with a Variant/Gene extension, not the current schema.

column	row 1	row 2	row 3	row 4	row 5
MutationID	224188297	224188297	224188297	224188297	224188297
GeneName	IDH2	IDH2	IDH2	IDH2	IDH2
MutationAA	p.?	p.?	p.?	p.?	p.?
MutationCDS	c.?	c.?	c.?	c.?	c.?
MutationDescription					
PrimarySite	breast	haematopoietic_and_lymphoid_tissue	haematopoietic_and_lymphoid_tissue	haematopoietic_and_lymphoid_tissue	bone
PrimaryHistology	other	haematopoietic_neoplasm	haematopoietic_neoplasm	haematopoietic_neoplasm	other
PubmedPMID	31094929	23996483; 27346558; 31149783; 31942545	35846058; 25022553; 23996483; 31942545	23443343; 24446311; 25809997; 24476767	25024164
MutationGenomePosition	:-	:-	:-	:-	:-

column	what it means
MutationID	COSMIC mutation id.
GeneName	Gene symbol. What variants join to targets on.
MutationAA	Amino-acid change, e.g. p.V600E.
MutationCDS	Change in coding DNA sequence.
PrimarySite	Tissue the tumour arose in.
PrimaryHistology	Tumour type by microscopic appearance.
PubmedPMID	PubMed identifier of the citing paper.
MutationGenomePosition	Genomic coordinates of the mutation.

JAK2_mutations.csv

50.6 KB · 9 columns · not read by the graph

Serves: not used by the graph — COSMIC gene lists, 40 files / 20k rows. Gene-level cancer census - belongs with a Variant/Gene extension, not the current schema.

column	row 1	row 2	row 3	row 4	row 5
MutationID	224188053	224188053	224188053	224188053	224188053
GeneName	JAK2	JAK2	JAK2	JAK2	JAK2
MutationAA	p.?	p.?	p.?	p.?	p.?
MutationCDS	c.?	c.?	c.?	c.?	c.?
MutationDescription					
PrimarySite	haematopoietic_and_lymphoid_tissue	haematopoietic_and_lymphoid_tissue	haematopoietic_and_lymphoid_tissue	haematopoietic_and_lymphoid_tissue	haematopoietic_and_lymphoid_tissue
PrimaryHistology	haematopoietic_neoplasm	haematopoietic_neoplasm	haematopoietic_neoplasm	haematopoietic_neoplasm; other	haematopoietic_neoplasm
PubmedPMID	24325356	23074272	19074595; 21326037	24325356; 24402162; 24553179; 25037629; 25301336; 24504025; 22272554	27458708
MutationGenomePosition	:-	:-	:-	:-	:-

column	what it means
MutationID	COSMIC mutation id.
GeneName	Gene symbol. What variants join to targets on.
MutationAA	Amino-acid change, e.g. p.V600E.
MutationCDS	Change in coding DNA sequence.
PrimarySite	Tissue the tumour arose in.
PrimaryHistology	Tumour type by microscopic appearance.
PubmedPMID	PubMed identifier of the citing paper.
MutationGenomePosition	Genomic coordinates of the mutation.

KIT_mutations.csv

47.2 KB · 9 columns · not read by the graph

Serves: not used by the graph — COSMIC gene lists, 40 files / 20k rows. Gene-level cancer census - belongs with a Variant/Gene extension, not the current schema.

column	row 1	row 2	row 3	row 4	row 5
MutationID	224187916	224187916	224187916	224187916	224187916
GeneName	KIT	KIT	KIT	KIT	KIT
MutationAA	p.?	p.?	p.?	p.?	p.?
MutationCDS	c.?	c.?	c.?	c.?	c.?
MutationDescription					
PrimarySite	skin	haematopoietic_and_lymphoid_tissue	soft_tissue	NS; soft_tissue	skin
PrimaryHistology	malignant_melanoma	haematopoietic_neoplasm	gastrointestinal_stromal_tumour	carcinoma; gastrointestinal_stromal_tumour	malignant_melanoma; carcinoma
PubmedPMID	22154054; 30273197	24465546	21906875; 22866155; 22975558	26182302; 18955458; 20823768; 21527588; 22665524; 23106360; 27974047; 27997714	22068222; 23775962; 28092667; 26725423
MutationGenomePosition	:-	:-	:-	:-	:-

column	what it means
MutationID	COSMIC mutation id.
GeneName	Gene symbol. What variants join to targets on.
MutationAA	Amino-acid change, e.g. p.V600E.
MutationCDS	Change in coding DNA sequence.
PrimarySite	Tissue the tumour arose in.
PrimaryHistology	Tumour type by microscopic appearance.
PubmedPMID	PubMed identifier of the citing paper.
MutationGenomePosition	Genomic coordinates of the mutation.

KRAS_mutations.csv

43.7 KB · 9 columns · not read by the graph

Serves: not used by the graph — COSMIC gene lists, 40 files / 20k rows. Gene-level cancer census - belongs with a Variant/Gene extension, not the current schema.

column	row 1	row 2	row 3	row 4	row 5
MutationID	224187894	224187894	224187894	224187894	224187894
GeneName	KRAS	KRAS	KRAS	KRAS	KRAS
MutationAA	p.?	p.?	p.?	p.?	p.?
MutationCDS	c.?	c.?	c.?	c.?	c.?
MutationDescription					
PrimarySite	peritoneum	haematopoietic_and_lymphoid_tissue	large_intestine	lung	upper_aerodigestive_tract
PrimaryHistology	other	haematopoietic_neoplasm	serrated_polyp	carcinoma	carcinoma
PubmedPMID	23199549	30949429; 24117422	25083289	26729443; 30032818; 26215952; 29338938; 26200269; 21497370; 24571601; 25722381; 32441866; ...	15492756
MutationGenomePosition	:-	:-	:-	:-	:-

column	what it means
MutationID	COSMIC mutation id.
GeneName	Gene symbol. What variants join to targets on.
MutationAA	Amino-acid change, e.g. p.V600E.
MutationCDS	Change in coding DNA sequence.
PrimarySite	Tissue the tumour arose in.
PrimaryHistology	Tumour type by microscopic appearance.
PubmedPMID	PubMed identifier of the citing paper.
MutationGenomePosition	Genomic coordinates of the mutation.

MET_mutations.csv

44.1 KB · 9 columns · not read by the graph

Serves: not used by the graph — COSMIC gene lists, 40 files / 20k rows. Gene-level cancer census - belongs with a Variant/Gene extension, not the current schema.

column	row 1	row 2	row 3	row 4	row 5
MutationID	224188643	224188643	224188643	224188643	224188643
GeneName	MET	MET	MET	MET	MET
MutationAA	p.?	p.?	p.?	p.?	p.?
MutationCDS	c.?	c.?	c.?	c.?	c.?
MutationDescription					
PrimarySite	breast	large_intestine	lung	skin	skin
PrimaryHistology	carcinoma	carcinoma	carcinoma	adnexal_tumour	carcinoma
PubmedPMID	38970069	30705875	29596911	27311873	24335643
MutationGenomePosition	:-	:-	:-	:-	:-

column	what it means
MutationID	COSMIC mutation id.
GeneName	Gene symbol. What variants join to targets on.
MutationAA	Amino-acid change, e.g. p.V600E.
MutationCDS	Change in coding DNA sequence.
PrimarySite	Tissue the tumour arose in.
PrimaryHistology	Tumour type by microscopic appearance.
PubmedPMID	PubMed identifier of the citing paper.
MutationGenomePosition	Genomic coordinates of the mutation.

MYC_mutations.csv

58.9 KB · 9 columns · not read by the graph

Serves: not used by the graph — COSMIC gene lists, 40 files / 20k rows. Gene-level cancer census - belongs with a Variant/Gene extension, not the current schema.

column	row 1	row 2	row 3	row 4	row 5
MutationID	224188925	224188925	224188925	224188925	224188925
GeneName	MYC	MYC	MYC	MYC	MYC
MutationAA	p.?	p.?	p.?	p.?	p.?
MutationCDS	c.?	c.?	c.?	c.?	c.?
MutationDescription					
PrimarySite	skin	skin	large_intestine	haematopoietic_and_lymphoid_tissue; biliary_tract	haematopoietic_and_lymphoid_tissue
PrimaryHistology	malignant_melanoma	malignant_melanoma	carcinoma	lymphoid_neoplasm; carcinoma	lymphoid_neoplasm
PubmedPMID	37444637	37444637	30705875	31368914; 37267699	26927665
MutationGenomePosition	:-	:-	:-	:-	:-

column	what it means
MutationID	COSMIC mutation id.
GeneName	Gene symbol. What variants join to targets on.
MutationAA	Amino-acid change, e.g. p.V600E.
MutationCDS	Change in coding DNA sequence.
PrimarySite	Tissue the tumour arose in.
PrimaryHistology	Tumour type by microscopic appearance.
PubmedPMID	PubMed identifier of the citing paper.
MutationGenomePosition	Genomic coordinates of the mutation.

Serves: not used by the graph — COSMIC gene lists, 40 files / 20k rows. Gene-level cancer census - belongs with a Variant/Gene extension, not the current schema.

column	row 1	row 2	row 3	row 4	row 5
MutationID	224187965	224187965	224187965	224187965	224187965
GeneName	NPM1	NPM1	NPM1	NPM1	NPM1
MutationAA	p.?	p.?	p.?	p.?	p.?
MutationCDS	c.?	c.?	c.?	c.?	c.?
MutationDescription					
PrimarySite	haematopoietic_and_lymphoid_tissue	haematopoietic_and_lymphoid_tissue	haematopoietic_and_lymphoid_tissue	haematopoietic_and_lymphoid_tissue	haematopoietic_and_lymphoid_tissue
PrimaryHistology	haematopoietic_neoplasm	haematopoietic_neoplasm	haematopoietic_neoplasm	haematopoietic_neoplasm	haematopoietic_neoplasm
PubmedPMID	21986840; 23395771; 24036946; 24413869; 24523240; 24703772; 29549983	21233837; 21531982; 21689158; 23417030; 22987078; 24512939; 24514424; 24898826; 31145495; ...	16109776; 16791266; 17581610; 19643984; 20442365; 21233837; 21338238; 21555683; 21596848; ...	23774674; 24446311	23996483
MutationGenomePosition	:-	:-	:-	:-	:-

column	what it means
MutationID	COSMIC mutation id.
GeneName	Gene symbol. What variants join to targets on.
MutationAA	Amino-acid change, e.g. p.V600E.
MutationCDS	Change in coding DNA sequence.
PrimarySite	Tissue the tumour arose in.
PrimaryHistology	Tumour type by microscopic appearance.
PubmedPMID	PubMed identifier of the citing paper.
MutationGenomePosition	Genomic coordinates of the mutation.

NRAS_mutations.csv

43.4 KB · 9 columns · not read by the graph

Serves: not used by the graph — COSMIC gene lists, 40 files / 20k rows. Gene-level cancer census - belongs with a Variant/Gene extension, not the current schema.

column	row 1	row 2	row 3	row 4	row 5
MutationID	224188461	224188461	224188461	224188461	224188461
GeneName	NRAS	NRAS	NRAS	NRAS	NRAS
MutationAA	p.?	p.?	p.?	p.?	p.?
MutationCDS	c.?	c.?	c.?	c.?	c.?
MutationDescription					
PrimarySite	skin	skin	thyroid	haematopoietic_and_lymphoid_tissue	haematopoietic_and_lymphoid_tissue
PrimaryHistology	carcinoma	malignant_melanoma	adenoma-nodule-goitre; carcinoma	haematopoietic_neoplasm	haematopoietic_neoplasm
PubmedPMID	29734047	18632627; 23658559; 23851445; 24714776; 37444637	24915144; 29085338; 39456540	24127063; 24898826; 31145495; 24523240; 24608733; 25241285	19657110; 20233657; 20693432; 22786876; 24523240; 30396184; 24402164; 24033149; 25022553; ...
MutationGenomePosition	:-	:-	:-	:-	:-

column	what it means
MutationID	COSMIC mutation id.
GeneName	Gene symbol. What variants join to targets on.
MutationAA	Amino-acid change, e.g. p.V600E.
MutationCDS	Change in coding DNA sequence.
PrimarySite	Tissue the tumour arose in.
PrimaryHistology	Tumour type by microscopic appearance.
PubmedPMID	PubMed identifier of the citing paper.
MutationGenomePosition	Genomic coordinates of the mutation.

PDGFRA_mutations.csv

46.8 KB · 9 columns · not read by the graph

Serves: not used by the graph — COSMIC gene lists, 40 files / 20k rows. Gene-level cancer census - belongs with a Variant/Gene extension, not the current schema.

column	row 1	row 2	row 3	row 4	row 5
MutationID	224188249	224188249	224188249	224188249	224188249
GeneName	PDGFRA	PDGFRA	PDGFRA	PDGFRA	PDGFRA
MutationAA	p.?	p.?	p.?	p.?	p.?
MutationCDS	c.?	c.?	c.?	c.?	c.?
MutationDescription					
PrimarySite	urinary_tract	soft_tissue	central_nervous_system	soft_tissue	soft_tissue
PrimaryHistology	carcinoma	gastrointestinal_stromal_tumour	glioma	gastrointestinal_stromal_tumour	gastrointestinal_stromal_tumour
PubmedPMID	28945843	26130666; 28284172	23074200; 27582545	22718859; 37120571	26130666; 20651400; 22866155
MutationGenomePosition	:-	:-	:-	:-	:-

column	what it means
MutationID	COSMIC mutation id.
GeneName	Gene symbol. What variants join to targets on.
MutationAA	Amino-acid change, e.g. p.V600E.
MutationCDS	Change in coding DNA sequence.
PrimarySite	Tissue the tumour arose in.
PrimaryHistology	Tumour type by microscopic appearance.
PubmedPMID	PubMed identifier of the citing paper.
MutationGenomePosition	Genomic coordinates of the mutation.

PIK3CA_mutations.csv

41.4 KB · 9 columns · not read by the graph

Serves: not used by the graph — COSMIC gene lists, 40 files / 20k rows. Gene-level cancer census - belongs with a Variant/Gene extension, not the current schema.

column	row 1	row 2	row 3	row 4	row 5
MutationID	224188423	224188423	224188423	224188423	224188423
GeneName	PIK3CA	PIK3CA	PIK3CA	PIK3CA	PIK3CA
MutationAA	p.?	p.?	p.?	p.?	p.?
MutationCDS	c.?	c.?	c.?	c.?	c.?
MutationDescription					
PrimarySite	biliary_tract	bone	meninges	breast	breast
PrimaryHistology	carcinoma	Ewing_sarcoma-peripheral_primitive_neuroectodermal_tumour	meningioma	carcinoma	carcinoma
PubmedPMID	21051183	25010205	36882706	23665199	39849870; 40967162
MutationGenomePosition	:-	:-	:-	:-	:-

column	what it means
MutationID	COSMIC mutation id.
GeneName	Gene symbol. What variants join to targets on.
MutationAA	Amino-acid change, e.g. p.V600E.
MutationCDS	Change in coding DNA sequence.
PrimarySite	Tissue the tumour arose in.
PrimaryHistology	Tumour type by microscopic appearance.
PubmedPMID	PubMed identifier of the citing paper.
MutationGenomePosition	Genomic coordinates of the mutation.

PTEN_mutations.csv

39.4 KB · 9 columns · not read by the graph

Serves: not used by the graph — COSMIC gene lists, 40 files / 20k rows. Gene-level cancer census - belongs with a Variant/Gene extension, not the current schema.

column	row 1	row 2	row 3	row 4	row 5
MutationID	224188082	224188082	224188082	224188082	224188082
GeneName	PTEN	PTEN	PTEN	PTEN	PTEN
MutationAA	p.?	p.?	p.?	p.?	p.?
MutationCDS	c.?	c.?	c.?	c.?	c.?
MutationDescription					
PrimarySite	urinary_tract	breast	endometrium	eye	skin
PrimaryHistology	carcinoma	carcinoma	carcinoma	malignant_melanoma	carcinoma
PubmedPMID	10360673	22429330; 37336919; 9671321	26975040	16344319	26725423
MutationGenomePosition	:-	:-	:-	:-	:-

column	what it means
MutationID	COSMIC mutation id.
GeneName	Gene symbol. What variants join to targets on.
MutationAA	Amino-acid change, e.g. p.V600E.
MutationCDS	Change in coding DNA sequence.
PrimarySite	Tissue the tumour arose in.
PrimaryHistology	Tumour type by microscopic appearance.
PubmedPMID	PubMed identifier of the citing paper.
MutationGenomePosition	Genomic coordinates of the mutation.

RB1_mutations.csv

45.4 KB · 9 columns · not read by the graph

Serves: not used by the graph — COSMIC gene lists, 40 files / 20k rows. Gene-level cancer census - belongs with a Variant/Gene extension, not the current schema.

column	row 1	row 2	row 3	row 4	row 5
MutationID	224188174	224188174	224188174	224188174	224188174
GeneName	RB1	RB1	RB1	RB1	RB1
MutationAA	p.?	p.?	p.?	p.?	p.?
MutationCDS	c.?	c.?	c.?	c.?	c.?
MutationDescription					
PrimarySite	bone	central_nervous_system	large_intestine	lung	lung
PrimaryHistology	osteosarcoma	glioma	carcinoma	carcinoma	carcinoma
PubmedPMID	8187094	25529192	30705875	39670006	31186738
MutationGenomePosition	:-	:-	:-	:-	:-

column	what it means
MutationID	COSMIC mutation id.
GeneName	Gene symbol. What variants join to targets on.
MutationAA	Amino-acid change, e.g. p.V600E.
MutationCDS	Change in coding DNA sequence.
PrimarySite	Tissue the tumour arose in.
PrimaryHistology	Tumour type by microscopic appearance.
PubmedPMID	PubMed identifier of the citing paper.
MutationGenomePosition	Genomic coordinates of the mutation.

RET_mutations.csv

44.7 KB · 9 columns · not read by the graph

Serves: not used by the graph — COSMIC gene lists, 40 files / 20k rows. Gene-level cancer census - belongs with a Variant/Gene extension, not the current schema.

column	row 1	row 2	row 3	row 4	row 5
MutationID	224189825	224189825	224189825	224189825	224189825
GeneName	RET	RET	RET	RET	RET
MutationAA	p.?	p.?	p.?	p.?	p.?
MutationCDS	c.?	c.?	c.?	c.?	c.?
MutationDescription					
PrimarySite	adrenal_gland	haematopoietic_and_lymphoid_tissue	breast	pancreas	lung
PrimaryHistology	pheochromocytoma	haematopoietic_neoplasm	carcinoma	carcinoma	carcinoma
PubmedPMID	25720320	27460089	27531819	31799787	39670006
MutationGenomePosition	:-	:-	:-	:-	:-

column	what it means
MutationID	COSMIC mutation id.
GeneName	Gene symbol. What variants join to targets on.
MutationAA	Amino-acid change, e.g. p.V600E.
MutationCDS	Change in coding DNA sequence.
PrimarySite	Tissue the tumour arose in.
PrimaryHistology	Tumour type by microscopic appearance.
PubmedPMID	PubMed identifier of the citing paper.
MutationGenomePosition	Genomic coordinates of the mutation.

SF3B1_mutations.csv

49.2 KB · 9 columns · not read by the graph

Serves: not used by the graph — COSMIC gene lists, 40 files / 20k rows. Gene-level cancer census - belongs with a Variant/Gene extension, not the current schema.

column	row 1	row 2	row 3	row 4	row 5
MutationID	224189034	224189034	224189034	224189034	224189034
GeneName	SF3B1	SF3B1	SF3B1	SF3B1	SF3B1
MutationAA	p.?	p.?	p.?	p.?	p.?
MutationCDS	c.?	c.?	c.?	c.?	c.?
MutationDescription					
PrimarySite	haematopoietic_and_lymphoid_tissue	haematopoietic_and_lymphoid_tissue	haematopoietic_and_lymphoid_tissue	haematopoietic_and_lymphoid_tissue	haematopoietic_and_lymphoid_tissue
PrimaryHistology	haematopoietic_neoplasm	haematopoietic_neoplasm	haematopoietic_neoplasm	haematopoietic_neoplasm	haematopoietic_neoplasm
PubmedPMID	24608733; 27013444	24127063; 24608733	30353274; 35078972	24531734	24531734; 24608733; 24325356; 24476766; 24476767
MutationGenomePosition	:-	:-	:-	:-	:-

column	what it means
MutationID	COSMIC mutation id.
GeneName	Gene symbol. What variants join to targets on.
MutationAA	Amino-acid change, e.g. p.V600E.
MutationCDS	Change in coding DNA sequence.
PrimarySite	Tissue the tumour arose in.
PrimaryHistology	Tumour type by microscopic appearance.
PubmedPMID	PubMed identifier of the citing paper.
MutationGenomePosition	Genomic coordinates of the mutation.

TET2_mutations.csv

53.5 KB · 9 columns · not read by the graph

Serves: not used by the graph — COSMIC gene lists, 40 files / 20k rows. Gene-level cancer census - belongs with a Variant/Gene extension, not the current schema.

column	row 1	row 2	row 3	row 4	row 5
MutationID	224188066	224188066	224188066	224188066	224188066
GeneName	TET2	TET2	TET2	TET2	TET2
MutationAA	p.?	p.?	p.?	p.?	p.?
MutationCDS	c.?	c.?	c.?	c.?	c.?
MutationDescription					
PrimarySite	upper_aerodigestive_tract	large_intestine	haematopoietic_and_lymphoid_tissue	haematopoietic_and_lymphoid_tissue	haematopoietic_and_lymphoid_tissue
PrimaryHistology	carcinoma	carcinoid-endocrine_tumour	haematopoietic_neoplasm	haematopoietic_neoplasm	haematopoietic_neoplasm
PubmedPMID	32500594	29422640	23443343; 24608733; 24850867	19710701; 22431577; 30431598	19474426; 20376084; 20693430; 23432690; 24608733; 29515765
MutationGenomePosition	:-	:-	:-	:-	:-

column	what it means
MutationID	COSMIC mutation id.
GeneName	Gene symbol. What variants join to targets on.
MutationAA	Amino-acid change, e.g. p.V600E.
MutationCDS	Change in coding DNA sequence.
PrimarySite	Tissue the tumour arose in.
PrimaryHistology	Tumour type by microscopic appearance.
PubmedPMID	PubMed identifier of the citing paper.
MutationGenomePosition	Genomic coordinates of the mutation.

TP53_mutations.csv

45.3 KB · 9 columns · not read by the graph

Serves: not used by the graph — COSMIC gene lists, 40 files / 20k rows. Gene-level cancer census - belongs with a Variant/Gene extension, not the current schema.

column	row 1	row 2	row 3	row 4	row 5
MutationID	68944051	68944051	20520636	58562340	68211440
GeneName	TP53	TP53	TP53	TP53	TP53
MutationAA	p.?	p.?	p.?	p.?	p.?
MutationCDS	c.*53del	c.*53del	c.*53C>T	c.*53T>C	c.*44_*53dup
MutationDescription	3_prime_UTR_variant	3_prime_UTR_variant	3_prime_UTR_variant	3_prime_UTR_variant	3_prime_UTR_variant
PrimarySite	ovary	ovary	skin	oesophagus	haematopoietic_and_lymphoid_tissue
PrimaryHistology	carcinoma	carcinoma	carcinoma	carcinoma	lymphoid_neoplasm
PubmedPMID	9703286	15221786	26627015	32398863	
MutationGenomePosition	17:7573994-7573994	17:7573994-7573994	17:7572874-7572874	17:7576572-7576572	17:7574002-7574003

column	what it means
MutationID	COSMIC mutation id.
GeneName	Gene symbol. What variants join to targets on.
MutationAA	Amino-acid change, e.g. p.V600E.
MutationCDS	Change in coding DNA sequence.
PrimarySite	Tissue the tumour arose in.
PrimaryHistology	Tumour type by microscopic appearance.
PubmedPMID	PubMed identifier of the citing paper.
MutationGenomePosition	Genomic coordinates of the mutation.

VHL_mutations.csv

45.3 KB · 9 columns · not read by the graph

Serves: not used by the graph — COSMIC gene lists, 40 files / 20k rows. Gene-level cancer census - belongs with a Variant/Gene extension, not the current schema.

column	row 1	row 2	row 3	row 4	row 5
MutationID	224188581	224188581	224188581	224188581	224188581
GeneName	VHL	VHL	VHL	VHL	VHL
MutationAA	p.?	p.?	p.?	p.?	p.?
MutationCDS	c.?	c.?	c.?	c.?	c.?
MutationDescription					
PrimarySite	skin	skin	pancreas	pancreas	endometrium
PrimaryHistology	carcinoma	carcinoma	carcinoid-endocrine_tumour	other	carcinoma
PubmedPMID	26725423	26725423	27994516	26253016; 35350224	36238840
MutationGenomePosition	:-	:-	:-	:-	:-

column	what it means
MutationID	COSMIC mutation id.
GeneName	Gene symbol. What variants join to targets on.
MutationAA	Amino-acid change, e.g. p.V600E.
MutationCDS	Change in coding DNA sequence.
PrimarySite	Tissue the tumour arose in.
PrimaryHistology	Tumour type by microscopic appearance.
PubmedPMID	PubMed identifier of the citing paper.
MutationGenomePosition	Genomic coordinates of the mutation.

breast_mutations.csv

44.3 KB · 9 columns · read by the graph

Serves: COSMIC somatic mutations, one file per cancer site. Kept only where the gene is a known drug target.

Builds: node:Variant , edge:VARIANT_IN

column	row 1	row 2	row 3	row 4	row 5
MutationID	34879247	39966696	39937287	39953654	39906816
GeneName	BRCA1	GRIK2	GRIK2	GRIK2	GRIK2
MutationAA	p.D150SMfs*43	p.?	p.?	p.?	p.?
MutationCDS	c.4512del	c.951+50025C>T	c.952-5316G>C	c.1640-3404G>A	c.115+60509G>A
MutationDescription	frameshift_variant	intron_variant	intron_variant	intron_variant	intron_variant
PrimarySite	breast	breast	breast	breast	breast
PrimaryHistology	other; carcinoma	carcinoma	carcinoma	carcinoma	carcinoma
PubmedPMID	26806567				
MutationGenomePosition	17:41226511-41226511	6:102184253-102184253	6:102242207-102242207	6:102372886-102372886	6:101907777-101907777

column	what it means
MutationID	COSMIC mutation id.
GeneName	Gene symbol. What variants join to targets on.
MutationAA	Amino-acid change, e.g. p.V600E.
MutationCDS	Change in coding DNA sequence.
PrimarySite	Tissue the tumour arose in.
PrimaryHistology	Tumour type by microscopic appearance.
PubmedPMID	PubMed identifier of the citing paper.
MutationGenomePosition	Genomic coordinates of the mutation.

kidney_mutations.csv

43.7 KB · 9 columns · read by the graph

Serves: COSMIC somatic mutations, one file per cancer site. Kept only where the gene is a known drug target.

Builds: node:Variant , edge:VARIANT_IN

column	row 1	row 2	row 3	row 4	row 5
MutationID	57378549	94407961	99663775	100898523	54713659
GeneName	CASP5	CCAR2	RADIL	RALGDS	RADIL
MutationAA	p.?	p.?	p.A199S	p.A555S	p.A557=
MutationCDS	c.8-3890T>A	c.-629G>A	c.595G>T	c.1663G>T	c.1671G>T
MutationDescription	intron_variant	5_prime_UTR_variant	missense_variant	missense_variant	synonymous_variant
PrimarySite	kidney	kidney	kidney	kidney	kidney
PrimaryHistology	NS; carcinoma	NS; carcinoma	NS; carcinoma	NS; carcinoma	NS; carcinoma
PubmedPMID	22138691	25351205	25351205	25351205	25351205
MutationGenomePosition	11:104878000-104878000	8:22464487-22464487	7:4876177-4876177	9:135982099-135982099	7:4856927-4856927

column	what it means
MutationID	COSMIC mutation id.
GeneName	Gene symbol. What variants join to targets on.
MutationAA	Amino-acid change, e.g. p.V600E.
MutationCDS	Change in coding DNA sequence.
PrimarySite	Tissue the tumour arose in.
PrimaryHistology	Tumour type by microscopic appearance.
PubmedPMID	PubMed identifier of the citing paper.
MutationGenomePosition	Genomic coordinates of the mutation.

liver_mutations.csv

43.4 KB · 9 columns · read by the graph

Serves: COSMIC somatic mutations, one file per cancer site. Kept only where the gene is a known drug target.

Builds: node:Variant , edge:VARIANT_IN

column	row 1	row 2	row 3	row 4	row 5
MutationID	27599168	49693598	104298781	106171273	27244049
GeneName	FBXO45	BIN1	ZAN	ZAN	SNAP47
MutationAA	p.*287Rext*22	p.*476Lext*79	p.A1766T	p.A1766T	p.A182=
MutationCDS	c.859T>C	c.1427G>T	c.5296G>A	c.5296G>A	c.546G>A
MutationDescription	stop_lost	stop_lost	missense_variant	missense_variant	synonymous_variant
PrimarySite	liver	liver	liver	liver	liver
PrimaryHistology	other; carcinoma	other; carcinoma	other; carcinoma	other; carcinoma	other; carcinoma
PubmedPMID	23788652	23788652	23788652	23788652	
MutationGenomePosition	3:196311187-196311187	2:127806103-127806103	7:100369514-100369514	7:100369514-100369514	1:227935848-227935848

column	what it means
MutationID	COSMIC mutation id.
GeneName	Gene symbol. What variants join to targets on.
MutationAA	Amino-acid change, e.g. p.V600E.
MutationCDS	Change in coding DNA sequence.
PrimarySite	Tissue the tumour arose in.
PrimaryHistology	Tumour type by microscopic appearance.
PubmedPMID	PubMed identifier of the citing paper.
MutationGenomePosition	Genomic coordinates of the mutation.

lung_mutations.csv

44.3 KB · 9 columns · read by the graph

Serves: COSMIC somatic mutations, one file per cancer site. Kept only where the gene is a known drug target.

Builds: node:Variant , edge:VARIANT_IN

column	row 1	row 2	row 3	row 4	row 5
MutationID	39871236	39871998	39804835	39804838	39805100
GeneName	GRIK2	GRIK2	GRIK2	GRIK2	GRIK2
MutationAA	p.?	p.?	p.?	p.?	p.?
MutationCDS	c.2416-2539T>A	c.-21G>C	c.805-26154G>A	c.2415+2325C>T	c.1938+87C>T
MutationDescription	intron_variant	5_prime_UTR_variant	intron_variant	intron_variant	intron_variant
PrimarySite	lung	lung	lung	lung	lung
PrimaryHistology	other	carcinoma	carcinoma	carcinoma	carcinoma
PubmedPMID	27601661	29535388			
MutationGenomePosition	6:102513683-102513683	6:102069835-102069835	6:102221369-102221369	6:102505780-102505780	6:102376594-102376594

column	what it means
MutationID	COSMIC mutation id.
GeneName	Gene symbol. What variants join to targets on.
MutationAA	Amino-acid change, e.g. p.V600E.
MutationCDS	Change in coding DNA sequence.
PrimarySite	Tissue the tumour arose in.
PrimaryHistology	Tumour type by microscopic appearance.
PubmedPMID	PubMed identifier of the citing paper.
MutationGenomePosition	Genomic coordinates of the mutation.

ovary_mutations.csv

43.6 KB · 9 columns · [read by the graph](#)

Serves: COSMIC somatic mutations, one file per cancer site. Kept only where the gene is a known drug target.

Builds: node:Variant , edge:VARIANT_IN

column	row 1	row 2	row 3	row 4	row 5
MutationID	39851424	39849646	39849821	39827064	39819752
GeneName	GRIK2	GRIK2	GRIK2	GRIK2	GRIK2
MutationAA	p.?	p.?	p.?	p.?	p.?
MutationCDS	c.804+12259T>C	c.805-52511C>G	c.1939-6256G>A	c.1938+12058C>T	c.1720+86G>A
MutationDescription	intron_variant	intron_variant	intron_variant	intron_variant	intron_variant
PrimarySite	ovary	ovary	ovary	ovary	ovary
PrimaryHistology	carcinoma	carcinoma	carcinoma	carcinoma	carcinoma
PubmedPMID					
MutationGenomePosition	6:102146487-102146487	6:102195012-102195012	6:102476960-102476960	6:102388565-102388565	6:102372680-102372680

column	what it means
MutationID	COSMIC mutation id.
GeneName	Gene symbol. What variants join to targets on.
MutationAA	Amino-acid change, e.g. p.V600E.
MutationCDS	Change in coding DNA sequence.
PrimarySite	Tissue the tumour arose in.
PrimaryHistology	Tumour type by microscopic appearance.
PubmedPMID	PubMed identifier of the citing paper.
MutationGenomePosition	Genomic coordinates of the mutation.

pancreas_mutations.csv

45.8 KB · 9 columns · [read by the graph](#)

Serves: COSMIC somatic mutations, one file per cancer site. Kept only where the gene is a known drug target.

Builds: node:Variant , edge:VARIANT_IN

column	row 1	row 2	row 3	row 4	row 5
MutationID	39629246	64139152	72269796	100503325	100644212
GeneName	RGS7	EYA4	MYO16	NNMT	NNMT
MutationAA	p.A195=	p.A570T	p.A620=	p.A62=	p.A62=
MutationCDS	c.585G>A	c.1708G>A	c.1860C>T	c.186G>A	c.186G>A
MutationDescription	synonymous_variant	missense_variant	synonymous_variant	synonymous_variant	synonymous_variant
PrimarySite	pancreas	pancreas	pancreas	pancreas	pancreas
PrimaryHistology	carcinoma; other	carcinoma; other	carcinoma; other	carcinoma; other	carcinoma; other
PubmedPMID	32796935	32796935	32796935	32796935	32796935
MutationGenomePosition	1:241031911-241031911	6:133852359-133852359	13:109753187-109753187	11:114183175-114183175	11:114183175-114183175

column	what it means
MutationID	COSMIC mutation id.
GeneName	Gene symbol. What variants join to targets on.
MutationAA	Amino-acid change, e.g. p.V600E.
MutationCDS	Change in coding DNA sequence.
PrimarySite	Tissue the tumour arose in.
PrimaryHistology	Tumour type by microscopic appearance.
PubmedPMID	PubMed identifier of the citing paper.
MutationGenomePosition	Genomic coordinates of the mutation.

prostate_mutations.csv

45.2 KB · 9 columns · read by the graph

Serves: COSMIC somatic mutations, one file per cancer site. Kept only where the gene is a known drug target.

Builds: node:Variant , edge:VARIANT_IN

column	row 1	row 2	row 3	row 4	row 5
MutationID	30790600	57855408	67272838	35480387	104842710
GeneName	PRKD1	PRKD1	NLRP11	PCDH18	NELL2
MutationAA	p.D665N	p.D673N	p.*1034=	p.*1136=	p.*113=
MutationCDS	c.1993G>A	c.2017G>A	c.3101G>A	c.3408G>A	c.338A>G
MutationDescription	missense_variant	missense_variant	stop_retained_variant	stop_retained_variant	stop_retained_variant
PrimarySite	prostate	prostate	prostate	prostate	prostate
PrimaryHistology	adenoma; carcinoma	adenoma; carcinoma	carcinoma	carcinoma	carcinoma
PubmedPMID	23265383; 22502944	23265383; 22502944	26000489		22722839
MutationGenomePosition	14:30068936-30068936	14:30068936-30068936	19:56296992-56296992	4:138442183-138442183	12:45209766-45209766

column	what it means
MutationID	COSMIC mutation id.
GeneName	Gene symbol. What variants join to targets on.
MutationAA	Amino-acid change, e.g. p.V600E.
MutationCDS	Change in coding DNA sequence.
PrimarySite	Tissue the tumour arose in.
PrimaryHistology	Tumour type by microscopic appearance.
PubmedPMID	PubMed identifier of the citing paper.
MutationGenomePosition	Genomic coordinates of the mutation.

skin_mutations.csv

48.3 KB · 9 columns · read by the graph

Serves: COSMIC somatic mutations, one file per cancer site. Kept only where the gene is a known drug target.

Builds: node:Variant , edge:VARIANT_IN

column	row 1	row 2	row 3	row 4	row 5
MutationID	93976423	93971887	93967780	93967782	93967791
GeneName	IQCJ-SCHIP1	IQCJ-SCHIP1	IQCJ-SCHIP1	IQCJ-SCHIP1	IQCJ-SCHIP1
MutationAA	p.?	p.?	p.?	p.?	p.?
MutationCDS	c.63+141044A>C	c.63+178254_63+178255del	c.63+184681_63+184682insCT	c.63+188024A>G	c.64-214148G>T
MutationDescription	intron_variant	intron_variant	intron_variant	intron_variant	intron_variant
PrimarySite	skin	skin	skin	skin	skin
PrimaryHistology	carcinoma	carcinoma	carcinoma	carcinoma	carcinoma
PubmedPMID					
MutationGenomePosition	3:159132716-159132716	3:159169926-159169927	3:159176353-159176354	3:159179696-159179696	3:159369804-159369804

column	what it means
MutationID	COSMIC mutation id.
GeneName	Gene symbol. What variants join to targets on.
MutationAA	Amino-acid change, e.g. p.V600E.
MutationCDS	Change in coding DNA sequence.
PrimarySite	Tissue the tumour arose in.
PrimaryHistology	Tumour type by microscopic appearance.
PubmedPMID	PubMed identifier of the citing paper.
MutationGenomePosition	Genomic coordinates of the mutation.

stomach_mutations.csv

46.1 KB · 9 columns · read by the graph

Serves: COSMIC somatic mutations, one file per cancer site. Kept only where the gene is a known drug target.

Builds: node:Variant , edge:VARIANT_IN

column	row 1	row 2	row 3	row 4	row 5
MutationID	38830218	96054049	24921958	51124379	110604206
GeneName	GPATCH2	TMEM9B	ZC2HC1A	IL21R	IL21R
MutationAA	p.?	p.*125=	p.*326Cext*22	p.?	p.?
MutationCDS	c.1098+437dup	c.374A>G	c.978A>T	c.-12G>A	c.-12G>A
MutationDescription	intron_variant	stop_retained_variant	stop_lost	5_prime_UTR_variant	5_prime_UTR_variant
PrimarySite	stomach	stomach	stomach	stomach	stomach
PrimaryHistology	carcinoma; other	adenoma; carcinoma	adenoma; carcinoma	carcinoma; adenoma	carcinoma; adenoma
PubmedPMID	30344100	29945994	29945994	32023847	32023847
MutationGenomePosition	1:217783235-217783236	11:8969868-8969868	8:79629728-79629728	16:27441381-27441381	16:27441381-27441381

column	what it means
MutationID	COSMIC mutation id.
GeneName	Gene symbol. What variants join to targets on.
MutationAA	Amino-acid change, e.g. p.V600E.
MutationCDS	Change in coding DNA sequence.
PrimarySite	Tissue the tumour arose in.
PrimaryHistology	Tumour type by microscopic appearance.
PubmedPMID	PubMed identifier of the citing paper.
MutationGenomePosition	Genomic coordinates of the mutation.

thyroid_mutations.csv

46.7 KB · 9 columns · read by the graph

Serves: COSMIC somatic mutations, one file per cancer site. Kept only where the gene is a known drug target.

Builds: node:Variant , edge:VARIANT_IN

column	row 1	row 2	row 3	row 4	row 5
MutationID	23142732	36815934	21325017	28866420	98309511
GeneName	CYP11B1	KLHL14	DDX60L	SEC61A2	CRTAM
MutationAA	p.?	p.?	p.D258G	p.D57G	p.D58Y
MutationCDS	c.396-536A>G	c.-44+565_-44+572del	c.773A>G	c.170A>G	c.172G>T
MutationDescription	intron_variant	intron_variant	missense_variant	missense_variant	missense_variant
PrimarySite	thyroid	thyroid	thyroid	thyroid	thyroid
PrimaryHistology	carcinoma; other	carcinoma; other	carcinoma; other	carcinoma; other	carcinoma; other
PubmedPMID					
MutationGenomePosition	8:143959174-143959174	18:30352078-30352085	4:169377254-169377254	10:12185144-12185144	11:122735379-122735379

column	what it means
MutationID	COSMIC mutation id.
GeneName	Gene symbol. What variants join to targets on.
MutationAA	Amino-acid change, e.g. p.V600E.
MutationCDS	Change in coding DNA sequence.
PrimarySite	Tissue the tumour arose in.
PrimaryHistology	Tumour type by microscopic appearance.
PubmedPMID	PubMed identifier of the citing paper.
MutationGenomePosition	Genomic coordinates of the mutation.

23 CSV (81.5 MB) · 1 .json (250 B)

example filenames:

_LATEST.json

all_studies.csv

170.2 KB · 11 columns · not read by the graph

Serves: not used by the graph — Planned as a third variant source and is not one. The 23 files are study and clinical metadata - per-patient TCGA cohorts - plus cancer_types.csv, a cancer-type tree keyed by cbioportal's own ids with a `parent` column that references those ids and nothing else. Loading it would add a fourth disease vocabulary that crosswalks to neither MeSH nor MONDO, so it would sit beside Disease unconnected. COSMIC and ClinVar supply the variants.

column	row 1	row 2	row 3	row 4	row 5
studyId	biliary_tract_msk_2026	acbc_mskcc_2015	acc_tcga	acyc_mskcc_2013	acyc_fmi_2014
name	Hepatobiliary Cancer (MSK, 2026)	Adenoid Cystic Carcinoma of the Breast (MSK, J Pathol. 2015)	Adrenocortical Carcinoma (TCGA, Firehose Legacy)	Adenoid Cystic Carcinoma (MSK, Nat Genet 2013)	Adenoid Cystic Carcinoma (FMI, Am J Surg Pathl. 2014)
description	Targeted sequencing of 1,291 hepatobiliary cancer tumor/normal samples via MSK-IMPACT.	Whole exome sequencing of 12 breast AdCCs.	TCGA Adrenocortical Carcinoma. Source data from <A HREF="http://gdac.broadinstitute.org /ru...	Whole-exome or whole-genome sequencing analysis of 60 ACC tumor/normal pairs	Targeted Sequencing of 28 metastatic Adenoid Cystic Carcinoma samples.
cancerTypeId	biliary_tract	acbc	acc	acyc	acyc
pmid	42360806	26095796		23685749	24418857
citation	cowzer et al. Clin Cancer Res. 2026	Martelotto et al. J Pathol 2015		Ho et al. Nat Genet 2013	Ross et al. Am J Surg Pathl 2014
groups		ACYC;PUBLIC	PUBLIC	ACYC;PUBLIC	ACYC;PUBLIC
status	0	0	0	0	0
importDate	2026-07-16 21:21:31	2026-01-05 10:38:02	2026-01-05 12:46:31	2026-01-05 12:47:04	2026-01-05 12:47:28
allSampleCount	1291	12	92	60	28
cancerTypeName					

column	what it means
studyId	Study identifier within cBioPortal.
pmid	PubMed identifier.

brca_tcga_clinical.csv

596.6 KB · 93 columns · not read by the graph

Serves: not used by the graph — Planned as a third variant source and is not one. The 23 files are study and clinical metadata - per-patient TCGA cohorts - plus cancer_types.csv, a cancer-type tree keyed by cbiportal's own ids with a `parent` column that references those ids and nothing else. Loading it would add a fourth disease vocabulary that crosswalks to neither MeSH nor MONDO, so it would sit beside Disease unconnected. COSMIC and ClinVar supply the variants.

93 columns. Showing the 26 that identify a record; **67 hidden**.

column	row 1	row 2	row 3	row 4	row 5
patientId	TCGA-AR-A1AR	TCGA-BH-A1EO	TCGA-BH-A1ES	TCGA-BH-A1ET	TCGA-BH-A1EU
studyId	brca_tcga	brca_tcga	brca_tcga	brca_tcga	brca_tcga
AGE	50	68	35	55	83
AJCC_METASTASIS_PATHOLOGIC_PM	M0	M0	M0	M0	M0
AJCC_NODES_PATHOLOGIC_PN	N2	N1	N1a	N0	N0
AJCC_PATHOLOGIC_TUMOR_STAGE	Stage IIIA	Stage IIA	Stage IIB	Stage I	Stage I
CENT17_COPY_NUMBER					
DFS_STATUS	1:Recurred/Progressed				
DISEASE_CODE					
ER_STATUS_BY_IHC	Negative	Positive	Positive	Positive	Positive
ER_STATUS_IHC_PERCENT_POSITIVE					
FORM_COMPLETION_DATE	6/28/11	9/6/11	9/6/11	9/7/11	9/7/11
HER2_COPY_NUMBER					
HER2_FISH_STATUS					
MARGIN_STATUS_REEXCISION					
MENOPAUSE_STATUS	Post (prior bilateral ovariectomy OR > 12 mo since LMP with no prior hysterectomy)	Post (prior bilateral ovariectomy OR > 12 mo since LMP with no prior hysterectomy)	Pre (<6 months since LMP AND no prior bilateral ovariectomy AND not on estrogen replacemen...		Post (prior bilateral ovariectomy OR > 12 mo since LMP with no prior hysterectomy)
NTE_ER_STATUS					
NTE_ER_STATUS_IHC_POSITIVE					
NTE_HER2_FISH_STATUS					
NTE_HER2_STATUS					
NTE_HER2_STATUS_IHC_POSITIVE					
NTE_PR_STATUS_BY_IHC					
NTE_PR_STATUS_IHC_POSITIVE					
OS_STATUS	1:DECEASED	1:DECEASED	1:DECEASED	1:DECEASED	1:DECEASED
OTHER_PATIENT_ID	eda6d2d5-4199-4f76-a45b-1d0401b4e54c	4510295e-8aa7-4ef1-b2b7-91cc902f8200	51ccbf1b-7cae-44ba-991a-11eda8b8c404	8986a141-eae7-4157-b695-02cc6fc3b071	a1093598-d3a8-4ffe-83fc-bc7d1faff7e5
PROJECT_CODE					

column	what it means
patientId	Patient identifier within one cBioPortal study cohort. Not a real person and not stable across studies.
studyId	Study identifier within cBioPortal.

brca_tcga_mutations.csv

149.4 KB · 28 columns · not read by the graph

Serves: not used by the graph — Planned as a third variant source and is not one. The 23 files are study and clinical metadata - per-patient TCGA cohorts - plus cancer_types.csv, a cancer-type tree keyed by cbiportal's own ids with a `parent` column that references those ids and nothing else. Loading it would add a fourth disease vocabulary that crosswalks to neither MeSH nor MONDO, so it would sit beside Disease unconnected. COSMIC and ClinVar supply the variants.

28 columns. Showing the 6 that identify a record; **22 hidden**.

column	row 1	row 2	row 3	row 4	row 5
sampleId	TCGA-A1-A0SI-01	TCGA-A1-A0SI-01	TCGA-A1-A0SI-01	TCGA-A1-A0SI-01	TCGA-A1-A0SK-01
patientId	TCGA-A1-A0SI	TCGA-A1-A0SI	TCGA-A1-A0SI	TCGA-A1-A0SI	TCGA-A1-A0SK
studyId	brca_tcga	brca_tcga	brca_tcga	brca_tcga	brca_tcga
molecularProfileId	brca_tcga_mutations	brca_tcga_mutations	brca_tcga_mutations	brca_tcga_mutations	brca_tcga_mutations
entrezGeneId	672	5290	5290	7157	7157
gene_hugoGeneSymbol	BRCA1	PIK3CA	PIK3CA	TP53	TP53

column	what it means
patientId	Patient identifier within one cBioPortal study cohort. Not a real person and not stable across studies.
studyId	Study identifier within cBioPortal.

cancer_types.csv

50.3 KB · 5 columns · not read by the graph

Serves: not used by the graph — Planned as a third variant source and is not one. The 23 files are study and clinical metadata - per-patient TCGA cohorts - plus cancer_types.csv, a cancer-type tree keyed by cbiportal's own ids with a `parent` column that references those ids and nothing else. Loading it would add a fourth disease vocabulary that crosswalks to neither MeSH nor MONDO, so it would sit beside Disease unconnected. COSMIC and ClinVar supply the variants.

column	row 1	row 2	row 3	row 4	row 5
cancer_type_id	aa	abc	abl	aca	acbc
name	Aggressive Angiomyxoma	Activated B-cell Type	Acute Basophilic Leukemia	Adrenocortical Adenoma	Adenoid Cystic Breast Cancer
short_name	AA	ABC	ABL	ACA	ACBC
parent	soft_tissue	dlbclnos	amlnos	adrenal_gland	brca
dedicated_color	LightYellow	LimeGreen	LightSalmon	Purple	HotPink

coadread_tcga_clinical.csv

184.1 KB · 53 columns · not read by the graph

Serves: not used by the graph — Planned as a third variant source and is not one. The 23 files are study and clinical metadata - per-patient TCGA cohorts - plus cancer_types.csv, a cancer-type tree keyed by cbiportal's own ids with a `parent` column that references those ids and nothing else. Loading it would add a fourth disease vocabulary that crosswalks to neither MeSH nor MONDO, so it would sit beside Disease unconnected. COSMIC and ClinVar supply the variants.

53 columns. Showing the 13 that identify a record; **40 hidden**.

column	row 1	row 2	row 3	row 4	row 5
patientId	TCGA-A6-2675	TCGA-A6-5667	TCGA-AA-3655	TCGA-AA-3660	TCGA-AA-3662
studyId	coadread_tcga	coadread_tcga	coadread_tcga	coadread_tcga	coadread_tcga
AGE	78	40	68	51	80
AJCC_METASTASIS_PATHOLOGIC_PM	MX	MX	M0	M0	M1
AJCC_NODES_PATHOLOGIC_PN	N0	N1a	N0	N0	N2
AJCC_PATHOLOGIC_TUMOR_STAGE	Stage IIA	Stage IIIB	Stage II	Stage II	Stage IV
DFS_STATUS	0:DiseaseFree	0:DiseaseFree	0:DiseaseFree	0:DiseaseFree	0:DiseaseFree
DISEASE_CODE					
FORM_COMPLETION_DATE	6/30/11	6/27/11	5/18/10	5/18/10	5/18/10
OS_STATUS	0:LIVING	0:LIVING	0:LIVING	0:LIVING	0:LIVING
OTHER_PATIENT_ID	07dc5a1d-64b7-42ba-928e-9753bd533c1e	28d03569-8717-40da-8989-70baf2b18f9f	31a3877d-3e82-450e-811f-3448b06f3950	f9b5e6a5-c2da-4a0d-9251-bb6f557b7b58	d9fb85c3-ade1-47bf-8159-170f81eb130f
PROJECT_CODE					
TUMOR_STATUS	TUMOR FREE	TUMOR FREE	WITH TUMOR	WITH TUMOR	WITH TUMOR

column	what it means
patientId	Patient identifier within one cBioPortal study cohort. Not a real person and not stable across studies.
studyId	Study identifier within cBioPortal.

coadread_tcga_mutations.csv

67.5 KB · 28 columns · not read by the graph

Serves: not used by the graph — Planned as a third variant source and is not one. The 23 files are study and clinical metadata - per-patient TCGA cohorts - plus cancer_types.csv, a cancer-type tree keyed by cbiportal's own ids with a `parent` column that references those ids and nothing else. Loading it would add a fourth disease vocabulary that crosswalks to neither MeSH nor MONDO, so it would sit beside Disease unconnected. COSMIC and ClinVar supply the variants.

28 columns. Showing the 6 that identify a record; **22 hidden**.

column	row 1	row 2	row 3	row 4	row 5
sampleId	TCGA-A6-2672-01	TCGA-A6-2674-01	TCGA-A6-2676-01	TCGA-A6-2676-01	TCGA-A6-2676-01
patientId	TCGA-A6-2672	TCGA-A6-2674	TCGA-A6-2676	TCGA-A6-2676	TCGA-A6-2676
studyId	coadread_tcga	coadread_tcga	coadread_tcga	coadread_tcga	coadread_tcga
molecularProfileId	coadread_tcga_mutations	coadread_tcga_mutations	coadread_tcga_mutations	coadread_tcga_mutations	coadread_tcga_mutations
entrezGeneId	673	7157	238	673	7157
gene_hugoGeneSymbol	BRAF	TP53	ALK	BRAF	TP53

column	what it means
patientId	Patient identifier within one cBioPortal study cohort. Not a real person and not stable across studies.
studyId	Study identifier within cBioPortal.

laml_tcga_clinical.csv

38.0 KB · 25 columns · not read by the graph

Serves: not used by the graph — Planned as a third variant source and is not one. The 23 files are study and clinical metadata - per-patient TCGA cohorts - plus cancer_types.csv, a cancer-type tree keyed by cbiportal's own ids with a `parent` column that references those ids and nothing else. Loading it would add a fourth disease vocabulary that crosswalks to neither MeSH nor MONDO, so it would sit beside Disease unconnected. COSMIC and ClinVar supply the variants.

column	row 1	row 2	row 3	row 4	row 5
patientId	TCGA-AB-2802	TCGA-AB-2803	TCGA-AB-2804	TCGA-AB-2805	TCGA-AB-2806
studyId	laml_tcga	laml_tcga	laml_tcga	laml_tcga	laml_tcga
ABNORMAL_LYMPHOCYTE_PERCENT	0	0	0	0	0
AGE	50	61	30	77	46
ATRA_EXPOSURE	NO	NO	YES	NO	NO
BASOPHILS_COUNT	1	0	0	0	0
BLAST_COUNT	52	0	6	56	81
CYTOGENETIC_ABNORMALITY_TYPE	Normal	Normal	Normal	Normal	t(8;21)
ETHNICITY	NOT HISPANIC OR LATINO	NOT HISPANIC OR LATINO	NOT HISPANIC OR LATINO	NOT HISPANIC OR LATINO	NOT HISPANIC OR LATINO
FAB	M4	M3	M3	M0 Undifferentiated	M1
FORM_COMPLETION_DATE	12/14/10	12/14/10	12/14/10	12/14/10	12/14/10
HISTORY_NEOADJUVANT_TRTYN	No	No	No	No	Yes
HISTORY_OTHER_MALIGNANCY	No	No	No	Yes	No
INFORMED_CONSENT_VERIFIED	YES	YES	YES	YES	YES
INITIAL_PATHOLOGIC_DX_YEAR	2001	2001	2001	2002	2002
MOLECULAR_STUDIES_OTHERS_PERFORMED	YES	YES	YES	NO	NO
OS_MONTHS	11.99	26.02	84	18.96	31.04
OS_STATUS	1:DECEASED	1:DECEASED	0:LIVING	1:DECEASED	1:DECEASED
OTHER_PATIENT_ID	b93cb62a-a7dc-406d-8482-6b51a92ea3c3	fb4c9803-3690-4f6a-9402-72a4f36d64d1	2fcd6a9-813b-41b2-aae4-ca42c9986287	ada38f3e-8020-4394-9e7c-50d06dd04769	e78ff499-037b-450a-ac04-6fb3a9e124a4
PLATELET_COUNT_PRERESECTION	231	90	114	105	90
RACE	WHITE	WHITE	WHITE	WHITE	WHITE
SAMPLE_COUNT	1	1	1	1	1
SEX	Male	Female	Male	Male	Male
SITE_OF_TUMOR_TISSUE	Bone Marrow	Bone Marrow	Bone Marrow	Bone Marrow	Bone Marrow
TISSUE_SOURCE_SITE	AB	AB	AB	AB	AB

column	what it means
patientId	Patient identifier within one cBioPortal study cohort. Not a real person and not stable across studies.
studyId	Study identifier within cBioPortal.

laml_tcga_mutations.csv

6.0 KB · 28 columns · not read by the graph

Serves: not used by the graph — Planned as a third variant source and is not one. The 23 files are study and clinical metadata - per-patient TCGA cohorts - plus cancer_types.csv, a cancer-type tree keyed by cbiportal's own ids with a `parent` column that references those ids and nothing else. Loading it would add a fourth disease vocabulary that crosswalks to neither MeSH nor MONDO, so it would sit beside Disease unconnected. COSMIC and ClinVar supply the variants.

28 columns. Showing the 6 that identify a record; **22 hidden**.

column	row 1	row 2	row 3	row 4	row 5
sampleId	TCGA-AB-2813-03	TCGA-AB-2820-03	TCGA-AB-2826-03	TCGA-AB-2829-03	TCGA-AB-2829-03
patientId	TCGA-AB-2813	TCGA-AB-2820	TCGA-AB-2826	TCGA-AB-2829	TCGA-AB-2829
studyId	laml_tcga	laml_tcga	laml_tcga	laml_tcga	laml_tcga
molecularProfileId	laml_tcga_mutations	laml_tcga_mutations	laml_tcga_mutations	laml_tcga_mutations	laml_tcga_mutations
entrezGeneId	7157	7157	3845	7157	7157
gene_hugoGeneSymbol	TP53	TP53	KRAS	TP53	TP53

column	what it means
patientId	Patient identifier within one cBioPortal study cohort. Not a real person and not stable across studies.
studyId	Study identifier within cBioPortal.

lihc_tcga_clinical.csv

149.9 KB · 68 columns · not read by the graph

Serves: not used by the graph — Planned as a third variant source and is not one. The 23 files are study and clinical metadata - per-patient TCGA cohorts - plus cancer_types.csv, a cancer-type tree keyed by cbiportal's own ids with a `parent` column that references those ids and nothing else. Loading it would add a fourth disease vocabulary that crosswalks to neither MeSH nor MONDO, so it would sit beside Disease unconnected. COSMIC and ClinVar supply the variants.

68 columns. Showing the 12 that identify a record; **56 hidden**.

column	row 1	row 2	row 3	row 4	row 5
patientId	TCGA-BC-4073	TCGA-BC-A10Q	TCGA-BC-A10R	TCGA-BC-A10S	TCGA-BC-A10T
studyId	lihc_tcga	lihc_tcga	lihc_tcga	lihc_tcga	lihc_tcga
ABLATION_EMBOLIZATION_TX_ADJUVANT					
AFP_AT_PROCUREMENT			27		
AFP_NORM_RANGE_LOWER					
AFP_NORM_RANGE_UPPER					
DFS_STATUS	0:DiseaseFree	1:Recurred/Progressed	1:Recurred/Progressed	1:Recurred/Progressed	1:Recurred/Progressed
FAMILY_HISTORY_CANCER_NUMBER_RELATIVES	3	1	1		
FORM_COMPLETION_DATE	12/20/10	3/23/11	3/23/11	3/23/11	3/23/11
OS_STATUS	0:LIVING	1:DECEASED	1:DECEASED	1:DECEASED	1:DECEASED
OTHER_PATIENT_ID	00f209c3-041a-4c6e-8b0f-6383eb3c85fc	dfa15fbe-bb14-40ce-afc6-70694112e3e2	0bf5bbd4-d9e8-42a6-9ab5-f2c174dec12c	592ef526-176a-42e0-bbeb-fb62d369a343	8a9cde9a-c38c-423e-bc14-354ee26468c9
TUMOR_STATUS	WITH TUMOR	WITH TUMOR	WITH TUMOR	WITH TUMOR	WITH TUMOR

column	what it means
patientId	Patient identifier within one cBioPortal study cohort. Not a real person and not stable across studies.
studyId	Study identifier within cBioPortal.

lihc_tcga_mutations.csv

35.1 KB · 28 columns · not read by the graph

Serves: not used by the graph — Planned as a third variant source and is not one. The 23 files are study and clinical metadata - per-patient TCGA cohorts - plus cancer_types.csv, a cancer-type tree keyed by cbiportal's own ids with a `parent` column that references those ids and nothing else. Loading it would add a fourth disease vocabulary that crosswalks to neither MeSH nor MONDO, so it would sit beside Disease unconnected. COSMIC and ClinVar supply the variants.

28 columns. Showing the 6 that identify a record; **22 hidden**.

column	row 1	row 2	row 3	row 4	row 5
sampleId	TCGA-2Y-A9GS-01	TCGA-2Y-A9GY-01	TCGA-2Y-A9H4-01	TCGA-2Y-A9H7-01	TCGA-2Y-A9H8-01
patientId	TCGA-2Y-A9GS	TCGA-2Y-A9GY	TCGA-2Y-A9H4	TCGA-2Y-A9H7	TCGA-2Y-A9H8
studyId	lihc_tcga	lihc_tcga	lihc_tcga	lihc_tcga	lihc_tcga
molecularProfileId	lihc_tcga_mutations	lihc_tcga_mutations	lihc_tcga_mutations	lihc_tcga_mutations	lihc_tcga_mutations
entrezGeneId	7157	7157	7157	3845	7157
gene_hugoGeneSymbol	TP53	TP53	TP53	KRAS	TP53

column	what it means
patientId	Patient identifier within one cBioPortal study cohort. Not a real person and not stable across studies.
studyId	Study identifier within cBioPortal.

luad_tcga_clinical.csv

170.6 KB · 62 columns · not read by the graph

Serves: not used by the graph — Planned as a third variant source and is not one. The 23 files are study and clinical metadata - per-patient TCGA cohorts - plus cancer_types.csv, a cancer-type tree keyed by cbiportal's own ids with a `parent` column that references those ids and nothing else. Loading it would add a fourth disease vocabulary that crosswalks to neither MeSH nor MONDO, so it would sit beside Disease unconnected. COSMIC and ClinVar supply the variants.

62 columns. Showing the 19 that identify a record; **43 hidden**.

column	row 1	row 2	row 3	row 4	row 5
patientId	TCGA-05-4384	TCGA-05-4390	TCGA-05-4425	TCGA-38-4631	TCGA-38-4632
studyId	luad_tcga	luad_tcga	luad_tcga	luad_tcga	luad_tcga
AGE	66	58	70	72	42
AJCC_METASTASIS_PATHOLOGIC_PM	M0	M0	M1	M0	M1
AJCC_NODES_PATHOLOGIC_PN	N2	N0	N0	N0	N1
AJCC_PATHOLOGIC_TUMOR_STAGE	Stage IIIA	Stage IB	Stage IV	Stage IB	Stage IV
ALK_ANALYSIS_TYPE					
ALK_TRANSLOCATION_STATUS				NO	NO
DFS_STATUS	1:Recurred/Progressed	1:Recurred/Progressed	0:DiseaseFree		1:Recurred/Progressed
DISEASE_CODE					
FORM_COMPLETION_DATE	7/22/10	7/22/10	7/22/10	12/14/10	12/13/10
KRAS_MUTATION_IDENTIFIED_TYPE					
MUTATION_STATUS				NO	NO
MUTATION_TYPE					
OS_STATUS	0:LIVING	0:LIVING	0:LIVING	1:DECEASED	1:DECEASED
OTHER_PATIENT_ID	9a50e7e4-831d-489f-87d2-979e987561cc	b8475929-2d9d-4909-bd62-59684a140bd7	69b23036-add9-42c9-941f-02fb74d9b08c	2483621a-4db3-41ab-aa33-b9427ea8a0af	875333ab-9048-462d-aaa2-693ad127e3cc
PERFORMANCE_STATUS_TIMING					
PROJECT_CODE					
TUMOR_STATUS		TUMOR FREE		WITH TUMOR	WITH TUMOR

column	what it means
patientId	Patient identifier within one cBioPortal study cohort. Not a real person and not stable across studies.
studyId	Study identifier within cBioPortal.

luad_tcga_mutations.csv

57.6 KB · 28 columns · not read by the graph

Serves: not used by the graph — Planned as a third variant source and is not one. The 23 files are study and clinical metadata - per-patient TCGA cohorts - plus cancer_types.csv, a cancer-type tree keyed by cbiportal's own ids with a `parent` column that references those ids and nothing else. Loading it would add a fourth disease vocabulary that crosswalks to neither MeSH nor MONDO, so it would sit beside Disease unconnected. COSMIC and ClinVar supply the variants.

28 columns. Showing the 6 that identify a record; **22 hidden**.

column	row 1	row 2	row 3	row 4	row 5
sampleId	TCGA-05-4249-01	TCGA-05-4249-01	TCGA-05-4249-01	TCGA-05-4382-01	TCGA-05-4382-01
patientId	TCGA-05-4249	TCGA-05-4249	TCGA-05-4249	TCGA-05-4382	TCGA-05-4382
studyId	luad_tcga	luad_tcga	luad_tcga	luad_tcga	luad_tcga
molecularProfileId	luad_tcga_mutations	luad_tcga_mutations	luad_tcga_mutations	luad_tcga_mutations	luad_tcga_mutations
entrezGeneId	673	3845	5290	238	672
gene_hugoGeneSymbol	BRAF	KRAS	PIK3CA	ALK	BRCA1

column	what it means
patientId	Patient identifier within one cBioPortal study cohort. Not a real person and not stable across studies.
studyId	Study identifier within cBioPortal.

ov_tcga_clinical.csv

154.0 KB · 40 columns · not read by the graph

Serves: not used by the graph — Planned as a third variant source and is not one. The 23 files are study and clinical metadata - per-patient TCGA cohorts - plus cancer_types.csv, a cancer-type tree keyed by cbiportal's own ids with a `parent` column that references those ids and nothing else. Loading it would add a fourth disease vocabulary that crosswalks to neither MeSH nor MONDO, so it would sit beside Disease unconnected. COSMIC and ClinVar supply the variants.

40 columns. Showing the 12 that identify a record; **28 hidden**.

column	row 1	row 2	row 3	row 4	row 5
patientId	TCGA-10-0926	TCGA-10-0927	TCGA-10-0928	TCGA-10-0930	TCGA-10-0931
studyId	ov_tcga	ov_tcga	ov_tcga	ov_tcga	ov_tcga
AGE	63	65	71	70	44
CLINICAL_STAGE	Stage IIIC	Stage IIIC	Stage IIIC	Stage IIIC	Stage IIIC
DAYS_TO_INITIAL_PATHOLOGIC_DIAGNOSIS	0	0	0	0	0
DFS_MONTHS	9.43	32.88		22.34	9.86
DFS_STATUS	1:Recurred/Progressed	1:Recurred/Progressed		1:Recurred/Progressed	1:Recurred/Progressed
FORM_COMPLETION_DATE	3/6/09	3/6/09	3/6/09	3/6/09	3/6/09
OS_STATUS	1:DECEASED	1:DECEASED	1:DECEASED	1:DECEASED	1:DECEASED
OTHER_PATIENT_ID	e641aed9-1dd8-4c30-b231-f12b20a76df0	933dbfbfbd-4697-403e-bd73-c17cb300c94b	29d26e7e-f4ae-4476-9a3f-27d5ec2ccb8a	99f1ae02-86ec-4d93-8cd4-650bf6f02c10	e07a61e2-bcd2-4a96-80df-97e04aafbd32
PERFORMANCE_STATUS_TIMING	Preoperative				Preoperative
TUMOR_STATUS	WITH TUMOR	WITH TUMOR	WITH TUMOR	WITH TUMOR	WITH TUMOR

column	what it means
patientId	Patient identifier within one cBioPortal study cohort. Not a real person and not stable across studies.
studyId	Study identifier within cBioPortal.

ov_tcga_mutations.csv

58.2 KB · 28 columns · not read by the graph

Serves: not used by the graph — Planned as a third variant source and is not one. The 23 files are study and clinical metadata - per-patient TCGA cohorts - plus cancer_types.csv, a cancer-type tree keyed by cbiportal's own ids with a `parent` column that references those ids and nothing else. Loading it would add a fourth disease vocabulary that crosswalks to neither MeSH nor MONDO, so it would sit beside Disease unconnected. COSMIC and ClinVar supply the variants.

28 columns. Showing the 6 that identify a record; **22 hidden**.

column	row 1	row 2	row 3	row 4	row 5
sampleId	TCGA-04-1331-01	TCGA-04-1331-01	TCGA-04-1332-01	TCGA-04-1336-01	TCGA-04-1337-01
patientId	TCGA-04-1331	TCGA-04-1331	TCGA-04-1332	TCGA-04-1336	TCGA-04-1337
studyId	ov_tcga	ov_tcga	ov_tcga	ov_tcga	ov_tcga
molecularProfileId	ov_tcga_mutations	ov_tcga_mutations	ov_tcga_mutations	ov_tcga_mutations	ov_tcga_mutations
entrezGeneId	675	7157	7157	7157	7157
gene_hugoGeneSymbol	BRCA2	TP53	TP53	TP53	TP53

column	what it means
patientId	Patient identifier within one cBioPortal study cohort. Not a real person and not stable across studies.
studyId	Study identifier within cBioPortal.

paad_tcga_clinical.csv

75.1 KB · 66 columns · not read by the graph

Serves: not used by the graph — Planned as a third variant source and is not one. The 23 files are study and clinical metadata - per-patient TCGA cohorts - plus cancer_types.csv, a cancer-type tree keyed by cbiportal's own ids with a `parent` column that references those ids and nothing else. Loading it would add a fourth disease vocabulary that crosswalks to neither MeSH nor MONDO, so it would sit beside Disease unconnected. COSMIC and ClinVar supply the variants.

66 columns. Showing the 12 that identify a record; **54 hidden**.

column	row 1	row 2	row 3	row 4	row 5
patientId	TCGA-FZ-5919	TCGA-FZ-5920	TCGA-FZ-5921	TCGA-FZ-5922	TCGA-FZ-5923
studyId	paad_tcga	paad_tcga	paad_tcga	paad_tcga	paad_tcga
AGE	59	52	85	81	71
AJCC_METASTASIS_PATHOLOGIC_PM	MX	M0	M0	M0	M1
AJCC_NODES_PATHOLOGIC_PN	N1	N1	N1	N0	N1
AJCC_PATHOLOGIC_TUMOR_STAGE	Stage IIB	Stage IIB	Stage IIB	Stage IIA	Stage IV
DFS_STATUS	1:Recurred/Progressed		1:Recurred/Progressed	1:Recurred/Progressed	
FAMILY_HISTORY_CANCER_TYPE	Pancreas				
FORM_COMPLETION_DATE	3/12/13	6/14/13	7/1/14	6/14/13	1/17/13
OS_STATUS	1:DECEASED	1:DECEASED	1:DECEASED	1:DECEASED	1:DECEASED
OTHER_PATIENT_ID	ff03311b-d20d-49ee-8de4-d4487c3f2633	a1d138fb-bba7-44d2-8071-c14470634e4c	345a375c-15cc-453a-8054-e68a35178082	a46fb053-616d-41e4-b38b-2bccf17125c0	7ebe2e36-4692-4b4b-a75d-b75972f664c2
TUMOR_STATUS	WITH TUMOR		WITH TUMOR	WITH TUMOR	

column	what it means
patientId	Patient identifier within one cBioPortal study cohort. Not a real person and not stable across studies.
studyId	Study identifier within cBioPortal.

paad_tcga_mutations.csv

51.4 KB · 28 columns · not read by the graph

Serves: not used by the graph — Planned as a third variant source and is not one. The 23 files are study and clinical metadata - per-patient TCGA cohorts - plus cancer_types.csv, a cancer-type tree keyed by cbiportal's own ids with a `parent` column that references those ids and nothing else. Loading it would add a fourth disease vocabulary that crosswalks to neither MeSH nor MONDO, so it would sit beside Disease unconnected. COSMIC and ClinVar supply the variants.

28 columns. Showing the 6 that identify a record; **22 hidden**.

column	row 1	row 2	row 3	row 4	row 5
sampleId	TCGA-2J-AAB1-01	TCGA-2J-AAB1-01	TCGA-2J-AAB1-01	TCGA-2J-AAB4-01	TCGA-2J-AAB4-01
patientId	TCGA-2J-AAB1	TCGA-2J-AAB1	TCGA-2J-AAB1	TCGA-2J-AAB4	TCGA-2J-AAB4
studyId	paad_tcga	paad_tcga	paad_tcga	paad_tcga	paad_tcga
molecularProfileId	paad_tcga_mutations	paad_tcga_mutations	paad_tcga_mutations	paad_tcga_mutations	paad_tcga_mutations
entrezGeneId	3845	3845	7157	3845	7157
gene_hugoGeneSymbol	KRAS	KRAS	TP53	KRAS	TP53

column	what it means
patientId	Patient identifier within one cBioPortal study cohort. Not a real person and not stable across studies.
studyId	Study identifier within cBioPortal.

prad_tcga_clinical.csv

196.9 KB · 62 columns · not read by the graph

Serves: not used by the graph — Planned as a third variant source and is not one. The 23 files are study and clinical metadata - per-patient TCGA cohorts - plus cancer_types.csv, a cancer-type tree keyed by cbiportal's own ids with a `parent` column that references those ids and nothing else. Loading it would add a fourth disease vocabulary that crosswalks to neither MeSH nor MONDO, so it would sit beside Disease unconnected. COSMIC and ClinVar supply the variants.

62 columns. Showing the 11 that identify a record; **51 hidden**.

column	row 1	row 2	row 3	row 4	row 5
patientId	TCGA-CH-5767	TCGA-G9-6332	TCGA-G9-6336	TCGA-G9-6348	TCGA-G9-6356
studyId	prad_tcga	prad_tcga	prad_tcga	prad_tcga	prad_tcga
AGE	66	55	57	68	60
BIOCHEMICAL_RECURRENCE_INDICATOR	NO		NO	NO	NO
BONE_SCAN_RESULT		Normal (no evidence of prostate cancer) [cM0]	Normal (no evidence of prostate cancer) [cM0]	Abnormal (not related to prostate cancer)	Normal (no evidence of prostate cancer) [cM0]
CAUSE_OF_DEATH_SOURCE					
DFS_STATUS	0:DiseaseFree	1:Recurred/Progressed	0:DiseaseFree	0:DiseaseFree	0:DiseaseFree
FORM_COMPLETION_DATE	3/16/12	3/20/12	3/19/12	3/15/12	3/14/12
OS_STATUS	0:LIVING	0:LIVING	0:LIVING	0:LIVING	0:LIVING
OTHER_PATIENT_ID	8dc53431-44ab-485e-b4e6-c3d06509506d	c46022f8-b122-4367-836b-ec1ae641a87d	59207bcd-f127-481f-b576-8716da7d7d97	8ad78c4f-c84c-4f9e-88c9-42a05eb65498	1d7ffbe7-6139-412b-8739-8082a63a2b33
TUMOR_STATUS	TUMOR FREE	TUMOR FREE	TUMOR FREE	TUMOR FREE	TUMOR FREE

column	what it means
patientId	Patient identifier within one cBioPortal study cohort. Not a real person and not stable across studies.
studyId	Study identifier within cBioPortal.

prad_tcga_mutations.csv

23.8 KB · 28 columns · not read by the graph

Serves: not used by the graph — Planned as a third variant source and is not one. The 23 files are study and clinical metadata - per-patient TCGA cohorts - plus cancer_types.csv, a cancer-type tree keyed by cbiportal's own ids with a `parent` column that references those ids and nothing else. Loading it would add a fourth disease vocabulary that crosswalks to neither MeSH nor MONDO, so it would sit beside Disease unconnected. COSMIC and ClinVar supply the variants.

28 columns. Showing the 6 that identify a record; **22 hidden**.

column	row 1	row 2	row 3	row 4	row 5
sampleId	TCGA-2A-A8VT-01	TCGA-4L-AA1F-01	TCGA-CH-5737-01	TCGA-CH-5740-01	TCGA-CH-5754-01
patientId	TCGA-2A-A8VT	TCGA-4L-AA1F	TCGA-CH-5737	TCGA-CH-5740	TCGA-CH-5754
studyId	prad_tcga	prad_tcga	prad_tcga	prad_tcga	prad_tcga
molecularProfileId	prad_tcga_mutations	prad_tcga_mutations	prad_tcga_mutations	prad_tcga_mutations	prad_tcga_mutations
entrezGeneId	7157	5728	5728	5728	675
gene_hugoGeneSymbol	TP53	PTEN	PTEN	PTEN	BRCA2

column	what it means
patientId	Patient identifier within one cBioPortal study cohort. Not a real person and not stable across studies.
studyId	Study identifier within cBioPortal.

skcm_tcga_clinical.csv

139.4 KB · 52 columns · not read by the graph

Serves: not used by the graph — Planned as a third variant source and is not one. The 23 files are study and clinical metadata - per-patient TCGA cohorts - plus cancer_types.csv, a cancer-type tree keyed by cbiportal's own ids with a `parent` column that references those ids and nothing else. Loading it would add a fourth disease vocabulary that crosswalks to neither MeSH nor MONDO, so it would sit beside Disease unconnected. COSMIC and ClinVar supply the variants.

52 columns. Showing the 13 that identify a record; **39 hidden**.

column	row 1	row 2	row 3	row 4	row 5
patientId	TCGA-BF-A1PU	TCGA-BF-A1PV	TCGA-BF-A1PX	TCGA-BF-A1PZ	TCGA-BF-A1Q0
studyId	skcm_tcga	skcm_tcga	skcm_tcga	skcm_tcga	skcm_tcga
AGE	46	74	56	71	80
AJCC_METASTASIS_PATHOLOGIC_PM	M0	M0	M0	M0	M0
AJCC_NODES_PATHOLOGIC_PN	N0	N0	N2a	N0	N0
AJCC_PATHOLOGIC_TUMOR_STAGE	Stage IIC	Stage IIC	Stage IIIB	Stage IIIB	Stage IIC
DFS_STATUS	1:Recurred/Progressed	0:DiseaseFree		0:DiseaseFree	0:DiseaseFree
FORM_COMPLETION_DATE	4/25/13	4/25/13	4/25/13	4/25/13	4/25/13
HISTORY_NEOADJUVANT_TX_TYPE					
OS_STATUS	0:LIVING	0:LIVING	1:DECEASED	0:LIVING	0:LIVING
OTHER_PATIENT_ID	3DD5A206-D7F3-42F1-B9CC-4B31C76D495D	EFF78AF6-0F68-49B9-866B-0D511606F2B1	197AC33E-D5DF-40DE-92F2-6EF7FE2AD6DD	455F982C-A067-46AC-BF89-3E535D0FFCA0	633DDC04-C424-42C8-8E54-673968B130A7
PRIMARY_MELANOMA_SKIN_TYPE	Non-glabrous skin	Non-glabrous skin	Non-glabrous skin	Non-glabrous skin	Non-glabrous skin
TUMOR_STATUS	TUMOR FREE	TUMOR FREE	TUMOR FREE	TUMOR FREE	TUMOR FREE

column	what it means
patientId	Patient identifier within one cBioPortal study cohort. Not a real person and not stable across studies.
studyId	Study identifier within cBioPortal.

skcm_tcga_mutations.csv

87.4 KB · 28 columns · not read by the graph

Serves: not used by the graph — Planned as a third variant source and is not one. The 23 files are study and clinical metadata - per-patient TCGA cohorts - plus cancer_types.csv, a cancer-type tree keyed by cBioPortal's own ids with a `parent` column that references those ids and nothing else. Loading it would add a fourth disease vocabulary that crosswalks to neither MeSH nor MONDO, so it would sit beside Disease unconnected. COSMIC and ClinVar supply the variants.

28 columns. Showing the 6 that identify a record; **22 hidden**.

column	row 1	row 2	row 3	row 4	row 5
sampleId	TCGA-BF-A1PU-01	TCGA-BF-A1PU-01	TCGA-BF-A1PV-01	TCGA-BF-A1PX-01	TCGA-BF-A1Q0-01
patientId	TCGA-BF-A1PU	TCGA-BF-A1PU	TCGA-BF-A1PV	TCGA-BF-A1PX	TCGA-BF-A1Q0
studyId	skcm_tcga	skcm_tcga	skcm_tcga	skcm_tcga	skcm_tcga
molecularProfileId	skcm_tcga_mutations	skcm_tcga_mutations	skcm_tcga_mutations	skcm_tcga_mutations	skcm_tcga_mutations
entrezGeneId	673	5728	675	673	7157
gene_hugoGeneSymbol	BRAF	PTEN	BRCA2	BRAF	TP53

column	what it means
patientId	Patient identifier within one cBioPortal study cohort. Not a real person and not stable across studies.
studyId	Study identifier within cBioPortal.

stad_tcga_clinical.csv

157.4 KB · 52 columns · not read by the graph

Serves: not used by the graph — Planned as a third variant source and is not one. The 23 files are study and clinical metadata - per-patient TCGA cohorts - plus cancer_types.csv, a cancer-type tree keyed by cBioPortal's own ids with a `parent` column that references those ids and nothing else. Loading it would add a fourth disease vocabulary that crosswalks to neither MeSH nor MONDO, so it would sit beside Disease unconnected. COSMIC and ClinVar supply the variants.

52 columns. Showing the 13 that identify a record; **39 hidden**.

column	row 1	row 2	row 3	row 4	row 5
patientId	TCGA-BR-6452	TCGA-BR-6453	TCGA-BR-6454	TCGA-BR-6455	TCGA-BR-6456
studyId	stad_tcga	stad_tcga	stad_tcga	stad_tcga	stad_tcga
AGE	78	54	58	59	74
AJCC_METASTASIS_PATHOLOGIC_PM	M0	M0	M0	M0	M0
AJCC_NODES_PATHOLOGIC_PN	N0	N1	N0	N1	N1
AJCC_PATHOLOGIC_TUMOR_STAGE	Stage IIA	Stage IIA	Stage IIA	Stage IIB	Stage IIB
DFS_STATUS	0:DiseaseFree	0:DiseaseFree	0:DiseaseFree	1:Recurred/Progressed	
FORM_COMPLETION_DATE	8/19/11	6/21/11	6/21/11	8/19/11	6/21/11
NUMBER_OF_RELATIVES_WITH_STOMACH_CANCER					
OS_STATUS	0:LIVING	0:LIVING	0:LIVING	1:DECEASED	1:DECEASED
OTHER_PATIENT_ID	27988b3e-cde1-4f4b-82a1-6d8ad08db8e9	ae633e83-303f-4a90-ac3b-34458fd9beef	ac2cbce4-4ba8-42c9-ac61-70f42995588e	75a29059-4705-4a55-bc3d-f5923b24b358	1ca3c5e0-32b0-4467-8ec0-ca212e35d2b3
TREATMENT_TYPE					
TUMOR_STATUS	TUMOR FREE	TUMOR FREE		TUMOR FREE	

column	what it means
patientId	Patient identifier within one cBioPortal study cohort. Not a real person and not stable across studies.
studyId	Study identifier within cBioPortal.

stad_tcga_mutations.csv

97.3 KB · 28 columns · not read by the graph

Serves: not used by the graph — Planned as a third variant source and is not one. The 23 files are study and clinical metadata - per-patient TCGA cohorts - plus cancer_types.csv, a cancer-type tree keyed by cbiportal's own ids with a `parent` column that references those ids and nothing else. Loading it would add a fourth disease vocabulary that crosswalks to neither MeSH nor MONDO, so it would sit beside Disease unconnected. COSMIC and ClinVar supply the variants.

28 columns. Showing the 6 that identify a record; **22 hidden**.

column	row 1	row 2	row 3	row 4	row 5
sampleId	TCGA-B7-5816-01	TCGA-B7-5816-01	TCGA-B7-5818-01	TCGA-B7-5818-01	TCGA-B7-A5T1-01
patientId	TCGA-B7-5816	TCGA-B7-5816	TCGA-B7-5818	TCGA-B7-5818	TCGA-B7-A5T1
studyId	stad_tcga	stad_tcga	stad_tcga	stad_tcga	stad_tcga
molecularProfileId	stad_tcga_mutations	stad_tcga_mutations	stad_tcga_mutations	stad_tcga_mutations	stad_tcga_mutations
entrezGeneId	5290	5728	5290	7157	675
gene_hugoGeneSymbol	PIK3CA	PTEN	PIK3CA	TP53	BRCA2

column	what it means
patientId	Patient identifier within one cBioPortal study cohort. Not a real person and not stable across studies.
studyId	Study identifier within cBioPortal.

treatments.csv

78.8 MB · 7 columns · not read by the graph

Serves: not used by the graph — Planned as a third variant source and is not one. The 23 files are study and clinical metadata - per-patient TCGA cohorts - plus cancer_types.csv, a cancer-type tree keyed by cbiportal's own ids with a `parent` column that references those ids and nothing else. Loading it would add a fourth disease vocabulary that crosswalks to neither MeSH nor MONDO, so it would sit beside Disease unconnected. COSMIC and ClinVar supply the variants.

column	row 1	row 2	row 3	row 4	row 5
treatment	TAZEMETOSTAT	CCNU + thalidomide	MK-3475	Doxorubicin HCL	R hilar region
studyId					
patientId					
start					
stop					
count	9	1	2	1	1
samples	[{"patientId": "P-0050309", "sampleId": "P-0050309-N01-IM6", "studyId": "msk_ch_2023"}, {""	[{"patientId": "P01", "sampleId": "P01_Pri", "studyId": "lgg_ucsf_2014"}, {""	[{"patientId": "P-19", "sampleId": "121441-2T-19", "studyId": "mel_tsam_liang_2017"}, {""	[{"patientId": "HTA9_1", "sampleId": "HTA9_1-Bx3", "studyId": "brca_hta9_htan_2022"}, {""	[{"patientId": "MSK_LX189", "sampleId": "MSK_LX189", "studyId": "lung_msk_pdx"}, {""

column	what it means
studyId	Study identifier within cBioPortal.
patientId	Patient identifier within one cBioPortal study cohort. Not a real person and not stable across studies.

genenames.org

7 CSV (27.6 MB) · 1 json (248 B)

example filenames:

_LATEST.json

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. HGNC. Authoritative gene symbols, which is what VARIANT_IN and TARGETS join on.

column	row 1	row 2	row 3	row 4	row 5
HGNC ID	HGNC:324	HGNC:25718	HGNC:26032	HGNC:325	HGNC:326
Approved symbol	AGPAT1	LPCAT1	LPCAT2	AGPAT2	AGPAT3
Approved name	1-acylglycerol-3-phosphate O-acyltransferase 1	lysophosphatidylcholine acyltransferase 1	lysophosphatidylcholine acyltransferase 2	1-acylglycerol-3-phosphate O-acyltransferase 2	1-acylglycerol-3-phosphate O-acyltransferase 3
Status	Approved	Approved	Approved	Approved	Approved
Locus type	gene with protein product	gene with protein product	gene with protein product	gene with protein product	gene with protein product
Previous symbols		AYTL2	AYTL1	BSCL	
Alias symbols	LPAAT-alpha, LPLAT1	FLJ12443, AGPAT9, AGPAT10, LPLAT8	FLJ20481, AGPAT11, LysoPAFAT, LPLAT9	LPAAT-beta, LPLAT2	LPAAT-gamma, LPAAT3, LPLAT3
Chromosome	6p21.32	5p15.33	16q12.2	9q34.3	21q22.3
NCBI Gene ID	10554	79888	54947	10555	56894
Ensembl gene ID	ENSG00000204310	ENSG00000153395	ENSG00000087253	ENSG00000169692	ENSG00000160216
Vega gene ID	OTTHUMG00000031210	OTTHUMG00000131017	OTTHUMG00000133238	OTTHUMG00000020936	OTTHUMG00000086892
Group ID	46	46	46	46	46
Group name	1-acylglycerol-3-phosphate O-acyltransferases	1-acylglycerol-3-phosphate O-acyltransferases	1-acylglycerol-3-phosphate O-acyltransferases	1-acylglycerol-3-phosphate O-acyltransferases	1-acylglycerol-3-phosphate O-acyltransferases

column	what it means
HGNC ID	HGNC gene identifier.

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. HGNC. Authoritative gene symbols, which is what VARIANT_IN and TARGETS join on.

39 columns. Showing the 26 that identify a record; **13 hidden**.

column	row 1	row 2	row 3	row 4	row 5
mane_select	ENST00000337894.9 NM_000674.3	ENST00000337539.12 NM_000675.6	ENST00000304222.3 NM_000676.4	ENST00000241356.5 NM_000677.4	ENST00000380573.4 NM_000680.4
rgd_id	RGD:2048	RGD:2049	RGD:2050	RGD:2051	RGD:2055
mgd_id	MGI:99401	MGI:99402	MGI:99403	MGI:104847	MGI:104773
symbol	ADORA1	ADORA2A	ADORA2B	ADORA3	ADRA1A
alias_symbol	RDC7	RDC8		AD026 A3AR	ADRA1L1
location	1q32.1	22q11.23	17p12	1p13.2	8p21.2
ccds_id	CCDS1434 CCDS91146	CCDS13826	CCDS11173	CCDS81358 CCDS839	CCDS34869 CCDS6052 CCDS6053 CCDS6054 CCDS83269
status	Approved	Approved	Approved	Approved	Approved
refseq_accession	NM_000674	NM_000675	NM_000676	NM_000677 NM_020683	NM_033303
hgnc_id	HGNC:262	HGNC:263	HGNC:264	HGNC:268	HGNC:277
entrez_id	134	135	136	140	148
ucsc_id	uc057onx.1	uc002zzy.6	uc002gpd.2	uc001ebh.5	uc010lun.2
date_approved_reserved	1991-03-11T00:00:00Z	1991-03-11T00:00:00Z	1993-01-19T00:00:00Z	1993-12-13T00:00:00Z	1991-08-19T00:00:00Z
pubmed_id	1662665 2541503	1662665 2541503	7558011	7607699	16685204
omim_id	102775	102776	600446	600445	104221
name	adenosine A1 receptor	adenosine A2a receptor	adenosine A2b receptor	adenosine A3 receptor	adrenoceptor alpha 1A
ensembl_gene_id	ENSG00000163485	ENSG00000128271	ENSG00000170425	ENSG00000282608	ENSG00000120907
date_modified	2023-01-20T00:00:00Z	2023-01-20T00:00:00Z	2023-01-20T00:00:00Z	2023-01-20T00:00:00Z	2023-01-20T00:00:00Z
gene_group_id	211	211	211	211 J590	169
vega_id	OTTHUMG00000042125	OTTHUMG00000150761	OTTHUMG00000059140	OTTHUMG00000011957	OTTHUMG00000099459
locus_type	gene with protein product	gene with protein product	gene with protein product	gene with protein product	gene with protein product
prev_symbol		ADORA2			ADRA1C
prev_name					adrenergic, alpha-1A-, receptor
date_name_changed					2012-05-09T00:00:00Z
alias_name					
date_symbol_changed					

column	what it means
hgnc_id	HGNC gene identifier.

Serves: Enrichment: symbol, name, gene family. uniprot_ids joins to the Target key.

Builds: node:Target

54 columns. Showing the 26 that identify a record; **28 hidden**.

column	row 1	row 2	row 3	row 4	row 5
hgnc_id	HGNC:5	HGNC:37133	HGNC:24086	HGNC:7	HGNC:27057
symbol	A1BG	A1BG-AS1	A1CF	A2M	A2M-AS1
name	alpha-1-B glycoprotein	A1BG antisense RNA 1	APOBEC1 complementation factor	alpha-2-macroglobulin	A2M antisense RNA 1
locus_group	protein-coding gene	non-coding RNA	protein-coding gene	protein-coding gene	non-coding RNA
locus_type	gene with protein product	RNA, long non-coding	gene with protein product	gene with protein product	RNA, long non-coding
status	Approved	Approved	Approved	Approved	Approved
alias_symbol		FLJ23569	ACF ASP ACF64 ACF65 APOBEC1CF	FWP007 S863-7 CPAMD5	
alias_name					
prev_symbol		NCRNA00181 A1BGAS A1BG-AS			
prev_name		non-protein coding RNA 181 A1BG antisense RNA (non-protein coding) A1BG antisense RNA 1 (n...			A2M antisense RNA 1 (non-protein coding) A2M antisense RNA 1
gene_group_id	594	1987	725	2148	1987
date_approved_reserved	1989-06-30	2009-07-20	2007-11-23	1986-01-01	2012-06-23
date_symbol_changed		2010-11-25			
date_name_changed		2012-08-15			2018-03-21
date_modified	2023-01-20	2013-06-27	2023-01-20	2023-01-20	2018-03-21
entrez_id	1	503538	29974	2	144571
ensembl_gene_id	ENSG00000121410	ENSG00000268895	ENSG00000148584	ENSG00000175899	ENSG00000245105
vega_id	OTTHUMG00000183507	OTTHUMG00000183508	OTTHUMG00000018240	OTTHUMG00000150267	OTTHUMG00000168289
ucsc_id	uc002qsd.5	uc002qse.3	uc057tg.1	uc001qvk.2	uc009zgj.2
refseq_accession	NM_130786	NR_015380	NM_014576	NM_000014	NR_026971
ccds_id	CCDS12976		CCDS7241 CCDS7242 CCDS7243 CCDS73133	CCDS44827	
pubmed_id	2591067		11815617 11072063	2408344 9697696	
mgd_id	MGI:2152878		MGI:1917115	MGI:2449119	
rgd_id	RGD:69417		RGD:619834	RGD:2004	
omim_id	138670		618199	103950	
horde_id					

column	what it means
hgnc_id	HGNC gene identifier.

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. HGNC. Authoritative gene symbols, which is what VARIANT_IN and TARGETS join on.

39 columns. Showing the 26 that identify a record; **13 hidden**.

column	row 1	row 2	row 3	row 4	row 5
hgnc_id	HGNC:1388	HGNC:1389	HGNC:1390	HGNC:1391	HGNC:1397
entrez_id	773	774	775	776	779
ucsc_id	uc002mwy.5	uc064xnz.1	uc001qkl.3	uc003dgu.6	uc001gvv.4
lsdb	Global Variome shared LOVD[https://databases.lovd.nl/shared/genes/CACNA1A Global Variome s...		Gene Connection for the Heart[http://www.fsm.it/cardmoc/] CACNA1C database at LOVD-China[ht...		Global Variome shared LOVD[https://databases.lovd.nl/shared/genes/CACNA1S
pubmed_id	8825650 16382099 23827678	8825650 16382099	1650913 16382099	1664412	7916735 16382099
date_approved_reserved	1996-06-18T00:00:00Z	1995-06-01T00:00:00Z	1991-01-30T00:00:00Z	1991-12-12T00:00:00Z	1992-03-27T00:00:00Z
omim_id	601011	601012	114205	114206	114208
name	calcium voltage-gated channel subunit alpha1 A	calcium voltage-gated channel subunit alpha1 B	calcium voltage-gated channel subunit alpha1 C	calcium voltage-gated channel subunit alpha1 D	calcium voltage-gated channel subunit alpha1 S
ensembl_gene_id	ENSG00000141837	ENSG00000148408	ENSG00000151067	ENSG00000157388	ENSG000000081248
mgd_id	MGI:109482	MGI:88296	MGI:103013	MGI:88293	MGI:88294
symbol	CACNA1A	CACNA1B	CACNA1C	CACNA1D	CACNA1S
rgd_id	RGD:2244	RGD:628852	RGD:2245	RGD:70973	RGD:70983
alias_symbol	Cav2.1 EA2 APCA HPCA FHM	Cav2.2 CACNN	Cav1.2 CACH2 CACN2 TS LQT8	Cav1.3 CACH3 CACN4	Cav1.1 hyoPP
ccds_id	CCDS45998 CCDS45999 CCDS82300 CCDS82301 CCDS82302	CCDS59522 CCDS59523	CCDS44787 CCDS44788 CCDS44789 CCDS44790 CCDS44791 CCDS44792 CCDS44793 CCDS44794 CCDS44795 ...	CCDS2872 CCDS46848 CCDS46849	CCDS1407
date_name_changed	2016-02-04T00:00:00Z	2016-02-04T00:00:00Z	2016-02-04T00:00:00Z	2016-02-04T00:00:00Z	2016-02-04T00:00:00Z
refseq_accession	NM_000068	NM_000718	NM_000719	NM_000720	NM_000069
status	Approved	Approved	Approved	Approved	Approved
locus_type	gene with protein product	gene with protein product	gene with protein product	gene with protein product	gene with protein product
gene_group_id	1512	863 1512	1512	1512	1512
date_modified	2023-01-20T00:00:00Z	2023-01-20T00:00:00Z	2023-03-03T00:00:00Z	2023-01-20T00:00:00Z	2023-01-20T00:00:00Z
prev_name	calcium channel, voltage-dependent, P/Q type, alpha 1A subunit	calcium channel, voltage-dependent, N type, alpha 1B subunit	calcium channel, voltage-dependent, L type, alpha 1C subunit CACNA1C intronic transcript 2...	calcium channel, voltage-dependent, L type, alpha 1D subunit	calcium channel, voltage-dependent, L type, alpha 1S subunit
prev_symbol	CACNL1A4 SCA6 MHP1 MHP	CACNL1A5	CCHL1A1 CACNL1A1 CACNA1C-IT2	CCHL1A2 CACNL1A2	HOKPP MHS5 CACNL1A3
vega_id	OTTHUMG00000044590	OTTHUMG00000021002	OTTHUMG00000150243	OTTHUMG00000158278	OTTHUMG00000035784
alias_name					
enzyme_id					
date_symbol_changed					

column	what it means
hgnc_id	HGNC gene identifier.

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. HGNC. Authoritative gene symbols, which is what VARIANT_IN and TARGETS join on.

40 columns. Showing the 26 that identify a record; **14 hidden**.

column	row 1	row 2	row 3	row 4	row 5
gencc	HGNC:76		HGNC:427	HGNC:905	HGNC:1097
iuphar	HGNC:76	HGNC:77	HGNC:427	HGNC:905	HGNC:1097
gene_group_id	741 1463	741 1463	471 3866	555 590 3854	654 1157
uniprot_ids	P00519	P42684	Q9UM73	P30530	P15056
date_modified	2023-01-20T00:00:00Z	2023-03-15T00:00:00Z	2023-01-20T00:00:00Z	2023-01-20T00:00:00Z	2023-01-20T00:00:00Z
locus_group	protein-coding gene	protein-coding gene	protein-coding gene	protein-coding gene	protein-coding gene
prev_name	v-abl Abelson murine leukemia viral oncogene homolog 1 c-abl oncogene 1, receptor tyrosine...	v-abl Abelson murine leukemia viral oncogene homolog 2 (arg, Abelson-related gene) v-abl A...	anaplastic lymphoma kinase (Ki-1) anaplastic lymphoma receptor tyrosine kinase		v-raf murine sarcoma viral oncogene homolog B
prev_symbol	ABL	ABLL			
vega_id	OTTHUMG00000020813	OTTHUMG00000035199	OTTHUMG00000152034	OTTHUMG00000182727	OTTHUMG00000157457
locus_type	gene with protein product	gene with protein product	gene with protein product	gene with protein product	gene with protein product
symbol	ABL1	ABL2	ALK	AXL	BRAF
mgd_id	MGI:87859	MGI:87860	MGI:103305	MGI:1347244	MGI:88190
rgd_id	RGD:1584969	RGD:1590898	RGD:628622	RGD:620028	RGD:619908
alias_symbol	JTK7 c-ABL p150	ARG	CD246 ALK1	UFOJ JTK11 Tyro7 ARK	BRAF1 BRAF-1
ccds_id	CCDS35165 CCDS35166	CCDS30947 CCDS41441 CCDS44282 CCDS53435 CCDS53436 CCDS53437 CCDS53438	CCDS33172 CCDS86828	CCDS12574 CCDS12575 CCDS62677	CCDS5863 CCDS87555 CCDS94218 CCDS94219
date_name_changed	2014-06-26T00:00:00Z	2014-06-26T00:00:00Z	2017-03-01T00:00:00Z		2014-06-26T00:00:00Z
refseq_accession	NM_007313	NM_005158	NM_004304	NM_001278599	NM_004333
status	Approved	Approved	Approved	Approved	Approved
entrez_id	25	27	238	558	673
hgnc_id	HGNC:76	HGNC:77	HGNC:427	HGNC:905	HGNC:1097
ucsc_id	uc004bzv.4	uc001gmj.5	uc002rmy.4	uc010ehj.5	uc003vwc.5
pubmed_id	1857987 12626632	3787260	8122112	1656220	2284096 1565476
date_approved_reserved	1986-01-01T00:00:00Z	1986-01-01T00:00:00Z	1993-08-24T00:00:00Z	1992-09-15T00:00:00Z	1991-07-16T00:00:00Z
omim_id	189980	164690	105590	109135	164757
name	ABL proto-oncogene 1, non-receptor tyrosine kinase	ABL proto-oncogene 2, non-receptor tyrosine kinase	ALK receptor tyrosine kinase	AXL receptor tyrosine kinase	B-Raf proto-oncogene, serine/threonine kinase
ensembl_gene_id	ENSG000000097007	ENSG00000143322	ENSG00000171094	ENSG00000167601	ENSG00000157764

column	what it means
hgnc_id	HGNC gene identifier.

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. HGNC. Authoritative gene symbols, which is what VARIANT_IN and TARGETS join on.

36 columns. Showing the 25 that identify a record; **11 hidden**.

column	row 1	row 2	row 3	row 4	row 5
mgd_id	MGI:88064	MGI:1352467	MGI:109392	MGI:1352463	MGI:1352462
rgd_id	RGD:2147	RGD:2581	RGD:2582	RGD:61906	RGD:61909
symbol	AR	ESR1	ESR2	NR1H2	NR1H3
alias_symbol	AIS NR3C4 SMAX1 HUMARA	ER NR3A1 Era ER-alpha	NR3A2 Erb ER-beta	NER NER-I RIP15 LXR-b LXRb	LXR-a RLD-1 LXRa
location	Xq12	6q25.1-q25.2	14q23.2-q23.3	19q13.3	11p11.2
orphanet	132285.0	121614.0	474419.0		
refseq_accession	NM_000044	NM_000125	NM_001040275	NM_001256647	NM_001130101
status	Approved	Approved	Approved	Approved	Approved
ccds_id	CCDS14387 CCDS87754 CCDS87755	CCDS5234 CCDS87457	CCDS32096 CCDS55920 CCDS61469 CCDS61470 CCDS9762	CCDS42593 CCDS58673	CCDS44584 CCDS44585 CCDS73285 CCDS7929 CCDS86200
date_name_changed	2008-08-07T00:00:00Z		2016-03-18T00:00:00Z	2015-11-18T00:00:00Z	2015-11-18T00:00:00Z
pubmed_id	3353726 3377788	3754034	8769313	7782080 7971966	8621574 7744246
date_approved_reserved	1986-01-01T00:00:00Z	2001-06-22T00:00:00Z	1997-01-17T00:00:00Z	1994-09-19T00:00:00Z	1999-09-17T00:00:00Z
entrez_id	367	2099	2100	7376	10062
hgnc_id	HGNC:644	HGNC:3467	HGNC:3468	HGNC:7965	HGNC:7966
ucsc_id	uc004dwu.3	uc003qom.5	uc001xha.2	uc010enw.5	uc058bcq.1
name	androgen receptor	estrogen receptor 1	estrogen receptor 2	nuclear receptor subfamily 1 group H member 2	nuclear receptor subfamily 1 group H member 3
ensembl_gene_id	ENSG00000169083	ENSG00000091831	ENSG00000140009	ENSG00000131408	ENSG00000025434
omim_id	313700	133430	601663	600380	602423
gene_group_id	2076	2077	2077	2083	2083
alias_name	testicular feminization Kennedy disease	nuclear receptor subfamily 3 group A member 1 estrogen receptor alpha oestrogen receptor a...	ER beta estrogen receptor beta oestrogen receptor beta nuclear receptor subfamily 3 group ...	liver X receptor-beta	liver X receptor-alpha
date_modified	2023-03-15T00:00:00Z	2023-08-02T00:00:00Z	2023-03-15T00:00:00Z	2023-01-20T00:00:00Z	2023-01-20T00:00:00Z
vega_id	OTTHUMG00000021740	OTTHUMG00000016103	OTTHUMG00000141306	OTTHUMG00000183036	OTTHUMG00000150628
prev_name	dihydrotestosterone receptor spinal and bulbar muscular atrophy		estrogen receptor 2 (ER beta)	ubiquitously-expressed nuclear receptor nuclear receptor subfamily 1, group H, member 2	nuclear receptor subfamily 1, group H, member 3
prev_symbol	DHTR SBMA	ESR		UNR	
locus_type	gene with protein product	gene with protein product	gene with protein product	gene with protein product	gene with protein product

column	what it means
hgnc_id	HGNC gene identifier.

transporters.csv

26.1 KB · 39 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. HGNC. Authoritative gene symbols, which is what VARIANT_IN and TARGETS join on.

39 columns. Showing the 26 that identify a record; **13 hidden**.

column	row 1	row 2	row 3	row 4	row 5
date_name_changed	2015-11-13T00:00:00Z	2015-11-13T00:00:00Z	2015-11-13T00:00:00Z	2015-11-13T00:00:00Z	2023-11-07T00:00:00Z
ccds_id	CCDS5608	CCDS46444	CCDS7484	CCDS31437 CCDS73264 CCDS86183 CCDS86184 CCDS86185	CCDS3628 CCDS58910
refseq_accession	NM_000927	NM_003742	NM_000392	NM_000352	NM_004827
status	Approved	Approved	Approved	Approved	Approved
alias_symbol	P-gp CD243 GP170 ABC20 p-170 PGY1	ABC16 SPGP PFIC-2 PGY4	DJS MRP2 cMRP	HI PHH1 SUR1 MRP8 ABC36 HHF1 TNDM2	EST157481 MXR BCRP ABCP CD338
location	7q21.12	2q31.1	10q24.2	11p15.1	4q22.1
mgd_id	MGI:97570 MGI:97568	MGI:1351619	MGI:1352447	MGI:1352629	MGI:1347061
symbol	ABCB1	ABCB11	ABCC2	ABCC8	ABCG2
rgd_id	RGD:619951	RGD:619930	RGD:2366	RGD:3786	RGD:631345
omim_id	171050	603201	601107	600509	603756
enzyme_id	7.6.2.1		7.6.2.2 7.6.2.3		7.6.2.2
ensembl_gene_id	ENSG000000085563	ENSG00000073734	ENSG00000023839	ENSG00000006071	ENSG000000118777
name	ATP binding cassette subfamily B member 1	ATP binding cassette subfamily B member 11	ATP binding cassette subfamily C member 2	ATP binding cassette subfamily C member 8	ATP binding cassette subfamily G member 2 (JR blood group)
ucsc_id	uc003uiz.3	uc002ueo.2	uc001kqf.3	uc001mnc.4	uc003hrq.4
entrez_id	5243	8647	1244	6833	9429
hgnc_id	HGNC:40	HGNC:42	HGNC:53	HGNC:59	HGNC:74
pubmed_id	3027054	9806540	8797578 9284939	7920639 7716548	8894702 9861027
date_approved_reserved	1986-01-01T00:00:00Z	1998-09-25T00:00:00Z	1997-05-09T00:00:00Z	1995-01-10T00:00:00Z	1999-10-26T00:00:00Z
prev_symbol	PGY1 MDR1 CLCS	BSEP PFIC2	CMOAT	SUR HRINS	
prev_name	colchicin sensitivity ATP-binding cassette, sub-family B (MDR/TAP), member 1	progressive familial intrahepatic cholestasis 2 bile salt export pump ATP-binding cassette...	canalicular multispecific organic anion transporter 1 ATP-binding cassette, sub-family C (...)	ATP-binding cassette, sub-family C (CFTR/MRP), member 8	ATP-binding cassette, sub-family G (WHITE), member 2 ATP-binding cassette, sub-family G (W...
vega_id	OTTHUMG00000023393	OTTHUMG00000154039	OTTHUMG00000018895	OTTHUMG00000166316	OTTHUMG00000130601
gene_group_id	471 806 1210	806	807	807	454 471 811
date_modified	2024-09-16T00:00:00Z	2023-01-20T00:00:00Z	2024-09-16T00:00:00Z	2023-01-20T00:00:00Z	2024-09-16T00:00:00Z
alias_name	multidrug resistance protein 1 P-glycoprotein	ABC member 16, MDR/TAP subfamily		sulfonylurea receptor (hyperinsulinemia)	
locus_type	gene with protein product	gene with protein product	gene with protein product	gene with protein product	gene with protein product
date_symbol_changed					

column	what it means
hgnc_id	HGNC gene identifier.

ncbi.nlm.nih.gov

6 CSV (9.1 GB) · 1 json (253 B)

example filenames:

_LATEST.json

cross_references.csv

115.0 MB · 4 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. ClinVar. Clinically interpreted variants.

column	row 1	row 2	row 3	row 4	row 5
15041	15042	15043	15044	15045	15046
dbSNP	dbSNP	dbSNP	dbSNP	dbSNP	dbSNP
397704705	397704709	150829393	267606829	267606830	200401432
Oct 19, 2015	Oct 19, 2015	Oct 19, 2015	Oct 19, 2015	Oct 19, 2015	Oct 19, 2015

gene_specific_summary.csv

3.4 MB · 9 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. ClinVar. Clinically interpreted variants.

column	row 1	row 2	row 3	row 4	row 5
A-GAMMA3'E	A1BG	A1BG-AS1	A1CF	A2M	A2M-AS1
109951028	1	503538	29974	2	144571
8	107	56	102	344	18
8	106	48	91	276	17
-	87	12	81	301	2
-	-	-	1	-	-
-	138670	-	618199	103950	-
1	85	32	60	154	1
0	0	0	0	0	0

submission_summary.csv

3.3 GB · 16 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. ClinVar. Clinically interpreted variants.

column	row 1	row 2	row 3	row 4	row 5
2	2	2	2	3	4
Likely pathogenic	Pathogenic	Pathogenic	Pathogenic	Pathogenic	Uncertain significance
Dec 17, 2024	-	Jun 29, 2010	Jun 25, 2024	Jun 29, 2010	Jun 29, 2015
This change likely results in a nonsense-mediated mRNA decay. It is not present in gnomAD v2.1.1 and was previously observed in individuals with complicated spastic paraplegia (reported in the loss of a functional protein. This variant has n...					
Macular dystrophy with or without extracranial features	OLM64646	SPASTIC PARAPLEGIA 48, AUTOSOMAL RECESSIVE	not provided	SPASTIC PARAPLEGIA 48	RECLASSIFIED - VARIANT OF UNKNOWN SIGNIFICANCE
na:Macular dystrophy with or without extracranial features	C315091:Hereditary spastic paraplegia 48	C315091:Hereditary spastic paraplegia 48	C3661900:not provided	C315091:Hereditary spastic paraplegia 48	C4551772:Galloway-Mowat syndrome 1
criteria provided, single submitter	criteria provided, single submitter	no assertion criteria provided	criteria provided, single submitter	no assertion criteria provided	no assertion criteria provided
research	clinical testing	literature only	clinical testing	literature only	literature only
germline:1	unknown:2	germline:na	unknown:na	germline:na	germline:na
Ophthalmic Genetics Group, Institute of Medical and Clinical Ophthalmology Basel	Medical and Clinical Ophthalmology ICM		Athena Diagnostics	OMIM	OMIM
SCV005909190.1	SCV001451119.1	SCV000020155.3	SCV005622007.1	SCV000020156.6	SCV000020157.2
AP5Z1	-	AP5Z1	-	AP5Z1	ZNF592
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
yes	yes	no	yes	yes	yes

summary_of_conflicting_interpretations.csv

1.7 GB · 22 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. ClinVar. Clinically interpreted variants.

column	row 1	row 2	row 3	row 4	row 5
-	-	-	-	-	-
89518	89518	14208	217410	30178	805147
NM_000179.3(MSH6):c.4068_4071dup (p.Lys1358delinsAspTer)	NR_003051.4(RMRP):n.72A>G	NM_000169.3(GLA):c.1055C>G (p.Ala352Gly)	NM_001395891.1(CLASP1):c.196-605C>T	NM_001009944.3(PKD1):c.12448C>T (p.Arg4150Cys)	
3DMed Clinical Laboratory Inc	3DMed Clinical Laboratory Inc	3billion	3billion	3billion	3billion
SCV000804052	SCV000804052	SCV006584079	SCV007607908	SCV006583542	SCV006582649
Likely benign	Likely benign	Likely pathogenic	Likely pathogenic	Pathogenic	Uncertain significance
May 15, 2017	May 15, 2017	Sep 24, 2024	Sep 24, 2025	Feb 17, 2025	Mar 31, 2025
no assertion criteria provided	no assertion criteria provided	criteria provided, single submitter	criteria provided, single submitter	criteria provided, single submitter	criteria provided, single submitter
				RNU4ATAC-related disorder	
		The variant is observed at an extremely low frequency in the gnomAD v4.0.0 dataset (total ...	The variant is observed at an extremely low frequency in the gnomAD v4.1.0 dataset (total ...	The variant is observed at an extremely low frequency in the gnomAD v4.1.0 dataset (total ...	
KCCC/NGS Laboratory, Kuwait Cancer Control Center	Qinghai Lab, Sun Yat-sen University Cancer Center	Dasa	Genomenon, Inc, Genomenon, Inc	Beijing Key Laboratry for Genetics of Birth Defects, Beijing Children's Hospital	Genetics Laboratory, Great Ormond Street Hospital NHS Foundation Trust, North Thames Genom...
SCV005880748	SCV001250879	SCV007598440	SCV006336548	SCV001739477	SCV007538754
Benign	Uncertain significance	Pathogenic	Uncertain significance	Likely pathogenic	Likely pathogenic
Feb 01, 2025		Oct 31, 2025	Sep 19, 2025	Feb 28, 2020	Feb 04, 2026
criteria provided, single submitter	no assertion criteria provided	criteria provided, single submitter	criteria provided, single submitter	criteria provided, single submitter	criteria provided, single submitter
					Cystic renal disease
		NR_003051.3(RMRP):n.71A>G is a sequence variant. This variant has been observed in affecte...	GLA c.1055C>G is a missense variant that changes the amino acid at residue 352 from Alanin...		PS4_moderate, PM2_moderate, PM1_moderate, PP4_supporting
1	1	1	1	1	1
no	yes	no	yes	no	yes
Duplication	Duplication	single nucleotide variant	single nucleotide variant	single nucleotide variant	single nucleotide variant
clinical testing	clinical testing	clinical testing	clinical testing	clinical testing	clinical testing
clinical testing	clinical testing	clinical testing	curation	clinical testing	clinical testing

var_citations.csv

223.8 MB · 7 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. ClinVar. Clinically interpreted variants.

column	row 1	row 2	row 3	row 4	row 5
15041	15041	15041	15041	15041	15042
2	2	2	2	2	3
397704705	397704705	397704705	397704705	397704705	397704709
PubMed	PubMed	PubMed	PubMed	PubMedCentral	PubMed
20613862	25741868	26467025	40081374	4544753	20613862
1,3,1012	507826,507918	1012	507918	507826,507918	1,3

variant_summary.csv

3.7 GB · 43 columns · read by the graph

Serves: ~21.8M rows and NO HEADER ROW - the first line is data, so columns are read by position. Filtered hard: the gene must be a known drug target and the significance must be an actual call.

Builds: node:Variant , id:CLINVAR , edge:VARIANT_IN , edge:IMPLICATED_IN

43 columns. Showing the 7 that identify a record; 36 hidden.

column	row 1	row 2	row 3	row 4	row 5
15041	15041	15042	15042	15043	15043
Indel	Indel	Deletion	Deletion	single nucleotide variant	single nucleotide variant
NM_014855.3(AP5Z1):c.80_83delinsTGCTGTA	NM_014855.3(AP5Z1):c.80_83delinsTGCTGTA	NM_014855.3(AP5Z1):c.80_83delinsTGCTGTA	NM_014855.3(AP5Z1):c.1413_1426del (p.Leu473fs)	NM_014630.3(ZNF592):c.3136G>A (p.Gly1046Arg)	NM_014630.3(ZNF592):c.3136G>A (p.Gly1046Arg)
9907	9907	9907	9907	9640	9640
AP5Z1	AP5Z1	AP5Z1	AP5Z1	ZNF592	ZNF592
HGNC:22197	HGNC:22197	HGNC:22197	HGNC:22197	HGNC:28986	HGNC:28986
criteria provided, multiple submitters, no conflicts	criteria provided, multiple submitters, no conflicts	no assertion criteria provided	no assertion criteria provided	no assertion criteria provided	no assertion criteria provided

platform.opentargets.org

9 CSV (51.6 MB) · 1 json (259 B)

example filenames:

_LATEST.json

Alzheimer_targets.csv

2.5 MB · 8 columns · read by the graph

Serves: overall_score becomes an edge property. Disease-scoped, so enrichment on top of chembl rather than the base.

Builds: edge:ASSOCIATED_WITH

column	row 1	row 2	row 3	row 4	row 5
disease_id	MONDO_0004975	MONDO_0004975	MONDO_0004975	MONDO_0004975	MONDO_0004975
disease_name	Alzheimer disease	Alzheimer disease	Alzheimer disease	Alzheimer disease	Alzheimer disease
target_id	ENSG00000142192	ENSG00000142192	ENSG00000142192	ENSG00000142192	ENSG00000142192
target_symbol	APP	APP	APP	APP	APP
target_name	amyloid beta precursor protein	amyloid beta precursor protein	amyloid beta precursor protein	amyloid beta precursor protein	amyloid beta precursor protein
overall_score	0.8722092478154398	0.8722092478154398	0.8722092478154398	0.8722092478154398	0.8722092478154398
datatype	genetic_literature	clinical	affected_pathway	literature	genetic_association
datatype_score	0.607930797611621	0.9774319311654196	0.607930797611621	0.9972044799896909	0.9229130829216265

Cancer_targets.csv

5.8 MB · 8 columns · read by the graph

Serves: overall_score becomes an edge property. Disease-scoped, so enrichment on top of chembl rather than the base.

Builds: edge:ASSOCIATED_WITH

column	row 1	row 2	row 3	row 4	row 5
disease_id	MONDO_0004992	MONDO_0004992	MONDO_0004992	MONDO_0004992	MONDO_0004992
disease_name	cancer	cancer	cancer	cancer	cancer
target_id	ENSG00000139618	ENSG00000139618	ENSG00000139618	ENSG00000139618	ENSG00000139618
target_symbol	BRCA2	BRCA2	BRCA2	BRCA2	BRCA2
target_name	BRCA2 DNA repair associated	BRCA2 DNA repair associated	BRCA2 DNA repair associated	BRCA2 DNA repair associated	BRCA2 DNA repair associated
overall_score	0.9401916998131483	0.9401916998131483	0.9401916998131483	0.9401916998131483	0.9401916998131483
datatype	genetic_literature	affected_pathway	literature	genetic_association	somatic_mutation
datatype_score	0.9278803201956239	0.8941341645321803	0.9977925718738303	0.9817744801064587	0.9524726866715295

Cardiovascular_targets.csv

5.0 MB · 8 columns · read by the graph

Serves: overall_score becomes an edge property. Disease-scoped, so enrichment on top of chembl rather than the base.

Builds: edge:ASSOCIATED_WITH

column	row 1	row 2	row 3	row 4	row 5
disease_id	MONDO_0004995	MONDO_0004995	MONDO_0004995	MONDO_0004995	MONDO_0004995
disease_name	cardiovascular disorder	cardiovascular disorder	cardiovascular disorder	cardiovascular disorder	cardiovascular disorder
target_id	ENSG00000183873	ENSG00000183873	ENSG00000183873	ENSG00000183873	ENSG00000183873
target_symbol	SCN5A	SCN5A	SCN5A	SCN5A	SCN5A
target_name	sodium voltage-gated channel alpha subunit 5	sodium voltage-gated channel alpha subunit 5	sodium voltage-gated channel alpha subunit 5	sodium voltage-gated channel alpha subunit 5	sodium voltage-gated channel alpha subunit 5
overall_score	0.9300822570917706	0.9300822570917706	0.9300822570917706	0.9300822570917706	0.9300822570917706
datatype	genetic_literature	clinical	literature	genetic_association	animal_model
datatype_score	0.9648845568178597	0.9936498689063876	0.9162082894786141	0.9667074515506249	0.9799528005097924

Diabetes_targets.csv

2.8 MB · 8 columns · read by the graph

Serves: overall_score becomes an edge property. Disease-scoped, so enrichment on top of chembl rather than the base.

Builds: edge:ASSOCIATED_WITH

column	row 1	row 2	row 3	row 4	row 5
disease_id	MONDO_0005015	MONDO_0005015	MONDO_0005015	MONDO_0005015	MONDO_0005015
disease_name	diabetes mellitus	diabetes mellitus	diabetes mellitus	diabetes mellitus	diabetes mellitus
target_id	ENSG00000187486	ENSG00000187486	ENSG00000187486	ENSG00000187486	ENSG00000187486
target_symbol	KCNJ11	KCNJ11	KCNJ11	KCNJ11	KCNJ11
target_name	potassium inwardly rectifying channel subfamily J member 11	potassium inwardly rectifying channel subfamily J member 11	potassium inwardly rectifying channel subfamily J member 11	potassium inwardly rectifying channel subfamily J member 11	potassium inwardly rectifying channel subfamily J member 11
overall_score	0.9250049356133635	0.9250049356133635	0.9250049356133635	0.9250049356133635	0.9250049356133635
datatype	genetic_literature	clinical	literature	genetic_association	somatic_mutation
datatype_score	0.9249490300306785	0.9986055346435596	0.9523848081054256	0.9640805251216349	0.7597791124165283

Infectious_Disease_targets.csv

3.4 MB · 8 columns · read by the graph

Serves: overall_score becomes an edge property. Disease-scoped, so enrichment on top of chembl rather than the base.

Builds: edge:ASSOCIATED_WITH

column	row 1	row 2	row 3	row 4	row 5
disease_id	MONDO_0005550	MONDO_0005550	MONDO_0005550	MONDO_0005550	MONDO_0005550
disease_name	infectious disease	infectious disease	infectious disease	infectious disease	infectious disease
target_id	ENSG00000171867	ENSG00000171867	ENSG00000171867	ENSG00000171867	ENSG00000153201
target_symbol	PRNP	PRNP	PRNP	PRNP	RANBP2
target_name	prion protein (Kanno blood group)	prion protein (Kanno blood group)	prion protein (Kanno blood group)	prion protein (Kanno blood group)	RAN binding protein 2
overall_score	0.8826043609560618	0.8826043609560618	0.8826043609560618	0.8826043609560618	0.8201682917345228
datatype	literature	animal_model	genetic_association	genetic_literature	genetic_literature
datatype_score	0.9860996956459089	0.7765471049801913	0.9527087617119016	0.9674396594440093	0.5044046310524908

Respiratory_targets.csv

4.9 MB · 8 columns · read by the graph

Serves: overall_score becomes an edge property. Disease-scoped, so enrichment on top of chembl rather than the base.

Builds: edge: ASSOCIATED_WITH

column	row 1	row 2	row 3	row 4	row 5
disease_id	MONDO_0005087	MONDO_0005087	MONDO_0005087	MONDO_0005087	MONDO_0005087
disease_name	respiratory system disorder	respiratory system disorder	respiratory system disorder	respiratory system disorder	respiratory system disorder
target_id	ENSG00000001626	ENSG00000001626	ENSG00000001626	ENSG00000001626	ENSG00000001626
target_symbol	CFTR	CFTR	CFTR	CFTR	CFTR
target_name	CF transmembrane conductance regulator	CF transmembrane conductance regulator	CF transmembrane conductance regulator	CF transmembrane conductance regulator	CF transmembrane conductance regulator
overall_score	0.9219719094577983	0.9219719094577983	0.9219719094577983	0.9219719094577983	0.9219719094577983
datatype	genetic_literature	clinical	affected_pathway	literature	genetic_association
datatype_score	0.8696978456043568	0.9940445769966328	0.9285669064556789	0.9980876861079363	0.9567790378977172

drug_warnings.csv

307.0 KB · 7 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Open Targets. Target-disease associations with evidence scores.

column	row 1	row 2	row 3	row 4	row 5
drug_id	CHEMBL1005	CHEMBL1005	CHEMBL1005	CHEMBL1005	CHEMBL1005
drug_name	REMIFENTANIL	REMIFENTANIL	REMIFENTANIL	REMIFENTANIL	REMIFENTANIL
toxicity_class	respiratory toxicity	respiratory toxicity	misuse	misuse	misuse
description					
country	United States	United States	United States	United States	United States
year					
reference_source	FDA	FDA	DailyMed	FDA	FDA

known_drugs.csv

25.1 MB · 8 columns · read by the graph

Serves: Second source for both; chembl is the base.

Builds: edge: INDICATED_FOR , edge: TARGETS

column	row 1	row 2	row 3	row 4	row 5
drug_id	CHEMBL1005	CHEMBL1005	CHEMBL1005	CHEMBL1005	CHEMBL1005
name	REMIFENTANIL	REMIFENTANIL	REMIFENTANIL	REMIFENTANIL	REMIFENTANIL
type	Small molecule	Small molecule	Small molecule	Small molecule	Small molecule
max_phase	APPROVAL	APPROVAL	APPROVAL	APPROVAL	APPROVAL
mechanism	Mu opioid receptor agonist	Mu opioid receptor agonist	Mu opioid receptor agonist	Mu opioid receptor agonist	Mu opioid receptor agonist
target_symbol	OPRM1	OPRM1	OPRM1	OPRM1	OPRM1
indication_id	MONDO_0005081	MONDO_0001208	HP_0000822	HP_0000989	HP_0002018
indication_name	preeclampsia	acute respiratory failure	Hypertension	Pruritus	Nausea

column	what it means
max_phase	Highest clinical phase reached. 4 = approved. Written as a float, and blank when unknown.

target_tractability.csv

1.7 MB · 5 columns · not read by the graph

Serves: published by the scraper and available in the lake, but nothing in the graph schema consumes it. Open Targets. Target-disease associations with evidence scores.

column	row 1	row 2	row 3	row 4	row 5
target_id	ENSG000000139618	ENSG000000139618	ENSG000000139618	ENSG000000139618	ENSG000000139618
target_symbol	BRCA2	BRCA2	BRCA2	BRCA2	BRCA2
target_name	BRCA2 DNA repair associated	BRCA2 DNA repair associated	BRCA2 DNA repair associated	BRCA2 DNA repair associated	BRCA2 DNA repair associated
modality	SM	SM	SM	SM	SM
value	False	False	False	True	False

uniprot.org

11 CSV (5.3 MB) · 1 json (246 B)

example filenames:

_LATEST.json

alzheimer_proteins.csv

90.7 KB · 5 columns · read by the graph

Serves: Enrichment only, on targets ChEMBL already established. Disease-scoped, so it cannot be the source of Target nodes - see the EXCLUDED note that used to cover this.

Builds: id:UNIPROT_ENTRY

column	row 1	row 2	row 3	row 4	row 5
Entry	Q8IZY2	P49810	Q92673	P02649	O95185
Gene Names	ABCA7	PSEN2 AD4 PS2 PSNL2 STM2	SORL1 C11orf32	APOE	UNC5C UNC5H3
Protein names	Phospholipid-transporting ATPase ABCA7 (EC 7.6.2.1) (ABCA-SSN) (ATP-binding cassette sub-f...	Presenilin-2 (PS-2) (EC 3.4.23.-) (AD3LP) (AD5) (E5-1) (STM-2) [Cleaved into: Presenilin-2...	Sortilin-related receptor (Low-density lipoprotein receptor relative with 11 ligand-bindin...	Apolipoprotein E (Apo-E)	Netrin receptor UNC5C (Protein unc-5 homolog 3) (Protein unc-5 homolog C)
Involvement in disease	DISEASE: Alzheimer disease 9 (AD9) [MIM:608907]: A familial, late-onset form of Alzheimer ...	DISEASE: Alzheimer disease 4 (AD4) [MIM:606889]: A familial early-onset form of Alzheimer ...	DISEASE: Alzheimer disease (AD) [MIM:104300]: Alzheimer disease is a neurodegenerative dis...	DISEASE: Hyperlipoproteinemia 3 (HLPP3) [MIM:617347]: A disorder characterized by the accu...	DISEASE: Alzheimer disease (AD) [MIM:104300]: Alzheimer disease is a neurodegenerative dis...
Function [CC]	FUNCTION: Catalyzes the translocation of specific phospholipids from the cytoplasmic to th...	FUNCTION: Catalytic subunit of the gamma-secretase complex, an endoprotease complex that c...	FUNCTION: Sorting receptor that directs several proteins to their correct location within ...	FUNCTION: APOE is an apolipoprotein, a protein associating with lipid particles, that main...	FUNCTION: Receptor for netrin required for axon guidance (By similarity). Mediates axon re...

cancer_proteins.csv

625.9 KB · 5 columns · read by the graph

Serves: Enrichment only, on targets ChEMBL already established. Disease-scoped, so it cannot be the source of Target nodes - see the EXCLUDED note that used to cover this.

Builds: id:UNIPROT_ENTRY

column	row 1	row 2	row 3	row 4	row 5
Entry	Q9NR99	Q9Y2T1	P07332	Q14520	Q05397
Gene Names	MXRA5	AXIN2	FES FPS	HABP2 HGFAL	PTK2 FAK FAK1
Protein names	Matrix-remodeling-associated protein 5 (Adhesion protein with leucine-rich repeats and imm...	Axin-2 (Axin-like protein) (Axil) (Axis inhibition protein 2) (Conductin)	Tyrosine-protein kinase Fes/Fps (EC 2.7.10.2) (Feline sarcoma/Fujinami avian sarcoma oncog...	Factor VII-activating protease (FSAP) (EC 3.4.21.-) (FVII activator) (Hepatocyte growth fa...	Focal adhesion kinase 1 (FADK 1) (EC 2.7.10.2) (Focal adhesion kinase-related nonkinase) (...)
Involvement in disease	DISEASE: Lung cancer (LNCR) [MIM:211980]: A common malignancy affecting tissues of the lun...	DISEASE: Colorectal cancer (CRC) [MIM:114500]: A complex disease characterized by malignan...	DISEASE: Note=Has been shown to act as proto-oncogene in some types of cancer, possibly du...	DISEASE: Thyroid cancer, non-medullary, 5 (NMTCS) [MIM:616535]: A form of non-medullary th...	DISEASE: Note=Aberrant PTK2/FAK1 expression may play a role in cancer cell proliferation, ...
Function [CC]	FUNCTION: In kidney, has anti-inflammatory and anti-fibrotic properties by limiting the in...	FUNCTION: Inhibitor of the Wnt signaling pathway. Down-regulates beta-catenin. Probably fa...	FUNCTION: Tyrosine-protein kinase that acts downstream of cell surface receptors and plays...	FUNCTION: Cleaves the alpha-chain at multiple sites and the beta-chain between 'Lys-53' an...	FUNCTION: Non-receptor protein-tyrosine kinase that plays an essential role in regulating ...

cardiomyopathy_proteins.csv

566.7 KB · 5 columns · read by the graph

Serves: Enrichment only, on targets ChEMBL already established. Disease-scoped, so it cannot be the source of Target nodes - see the EXCLUDED note that used to cover this.

Builds: id:UNIPROT_ENTRY

column	row 1	row 2	row 3	row 4	row 5
Entry	Q59H18	P03928	Q6P5Q4	P14923	Q9HBU9
Gene Names	TNNI3K CARK	MT-ATP8 ATP8 ATPASE8 MTATP8	LMOD2	JUP CTNNG DP3	POPDC2 POP2
Protein names	Serine/threonine-protein kinase TNNI3K (EC 2.7.11.1) (Cardiac ankyrin repeat kinase) (Card...	ATP synthase F(0) complex subunit 8 (A6L) (F-ATPase subunit 8)	Leiomodin-2 (Cardiac leiomodin) (C-LMOD) (Leiomodin)	Junction plakoglobin (Catenin gamma) (Desmoplakin III) (Desmoplakin-3)	Popeye domain-containing protein 2 (Popeye protein 2)
Involvement in disease	DISEASE: Cardiac conduction disease with or without cardiomyopathy 1 (CCCM1) [MIM:616117]:...	DISEASE: Mitochondrial complex V deficiency, mitochondrial 2 (MC5DM2) [MIM:516070]: A mito...	DISEASE: Cardiomyopathy, dilated, 2G (CMD2G) [MIM:619897]: A form of dilated cardiomyopath...	DISEASE: Naxos disease (NXD) [MIM:601214]: An autosomal recessive disorder characterized b...	DISEASE: Cardiac conduction disease with or without cardiomyopathy 2 (CCCM2) [MIM:621367]:...
Function [CC]	FUNCTION: May play a role in cardiac physiology. {ECO:0000303 PubMed:12721663}.	FUNCTION: Subunit 8, of the mitochondrial membrane ATP synthase complex (F(1)F(0) ATP synt...	FUNCTION: Mediates nucleation of actin filaments and thereby promotes actin polymerization...	FUNCTION: Common junctional plaque protein. The membrane-associated plaques are architectu...	FUNCTION: Important for the maintenance of cardiac function (PubMed:40409267). Plays a reg...

diabetes_proteins.csv

406.5 KB · 5 columns · read by the graph

Serves: Enrichment only, on targets ChEMBL already established. Disease-scoped, so it cannot be the source of Target nodes - see the EXCLUDED note that used to cover this.

Builds: id:UNIPROT_ENTRY

column	row 1	row 2	row 3	row 4	row 5
Entry	Q16821	Q9UQF2	P35568	Q86YR7	P41235
Gene Names	PPP1R3A PP1G	MAPK8IP1 IB1 JIP1 PRKM8IP	IRS1	MCF2L2 ARHGEF22 DRG KIAA0861	HNF4A HNF4 NR2A1 TCF14
Protein names	Protein phosphatase 1 regulatory subunit 3A (Protein phosphatase 1 glycogen-associated reg...	C-Jun-amino-terminal kinase-interacting protein 1 (JIP-1) (JNK-interacting protein 1) (Isl...	Insulin receptor substrate 1 (IRS-1)	Probable guanine nucleotide exchange factor MCF2L2 (Db-related Rho family guanine nucleot...	Hepatocyte nuclear factor 4-alpha (HNF-4-alpha) (Nuclear receptor subfamily 2 group A memb...
Involvement in disease	DISEASE: Type 2 diabetes mellitus (T2D) [MIM:125853]: A multifactorial disorder of glucose...	DISEASE: Type 2 diabetes mellitus (T2D) [MIM:125853]: A multifactorial disorder of glucose...	DISEASE: Type 2 diabetes mellitus (T2D) [MIM:125853]: A multifactorial disorder of glucose...	DISEASE: Type 2 diabetes mellitus (T2D) [MIM:125853]: A multifactorial disorder of glucose...	DISEASE: Maturity-onset diabetes of the young 1 (MODY1) [MIM:125850]: A form of diabetes t...
Function [CC]	FUNCTION: Seems to act as a glycogen-targeting subunit for PP1. PP1 is essential for cell ...	FUNCTION: The JNK-interacting protein (JIP) group of scaffold proteins selectively mediate...	FUNCTION: Signaling adapter protein that participates in the signal transduction from two ...	FUNCTION: Probably functions as a guanine nucleotide exchange factor. {ECO:0000250}.	FUNCTION: Transcriptional regulator which controls the expression of hepatic genes during ...

drug_target_proteins.csv

109 B · 8 columns · read by the graph

Serves: Enrichment only, on targets ChEMBL already established. Disease-scoped, so it cannot be the source of Target nodes - see the EXCLUDED note that used to cover this.

Builds: id:UNIPROT_ENTRY

No data row could be sampled — the file is header-only, or its first record is larger than the read window.

column
Entry
Gene Names
Protein names
Function [CC]
Involvement in disease
Subcellular location [CC]
PDB
EC number

epilepsy_proteins.csv

555.7 KB · 5 columns · read by the graph

Serves: Enrichment only, on targets ChEMBL already established. Disease-scoped, so it cannot be the source of Target nodes - see the EXCLUDED note that used to cover this.

Builds: id:UNIPROT_ENTRY

column	row 1	row 2	row 3	row 4	row 5
Entry	O95278	Q5JVL4	Q12980	P51788	O60337
Gene Names	EPM2A	EFHC1	NPRL3 C16orf35 CGTHBA MARE	CLCN2	MARCHF6 KIAA0597 MARCH6 RNF176 TEB4
Protein names	Laforin (EC 3.1.3.-) (EC 3.1.3.16) (EC 3.1.3.48) (Glucan phosphatase) (Glycogen phosphatas...	EF-hand domain-containing protein 1 (Myoclonin-1)	GATOR1 complex protein NPRL3 (-14 gene protein) (Alpha-globin regulatory element-containin...	Chloride channel protein 2 (CIC-2)	E3 ubiquitin-protein ligase MARCHF6 (EC 2.3.2.27) (Doa10 homolog) (Membrane-associated RIN...
Involvement in disease	DISEASE: Myoclonic epilepsy of lafora 1 (MELF1) [MIM:254780]: A form of progressive myoclo...	DISEASE: Juvenile myoclonic epilepsy 1 (EJM1) [MIM:254770]: A subtype of idiopathic genera...	DISEASE: Note=Inactivating mutations and truncating deletions in the genes encoding GATOR1...	DISEASE: Epilepsy, idiopathic generalized 11 (EIG11) [MIM:607628]: A disorder characterize...	DISEASE: Epilepsy, familial adult myoclonic, 3 (FAME3) [MIM:613608]: A form of familial my...
Function [CC]	FUNCTION: Plays an important role in preventing glycogen hyperphosphorylation and the form...	FUNCTION: Microtubule inner protein (MIP) part of the dynein-decorated doublet microtubule...	FUNCTION: As a component of the GATOR1 complex functions as an inhibitor of the amino acid...	FUNCTION: Voltage-gated and osmosensitive chloride channel. Forms a homodimeric channel wh...	FUNCTION: Endoplasmic reticulum membrane-associated E3 ubiquitin ligase that plays a criti...

kinases.csv

1.4 MB · 6 columns · read by the graph

Serves: Enrichment only, on targets ChEMBL already established. Disease-scoped, so it cannot be the source of Target nodes - see the EXCLUDED note that used to cover this.

Builds: id:UNIPROT_ENTRY

column	row 1	row 2	row 3	row 4	row 5
Entry	O00329	O00444	O00506	O00746	O14757
Gene Names	PIK3CD	PLK4 SAK STK18	STK25 SOK1 YSK1	NME4 NM23D	CHEK1 CHK1
Protein names	Phosphatidylinositol 4,5-bisphosphate 3-kinase catalytic subunit delta isoform (PI3-kinase...	Serine/threonine-protein kinase PLK4 (EC 2.7.11.21) (Polo-like kinase 4) (PLK-4) (Serine/t...	Serine/threonine-protein kinase 25 (EC 2.7.11.1) (Ste20-like kinase) (Sterile 20/oxidant s...	Nucleoside diphosphate kinase D, mitochondrial (NDPK-D) (EC 2.7.4.6) (Nucleoside diphospha...	Serine/threonine-protein kinase Chk1 (EC 2.7.11.1) (CHK1 checkpoint homolog) (Cell cycle c...
EC number	2.7.1.137; 2.7.1.153	2.7.11.21	2.7.11.1	2.7.4.6	2.7.11.1
Function [CC]	FUNCTION: Phosphoinositide-3-kinase (PI3K) phosphorylates phosphatidylinositol (PI) and it...	FUNCTION: Serine/threonine-protein kinase that plays a central role in centriole duplicati...	FUNCTION: Oxidant stress-activated serine/threonine kinase that plays a role in metabolic ...	FUNCTION: Mitochondria-specific nucleoside diphosphate kinase that catalyzes the transfer ...	FUNCTION: Serine/threonine-protein kinase which is required for checkpoint-mediated cell c...
Involvement in disease	DISEASE: Immunodeficiency 14A with lymphoproliferation, autosomal dominant (IMD14A) [MIM:6...	DISEASE: Microcephaly and chorioretinopathy, autosomal recessive, 2 (MCCRP2) [MIM:616171]:...			DISEASE: Oocyte/zygote/embryo maturation arrest 21 (OZEMA21) [MIM:620610]: An autosomal do...

phosphatases.csv

269.4 KB · 6 columns · read by the graph

Serves: Enrichment only, on targets ChEMBL already established. Disease-scoped, so it cannot be the source of Target nodes - see the EXCLUDED note that used to cover this.

Builds: id:UNIPROT_ENTRY

column	row 1	row 2	row 3	row 4	row 5
Entry	O15297	O60729	O75319	O75365	P09467
Gene Names	PPM1D WIP1	CDC14B	DUSP11 PIR1	PTP4A3 PRL3	FBP1 FBP
Protein names	Protein phosphatase 1D (EC 3.1.3.16) (Protein phosphatase 2C isoform delta) (PP2C-delta) (...)	Dual specificity protein phosphatase CDC14B (EC 3.1.3.16) (EC 3.1.3.48) (CDC14 cell divisi...	RNA/RNP complex-1-interacting phosphatase (EC 3.1.3.-) (Dual specificity protein phosphata...	Protein tyrosine phosphatase type IVA 3 (EC 3.1.3.48) (PRL-R) (Protein-tyrosine phosphatas...	Fructose-1,6-bisphosphatase 1 (FBPase 1) (EC 3.1.3.11) (D-fructose-1,6-bisphosphate 1-phos...
EC number	3.1.3.16	3.1.3.16; 3.1.3.48	3.1.3.-	3.1.3.48	3.1.3.11
Function [CC]	FUNCTION: Involved in the negative regulation of p53 expression (PubMed:23242139). Require...	FUNCTION: Dual-specificity phosphatase involved in DNA damage response. Essential regulato...	FUNCTION: Possesses RNA 5'-triphosphatase and diphosphatase activities, but displays a poo...	FUNCTION: Protein tyrosine phosphatase which stimulates progression from G1 into S phase d...	FUNCTION: Catalyzes the hydrolysis of fructose 1,6-bisphosphate to fructose 6-phosphate in...
Involvement in disease	DISEASE: Jansen-de Vries syndrome (JDVS) [MIM:617450]: An autosomal dominant neurodevelopm...				DISEASE: Fructose-1,6-bisphosphatase deficiency (FBP1D) [MIM:229700]: An autosomal recessi...

proteases.csv

649.8 KB · 6 columns · read by the graph

Serves: Enrichment only, on targets ChEMBL already established. Disease-scoped, so it cannot be the source of Target nodes - see the EXCLUDED note that used to cover this.

Buils: id:UNIPROT_ENTRY

column	row 1	row 2	row 3	row 4	row 5
Entry	A0A1B0GTW7	O00487	O00507	O15484	O43464
Gene Names	CIROP LMLN2	PSMD14 POH1	USP9Y DFFRY	CAPN5 NCL3	HTRA2 OMI PRSS25
Protein names	Ciliated left-right organizer metalloproteinase (EC 3.4.24.-) (Leishmanolysin-like peptidas...	Ubiquitin C-terminal hydrolase PSMD14 (EC 3.4.19.12) (26S proteasome non-ATPase regulatory...	Ubiquitin carboxyl-terminal hydrolase 9Y (EC 3.4.19.12) (Deubiquitinating enzyme FAF-Y) (F...	Calpain-5 (EC 3.4.22.-) (Calpain htra-3) (New calpain 3) (nCL-3)	Serine protease HTRA2, mitochondrial (EC 3.4.21.108) (High temperature requirement protein...
EC number	3.4.24.-	3.4.19.12	3.4.19.12	3.4.22.-	3.4.21.108
Function [CC]	FUNCTION: Putative metalloproteinase that plays a role in left-right patterning process. [...	FUNCTION: Component of the 26S proteasome, a multiprotein complex involved in the ATP-depe...	FUNCTION: Deubiquitinase that mediates deubiquitination of target proteins (PubMed:1289541...	FUNCTION: Calcium-regulated non-lysosomal thiol-protease. (ECO:0000250).	FUNCTION: [Isoform 1]: Serine protease that shows proteolytic activity against a non-speci...
Involvement in disease	DISEASE: Heterotaxy, visceral, 12, autosomal (HTX12) [MIM:619702]: A form of visceral hete...		DISEASE: Note=USP9Y is located in the 'azoospermia factor a' (AZFa) region on chromosome Y...	DISEASE: Vitreoretinopathy, neovascular inflammatory (VRNI) [MIM:193235]: An autoimmune co...	DISEASE: 3-methylglutaconic aciduria 8 (MGCA8) [MIM:617248]: An autosomal recessive inborn...

proto_oncogenes.csv

480.1 KB · 5 columns · read by the graph

Serves: Enrichment only, on targets ChEMBL already established. Disease-scoped, so it cannot be the source of Target nodes - see the EXCLUDED note that used to cover this.

Buils: id:UNIPROT_ENTRY

column	row 1	row 2	row 3	row 4	row 5
Entry	P00519	P04198	P04201	P08620	P08922
Gene Names	ABL1 ABL JTK7	MYCN BHLHE37 NMYC	MAS1 MAS	FGF4 HST HSTF1 KS3	ROS1 MCF3 ROS
Protein names	Tyrosine-protein kinase ABL1 (EC 2.7.10.2) (Abelson murine leukemia viral oncogene homolog...	N-myc proto-oncogene protein (Class E basic helix-loop-helix protein 37) (bHLHe37)	Proto-oncogene Mas	Fibroblast growth factor 4 (FGF-4) (Heparin secretory-transforming protein 1) (HST) (HST-1...	Proto-oncogene tyrosine-protein kinase ROS (EC 2.7.10.1) (Proto-oncogene c-Ros) (Proto-onc...
Function [CC]	FUNCTION: Non-receptor tyrosine-protein kinase that plays a role in many key processes lin...	FUNCTION: Positively regulates the transcription of MYCNOS in neuroblastoma cells. (ECO:00...	FUNCTION: G protein-coupled receptor that plays key roles in the renin-angiotensin system ...	FUNCTION: Plays an important role in the regulation of embryonic development, cell prolif...	FUNCTION: Receptor tyrosine kinase (RTK) that plays a role in epithelial cell differenti...
Involvement in disease	DISEASE: Leukemia, chronic myeloid (CML) [MIM:608232]: A clonal myeloproliferative disorde...	DISEASE: Note=Amplification of the N-MYC gene is associated with a variety of human tumors...		DISEASE: Short-rib thoracic dysplasia 22 without polydactyly (SRTD22) [MIM:621260]: A form...	DISEASE: Note=A chromosomal aberration involving ROS1 is found in a glioblastoma multiform...

tumor_suppressors.csv

396.5 KB · 5 columns · read by the graph

Serves: Enrichment only, on targets ChEMBL already established. Disease-scoped, so it cannot be the source of Target nodes - see the EXCLUDED note that used to cover this.

Buils: id:UNIPROT_ENTRY

column	row 1	row 2	row 3	row 4	row 5
Entry	A0A2R8Y7D0	O43240	O60566	O95980	P20827
Gene Names	TINCR LINC00036 NCRNA00036 PLAC2	KLK10 NES1 PRSSL1	BUB1B BUBR1 MAD3L SSK1	RECK ST15	EFNA1 EPLG1 LERK1 TNFAIP4
Protein names	Ubiquitin domain-containing protein TINCR (Placenta-specific protein 2) (Terminal differen...	Kallikrein-10 (EC 3.4.21.-) (Normal epithelial cell-specific 1) (Protease serine-like 1)	Mitotic checkpoint serine/threonine-protein kinase BUB1 beta (EC 2.7.11.1) (MAD3/BUB1-rela...	Reversion-inducing cysteine-rich protein with Kazal motifs (hRECK) (Suppressor of tumorige...	Ephrin-A1 (EPH-related receptor tyrosine kinase ligand 1) (LERK-1) (Immediate early respon...
Function [CC]	FUNCTION: Promotes epithelial differentiation by enhancing the sumoylation and activation ...	FUNCTION: Has a tumor-suppressor role for NES1 in breast and prostate cancer.	FUNCTION: Component of the mitotic checkpoint complex (MCC), which inhibits APC/C and dela...	FUNCTION: Functions together with ADGRA2 to enable brain endothelial cells to selectively ...	FUNCTION: Cell surface GPI-bound ligand for Eph receptors, a family of receptor tyrosine k...
Involvement in disease			DISEASE: Note=Defects in BUB1B are associated with tumor formation.; DISEASE: Premature ch...		