

# CA -2 (SERVER SIDE SCRIPTING) INT 220 SET-A (ODD ROLL NUMBERS)


NAME: Debraj Kundu


**Registration Number**: 11917196

Roll Number: 29

Section: KM004

# Q1







### **Final**

Physics Marks 300

Chemistry Marks 300

Maths Marks 300

Submit Final Result

## Code

### q1.php

```
<?php
   class Exam{
      public $phy;
      public $chem;
      public $mth;

      function __construct($p, $c, $m){
          $this->phy = $p;
          $this->chem = $c;
          $this->mth = $m;
      }
   }
}
```

### ca1.php

```
</head>
<body>
   <?php
        class Ca1 extends Exam{
            function total(){
                $res = $this->phy+$this->chem+$this->mth;
                return $res;
    ?>
    <h1>CA1</h1>
    <form action="ca1.php" method="POST">
        <div class="mrks">
            <label for="mrks">Physics Marks</label>
            <input type="number" class="mrks" name="mrks1">
        <br>
        <br>
        </div>
        <div class="mrks">
            <label for="mrks">Chemistry Marks</label>
            <input type="number" class="mrks" name="mrks2">
        <br>
        <br>
        </div>
        <div class="mrks">
            <label for="mrks">Maths Marks</label>
            <input type="number" class="mrks" name="mrks3">
        <br>
        <hr>>
        <button type="submit" name =</pre>
"signup">Submit</button>
        </div>
    </form>
    <?php
        if(isset($ POST['signup'])){
            $mks1 = $_POST['mrks1'];
            mks2 = POST['mrks2'];
            $mks3 = $ POST['mrks3'];
```

```
$obj1 = new Ca1($mks1, $mks2, $mks3);
$objMrks1 = $obj1->total();
$_SESSION['$objMrks1'] = $objMrks1;
}
?>
<button type="submit" name="ca2"><a
href="ca2.php">Ca2</a></button>
</body>
</html>
```

### ca2.php

```
<!DOCTYPE html>
<?php
require 'q1.php';
session_start();
?>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width,</pre>
initial-scale=1.0">
    <title>Document</title>
</head>
<body>
    <?php
        class Ca2 extends Exam{
            function total(){
                $res = $this->phy+$this->chem+$this->mth;
                return $res;
            }
    ?>
    <h1>CA2</h1>
    <form action="ca2.php" method="POST">
        <div class="mrks">
```

```
<label for="mrks">Physics Marks</label>
            <input type="number" class="mrks" name="mrks1">
        <br>
        <br>
        </div>
        <div class="mrks">
            <label for="mrks">Chemistry Marks</label>
            <input type="number" class="mrks" name="mrks2">
        <br>
        <br>
        </div>
        <div class="mrks">
            <label for="mrks">Maths Marks</label>
            <input type="number" class="mrks" name="mrks3">
        <br>
        <br>
        <button type="submit" name =</pre>
"signup">Submit</button>
        </div>
  </form>
  <?php
    if(isset($ POST['signup'])){
        $mks1 = $ POST['mrks1'];
        mks2 = POST['mrks2'];
        $mks3 = $_POST['mrks3'];
        $obj1 = new Ca2($mks1, $mks2, $mks3);
        $objMrks2 = $obj1->total();
        $ SESSION['$objMrks2'] = $objMrks2;
    }
  ?>
  <button type="submit" name="ca2"><a</pre>
href="final.php">Final</a></button>
</body>
</html>
```

### final.php

```
<!DOCTYPE html>
<?php
require 'q1.php';
session_start();
?>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width,</pre>
initial-scale=1.0">
    <title>Document</title>
</head>
<body>
    <?php
        class FinalExam extends Exam{
            function total(){
                $res = $this->phy+$this->chem+$this->mth;
                return $res;
    ?>
    <h1>Final</h1>
    <form action="final.php" method="POST">
        <div class="mrks">
            <label for="mrks">Physics Marks</label>
            <input type="number" class="mrks" name="mrks1">
        <br>
        <br>
        </div>
        <div class="mrks">
            <label for="mrks">Chemistry Marks</label>
            <input type="number" class="mrks" name="mrks2">
        <br>
        <br>
        </div>
```

```
<div class="mrks">
            <label for="mrks">Maths Marks</label>
            <input type="number" class="mrks" name="mrks3">
        <br>
        <br>
        <button type="submit" name =</pre>
"signup">Submit</button>
        </div>
  </form>
  <?php
    if(isset($_POST['signup'])){
        $mks1 = $ POST['mrks1'];
        mks2 = POST['mrks2'];
        $mks3 = $_POST['mrks3'];
        $obj1 = new FinalExam($mks1, $mks2, $mks3);
        $objMrks3 = $obj1->total();
        $_SESSION['$objMrks3'] = $objMrks3;
    }
  <button type="submit" name="final"><a</pre>
href="finalResult.php">Final Result</a></button>
</body>
</html>
```

### finalResult.php

Q2	
QZ	
Login	
	Age Submit
Login	Age [19
	Submit
Age is not Valid :(	

Login

Age 37

Submit


Age is Valid:)

### Code

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width,</pre>
initial-scale=1.0">
    <title>Document</title>
</head>
<body>
<div class="container">
     <h1 class = "text-center " ;>Login </h1>
     <form action = "q2.php" method = "POST" style="display:</pre>
flex;
    flex-direction: column;
    align-items: center;">
 <div class="mb-3 col-md-6" >
```


```
<label for="age" class="form-label">Age</label>
    <input type="number" class="form-control" id="age"</pre>
name="age">
    <br>
    <br>
  </div>
 </div>
  <button style="margin-left: 50%;" type="submit" class="btn</pre>
btn-primary col-md-6" name = "submit">Submit</button>
</form>
<?php
if(isset($_POST["submit"])){
    $age = $ POST["age"];
    min = 26;
    max = 56;
    if (filter_var($age, FILTER_VALIDATE_INT,
array("options" => array("min range"=>$min,
"max_range"=>$max))) == true) {
        echo("Age is Valid :)");
        echo "<br>";
    } else {
        echo("Age is not Valid :(");
        echo "<br>";
?>
</body>
</html>
```

# Q3



Name [ Email Password Select file to upload: Choose File No file chosen Upload Image

You are good to go :)
The file download.png has been uploaded.



### Code

### file.php

```
<form action="file.php" method="post"</pre>
enctype="multipart/form-data">
        <label for="nam" class="form-label">Name</label>
        <input type="name" class="form-control" id="nam"</pre>
name="nam">
        <br>
        <label for="email" class="form-label">Email</label>
        <input type="email" class="form-control" id="email"</pre>
name="email">
        <br>
        <label for="password" class="form-</pre>
label">Password</label>
        <input type="password" class="form-control"</pre>
id="password" name = "password">
        <br>
        Select file to upload:
        <br><br><br>
        <input type="file" name="fileToUpload"</pre>
id="fileToUpload">
        <br><br><br>
        <input type="submit" value="Upload Image"</pre>
name="submit">
    </form>
<br>
<?php
$target_dir = "XYZ/documents/directory/";
$target file =
$target_dir.basename($_FILES["fileToUpload"]["name"]);
\suploadOk = 1;
```

```
$imageFileType =
strtolower(pathinfo($target_file,PATHINFO_EXTENSION));
if($imageFileType == "pdf" || $imageFileType == "png") {
    echo "You are good to go :)<br>";
    $uploadOk = 1;
  else{
   $uploadOk = 0;
if ($uploadOk == 0) {
   echo "Sorry, your file was not uploaded.";
  } else {
    if
(move_uploaded_file($_FILES["fileToUpload"]["tmp_name"],
$target file)) {
      echo "The file ". htmlspecialchars( basename(
$_FILES["fileToUpload"]["name"])). " has been uploaded.";
    } else {
      echo "Sorry, there was an error uploading your file.";
```