## TestSuiteForDataDrivenTests

### **Execution Environment**

Host name hemavathi - MSDES05.ad.matryxsoft.com

OS Windows 7 64bit

Katalon version 6.3.3.11
Browser Firefox 69.0

Summary

ID Test Suites/TestSuiteForDataDrivenTests

Description

Total 1

Passed 0 Failed 1
Error 0 Incomplete 0

Start 2019-10-23 17:31:08 End 2019-10-23 17:31:45

Elapsed 36.395s

# ID	Description	Status
1 Test Cases/DataDrivenTest/Test6_DatadrivenTest		FAILED

# Test6\_DatadrivenTest

### Information

ID Test Cases/DataDrivenTest/Test6\_DatadrivenTest

Description

Tag

Start 2019-10-23 17:31:09 End 2019-10-23 17:31:45

Elapsed 36.096s Status FAILED

#### **Details**

#	Description	Elapsed	Status
1	openBrowser("")	6.436s	PASSED
	Browser is opened with url: "		
2	navigateToUrl(findTestData("Data2").getValue(1, 1))	24.510s	PASSED
	Navigate to 'https://www.phptravels.net/login' successfully		

## Test6\_DatadrivenTest

Descripti	on	Elapsed	Status
•		•	
ior ([rowiv	lum = 1, rowNum <= findTestData("Data1").getRowNumbers(), (rowNum++)])	2.685s	FAILE
	set text 'user@phptravelsrange.com' of object 'Object		
	y/Test6_OR/Page_Login/input_Email_username' (Root cause: com.kms.katalon.		
	eption.StepFailedException: Unable to set text 'user@phptravelsrange.com' of		
object 'Oh	pject Repository/Test6_OR/Page_Login/input_Email_username'		
(Webl IIK	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed eywordMain.groovy:64)		
(Webolik	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(WebUIK	eywordMain.groovy:26)		
(	at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText		
(SetTexth	(eyword.groovy:66)		
	at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute		
(SetText	(eyword.groovy:37)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeK	eywordForPlatform(KeywordExecutor.groovy:56)		
(MobiliB)	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setTextuiltInKeywords.groovy:950)		
(webolb)	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$setText\$1.call		
(Unknowi			
(	at Test6_DatadrivenTest.run(Test6_DatadrivenTest:23)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	$at\ com. kms. katalon. core. main. Script Engine. run Script As Raw Text (Script Engine.$		
java:119)			
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:337)	at any live livetiles are well TestOpe Frequety de Frequety (TestOpe Frequety		
java:328)	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java.520)	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCas	eExecutor.java:307)		
`	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCas	eExecutor.java:299)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:233)			
(Table):	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
(TestSuit	eExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuite	eExecutor.java:142)		
(Testouti	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
91)			
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
157)			
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source)	.T. T. (0.1) AETAGOGGGGGGG		
Causad b	at TempTestSuite1571832067019.run(TempTestSuite1571832067019.groovy:35)		
marionett	y: org.openqa.selenium.WebDriverException: Failed to decode response from		
	e : version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
	of the strict of		
	6.1', java.version: '1.8.0_181'		
	o: com.kms.katalon.core.webui.driver.firefox.CGeckoDriver		
Capabiliti	es {acceptInsecureCerts: true, browserName: firefox, browserVersion: 69.0.3,		
	Enabled: true, moz:accessibilityChecks: false, moz:buildID: 20191009172106,		
	odriverVersion: 0.23.0, moz:headless: false, moz:processID: 6868, moz:profile: C:		
	emavathi.Matryxso, moz:shutdownTimeout: 60000, moz:		
	pecCompliantPointerOrigin: false, moz:webdriverClick: true, pageLoadStrategy:		
mormal, p	latform: WINDOWS, platformName: WINDOWS, platformVersion: 6.1, proxy: ect), rotatable: false, setWindowRect: true, strictFileInteractability: false, timeouts:		

### Test6\_DatadrivenTest

```
Description
                                                                                          Elapsed
                                                                                                            Status
{implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and
notify}
Session ID: 1f511d49-78a7-4bdf-b525-2781248a1a83
*** Element info: {Using=xpath, value=//input[@name='username']}
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at\ org. open qa. selenium. remote. Remote Web Driver. execute (Remote Web Driver.)
java:552)
         at\ com.kms.katalon.selenium.driver.CFirefoxDriver.execute (CFirefoxDriver.java:
28)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at org.openga.selenium.remote.RemoteWebDriver.findElementsByXPath
(RemoteWebDriver.iava:432)
         at org.openga.selenium.Bv$BvXPath.findElements(Bv.iava:348)
         at org.openga.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements
(WebUiCommonHelper.java:761)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.java:1093)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
         at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:51)
         at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
         at\ com. kms. katalon. core. we bui. keyword. builtin. Set Text Keyword. set Text
(SetTextKeyword.groovy:66)
         at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute
(SetTextKeyword.groovy:37)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:56)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText
(WebUiBuiltInKeywords.groovy:950)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$setText$1.call
(Unknown Source)
         at Script1569818713963.run(Script1569818713963.groovy:23)
         ... 13 more
```