DataDrivenTest

Execution Environment

Host name hemavathi - MSDES05.ad.matryxsoft.com

OS Windows 7 64bit

Katalon version 6.3.3.11 Browser Firefox 69.0

Summary

ID Test Suites/DataDrivenTest

Description

Total 1

Passed 0 Failed 1
Error 0 Incomplete 0

Start 2019-10-30 12:13:42 End 2019-10-30 12:13:55

Elapsed 12.288s

# ID	Description	Status
1 Test Cases/ManualMode/Test2_ManualMode		FAILED

Test2_ManualMode

Information

ID Test Cases/ManualMode/Test2_ManualMode

Description

Tag

Start 2019-10-30 12:13:43 End 2019-10-30 12:13:55

Elapsed 12.042s Status FAILED

Details

#	Description	Elapsed	Status
1	openBrowser(URL)	9.027s	PASSED
	Browser is opened with url: 'http://executeautomation.com/demosite/Login.html'		
2	setText(findTestObject("Test2_OR/Page_Execute Automation/input_Login_UserName"), username)	0.254s	PASSED
	Text 'admin' is set on object 'Object Repository/Test2_OR/Page_Execute Automation/input_Login_UserName'		

Test2_ManualMode

#	Description	Elapsed	Status
3	acceptAlert()	0.200s	FAILED
	Unable to accept alert (Root cause: com.kms.katalon.core.exception.StepFailedException:		
	Unable to accept alert (Root cause, com.kms.katalon.core.exception.step=alled=xception.		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.AcceptAlertKeyword.acceptAlert		
	(AcceptAlertKeyword.groovy:71)		
	at com.kms.katalon.core.webui.keyword.builtin.AcceptAlertKeyword.execute		
	(AcceptAlertKeyword.groovy:66)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.acceptAlert		
	(WebUiBuiltInKeywords.groovy:1492)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$acceptAlert\$1.		
	call(Unknown Source)		
	at Test2_ManualMode.run(Test2_ManualMode:20)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:337)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:328)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:299)		
	$at\ com. kms. katalon. core. main. Test Case Executor. execute (Test Case Executor.$		
	java:233)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
	(TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:142)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	91)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source)		
	at TempTestSuite1572417815522.run(TempTestSuite1572417815522.groovy:35)		
	Caused by: com.kms.katalon.core.exception.StepFailedException: No alert found		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.builtin. AcceptAlertKeyword\$_acceptAlert_closure1.doCall(AcceptAlertKeyword.groovy:78)		
	at com.kms.katalon.core.webui.keyword.builtin.		
	AcceptAlertKeyword\$_acceptAlert_closure1.call(AcceptAlertKeyword.groovy)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUIKeywordMain.groovy:20)		
	19 more		

Test2_ManualMode

Description	Elapsed	Status
LOGIN		
Execute Automation Selenium Test Site		
Login		
UserName admir		
Login		
LOGIN		
Execute Automation Selenium Test Site		
Login		
UserName admir		
Password		
Logn		