

Multiple Test cases

Execution Environment

Host name	hemavathi - MSDES05.ad.matryxsoft.com
OS	Windows 7 64bit
Katalon version	6.3.3.11
Browser	Firefox 69.0

Summary

ID	Test Suites/Multiple Test cases		
Description			
Total	4		
Passed	1	Failed	3
Error	0	Incomplete	0
Start	2019-10-23 17:21:46	End	2019-10-23 17:26:16
Elapsed	4m - 29.685s		

#	ID	Description	Status
1	Test Cases/ManualMode/Test2_ManualMode		PASSED
2	Test Cases/RecordAndReplay/Test1_RecordAndReplay		FAILED
3	Test Cases/DataDrivenTest/Test6_DatadrivenTest		FAILED
4	Test Cases/WebTable - Performing Action		FAILED

Test2_ManualMode

Information

ID	Test Cases/ManualMode/Test2_ManualMode		
Description			
Tag			
Start	2019-10-23 17:21:46	End	2019-10-23 17:22:04
Elapsed	18.174s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("http://executeautomation.com/demosite/Login.html") Browser is opened with url: 'http://executeautomation.com/demosite/Login.html'	9.199s	PASSED
2	setText(findTestObject("Test2_OR/Page_Execute Automation/input_Login_UserName"), "admin") Text 'admin' is set on object 'Object Repository/Test2_OR/Page_Execute Automation/input_Login_UserName'	0.476s	PASSED
3	setEncryptedText(findTestObject("Test2_OR/Page_Execute Automation/input_Login_Password"), "RAIVpflpDOg=") Text ***** has been set on object 'Object Repository/Test2_OR/Page_Execute Automation/input_Login_Password'	0.226s	PASSED
4	click(findTestObject("Test2_OR/Page_Execute Automation/input_Login_Login")) Object: 'Object Repository/Test2_OR/Page_Execute Automation/input_Login_Login' is clicked on	0.568s	PASSED
5	selectOptionByValue(findTestObject("Test2_OR/Page_Execute Automation/select_SelectMrMs"), "2", true) All options with value '2' are selected in object 'Object Repository/Test2_OR/Page_Execute Automation/select_SelectMrMs' using regular expression	0.630s	PASSED

Test2_ManualMode

#	Description	Elapsed	Status
6	setText(findTestObject("Test2_OR/Page_Execute Automation/input_Initial_Initial"), "N") Text 'N' is set on object 'Object Repository/Test2_OR/Page_Execute Automation/input_Initial_Initial'	0.163s	PASSED
7	setText(findTestObject("Test2_OR/Page_Execute Automation/input__FirstName"), "Hema") Text 'Hema' is set on object 'Object Repository/Test2_OR/Page_Execute Automation/input__FirstName'	0.246s	PASSED
8	setText(findTestObject("Test2_OR/Page_Execute Automation/input_Middle Name_MiddleName"), "vathi") Text 'vathi' is set on object 'Object Repository/Test2_OR/Page_Execute Automation/input_Middle Name_MiddleName'	0.163s	PASSED
9	click(findTestObject("Test2_OR/Page_Execute Automation/input_MaleFemale_Female")) Object: 'Object Repository/Test2_OR/Page_Execute Automation/input_MaleFemale_Female' is clicked on	0.327s	PASSED
10	click(findTestObject("Test2_OR/Page_Execute Automation/input_EnglishHindi_english")) Object: 'Object Repository/Test2_OR/Page_Execute Automation/input_EnglishHindi_english' is clicked on	0.394s	PASSED
11	click(findTestObject("Test2_OR/Page_Execute Automation/input_EnglishHindi_Save")) Object: 'Object Repository/Test2_OR/Page_Execute Automation/input_EnglishHindi_Save' is clicked on	0.309s	PASSED
12	closeBrowser() Browser is closed	2.963s	PASSED

Test1_RecordAndReplay


Information

ID	Test Cases/RecordAndReplay/Test1_RecordAndReplay		
Description			
Tag			
Start	2019-10-23 17:22:04	End	2019-10-23 17:22:15
Elapsed	11.173s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	4.717s	PASSED
2	navigateToUrl("http://executeautomation.com/demosite/Login.html") Navigate to 'http://executeautomation.com/demosite/Login.html' successfully	1.776s	PASSED
3	setText(findTestObject("Test1_OR/Page_Execute Automation/input_Login_UserName"), "admin") Text 'admin' is set on object 'Object Repository/Test1_OR/Page_Execute Automation/input_Login_UserName'	0.175s	PASSED
4	setEncryptedText(findTestObject("Test1_OR/Page_Execute Automation/input_Login_Password"), "RAIVpflpDOg=") Text ***** has been set on object 'Object Repository/Test1_OR/Page_Execute Automation/input_Login_Password'	0.154s	PASSED
5	click(findTestObject("Test1_OR/Page_Execute Automation/input_Login_Login")) Object: 'Object Repository/Test1_OR/Page_Execute Automation/input_Login_Login' is clicked on	0.509s	PASSED
6	selectOptionByValue(findTestObject("Test1_OR/Page_Execute Automation/select_SelectMrMs"), "2", true) All options with value '2' are selected in object 'Object Repository/Test1_OR/Page_Execute Automation/select_SelectMrMs' using regular expression	0.759s	PASSED

Test1_RecordAndReplay

#	Description	Elapsed	Status
7	setText(findTestObject("Test1_OR/Page_Execute Automation/input_Initial_Initial"), "N") Text 'N' is set on object 'Object Repository/Test1_OR/Page_Execute Automation/input_Initial_Initial'	0.095s	PASSED
8	setText(findTestObject("Test1_OR/Page_Execute Automation/input__FirstName"), "hema") Text 'hema' is set on object 'Object Repository/Test1_OR/Page_Execute Automation/input__FirstName'	0.119s	PASSED
9	setText(findTestObject("Test1_OR/Page_Execute Automation/input_Middle Name_MiddleName"), "vathi") Text 'vathi' is set on object 'Object Repository/Test1_OR/Page_Execute Automation/input_Middle Name_MiddleName'	0.155s	PASSED
10	takeScreenshot() Taking screenshot successfully 	0.093s	PASSED
11	click(findTestObject("Test1_OR/Page_Execute Automation/input_MaleFemale_Female")) Object: 'Object Repository/Test1_OR/Page_Execute Automation/input_MaleFemale_Female' is clicked on	0.309s	PASSED

Test1_RecordAndReplay

#	Description	Elapsed	Status
---	-------------	---------	--------

Test1_RecordAndReplay

#	Description	Elapsed	Status
12	click(findTestObject("Page_Execute Automation/input_EnglishHindi_Save")) Unable to click on object (Root cause: com.kms.katalon.core.exception. StepFailedException: Unable to click on object at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:86) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call (Unknown Source) at Test1_RecordAndReplay.run(Test1_RecordAndReplay:39) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1571831504589.run(TempTestSuite1571831504589.groovy:35) Caused by: java.lang.IllegalArgumentException: Object is null at com.kms.katalon.core.helper.KeywordHelper.checkTestObjectParameter (KeywordHelper.java:33) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:75) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:86) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56)	0.133s	FAILED

Test1_RecordAndReplay

#	Description	Elapsed	Status
	<div><div>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call (Unknown Source) at Script1569483009569.run(Script1569483009569.groovy:39) ... 13 more)</div><div><div>LOGOUTAUTOMATION TOOLS▼USER FORMDRAG AND DROP</div><div><div>Execute Automation Selenium Test Site</div><div>This is a demo website, which act as a mock site for trying out different automation tools</div><div>User Form</div><div><div>Title *<div>Ms.</div></div><div>Initial<div>N</div></div><div>First Name *<div>hema</div></div><div>Middle Name<div>vathi</div></div><div>Gender<div><div><input checked="" type="radio"/> Male</div><div><input checked="" type="radio"/> Female</div></div></div><div>Languages Known<div><div><input checked="" type="checkbox"/> English</div><div><input type="checkbox"/> Hindi</div></div></div><div>Save</div></div></div><div><div>Click For HtmlPopup</div><div>Click for Generating JavaScript Alert<div>Generate</div></div></div></div></div>		

Test6_DatadrivenTest

Information

ID	Test Cases/DataDrivenTest/Test6_DatadrivenTest		
Description			
Tag			
Start	2019-10-23 17:22:15	End	2019-10-23 17:26:13
Elapsed	3m - 57.764s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	8.129s	PASSED
2	navigateToUrl(findTestData("Data2").getValue(1, 1)) Navigate to 'https://www.phptravels.net/login' successfully	3m - 45.475s	PASSED

Test6_DatadrivenTest

#	Description	Elapsed	Status
3	for ([rowNum = 1, rowNum <= findTestData("Data1").getRowNumbers(), (rowNum++)]) Unable to set text 'user@phptravelsrange.com' of object 'Object Repository/Test6_OR/Page_Login/input_Email_username' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to set text 'user@phptravelsrange.com' of object 'Object Repository/Test6_OR/Page_Login/input_Email_username' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:950) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$setText\$0.call (Unknown Source) at Test6_DatadrivenTest.run (Test6_DatadrivenTest:23) at com.kms.katalon.core.main.ScriptEngine.run (ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite (TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call (Unknown Source) at TempTestSuite1571831504589.run (TempTestSuite1571831504589.groovy:35) Caused by: org.openqa.selenium.WebDriverException: Failed to decode response from marionette Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'MSDES05', ip: '10.10.20.3', os.name: 'Windows 7', os.arch: 'amd64', os.version: '6.1', java.version: '1.8.0_181' Driver info: com.kms.katalon.core.webui.driver.firefox.CGeckoDriver Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 69.0.3, javascriptEnabled: true, moz:accessibilityChecks: false, moz:buildID: 20191009172106, moz:geckodriverVersion: 0.23.0, moz:headless: false, moz:processID: 9048, moz:profile: C:\Users\Hemavathi.Matryxso..., moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, platformVersion: 6.1, proxy: Proxy(direct), rotatable: false, setWindowRect: true, strictFileInteractability: false, timeouts:	1.811s	FAILED

Test6_DatadrivenTest

#	Description	Elapsed	Status
	<pre>{implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 3335ab99-e8e5-4db1-bb7b-40a84536599d *** Element info: {Using=xpath, value=//input[@name='username']} at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CFirefoxDriver.execute(CFirefoxDriver.java: 28) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath (RemoteWebDriver.java:432) at org.openqa.selenium.By\$ByXPath.findElements(By.java:348) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:761) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1093) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.doCall(SetTextKeyword.groovy:51) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:950) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$setText\$0.call (Unknown Source) at Script1569818713963.run(Script1569818713963.groovy:23) ... 13 more)</pre>		

WebTable - Performing Action

Information

ID	Test Cases/WebTable - Performing Action		
Description			
Tag			
Start	2019-10-23 17:26:13	End	2019-10-23 17:26:16
Elapsed	2.321s		
Status	FAILED		

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

WebTable - Performing Action

#	Description	Elapsed	Status
1	<p>openBrowser("")</p> <p>Unable to open browser with url: " (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: " at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:60) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source) at WebTable - Performing Action.run(WebTable - Performing Action:21) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1571831504589.run(TempTestSuite1571831504589.groovy:35) Caused by: org.openqa.selenium.NoSuchSessionException: Tried to run command without establishing a connection Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'MSDES05', ip: '10.10.20.3', os.name: 'Windows 7', os.arch: 'amd64', os.version: '6.1', java.version: '1.8.0_181' Driver info: com.kms.katalon.core.webui.driver.firefox.CGeckoDriver Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 69.0.3, javascriptEnabled: true, moz:accessibilityChecks: false, moz:buildID: 20191009172106, moz:geckodriverVersion: 0.23.0, moz:headless: false, moz:processID: 9048, moz:profile: C:\Users\Hemavathi.Matryxso..., moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, platformVersion: 6.1, proxy: Proxy(direct), rotatable: false, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify}</p>	0.085s	FAILED

WebTable - Performing Action

#	Description	Elapsed	Status
	Session ID: 3335ab99-e8e5-4db1-bb7b-40a84536599d at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) 28) at com.kms.katalon.selenium.driver.CFirefoxDriver.execute(CFirefoxDriver.java: java:609) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. 452) at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java: at com.kms.katalon.core.webui.driver.DriverFactory.closeWebDriver (DriverFactory.java:1189) at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser (DriverFactory.java:261) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:199) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:60) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source) at Script1571819896281.run(Script1571819896281.groovy:21) ... 13 more)		