

MySQL Assignment 1 -

DDL Commands, Constraints

DDL Commands

1. Database and table Creation (CREATE):

Database (Company) and Tables (Department, Location, Employees) has been created with appropriate datatypes and relationships.

#	Time	Action	Message	Duration / Fetch
1	18:36:30	CREATE DATABASE Company	1 row(s) affected	0.031 sec
2	18:36:33	USE Company	0 row(s) affected	0.016 sec
3	18:37:34	CREATE TABLE Departments(Department_Id INT PRIMARY KEY, Department_name VARCHAR(100))	0 row(s) affected	0.062 sec
4	18:37:49	CREATE TABLE Location(Location_Id INT PRIMARY KEY, Location_name VARCHAR(100))	0 row(s) affected	0.032 sec
5	18:45:39	CREATE TABLE Employees(Employee_Id INT PRIMARY KEY, Employee_name VARCHAR(100), Gender ENUM (M...	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL server v...	0.000 sec
6	18:51:20	CREATE TABLE Employees(Employee_Id INT PRIMARY KEY, Employee_name VARCHAR(100), Gender ENUM (M...	0 row(s) affected	0.109 sec

Departments Table

The screenshot shows the MySQL Workbench interface. On the left, the 'SCHEMAS' pane shows the 'company' database with tables 'departments', 'employees', and 'location'. The 'departments' table is selected. The main editor shows the table structure for 'departments':

```
20 Hire_date DATE,  
21 Designation VARCHAR(100),  
22 Department_Id INT,  
23 FOREIGN KEY (Department_Id) REFERENCES Departments(Department_Id),  
24 Location_Id INT,  
25 FOREIGN KEY (Location_Id) REFERENCES Location(Location_Id),  
26 Salary Decimal(10,2)  
27 );
```

Below the editor, the 'Result Grid' shows the output of the query 'SELECT * FROM Departments;'. The grid has two columns: 'Department_Id' and 'Department_name'. The output shows one row with values '1' and 'IT'.

At the bottom, the 'Table: departments' information is displayed, showing columns 'Department_Id' (int PK) and 'Department_name' (varchar).

Location table

The screenshot shows the MySQL Workbench interface. On the left, the 'SCHEMAS' pane shows the 'company' database with tables 'departments', 'employees', and 'location'. The 'location' table is selected. The main editor shows the table structure for 'location':

```
21 Designation VARCHAR(100),  
22 -- Execute the selected portion of the script or everything, if there is no selection ]  
23 FOREIGN KEY (Department_Id) REFERENCES Departments(Department_Id),  
24 Location_Id INT,  
25 FOREIGN KEY (Location_Id) REFERENCES Location(Location_Id),  
26 Salary Decimal(10,2)  
27 );
```

Below the editor, the 'Result Grid' shows the output of the query 'SELECT * FROM Location;'. The grid has two columns: 'Location_Id' and 'Location_name'. The output shows one row with values '1' and 'IT'.

At the bottom, the 'Table: departments' information is displayed, showing columns 'Department_Id' (int PK) and 'Department_name' (varchar).

Employees table

The screenshot shows the SQL Server Enterprise Manager interface. On the left, the 'company' database is selected, and the 'Tables' folder is expanded. The 'Employees' table is highlighted. The central pane displays the SQL script for creating the table:

```

22 Department_Id INT,
23 FOREIGN KEY (Department_Id) REFERENCES Departments(Department_Id),
24 Location_id INT,
25 FOREIGN KEY (Location_id) REFERENCES Location(Location_id),
26 Salary Decimal(10,2)
27 );
28
29 SELECT * FROM Departments; -- Display Departments table
30 SELECT * FROM Location; -- Display Location table
31 SELECT * FROM Employees; -- Display Employees table

```

The bottom pane shows the 'Employees' table structure with columns: Employee_id, Employee_name, Gender, Age, Hire_date, Designation, Department_id, Location_id, and Salary. The 'Output' pane shows the execution results, including an error message: 'Error Code: 1007. Can't create database 'company'; database exists'.

2. Table Alteration (ALTER)

Email column has been added to Employees table using the ALTER table Command.

The screenshot shows the SQL Server Enterprise Manager interface. The 'Employees' table is selected. The central pane displays the SQL script for altering the table:

```

30 SELECT * FROM Location; -- Display Location table
31 SELECT * FROM Employees; -- Display Employees table
32
33 ALTER TABLE Employees ADD Email VARCHAR(100);
34

```

The bottom pane shows the 'Employees' table structure with columns: Employee_id, Employee_name, Gender, Age, Hire_date, Designation, Department_id, Location_id, Salary, and Email. The 'Output' pane shows the execution results, including an error message: 'Error Code: 1007. Can't create database 'company'; database exists'.

The datatype of the Designation column has been modified to support a wider range of values.

The screenshot shows the SQL Server Enterprise Manager interface. The 'Employees' table is selected. The central pane displays the SQL script for altering the table:

```

20 Hire_date DATE,
21 Designation VARCHAR(100),
22 Department_Id INT,
23 FOREIGN KEY (Department_Id) REFERENCES Departments(Department_Id),
24 Location_id INT,
25 FOREIGN KEY (Location_id) REFERENCES Location(Location_id),
26 Salary Decimal(10,2)
27 );
28
29 SELECT * FROM Departments; -- Display Departments table
30 SELECT * FROM Location; -- Display Location table
31 SELECT * FROM Employees; -- Display Employees table
32
33 ALTER TABLE Employees ADD Email VARCHAR(100);
34 ALTER TABLE Employees MODIFY Designation VARCHAR(200);
35

```

The bottom pane shows the 'Employees' table structure with columns: Employee_id, Employee_name, Gender, Age, Hire_date, Designation, Department_id, Location_id, Salary, and Email. The 'Output' pane shows the execution results, including an error message: 'Error Code: 1007. Can't create database 'company'; database exists'.

The Age column has been dropped from the Employees table using the Drop column command.

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

```

29 * SELECT * FROM Departments; -- Display Departments table
30 * SELECT * FROM Location; -- Display Location table
31 * SELECT * FROM Employees; -- Display Employees table
32
33 * ALTER TABLE Employees ADD Email VARCHAR(100);
34 * ALTER TABLE Employees MODIFY Designation VARCHAR(200);
35 * ALTER TABLE Employees DROP Age;
36
37
38

```

Result Grid

Employee_id	Employee_name	Gender	Hire_date	Designation	Department_id	Location_id	Salary	Email
13	19:18:50	SELECT * FROM Location LIMIT 0, 1000						
14	19:20:01	SELECT * FROM Employees LIMIT 0, 1000						
15	19:24:11	ALTER TABLE Employees ADD Email VARCHAR(100)						
16	19:24:18	SELECT * FROM Employees LIMIT 0, 1000						
17	19:27:16	ALTER TABLE Employees MODIFY Designation VARCHAR(200)						
18	21:11:34	ALTER TABLE Employees DROP Age						
19	21:11:42	CREATE DATABASE Company						
20	21:11:47	SELECT * FROM Employees LIMIT 0, 1000						

Employees 7

Output

#	Time	Action	Message	Duration / Fetch
13	19:18:50	SELECT * FROM Location LIMIT 0, 1000	0 row(s) returned	0.000 sec
14	19:20:01	SELECT * FROM Employees LIMIT 0, 1000	0 row(s) returned	0.015 sec
15	19:24:11	ALTER TABLE Employees ADD Email VARCHAR(100)	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.110 sec
16	19:24:18	SELECT * FROM Employees LIMIT 0, 1000	0 row(s) returned	0.000 sec
17	19:27:16	ALTER TABLE Employees MODIFY Designation VARCHAR(200)	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.063 sec
18	21:11:34	ALTER TABLE Employees DROP Age	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.110 sec
19	21:11:42	CREATE DATABASE Company	Error Code: 1007. Can't create database 'company'; database exists	0.000 sec
20	21:11:47	SELECT * FROM Employees LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec

The Hire_date column has been renamed to Date_of_Joining.

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

```

30 * SELECT * FROM Location; -- Display Location table
31 * SELECT * FROM Employees; -- Display Employees table
32
33 * ALTER TABLE Employees ADD Email VARCHAR(100);
34 * ALTER TABLE Employees MODIFY Designation VARCHAR(200);
35 * ALTER TABLE Employees DROP Age;
36 * ALTER TABLE Employees RENAME COLUMN Hire_date TO Date_of_Joining;
37
38
39

```

Result Grid

Employee_id	Employee_name	Gender	Date_of_joining	Designation	Department_id	Location_id	Salary	Email
17	19:27:16	ALTER TABLE Employees MODIFY Designation VARCHAR(200)						
18	21:11:34	ALTER TABLE Employees DROP Age						
19	21:11:42	CREATE DATABASE Company						
20	21:11:47	SELECT * FROM Employees LIMIT 0, 1000						
21	21:15:46	ALTER TABLE Employees RENAME COLUMN Hire_date TO Date_of_Joining						
22	21:16:18	ALTER TABLE Employees RENAME COLUMN Hire_date TO Date_of_Joining						
23	21:16:26	CREATE DATABASE Company						
24	21:16:33	SELECT * FROM Employees LIMIT 0, 1000						

Employees 8

Output

#	Time	Action	Message	Duration / Fetch
17	19:27:16	ALTER TABLE Employees MODIFY Designation VARCHAR(200)	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.063 sec
18	21:11:34	ALTER TABLE Employees DROP Age	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.110 sec
19	21:11:42	CREATE DATABASE Company	Error Code: 1007. Can't create database 'company'; database exists	0.000 sec
20	21:11:47	SELECT * FROM Employees LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec
21	21:15:46	ALTER TABLE Employees RENAME COLUMN Hire_date TO Date_of_Joining	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL...	0.000 sec
22	21:16:18	ALTER TABLE Employees RENAME COLUMN Hire_date TO Date_of_Joining	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.016 sec
23	21:16:26	CREATE DATABASE Company	Error Code: 1007. Can't create database 'company'; database exists	0.000 sec
24	21:16:33	SELECT * FROM Employees LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec

3.Table Renaming (RENAME):

“Departments” table has been renamed to “Departments_Info”

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

```

25 FOREIGN KEY (Location_id) REFERENCES Location(Location_id),
26 Salary Decimal(10,2)
27 ))
28
29 * SELECT * FROM Departments; -- Display Departments table
30 * SELECT * FROM Location; -- Display Location table
31 * SELECT * FROM Employees; -- Display Employees table
32
33 * ALTER TABLE Employees ADD Email VARCHAR(100);
34 * ALTER TABLE Employees MODIFY Designation VARCHAR(200);
35 * ALTER TABLE Employees DROP Age;
36 * ALTER TABLE Employees RENAME COLUMN Hire_date TO Date_of_Joining;
37
38 * RENAME TABLE Departments TO Departments_Info;
39
40
41

```

Result Grid

Employee_id	Employee_name	Gender	Date_of_joining	Designation	Department_id	Location_id	Salary	Email
19	21:11:42	CREATE DATABASE Company						
20	21:11:47	SELECT * FROM Employees LIMIT 0, 1000						
21	21:15:46	ALTER TABLE Employees RENAME COLUMN Hire_date TO Date_of_Joining						
22	21:16:18	ALTER TABLE Employees RENAME COLUMN Hire_date TO Date_of_Joining						
23	21:16:26	CREATE DATABASE Company						
24	21:16:33	SELECT * FROM Employees LIMIT 0, 1000						
25	21:26:53	RENAME TABLE Departments TO Departments_Info						

Employees 9

Output

#	Time	Action	Message	Duration / Fetch
19	21:11:42	CREATE DATABASE Company	Error Code: 1007. Can't create database 'company'; database exists	0.000 sec
20	21:11:47	SELECT * FROM Employees LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec
21	21:15:46	ALTER TABLE Employees RENAME COLUMN Hire_date TO Date_of_Joining	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL...	0.000 sec
22	21:16:18	ALTER TABLE Employees RENAME COLUMN Hire_date TO Date_of_Joining	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.016 sec
23	21:16:26	CREATE DATABASE Company	Error Code: 1007. Can't create database 'company'; database exists	0.000 sec
24	21:16:33	SELECT * FROM Employees LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec
25	21:26:53	RENAME TABLE Departments TO Departments_Info	0 row(s) affected	0.031 sec

“Location” table has been renamed to “Locations”.

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Table: employees

Columns:

- Employee_id: int PK
- Employee_name: varchar(100)
- Gender: enum('M','F')
- Date_of_joining: date
- Designation: varchar(200)
- Department_id: int
- Location_id: int
- Salary: decimal(10,2)
- Email: varchar(100)

Output

#	Time	Action	Message	Duration / Fetch
19	21:11:42	CREATE DATABASE Company	Error Code: 1007. Can't create database 'company'; database exists	0.000 sec
20	21:11:47	SELECT * FROM Employees LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec
21	21:15:46	ALTER TABLE Employees RENAME Hire_date TO Date_of_joining	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL version	0.000 sec
22	21:16:18	ALTER TABLE Employees RENAME COLUMN Hire_date TO Date_of_joining	0 row(s) affected; Records: 0 Duplicates: 0 Warnings: 0	0.016 sec
23	21:16:26	CREATE DATABASE Company	Error Code: 1007. Can't create database 'company'; database exists	0.000 sec
24	21:16:33	SELECT * FROM Employees LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec
25	21:26:53	RENAME TABLE Departments TO Departments_Info	0 row(s) affected	0.031 sec
26	21:28:23	RENAME TABLE Location TO Locations	0 row(s) affected	0.031 sec

4. Table Truncation (TRUNCATE):

Employees table has been Truncated.

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Table: employees

Columns:

- Employee_id: int PK
- Employee_name: varchar(100)
- Gender: enum('M','F')
- Date_of_joining: date
- Designation: varchar(200)
- Department_id: int
- Location_id: int
- Salary: decimal(10,2)
- Email: varchar(100)

Output

#	Time	Action	Message	Duration / Fetch
1	21:41:30	SELECT * FROM Employees LIMIT 0, 1000	Error Code: 1046. No database selected Select the default DB to be used by double-clicking its name in the SCH...	0.000 sec
2	21:42:18	SELECT * FROM Employees LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec
3	21:42:51	TRUNCATE TABLE Employees	0 row(s) affected	0.062 sec

5. Database & Table Dropping (DROP):

Employees table has been Dropped

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

No object selected

Output

#	Time	Action	Message	Duration / Fetch
1	21:41:30	SELECT * FROM Employees LIMIT 0, 1000	Error Code: 1046. No database selected Select the default DB to be used by double-clicking its name in the SCH...	0.000 sec
2	21:42:18	SELECT * FROM Employees LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec
3	21:42:51	TRUNCATE TABLE Employees	0 row(s) affected	0.062 sec
4	21:49:23	DROP TABLE Employees	0 row(s) affected	0.031 sec

Company database has been dropped.

Filter objects
courses

Administration Schemas
Information
No object selected

```

31 • SELECT * FROM Employees; -- Display Employees table
32
33 • ALTER TABLE Employees ADD Email VARCHAR(100);
34 • ALTER TABLE Employees MODIFY Designation VARCHAR(200);
35
36 • ALTER TABLE Employees DROP Age;
37 • ALTER TABLE Employees RENAME COLUMN Hire_date TO Date_of_joining;
38
39 • RENAME TABLE Departments TO Departments_Info;
40
41 • RENAME TABLE Location TO Locations;
42
43 • TRUNCATE TABLE Employees;
44
45 • DROP TABLE Employees;
46
47 • DROP DATABASE Company;
48
49
50

```

Automatic context help disabled. Use the toolbar manually get help for current caret position or toggle automatic help

Context Help Snippets

Output

#	Time	Action	Message	Duration / Fetch
1	21:41:30	SELECT * FROM Employees LIMIT 0, 1000	Error Code: 1046. No database selected. Select the default DB to be used by double-clicking its name in the SCH...	0.000 sec
2	21:42:18	SELECT * FROM Employees LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec
3	21:42:51	TRUNCATE TABLE Employees	0 row(s) affected	0.062 sec
4	21:49:23	DROP TABLE Employees	0 row(s) affected	0.031 sec
5	21:52:43	DROP DATABASE Company	2 row(s) affected	0.062 sec

Tasks: Constraints –

1. Database Recreation: Company database has been dropped.

Filter objects
courses

Administration Schemas
Information
No object selected

```

31 • SELECT * FROM Employees; -- Display Employees table
32
33 • ALTER TABLE Employees ADD Email VARCHAR(100);
34 • ALTER TABLE Employees MODIFY Designation VARCHAR(200);
35
36 • ALTER TABLE Employees DROP Age;
37 • ALTER TABLE Employees RENAME COLUMN Hire_date TO Date_of_joining;
38
39 • RENAME TABLE Departments TO Departments_Info;
40
41 • RENAME TABLE Location TO Locations;
42
43 • TRUNCATE TABLE Employees;
44
45 • DROP TABLE Employees;
46
47 • DROP DATABASE Company;
48
49 • DROP DATABASE IF EXISTS Company;
50

```

Automatic context help disabled. Use the toolbar manually get help for current caret position or toggle automatic help

Context Help Snippets

Output

#	Time	Action	Message	Duration / Fetch
1	21:41:30	SELECT * FROM Employees LIMIT 0, 1000	Error Code: 1046. No database selected. Select the default DB to be used by double-clicking its name in the SCH...	0.000 sec
2	21:42:18	SELECT * FROM Employees LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec
3	21:42:51	TRUNCATE TABLE Employees	0 row(s) affected	0.062 sec
4	21:49:23	DROP TABLE Employees	0 row(s) affected	0.031 sec
5	21:52:43	DROP DATABASE Company	2 row(s) affected	0.062 sec
6	21:57:18	DROP DATABASE IF EXISTS Company	0 row(s) affected. 1 warning(s): 1008 Can't drop database 'company'; database doesn't exist	0.000 sec

Employee Database has been Recreated.

courses
employee
Tables
Views
Stored Procedures
Functions

Administration Schemas
Information
No object selected

```

36 • ALTER TABLE Employees DROP Age;
37 • ALTER TABLE Employees RENAME COLUMN Hire_date TO Date_of_joining;
38
39 • RENAME TABLE Departments TO Departments_Info;
40
41 • RENAME TABLE Location TO Locations;
42
43 • TRUNCATE TABLE Employees;
44
45 • DROP TABLE Employees;
46
47 • DROP DATABASE Company;
48
49 • DROP DATABASE IF EXISTS Company;
50
51 • CREATE DATABASE Employee;
52 • USE Employee;
53
54

```

Automatic context help disabled. Use the toolbar manually get help for current caret position or toggle automatic help

Context Help Snippets

Output

#	Time	Action	Message	Duration / Fetch
3	21:42:51	TRUNCATE TABLE Employees	0 row(s) affected	0.062 sec
4	21:49:23	DROP TABLE Employees	0 row(s) affected	0.031 sec
5	21:52:43	DROP DATABASE Company	2 row(s) affected	0.062 sec
6	21:57:18	DROP DATABASE IF EXISTS Company	0 row(s) affected. 1 warning(s): 1008 Can't drop database 'company'; database doesn't exist	0.000 sec
7	21:59:35	CREATE DATABASE Employee	1 row(s) affected	0.015 sec
8	22:00:01	USE Employee	0 row(s) affected	0.000 sec

2. Departments Table:

PRIMARY KEY constraint has been added to "Department_id" to uniquely identifies each department.

Automatic context help disabled. Use the tool manually get help for current caret position toggle automatic help

```

41. RENAME TABLE Location TO Locations;
42.
43. TRUNCATE TABLE Employees;
44.
45. DROP TABLE Employees;
46.
47. DROP DATABASE Company;
48.
49. DROP DATABASE IF EXISTS Company;
50.
51. CREATE DATABASE Employee;
52. USE Employee;
53.
54. CREATE TABLE Departments(
55.     Department_id INT PRIMARY KEY UNIQUE,
56.     Department_name VARCHAR(100)
57. );
58.
59.
60.

```

#	Time	Action	Message	Duration / Fetch
4	21:49:23	DROP TABLE Employees	0 row(s) affected	0.031 sec
5	21:52:43	DROP DATABASE Company	2 row(s) affected	0.062 sec
6	21:57:18	DROP DATABASE IF EXISTS Company	0 row(s) affected, 1 warning(s): 1008 Can't drop database 'company'; database doesn't exist	0.000 sec
7	21:59:35	CREATE DATABASE Employee	1 row(s) affected	0.015 sec
8	22:00:01	USE Employee	0 row(s) affected	0.000 sec
9	22:03:50	CREATE TABLE Departments(Department_id INT PRIMARY KEY UNIQUE, Department_name VARCHAR(100)	0 row(s) affected	0.031 sec

UNIQUE and NOT NULL constraints has been added to Department_name to avoid Duplicate and null entries.

Automatic context help disabled. Use the tool manually get help for current caret position toggle automatic help

```

47. DROP DATABASE Company;
48.
49. DROP DATABASE IF EXISTS Company;
50.
51. CREATE DATABASE Employee;
52. USE Employee;
53.
54. CREATE TABLE Departments(
55.     Department_id INT PRIMARY KEY UNIQUE,
56.     Department_name VARCHAR(100)
57. );
58.
59. ALTER TABLE Departments
60.     MODIFY Department_name VARCHAR(100) UNIQUE NOT NULL;
61.
62.
63.
64.
65.
66.


```

#	Time	Action	Message	Duration / Fetch
5	21:52:43	DROP DATABASE Company	2 row(s) affected	0.062 sec
6	21:57:18	DROP DATABASE IF EXISTS Company	0 row(s) affected, 1 warning(s): 1008 Can't drop database 'company'; database doesn't exist	0.000 sec
7	21:59:35	CREATE DATABASE Employee	1 row(s) affected	0.015 sec
8	22:00:01	USE Employee	0 row(s) affected	0.000 sec
9	22:03:50	CREATE TABLE Departments(Department_id INT PRIMARY KEY UNIQUE, Department_name VARCHAR(100)	0 row(s) affected	0.031 sec
10	22:08:29	ALTER TABLE Departments MODIFY Department_name VARCHAR(100) UNIQUE NOT NULL	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.078 sec

3. Locations Table:

AUTO_INCREMENT added to generate unique identifiers for each location, ensuring that they are incremented sequentially.

NOT NULL and UNIQUE constraints added to prevent the insertion of null and duplicate location.



4. Employees Table:

PRIMARY KEY used to ensure employee has a distinct identifier.

NOT NULL added to ensure that the employee's name is always provided.

Limit the acceptable values for the "gender" fields to only 'M' or 'F'.

CHECK used to enforce a condition to ensure that the employee's age is 18 or above.

DEFAULT(CURRENT_DATE) used to assign the current date to the "Hire_date" field if not specified.

FOREIGN KEY added to establish links between the "Department_id" and "location_id" fields in the "employees" table and their respective tables.

