
(1) WhatsApp Business | Urban Autonomous Mobility C | Online Python Compiler (Editor | Ask Gemini

programiz.com/python-programming/online-compiler/

All Bookmarks

Programiz
Python Online Compiler


Trusted to own it
Sponsored By NatWest Group
Swarti went from analyst to Customer Journey Manager at NatWest, and now mentors others. Ready for a role where your next step is in reach?...
Learn more

Programiz PRO ›

main.py

Visualize | Run ▶

```python
def main():
    print("=" * 50)
    print("        ONLINE EXAMINATION SYSTEM")
    print("=" * 50)
    print(f"Total questions: {len(QUESTIONS)} | Marks per question: {MARKS_PER_QUESTION}")
    print(f"Total marks: {len(QUESTIONS) * MARKS_PER_QUESTION} | Pass: at least {PASS_PERCENTAGE:.0f}%")
    print("Enter a, b, c or d to answer. Enter 's' to skip a question.")

    total_marks = len(QUESTIONS) * MARKS_PER_QUESTION
    answers = conduct_exam(QUESTIONS)
    correct, wrong, skipped = evaluate(QUESTIONS, answers)
    score = calculate_score(correct)
    percentage = calculate_percentage(score, total_marks)
    result = get_result(percentage)
    display_summary(correct, wrong, skipped, score, total_marks, percentage, result)


if __name__ == "__main__":
    main()
```

Output


```
================================================
        ONLINE EXAMINATION SYSTEM
================================================
Total questions: 5 | Marks per question: 2
Total marks: 10 | Pass: at least 40%
Enter a, b, c or d to answer. Enter 's' to skip a question.


Q1. Which keyword is used to define a function in Python?
   a) function
   b) def
   c) fun
   d) define
Your answer (a/b/c/d, or 's' to skip): b
Answer recorded for Q1: b


Q2. Which of the following data types is immutable in Python?
   a) list
   b) dict
   c) tuple
   d) set
Your answer (a/b/c/d, or 's' to skip): c
Answer recorded for Q2: c


Q3. What does len([1, 2, 3]) return?
```


26°C Mostly cloudy | Search | ENG IN | 22:25 02-11-2026



(1) WhatsApp Business
Urban Autonomous Mobility C
Online Python Compiler (Editor
Ask Gemini
programiz.com/python-programming/online-compiler/
All Bookmarks
Programiz
Python Online Compiler
Programiz PRO
main.py
Visualize
Run
Output
def main():
print("=" * 50)
print(" ONLINE EXAMINATION SYSTEM")
print("=" * 50)
print(f"Total questions: {len(QUESTIONS)} | Marks per question: {MARKS_PER_QUESTION}")
print(f"Total marks: {len(QUESTIONS) * MARKS_PER_QUESTION} | Pass: at least {PASS_PERCENTAGE:.0f}%")
print("Enter a, b, c or d to answer. Enter 's' to skip a question.")
total_marks = len(QUESTIONS) * MARKS_PER_QUESTION
answers = conduct_exam(QUESTIONS)
correct, wrong, skipped = evaluate(QUESTIONS, answers)
score = calculate_score(correct)
percentage = calculate_percentage(score, total_marks)
result = get_result(percentage)
display_summary(correct, wrong, skipped, score, total_marks, percentage, result)
if __name__ == "__main__":
main()
Q3. What does len([1, 2, 3]) return?
a) 2
b) 3
c) 4
d) Error
Your answer (a/b/c/d, or 's' to skip): a
Answer recorded for Q3: a
Q4. Which symbol is used to start a single-line comment in Python?
a) //
b) #
c) /*
d) --
Your answer (a/b/c/d, or 's' to skip): b
Answer recorded for Q4: b
Q5. Which list method adds an item at the end of a list?
a) add()
b) append()
c) insert_end()
d) push()
Your answer (a/b/c/d, or 's' to skip): b
Answer recorded for Q5: b
26°C
Mostly cloudy
Search
ENG
IN
22:25
02-11-2026



(1) WhatsApp Business
Urban Autonomous Mobility C
Online Python Compiler (Editor
Ask Gemini
programiz.com/python-programming/online-compiler/
All Bookmarks
Programiz
Python Online Compiler
Programiz PRO
main.py
Visualize
Run
Output
def main():
print("=" * 50)
print(" ONLINE EXAMINATION SYSTEM")
print("=" * 50)
print(f"Total questions: {len(QUESTIONS)} | Marks per question: {MARKS_PER_QUESTION}")
print(f"Total marks: {len(QUESTIONS) * MARKS_PER_QUESTION} | Pass: at least {PASS_PERCENTAGE:.0f}%")
print("Enter a, b, c or d to answer. Enter 's' to skip a question.")
total_marks = len(QUESTIONS) * MARKS_PER_QUESTION
answers = conduct_exam(QUESTIONS)
correct, wrong, skipped = evaluate(QUESTIONS, answers)
score = calculate_score(correct)
percentage = calculate_percentage(score, total_marks)
result = get_result(percentage)
display_summary(correct, wrong, skipped, score, total_marks, percentage, result)
if __name__ == "__main__":
main()
Answer recorded for Q3: a
Q4. Which symbol is used to start a single-line comment in Python?
a) //
b) #
c) /*
d) --
Your answer (a/b/c/d, or 's' to skip): b
Answer recorded for Q4: b
Q5. Which list method adds an item at the end of a list?
a) add()
b) append()
c) insert_end()
d) push()
Your answer (a/b/c/d, or 's' to skip): b
Answer recorded for Q5: b
RESULT SUMMARY
Correct: 4 | Wrong: 1 | Skipped: 0
Score: 8/10 | Percentage: 80.00% | Result: Pass
26°C
Mostly cloudy
Search
ENG
IN
22:26
02-11-2026



(1) WhatsApp Business
Urban Autonomous Mobility C
Online Python Compiler (Editor
Ask Gemini
programiz.com/python-programming/online-compiler/
All Bookmarks
Programiz
Python Online Compiler
Programiz PRO
main.py
Visualize
Run
Output
def main():
print("=" * 50)
print("ONLINE EXAMINATION SYSTEM")
print("=" * 50)
print(f"Total questions: {len(QUESTIONS)} | Marks per question: {MARKS_PER_QUESTION}")
print(f"Total marks: {len(QUESTIONS) * MARKS_PER_QUESTION} | Pass: at least {PASS_PERCENTAGE:.0f}%")
print("Enter a, b, c or d to answer. Enter 's' to skip a question.")
total_marks = len(QUESTIONS) * MARKS_PER_QUESTION
answers = conduct_exam(QUESTIONS)
correct, wrong, skipped = evaluate(QUESTIONS, answers)
score = calculate_score(correct)
percentage = calculate_percentage(score, total_marks)
result = get_result(percentage)
display_summary(correct, wrong, skipped, score, total_marks, percentage, result)
if __name__ == "__main__":
main()
==
ONLINE EXAMINATION SYSTEM
==
Total questions: 5 | Marks per question: 2
Total marks: 10 | Pass: at least 40%
Enter a, b, c or d to answer. Enter 's' to skip a question.
Q1. Which keyword is used to define a function in Python?
a) function
b) def
c) fun
d) define
Your answer (a/b/c/d, or 's' to skip): b
Answer recorded for Q1: b
Q2. Which of the following data types is immutable in Python?
a) list
b) dict
c) tuple
d) set
Your answer (a/b/c/d, or 's' to skip): c
Answer recorded for Q2: c
Q3. What does len([1, 2, 3]) return?
26°C
Mostly cloudy
Search
ENG
IN
22:26
02-11-2026



(1) WhatsApp Business
Urban Autonomous Mobility C
Online Python Compiler (Editor
Ask Gemini
programiz.com/python-programming/online-compiler/
All Bookmarks
Programiz
Python Online Compiler
Programiz PRO
main.py
Visualize
Run
Output
def main():
print("=" * 50)
print(" ONLINE EXAMINATION SYSTEM")
print("=" * 50)
print(f"Total questions: {len(QUESTIONS)} | Marks per question: {MARKS_PER_QUESTION}")
print(f"Total marks: {len(QUESTIONS) * MARKS_PER_QUESTION} | Pass: at least {PASS_PERCENTAGE:.0f}%")
print("Enter a, b, c or d to answer. Enter 's' to skip a question.")
total_marks = len(QUESTIONS) * MARKS_PER_QUESTION
answers = conduct_exam(QUESTIONS)
correct, wrong, skipped = evaluate(QUESTIONS, answers)
score = calculate_score(correct)
percentage = calculate_percentage(score, total_marks)
result = get_result(percentage)
display_summary(correct, wrong, skipped, score, total_marks, percentage, result)
if __name__ == "__main__":
main()
Q3. What does len([1, 2, 3]) return?
a) 2
b) 3
c) 4
d) Error
Your answer (a/b/c/d, or 's' to skip): a
Answer recorded for Q3: a
Q4. Which symbol is used to start a single-line comment in Python?
a) //
b) #
c) /*
d) --
Your answer (a/b/c/d, or 's' to skip): a
Answer recorded for Q4: a
Q5. Which list method adds an item at the end of a list?
a) add()
b) append()
c) insert_end()
d) push()
Your answer (a/b/c/d, or 's' to skip): a
Answer recorded for Q5: a
26°C
Mostly cloudy
Search
ENG
IN
22:26
02-11-2026



(1) WhatsApp Business
Urban Autonomous Mobility C
Online Python Compiler (Editor
Ask Gemini
programiz.com/python-programming/online-compiler/
All Bookmarks
Programiz
Python Online Compiler
Programiz PRO
main.py
Visualize
Run
Output
def main():
print("=" * 50)
print(" ONLINE EXAMINATION SYSTEM")
print("=" * 50)
print(f"Total questions: {len(QUESTIONS)} | Marks per question: {MARKS_PER_QUESTION}")
print(f"Total marks: {len(QUESTIONS) * MARKS_PER_QUESTION} | Pass: at least {PASS_PERCENTAGE:.0f}%")
print("Enter a, b, c or d to answer. Enter 's' to skip a question.")
total_marks = len(QUESTIONS) * MARKS_PER_QUESTION
answers = conduct_exam(QUESTIONS)
correct, wrong, skipped = evaluate(QUESTIONS, answers)
score = calculate_score(correct)
percentage = calculate_percentage(score, total_marks)
result = get_result(percentage)
display_summary(correct, wrong, skipped, score, total_marks, percentage, result)
if __name__ == "__main__":
main()
Answer recorded for Q3: a
Q4. Which symbol is used to start a single-line comment in Python?
a) //
b) #
c) /*
d) --
Your answer (a/b/c/d, or 's' to skip): a
Answer recorded for Q4: a
Q5. Which list method adds an item at the end of a list?
a) add()
b) append()
c) insert_end()
d) push()
Your answer (a/b/c/d, or 's' to skip): a
Answer recorded for Q5: a
==========
RESULT SUMMARY
==========
Correct: 2 | Wrong: 3 | Skipped: 0
Score: 4/10 | Percentage: 40.00% | Result: Pass
26°C
Mostly cloudy
Search
ENG
IN
22:26
02-11-2026



(1) WhatsApp Business
Urban Autonomous Mobility C
Online Python Compiler (Editor
Ask Gemini
programiz.com/python-programming/online-compiler/
All Bookmarks
Programiz
Python Online Compiler
Programiz PRO
main.py
Visualize
Run
Output
def main():
print("=" * 50)
print(" ONLINE EXAMINATION SYSTEM")
print("=" * 50)
print(f"Total questions: {len(QUESTIONS)} | Marks per question: {MARKS_PER_QUESTION}")
print(f"Total marks: {len(QUESTIONS) * MARKS_PER_QUESTION} | Pass: at least {PASS_PERCENTAGE:.0f}%")
print("Enter a, b, c or d to answer. Enter 's' to skip a question.")
total_marks = len(QUESTIONS) * MARKS_PER_QUESTION
answers = conduct_exam(QUESTIONS)
correct, wrong, skipped = evaluate(QUESTIONS, answers)
score = calculate_score(correct)
percentage = calculate_percentage(score, total_marks)
result = get_result(percentage)
display_summary(correct, wrong, skipped, score, total_marks, percentage, result)
if __name__ == "__main__":
main()
==
ONLINE EXAMINATION SYSTEM
==
Total questions: 5 | Marks per question: 2
Total marks: 10 | Pass: at least 40%
Enter a, b, c or d to answer. Enter 's' to skip a question.
Q1. Which keyword is used to define a function in Python?
a) function
b) def
c) fun
d) define
Your answer (a/b/c/d, or 's' to skip): e
Invalid option. Enter a, b, c, d or s to skip.
Your answer (a/b/c/d, or 's' to skip): b
Answer recorded for Q1: b
Q2. Which of the following data types is immutable in Python?
a) list
b) dict
c) tuple
d) set
Your answer (a/b/c/d, or 's' to skip): c
Answer recorded for Q2: c
26°C
Mostly cloudy
Search
ENG
IN
22:27
02-11-2026


(1) WhatsApp Business
Urban Autonomous Mobility C
Online Python Compiler (Editor
Ask Gemini
programiz.com/python-programming/online-compiler/
All Bookmarks
Programiz
Python Online Compiler
Programiz PRO
main.py
Visualize
Run
Output
def main():
print("=" * 50)
print(" ONLINE EXAMINATION SYSTEM")
print("=" * 50)
print(f"Total questions: {len(QUESTIONS)} | Marks per question: {MARKS_PER_QUESTION}")
print(f"Total marks: {len(QUESTIONS) * MARKS_PER_QUESTION} | Pass: at least {PASS_PERCENTAGE:.0f}%")
print("Enter a, b, c or d to answer. Enter 's' to skip a question.")
total_marks = len(QUESTIONS) * MARKS_PER_QUESTION
answers = conduct_exam(QUESTIONS)
correct, wrong, skipped = evaluate(QUESTIONS, answers)
score = calculate_score(correct)
percentage = calculate_percentage(score, total_marks)
result = get_result(percentage)
display_summary(correct, wrong, skipped, score, total_marks, percentage, result)
if __name__ == "__main__":
main()
Q3. What does len([1, 2, 3]) return?
a) 2
b) 3
c) 4
d) Error
Your answer (a/b/c/d, or 's' to skip): b
Answer recorded for Q3: b
Q4. Which symbol is used to start a single-line comment in Python?
a) //
b) #
c) /*
d) --
Your answer (a/b/c/d, or 's' to skip): s
Answer recorded for Q4: s
Q5. Which list method adds an item at the end of a list?
a) add()
b) append()
c) insert_end()
d) push()
Your answer (a/b/c/d, or 's' to skip): s
Answer recorded for Q5: s
26°C
Mostly cloudy
Search
ENG
IN
22:27
02-11-2026


(1) WhatsApp Business
Urban Autonomous Mobility C
Online Python Compiler (Editor
Ask Gemini
programiz.com/python-programming/online-compiler/
All Bookmarks
Programiz
Python Online Compiler
Programiz PRO
main.py
Visualize
Run
Output
def main():
print("=" * 50)
print(" ONLINE EXAMINATION SYSTEM")
print("=" * 50)
print(f"Total questions: {len(QUESTIONS)} | Marks per question: {MARKS_PER_QUESTION}")
print(f"Total marks: {len(QUESTIONS) * MARKS_PER_QUESTION} | Pass: at least {PASS_PERCENTAGE:.0f}%")
print("Enter a, b, c or d to answer. Enter 's' to skip a question.")
total_marks = len(QUESTIONS) * MARKS_PER_QUESTION
answers = conduct_exam(QUESTIONS)
correct, wrong, skipped = evaluate(QUESTIONS, answers)
score = calculate_score(correct)
percentage = calculate_percentage(score, total_marks)
result = get_result(percentage)
display_summary(correct, wrong, skipped, score, total_marks, percentage, result)
if __name__ == "__main__":
main()
Answer recorded for Q3: b
Q4. Which symbol is used to start a single-line comment in Python?
a) //
b) #
c) /*
d) --
Your answer (a/b/c/d, or 's' to skip): s
Answer recorded for Q4: s
Q5. Which list method adds an item at the end of a list?
a) add()
b) append()
c) insert_end()
d) push()
Your answer (a/b/c/d, or 's' to skip): s
Answer recorded for Q5: s
RESULT SUMMARY
Correct: 3 | Wrong: 0 | Skipped: 2
Score: 6/10 | Percentage: 60.00% | Result: Pass
26°C
Mostly cloudy
Search
ENG
IN
22:27
02-11-2026


(1) WhatsApp Business
Urban Autonomous Mobility C
Online Python Compiler (Editor
Ask Gemini
programiz.com/python-programming/online-compiler/
All Bookmarks
Programiz
Python Online Compiler
Programiz PRO
main.py
Visualize
Run
Output
def main():
print("=" * 50)
print("ONLINE EXAMINATION SYSTEM")
print("=" * 50)
print(f"Total questions: {len(QUESTIONS)} | Marks per question: {MARKS_PER_QUESTION}")
print(f"Total marks: {len(QUESTIONS) * MARKS_PER_QUESTION} | Pass: at least {PASS_PERCENTAGE:.0f}%")
print("Enter a, b, c or d to answer. Enter 's' to skip a question.")
total_marks = len(QUESTIONS) * MARKS_PER_QUESTION
answers = conduct_exam(QUESTIONS)
correct, wrong, skipped = evaluate(QUESTIONS, answers)
score = calculate_score(correct)
percentage = calculate_percentage(score, total_marks)
result = get_result(percentage)
display_summary(correct, wrong, skipped, score, total_marks, percentage, result)
if __name__ == "__main__":
main()
==
ONLINE EXAMINATION SYSTEM
==
Total questions: 5 | Marks per question: 2
Total marks: 10 | Pass: at least 40%
Enter a, b, c or d to answer. Enter 's' to skip a question.
Q1. Which keyword is used to define a function in Python?
a) function
b) def
c) fun
d) define
Your answer (a/b/c/d, or 's' to skip): b
Answer recorded for Q1: b
Q2. Which of the following data types is immutable in Python?
a) list
b) dict
c) tuple
d) set
Your answer (a/b/c/d, or 's' to skip): s
Answer recorded for Q2: s
Q3. What does len([1, 2, 3]) return?
26°C
Mostly cloudy
Search
ENG
IN
22:28
02-11-2026


(1) WhatsApp Business
Urban Autonomous Mobility C
Online Python Compiler (Editor
Ask Gemini
programiz.com/python-programming/online-compiler/
All Bookmarks
Programiz
Python Online Compiler
Programiz PRO
main.py
Visualize
Run
Output
def main():
print("=" * 50)
print(" ONLINE EXAMINATION SYSTEM")
print("=" * 50)
print(f"Total questions: {len(QUESTIONS)} | Marks per question: {MARKS_PER_QUESTION}")
print(f"Total marks: {len(QUESTIONS) * MARKS_PER_QUESTION} | Pass: at least {PASS_PERCENTAGE:.0f}%")
print("Enter a, b, c or d to answer. Enter 's' to skip a question.")
total_marks = len(QUESTIONS) * MARKS_PER_QUESTION
answers = conduct_exam(QUESTIONS)
correct, wrong, skipped = evaluate(QUESTIONS, answers)
score = calculate_score(correct)
percentage = calculate_percentage(score, total_marks)
result = get_result(percentage)
display_summary(correct, wrong, skipped, score, total_marks, percentage, result)
if __name__ == "__main__":
main()
Q3. What does len([1, 2, 3]) return?
a) 2
b) 3
c) 4
d) Error
Your answer (a/b/c/d, or 's' to skip): b
Answer recorded for Q3: b
Q4. Which symbol is used to start a single-line comment in Python?
a) //
b) #
c) /*
d) --
Your answer (a/b/c/d, or 's' to skip): s
Answer recorded for Q4: s
Q5. Which list method adds an item at the end of a list?
a) add()
b) append()
c) insert_end()
d) push()
Your answer (a/b/c/d, or 's' to skip): b
Answer recorded for Q5: b
26°C
Mostly cloudy
Search
ENG
IN
22:28
02-11-2026


(1) WhatsApp Business
Urban Autonomous Mobility C
Online Python Compiler (Editor
Ask Gemini
programiz.com/python-programming/online-compiler/
All Bookmarks
Programiz
Python Online Compiler
Programiz PRO
main.py
Visualize
Run
Output
def main():
print("=" * 50)
print(" ONLINE EXAMINATION SYSTEM")
print("=" * 50)
print(f"Total questions: {len(QUESTIONS)} | Marks per question: {MARKS_PER_QUESTION}")
print(f"Total marks: {len(QUESTIONS) * MARKS_PER_QUESTION} | Pass: at least {PASS_PERCENTAGE:.0f}%")
print("Enter a, b, c or d to answer. Enter 's' to skip a question.")
total_marks = len(QUESTIONS) * MARKS_PER_QUESTION
answers = conduct_exam(QUESTIONS)
correct, wrong, skipped = evaluate(QUESTIONS, answers)
score = calculate_score(correct)
percentage = calculate_percentage(score, total_marks)
result = get_result(percentage)
display_summary(correct, wrong, skipped, score, total_marks, percentage, result)
if __name__ == "__main__":
main()
Answer recorded for Q3: b
Q4. Which symbol is used to start a single-line comment in Python?
a) //
b) #
c) /*
d) --
Your answer (a/b/c/d, or 's' to skip): s
Answer recorded for Q4: s
Q5. Which list method adds an item at the end of a list?
a) add()
b) append()
c) insert_end()
d) push()
Your answer (a/b/c/d, or 's' to skip): b
Answer recorded for Q5: b
RESULT SUMMARY
Correct: 3 | Wrong: 0 | Skipped: 2
Score: 6/10 | Percentage: 60.00% | Result: Pass
26°C
Mostly cloudy
Search
ENG
IN
22:28
02-11-2026