FreshBite Food Ordering

JavaScript Source Code (app.js)

JavaScript renders food cards, filters the menu, manages cart quantities, recalculates totals and stores cart data.

```
const foods = [
  {id:1, name:"Classic Burger", category:"Burgers", description:"Grilled burger", price:8.50},
  {id:2, name:"Garden Pizza", category:"Pizza", description:"Vegetable pizza", price:12.00},
  {id:3, name:"Pasta Alfredo", category:"Pasta", description:"Creamy pasta", price:10.25}
];
let cart = JSON.parse(localStorage.getItem("foodCart") || "{}");
const menu = document.querySelector("#menu"), cartBox = document.querySelector("#cart");

function renderMenu() {
  const q = document.querySelector("#search").value.toLowerCase();
  const c = document.querySelector("#category").value;
  menu.innerHTML = foods
    .filter(x => (c === "all" || x.category === c) && x.name.toLowerCase().includes(q))
    .map(x => `<article class="card"><h3>${x.name}</h3><p>${x.description}</p>
      <p class="price">$${x.price.toFixed(2)}</p>
      <button onclick="add(${x.id})">Add to cart</button></article>`).join("");
}
function add(id) { cart[id] = (cart[id] || 0) + 1; save(); renderCart(); }
function change(id, delta) {
  cart[id] = (cart[id] || 0) + delta;
  if (cart[id] <= 0) delete cart[id];
  save(); renderCart();
}
function save() { localStorage.setItem("foodCart", JSON.stringify(cart)); }
function renderCart() {
  let total = 0;
  cartBox.innerHTML = Object.entries(cart).map(([id, qty]) => {
    const x = foods.find(f => f.id === Number(id));
    const sub = x.price * qty; total += sub;
    return `<p>${x.name} × ${qty} — $${sub.toFixed(2)}
      <button onclick="change(${id},-1)">−</button><button onclick="change(${id},1)">+</button></p>`;
  }).join("") || "Your cart is empty";
  document.querySelector("#total").textContent = `Total: $${total.toFixed(2)}`;
}
document.querySelector("#search").addEventListener("input", renderMenu);
document.querySelector("#category").addEventListener("change", renderMenu);
document.querySelector("#checkout").addEventListener("submit", e => {
  e.preventDefault();
  if (!Object.keys(cart).length) { alert("Your cart is empty"); return; }
  document.querySelector("#message").textContent = "Order placed successfully!";
  cart = {}; save(); renderCart(); e.target.reset();
});
renderMenu(); renderCart();
```