

NAME:DAVE KAVYA H.

ROLL NO:3306

DIV:C

Q1.

```
Welcome add_student.php X
1st > add_student.php
1  <?php
2  require_once 'config.php';
3  require_login();
4
5  $errors = [];
6  if ($_SERVER['REQUEST_METHOD'] === 'POST') {
7      $name = trim($_POST['name'] ?? '');
8      $email = trim($_POST['email'] ?? '');
9      $course = trim($_POST['course'] ?? '');
10     $mobile = trim($_POST['mobile'] ?? '');
11
12     if ($name === '') $errors[] = 'Name is required.';
13     if ($email === '' || !filter_var($email, FILTER_VALIDATE_EMAIL)) $errors[] = 'A valid email is required.';
14     if ($course === '') $errors[] = 'Course is required.';
15     if ($mobile === '') $errors[] = 'Mobile is required.';
16
17     if (!$errors) {
18         $stmt = $mysqli->prepare("INSERT INTO students (name,email,course,mobile) VALUES (?,?,?,?)");
19         $stmt->bind_param('ssss', $name, $email, $course, $mobile);
20         if ($stmt->execute()) {
21             header('Location: dashboard.php');
22             exit;
23         } else {
24             $errors[] = 'Database error: ' . $stmt->error;
25         }
26     }
27 }
28 ?>
29 <!doctype html>
30 <html>
31 <head>
32     <meta charset="utf-8">
33     <title>Add Student</title>
34     <link rel="stylesheet" href="assets/styles.css">
35 </head>
36 <body>
37 <div class="container">
38     <h1>Add Student</h1>
39     <?php if ($errors): ?>
40         <div class="error">
41             <?php foreach ($errors as $e) echo '<div>' . htmlspecialchars($e) . '</div>'; ?>
42         </div>
43     <?php endif; ?>
44
```

```

28 </?
29 <!doctype html>
30 <html>
31 <head>
32 <meta charset="utf-8">
33 <title>Add Student</title>
34 <link rel="stylesheet" href="assets/styles.css">
35 </head>
36 <body>
37 <div class="container">
38 <h1>Add Student</h1>
39 <?php if ($errors): ?>
40 <div class="error">
41 <?php foreach ($errors as $e) echo '<div>' . htmlspecialchars($e) . '</div>'; ?>
42 </div>
43 <?php endif; ?>
44
45 <form method="post">
46 <label>Name</label>
47 <input type="text" name="name" value="<?php echo htmlspecialchars($_POST['name']) ?>" required>
48 <label>Email</label>
49 <input type="email" name="email" value="<?php echo htmlspecialchars($_POST['email']) ?>" required>
50 <label>Course</label>
51 <input type="text" name="course" value="<?php echo htmlspecialchars($_POST['course']) ?>" required>
52 <label>Mobile</label>
53 <input type="text" name="mobile" value="<?php echo htmlspecialchars($_POST['mobile']) ?>" required>
54 <button type="submit">Add</button>
55 <a class="btn" href="dashboard.php">Cancel</a>
56 </form>
57 </div>
58 </body>
59 </html>
60

```

```

Welcome  dashboard.php X
1st > dashboard.php
1 <?php
2 require_once 'config.php';
3 require_login();
4
5 $search = trim($_GET['search']) ?? '';
6 $params = [];
7 $sql = "SELECT * FROM students";
8 if ($search != '') {
9     $sql .= " WHERE name LIKE ? OR email LIKE ?";
10    $like = '%' . $search . '%';
11    $params = [$like, $like];
12 }
13
14 $stmt = $mysqli->prepare($sql);
15 if ($params) {
16     $stmt->bind_param('ss', $params[0], $params[1]);
17 }
18 $stmt->execute();
19 $result = $stmt->get_result();
20
21 ?>
22 <!doctype html>
23 <html>
24 <head>
25 <meta charset="utf-8">
26 <title>Dashboard - Student Management</title>
27 <link rel="stylesheet" href="assets/styles.css">
28 </head>
29 <body>
30 <div class="container">
31 <h1>Students</h1>
32 <div class="top-bar">
33 <form method="get" class="search-form">
34 <input type="text" name="search" placeholder="Search name or email" value="<?php echo htmlspecialchars($search); ?>">
35 <button type="submit">Go</button>
36 </form>
37 <div class="actions">
38 <a class="btn" href="add_student.php">Add Student</a>
39 <a class="btn" href="logout.php">Logout</a>
40 </div>
41 </div>
42
43 <table>

```

```

26 <title>Dashboard - Student Management</title>
27 <link rel="stylesheet" href="assets/styles.css">
28 </head>
29 <body>
30 <div class="container">
31 <h1>Students</h1>
32 <div class="top-bar">
33 <form method="get" class="search-form">
34 <input type="text" name="search" placeholder="Search name or email" value="<?php echo htmlspecialchars($search); ?>">
35 <button type="submit">Go</button>
36 </form>
37 <div class="actions">
38 <a class="btn" href="add_student.php">Add Student</a>
39 <a class="btn" href="logout.php">Logout</a>
40 </div>
41 </div>
42
43 <table>
44 <thead>
45 <tr><th>ID</th><th>Name</th><th>Email</th><th>Course</th><th>Mobile</th><th>Actions</th></tr>
46 </thead>
47 <tbody>
48 <?php while ($row = $result->fetch_assoc()): ?>
49 <tr>
50 <td><?php echo $row['id']; ?></td>
51 <td><?php echo htmlspecialchars($row['name']); ?></td>
52 <td><?php echo htmlspecialchars($row['email']); ?></td>
53 <td><?php echo htmlspecialchars($row['course']); ?></td>
54 <td><?php echo htmlspecialchars($row['mobile']); ?></td>
55 <td>
56 <a href="edit_student.php?id=<?php echo $row['id']; ?>">Edit</a> |
57 <a href="delete_student.php?id=<?php echo $row['id']; ?>" onclick="return confirm('Delete this student?');">Delete</a>
58 </td>
59 </tr>
60 <?php endwhile; ?>
61 </tbody>
62 </table>
63 </div>
64 </body>
65 </html>
66

```

```

Welcome delete_student.php X
1st > delete_student.php
1 <?php
2 require_once 'config.php';
3 require_login();
4
5 $id = intval($_GET['id'] ?? 0);
6 if ($id > 0) {
7     $stmt = $mysqli->prepare('DELETE FROM students WHERE id=?');
8     $stmt->bind_param('i', $id);
9     $stmt->execute();
10 }
11 header('Location: dashboard.php');
12 exit;
13

```

```
Welcome  edit_student.php X
1st > edit_student.php
1  <?php
2  require_once 'config.php';
3  require_login();
4
5  $id = intval($_GET['id'] ?? 0);
6  if ($id <= 0) {
7      header('Location: dashboard.php');
8      exit;
9  }
10
11  $stmt = $mysqli->prepare('SELECT * FROM students WHERE id=?');
12  $stmt->bind_param('i', $id);
13  $stmt->execute();
14  $result = $stmt->get_result();
15  $student = $result->fetch_assoc();
16  if (!$student) {
17      header('Location: dashboard.php');
18      exit;
19  }
20
21  $errors = [];
22  if ($_SERVER['REQUEST_METHOD'] === 'POST') {
23      $name = trim($_POST['name'] ?? '');
24      $email = trim($_POST['email'] ?? '');
25      $course = trim($_POST['course'] ?? '');
26      $mobile = trim($_POST['mobile'] ?? '');
27
28      if ($name === '') $errors[] = 'Name is required.';
29      if ($email === '' || !filter_var($email, FILTER_VALIDATE_EMAIL)) $errors[] = 'A valid email is required.';
30      if ($course === '') $errors[] = 'Course is required.';
31      if ($mobile === '') $errors[] = 'Mobile is required.';
32
33      if (!$errors) {
34          $u = $mysqli->prepare('UPDATE students SET name=?, email=?, course=?, mobile=? WHERE id=?');
35          $u->bind_param('ssssi', $name, $email, $course, $mobile, $id);
36          if ($u->execute()) {
37              header('Location: dashboard.php');
38              exit;
39          } else {
40              $errors[] = 'Database error: ' . $u->error;
41          }
42      }
43  }
44  }
```

```

require_once 'config.php';
// If already logged in, go to dashboard
if (is_logged_in()) {
    header('Location: dashboard.php');
    exit;
}

$error = '';
if ($_SERVER['REQUEST_METHOD'] === 'POST') {
    $username = trim($_POST['username'] ?? '');
    $password = trim($_POST['password'] ?? '');

    if ($username === '' || $password === '') {
        $error = 'Please enter username and password.';
    } else {
        if (check_credentials($username, $password)) {
            $_SESSION['logged_in'] = true;
            $_SESSION['username'] = $username;
            header('Location: dashboard.php');
            exit;
        } else {
            $error = 'Invalid username or password.';
        }
    }
}
?>
<!doctype html>
<html>
<head>
    <meta charset="utf-8">
    <title>Login - Student Management</title>
    <link rel="stylesheet" href="assets/styles.css">
</head>
<body>
<div class="container">
    <h1>Student Management - Login</h1>
    <?php if ($error): ?><div class="error"><?php echo htmlspecialchars($error); ?></div><?php endif; ?>
    <form method="post" action="">
        <label>Username</label>
        <input type="text" name="username" required autofocus>
        <label>Password</label>
        <input type="password" name="password" required>
        <button type="submit">Login</button>
    </form>

```

```

28 <!doctype html>
29 <html>
30 <head>
31     <meta charset="utf-8">
32     <title>Login - Student Management</title>
33     <link rel="stylesheet" href="assets/styles.css">
34 </head>
35 <body>
36 <div class="container">
37     <h1>Student Management - Login</h1>
38     <?php if ($error): ?><div class="error"><?php echo htmlspecialchars($error); ?></div><?php endif; ?>
39     <form method="post" action="">
40         <label>Username</label>
41         <input type="text" name="username" required autofocus>
42         <label>Password</label>
43         <input type="password" name="password" required>
44         <button type="submit">Login</button>
45     </form>
46     <div class="help">Demo: username <strong>admin</strong>, password <strong>admin</strong></div>
47 </div>
48 </body>
49 </html>
50

```

```
Welcome  logout.php X
1st > logout.php
1  <?php
2  require_once 'config.php';
3  session_unset();
4  session_destroy();
5  header('Location: index.php');
6  exit;
7
```

Q2

```
feedback_v2 > admin > dashboard.php
1  <?php
2  require_once __DIR__ . '/../../config.php';
3  if (!is_logged_in()) {
4      header('Location: login.php');
5      exit;
6  }
7
8  $stmt = $mysqli->prepare('SELECT * FROM feedback ORDER BY created_at DESC');
9  $stmt->execute();
10 $result = $stmt->get_result();
11
12 ?>
13 <!doctype html>
14 <html>
15 <head>
16     <meta charset="utf-8">
17     <title>Admin Dashboard - Feedback</title>
18     <link rel="stylesheet" href="../../assets/styles.css">
19 </head>
20 <body>
21 <div class="container">
22     <h1>Feedback Submissions</h1>
23     <div class="top-bar">
24         <div class="actions">
25             <a class="btn" href="logout.php">Logout</a>
26             <a class="btn" href="../../feedback_v2">Public Form</a>
27         </div>
28     </div>
29
30     <table>
31         <thead>
32             <tr><th>ID</th><th>Name</th><th>Email</th><th>Message</th><th>Rating</th><th>Submitted</th><th>Actions</th></tr>
33         </thead>
34         <tbody>
35             <?php while ($row = $result->fetch_assoc()): ?>
36                 <tr>
37                     <td><?php echo $row['id']; ?></td>
38                     <td><?php echo htmlspecialchars($row['name']); ?></td>
39                     <td><?php echo htmlspecialchars($row['email']); ?></td>
40                     <td><?php echo nl2br(htmlspecialchars($row['message'])); ?></td>
41                     <td><?php echo (int)$row['rating']; ?></td>
42                     <td><?php echo $row['created_at']; ?></td>
43                     <td><a href="delete_feedback.php?id=<?php echo $row['id']; ?>" onclick="return confirm('Delete this feedback?');">Delete</a></td>
44                 </tr>

```

feedback_v2 > admin > delete_feedback.php

```
1 <?php
2 require_once __DIR__ . '/../../config.php';
3 if (!is_logged_in()) {
4     header('Location: login.php');
5     exit;
6 }
7
8 $id = intval($_GET['id'] ?? 0);
9 if ($id > 0) {
10     $stmt = $mysqli->prepare('DELETE FROM feedback WHERE id=?');
11     $stmt->bind_param('i', $id);
12     $stmt->execute();
13 }
14 header('Location: dashboard.php');
15 exit;
16
```

feedback_v2 > admin > login.php

```
1 <?php
2 require_once __DIR__ . '/../../config.php';
3 // If already logged in, go to dashboard
4 if (is_logged_in()) {
5     header('Location: dashboard.php');
6     exit;
7 }
8
9 $error = '';
10 if ($_SERVER['REQUEST_METHOD'] === 'POST') {
11     $username = trim($_POST['username'] ?? '');
12     $password = trim($_POST['password'] ?? '');
13     if ($username === '' || $password === '') {
14         $error = 'Please enter username and password.';
15     } else {
16         if (check_credentials($username, $password)) {
17             $_SESSION['logged_in'] = true;
18             $_SESSION['username'] = $username;
19             header('Location: dashboard.php');
20             exit;
21         } else {
22             $error = 'Invalid username or password.';
23         }
24     }
25 }
26 ?>
27 <!doctype html>
28 <html>
29 <head>
30     <meta charset="utf-8">
31     <title>Admin Login - Feedback</title>
32     <link rel="stylesheet" href="../assets/styles.css">
33 </head>
34 <body>
35 <div class="container">
36     <h1>Admin Login</h1>
37     <?php if ($error): ?><div class="error"><?php echo htmlspecialchars($error); ?></div><?php endif; ?>
38     <form method="post">
39         <label>Username</label>
40         <input type="text" name="username" required autofocus>
41         <label>Password</label>
42         <input type="password" name="password" required>
43         <button type="submit">Login</button>
44     </form>

```

```

32 <link rel="stylesheet" href="../../assets/styles.css">
33 </head>
34 <body>
35 <div class="container">
36 <h1>Admin Login</h1>
37 <?php if ($error): ?><div class="error"><?php echo htmlspecialchars($error); ?></div><?php endif; ?>
38 <form method="post">
39 <label>Username</label>
40 <input type="text" name="username" required autofocus>
41 <label>Password</label>
42 <input type="password" name="password" required>
43 <button type="submit">Login</button>
44 </form>
45 <div class="help">Demo: username <strong>admin</strong>, password <strong>admin</strong></div>
46 </div>
47 </body>
48 </html>
49

```

feedback_v2 > admin > 🐞 logout.php

```

1 <?php
2 require_once __DIR__ . '/../../config.php';
3 session_unset();
4 session_destroy();
5 header('Location: login.php');
6 exit;
7

```

```
Welcome  config.php X
feedback_v2 > config.php
1  <?php
2  // shared project config: DB connection and session helpers
3  session_start();
4
5  // Update these values to match your MySQL setup
6  $db_host = '127.0.0.1';
7  $db_user = 'root';
8  $db_pass = '';
9  $db_name = 'miniapp2';
10
11 mysqli_report(MYSQLI_REPORT_ERROR | MYSQLI_REPORT_STRICT);
12 try {
13     $mysqli = new mysqli($db_host, $db_user, $db_pass, $db_name);
14     $mysqli->set_charset('utf8mb4');
15 } catch (mysqli_sql_exception $e) {
16     // Friendly error for missing DB or bad credentials
17     http_response_code(500);
18     echo "Database connection failed: " . htmlspecialchars($e->getMessage()) . "\n";
19     echo "\nCheck your credentials in config.php and ensure the database exists.\n";
20     exit;
21 }
22
23 function is_logged_in() {
24     return isset($_SESSION['logged_in']) && $_SESSION['logged_in'] === true;
25 }
26
27 function require_login() {
28     if (!is_logged_in()) {
29         header('Location: index.php');
30         exit;
31     }
32 }
33
34 // Demo credential check
35 function check_credentials($username, $password) {
36     return $username === 'admin' && $password === 'admin';
37 }
38
39 ?>
40
```

feedback_v2 > index.php

```
1 <?php
2 require_once __DIR__ . '/../config.php';
3
4 $success = '';
5 $errors = [];
6 if ($_SERVER['REQUEST_METHOD'] === 'POST') {
7     $name = trim($_POST['name'] ?? '');
8     $email = trim($_POST['email'] ?? '');
9     $message = trim($_POST['message'] ?? '');
10    $rating = intval($_POST['rating'] ?? 0);
11
12    if ($name === '') $errors[] = 'Name is required.';
13    if ($email === '' || !filter_var($email, FILTER_VALIDATE_EMAIL)) $errors[] = 'A valid email is required.';
14    if ($message === '') $errors[] = 'Message is required.';
15    if ($rating < 1 || $rating > 5) $errors[] = 'Please select a rating between 1 and 5.';
16
17    if (!$errors) {
18        $stmt = $mysqli->prepare('INSERT INTO feedback (name,email,message,rating) VALUES (?, ?, ?, ?)');
19        $stmt->bind_param('sssi', $name, $email, $message, $rating);
20        if ($stmt->execute()) {
21            $success = 'Thank you – your feedback has been submitted.';
22            $_POST = [];
23        } else {
24            $errors[] = 'Database error: ' . $stmt->error;
25        }
26    }
27 }
28 ?>
29 <!doctype html>
30 <html>
31 <head>
32     <meta charset="utf-8">
33     <title>Feedback</title>
34     <link rel="stylesheet" href="../../assets/styles.css">
35 </head>
36 <body>
37 <div class="container">
38     <h1>Submit Feedback</h1>
39     <?php if ($success): ?><div class="success"><?php echo htmlspecialchars($success); ?></div><?php endif; ?>
40     <?php if ($errors): ?><div class="error"><?php foreach ($errors as $e) echo '<div>' . htmlspecialchars($e) . '</div>'; ?></div><?php endif; ?>
41
42     <form method="post">
43         <label>Name</label>
44         <input type="text" name="name" value="<?php echo htmlspecialchars($_POST['name'] ?? ''); ?>" required>
45     </form>
46 </div>
47 </body>
48 </html>
```

```
6 <body>
7 <div class="container">
8     <h1>Submit Feedback</h1>
9     <?php if ($success): ?><div class="success"><?php echo htmlspecialchars($success); ?></div><?php endif; ?>
10    <?php if ($errors): ?><div class="error"><?php foreach ($errors as $e) echo '<div>' . htmlspecialchars($e) . '</div>'; ?></div><?php endif; ?>
11
12    <form method="post">
13        <label>Name</label>
14        <input type="text" name="name" value="<?php echo htmlspecialchars($_POST['name'] ?? ''); ?>" required>
15
16        <label>Email</label>
17        <input type="email" name="email" value="<?php echo htmlspecialchars($_POST['email'] ?? ''); ?>" required>
18
19        <label>Message</label>
20        <textarea name="message" rows="6"><?php echo htmlspecialchars($_POST['message'] ?? ''); ?></textarea>
21
22        <label>Rating</label>
23        <select name="rating" required>
24            <option value="">-- choose --</option>
25            <?php for ($i=1; $i<=5; $i++): ?>
26                <option value="<?php echo $i; ?>" <?php if (isset($_POST['rating']) && intval($_POST['rating'])==<?php echo $i; ?>) echo 'selected'; ?><?php echo $i; ?></option>
27            <?php endfor; ?>
28        </select>
29
30        <button type="submit">Send Feedback</button>
31        <a class="btn" href="../../Back">Back</a>
32    </form>
33 </div>
34 </body>
35 </html>
```

```
Welcome  setup_create_tables.php X
feedback_v2 > setup_create_tables.php
1  <?php
2  // setup_create_tables.php
3  // Run this in your browser once to create the example tables used by the demo apps.
4  require_once __DIR__ . '/config.php';
5
6  header('Content-Type: text/plain; charset=utf-8');
7  echo "Creating tables (if not exist) in database: $db_name\n\n";
8
9  $sql = "CREATE TABLE IF NOT EXISTS `feedback` (
10     `id` INT NOT NULL AUTO_INCREMENT,
11     `name` VARCHAR(150) NOT NULL,
12     `email` VARCHAR(150) NOT NULL,
13     `message` TEXT NOT NULL,
14     `rating` TINYINT NOT NULL,
15     `created_at` DATETIME NOT NULL DEFAULT CURRENT_TIMESTAMP,
16     PRIMARY KEY (`id`)
17 );
18
19 CREATE TABLE IF NOT EXISTS `students` (
20     `id` INT NOT NULL AUTO_INCREMENT,
21     `name` VARCHAR(150) NOT NULL,
22     `email` VARCHAR(150) NOT NULL,
23     `course` VARCHAR(150) NOT NULL,
24     `mobile` VARCHAR(30) NOT NULL,
25     PRIMARY KEY (`id`)
26 );
27 ";
28
29 if ($mysqli->multi_query($sql)) {
30     do {
31         if ($res = $mysqli->store_result()) {
32             $res->free();
33         }
34     } while ($mysqli->more_results() && $mysqli->next_result());
35     echo "Done - tables created or already existed.\n";
36 } else {
37     echo "Error creating tables: " . $mysqli->error . "\n";
38 }
39
40 echo "\nYou can now reload the feedback form at /feedback_v2/.";
41
```

Q3

```
todo_app > add_task.php
1  <?php
2  require_once __DIR__ . '/config.php';
3  if (!isset($_SESSION['logged_in']) || !$_SESSION['logged_in']) {
4      header('Location: login.php');
5      exit;
6  }
7
8  $errors = [];
9  if ($_SERVER['REQUEST_METHOD'] === 'POST') {
10     $title = trim($_POST['title'] ?? '');
11     $description = trim($_POST['description'] ?? '');
12     $due_date = trim($_POST['due_date'] ?? '');
13
14     if ($title === '') $errors[] = 'Title is required.';
15
16     if (!$errors) {
17         $stmt = $mysqli->prepare('INSERT INTO tasks (user_id,title,description,due_date) VALUES (?,?,,?)');
18         $uid = $_SESSION['user_id'];
19         $due = $due_date ?: null;
20         $stmt->bind_param('iss', $uid, $title, $description, $due);
21         if ($stmt->execute()) {
22             header('Location: dashboard.php');
23             exit;
24         } else {
25             $errors[] = 'DB error: ' . $stmt->error;
26         }
27     }
28 }
29 ?>
30 <!doctype html>
31 <html>
32 <head>
33     <meta charset="utf-8">
34     <title>Add Task</title>
35     <link rel="stylesheet" href="assets/styles.css">
36 </head>
37 <body>
38 <div class="container">
39     <h1>Add Task</h1>
40     <?php if ($errors) echo '<div class="error">'.htmlspecialchars(implode("\n", $errors)).'</div>'; ?>
41     <form method="post">
42         <label>Title</label>
43         <input type="text" name="title" required>
44         <label>Description</label>
45         <textarea name="description" rows="4"></textarea>
```

```
32 </head>
33     <meta charset="utf-8">
34     <title>Add Task</title>
35     <link rel="stylesheet" href="assets/styles.css">
36 </head>
37 <body>
38 <div class="container">
39     <h1>Add Task</h1>
40     <?php if ($errors) echo '<div class="error">'.htmlspecialchars(implode("\n", $errors)).'</div>'; ?>
41     <form method="post">
42         <label>Title</label>
43         <input type="text" name="title" required>
44         <label>Description</label>
45         <textarea name="description" rows="4"></textarea>
46         <label>Due Date</label>
47         <input type="date" name="due_date">
48         <button type="submit">Add</button>
49         <a class="btn" href="dashboard.php">Cancel</a>
50     </form>
51 </div>
52 </body>
53 </html>
54
```

todo_app > config.php

```
1 <?php
2 // todo_app/config.php - wrapper that prefers the project-level config.php
3 // If the parent project config exists, include it so all apps share settings.
4 // Otherwise create a minimal DB connection here.
5
6 if (file_exists(__DIR__ . '/../config.php')) {
7     require_once __DIR__ . '/../config.php';
8     // project config will have started session and created $mysqli
9     return;
10 }
11
12 // Fallback config (only used if parent config.php is missing)
13 if (session_status() === PHP_SESSION_NONE) {
14     session_start();
15 }
16
17 $db_host = '127.0.0.1';
18 $db_user = 'root';
19 $db_pass = '';
20 $db_name = 'miniapp3';
21
22 mysqli_report(MYSQLI_REPORT_ERROR | MYSQLI_REPORT_STRICT);
23 try {
24     $mysqli = new mysqli($db_host, $db_user, $db_pass, $db_name);
25     $mysqli->set_charset('utf8mb4');
26 } catch (mysqli_sql_exception $e) {
27     http_response_code(500);
28     echo "Database connection failed: " . htmlspecialchars($e->getMessage()) . "\n";
29     echo "\nPlease create the database or update config settings.\n";
30     exit;
31 }
32
33 function is_logged_in() {
34     return isset($_SESSION['logged_in']) && $_SESSION['logged_in'] === true;
35 }
36
37 function require_login() {
38     if (!is_logged_in()) {
39         header('Location: login.php');
40         exit;
41     }
42 }
43
44 function check_credentials($username, $password) {
45     // fallback demo credentials
```

todo_app > dashboard.php

```
1 <?php
2 require_once __DIR__ . '/config.php';
3 // require login
4 if (!isset($_SESSION['logged_in']) || !$_SESSION['logged_in']) {
5     header('Location: login.php');
6     exit;
7 }
8
9 $user_id = $_SESSION['user_id'];
10 $filter = $_GET['filter'] ?? ($_COOKIE['todo_last_filter'] ?? 'all');
11 // validate filter
12 if (!in_array($filter, ['all', 'pending', 'completed'])) $filter = 'all';
13 setcookie('todo_last_filter', $filter, time()+60*60*24*30, '/');
14
15 $sql = 'SELECT * FROM tasks WHERE user_id = ?';
16 $params = [$user_id];
17 if ($filter !== 'all') {
18     $sql .= ' AND status = ?';
19     $params[] = $filter;
20 }
21 $sql .= ' ORDER BY due_date IS NULL, due_date ASC, created_at DESC';
22
23 $stmt = $mysqli->prepare($sql);
24 if ($filter === 'all') {
25     $stmt->bind_param('i', $params[0]);
26 } else {
27     $stmt->bind_param('is', $params[0], $params[1]);
28 }
29 $stmt->execute();
30 $result = $stmt->get_result();
31
32 ?>
33 <!doctype html>
34 <html>
35 <head>
36     <meta charset="utf-8">
37     <title>My Tasks</title>
38     <link rel="stylesheet" href="assets/styles.css">
39 </head>
40 <body>
41     <div class="container">
42         <h1>My Tasks</h1>
43         <div class="top-bar">
44             <div class="actions">
45                 <a class="btn" href="add_task.php">Add Task</a>
```

```

40 <body>
41 <div class="container">
42 <h1>My Tasks</h1>
43 <div class="top-bar">
44 <div class="actions">
45 <a class="btn" href="add_task.php">Add Task</a>
46 <a class="btn" href="logout.php">Logout</a>
47 </div>
48 <form method="get" class="search-form">
49 <select name="filter" onchange="this.form.submit()">
50 <option value="all" <?php if ($filter=='all') echo 'selected'; ?>>All</option>
51 <option value="pending" <?php if ($filter=='pending') echo 'selected'; ?>>Pending</option>
52 <option value="completed" <?php if ($filter=='completed') echo 'selected'; ?>>Completed</option>
53 </select>
54 </form>
55 </div>
56
57 <table>
58 <thead>
59 <tr><th>Title</th><th>Due</th><th>Status</th><th>Actions</th></tr>
60 </thead>
61 <tbody>
62 <?php while ($row = $result->fetch_assoc()): ?>
63 <tr>
64 <td><?php echo htmlspecialchars($row['title']); ?><div class="muted"><?php echo nl2br(htmlspecialchars($row['description'])); ?></div></td>
65 <td><?php echo $row['due_date'] ?> '-'; ?></td>
66 <td><?php echo htmlspecialchars($row['status']); ?></td>
67 <td>
68 <a href="edit_task.php?id=<?php echo $row['id']; ?>">Edit</a> |
69 <a href="delete_task.php?id=<?php echo $row['id']; ?>" onclick="return confirm('Delete task?');">Delete</a> |
70 <a href="toggle_status.php?id=<?php echo $row['id']; ?>">Toggle</a>
71 </td>
72 </tr>
73 <?php endwhile; ?>
74 </tbody>
75 </table>
76 </div>
77 </body>
78 </html>
79

```

todo_app > delete_task.php

```

1 <?php
2 require_once __DIR__ . '/config.php';
3 if (!isset($_SESSION['logged_in']) || !$_SESSION['logged_in']) { header('Location: login.php'); exit; }
4
5 $id = intval($_GET['id'] ?? 0);
6 if ($id > 0) {
7     $stmt = $mysqli->prepare('DELETE FROM tasks WHERE id=? AND user_id=?');
8     $uid = $_SESSION['user_id'];
9     $stmt->bind_param('ii', $id, $uid);
10    $stmt->execute();
11 }
12 header('Location: dashboard.php');
13 exit;
14

```

todo_app > edit_task.php

```
1  <?php
2  require_once __DIR__ . '/config.php';
3  if (!isset($_SESSION['logged_in']) || !$_SESSION['logged_in']) {
4      header('Location: login.php');
5      exit;
6  }
7
8  $id = intval($_GET['id'] ?? 0);
9  if ($id <= 0) { header('Location: dashboard.php'); exit; }
10
11 $stmt = $mysqli->prepare('SELECT * FROM tasks WHERE id=? AND user_id=?');
12 $uid = $_SESSION['user_id'];
13 $stmt->bind_param('ii', $id, $uid);
14 $stmt->execute();
15 $task = $stmt->get_result()->fetch_assoc();
16 if (!$task) { header('Location: dashboard.php'); exit; }
17
18 $errors = [];
19 if ($_SERVER['REQUEST_METHOD'] === 'POST') {
20     $title = trim($_POST['title'] ?? '');
21     $description = trim($_POST['description'] ?? '');
22     $due_date = trim($_POST['due_date'] ?? '');
23     if ($title === '') $errors[] = 'Title is required.';
24     if (!$errors) {
25         $u = $mysqli->prepare('UPDATE tasks SET title=?,description=?,due_date=? WHERE id=? AND user_id=?');
26         $due = $due_date ?: null;
27         $u->bind_param('sssi', $title, $description, $due, $id, $uid);
28         if ($u->execute()) { header('Location: dashboard.php'); exit; }
29         $errors[] = 'DB error: ' . $u->error;
30     }
31 }
32 ?>
33 <!doctype html>
34 <html>
35 <head>
36     <meta charset="utf-8">
37     <title>Edit Task</title>
38     <link rel="stylesheet" href="assets/styles.css">
39 </head>
40 <body>
41 <div class="container">
42     <h1>Edit Task</h1>
43     <?php if ($errors) echo '<div class="error">' . htmlspecialchars(implode("\n", $errors)) . '</div>'; ?>
44     <form method="post">
45         <label>Title</label>
```

```
37     <title>Edit Task</title>
38     <link rel="stylesheet" href="assets/styles.css">
39 </head>
40 <body>
41 <div class="container">
42     <h1>Edit Task</h1>
43     <?php if ($errors) echo '<div class="error">' . htmlspecialchars(implode("\n", $errors)) . '</div>'; ?>
44     <form method="post">
45         <label>Title</label>
46         <input type="text" name="title" value="<?php echo htmlspecialchars($_POST['title'] ?? $task['title']); ?>" required>
47         <label>Description</label>
48         <textarea name="description" rows="4"><?php echo htmlspecialchars($_POST['description'] ?? $task['description']); ?></textarea>
49         <label>Due Date</label>
50         <input type="date" name="due_date" value="<?php echo htmlspecialchars($_POST['due_date'] ?? $task['due_date']); ?>">
51         <button type="submit">Save</button>
52         <a class="btn" href="dashboard.php">Cancel</a>
53     </form>
54 </div>
55 </body>
56 </html>
57
```

```

todo_app > login.php
1  <?php
2  require_once __DIR__ . '/config.php';
3
4  $error = '';
5  if ($_SERVER['REQUEST_METHOD'] === 'POST') {
6      $username = trim($_POST['username'] ?? '');
7      $password = trim($_POST['password'] ?? '');
8
9      if ($username === '' || $password === '') {
10         $error = 'Enter username and password.';
11     } else {
12         $stmt = $mysqli->prepare('SELECT id,password FROM users WHERE username=?');
13         $stmt->bind_param('s', $username);
14         $stmt->execute();
15         $res = $stmt->get_result();
16         if ($row = $res->fetch_assoc()) {
17             if (password_verify($password, $row['password'])) {
18                 $_SESSION['user_id'] = $row['id'];
19                 $_SESSION['username'] = $username;
20                 $_SESSION['logged_in'] = true;
21                 header('Location: dashboard.php');
22                 exit;
23             }
24         }
25         $error = 'Invalid credentials.';
26     }
27 }
28 ?>
29 <!doctype html>
30 <html>
31 <head>
32     <meta charset="utf-8">
33     <title>login - ToDo App</title>
34     <link rel="stylesheet" href="assets/styles.css">
35 </head>
36 <body>
37 <div class="container">
38     <h1>Login</h1>
39     <?php if ($error) echo '<div class="error">'.htmlspecialchars($error).</div>'; ?>
40     <form method="post">
41         <label>Username</label>
42         <input type="text" name="username" required autofocus>
43         <label>Password</label>
44         <input type="password" name="password" required>
45         <button type="submit">Login</button>

```

```

todo_app > logout.php
1  <?php
2  require_once __DIR__ . '/config.php';
3  session_unset();
4  session_destroy();
5  header('Location: login.php');
6  exit;
7

```

```

todo_app > register.php
1  <?php
2  require_once __DIR__ . '/config.php';
3
4  $errors = [];
5  if ($_SERVER['REQUEST_METHOD'] === 'POST') {
6      $username = trim($_POST['username'] ?? '');
7      $password = trim($_POST['password'] ?? '');
8      $password2 = trim($_POST['password2'] ?? '');
9
10     if ($username === '') $errors[] = 'Username is required.';
11     if ($password === '') $errors[] = 'Password is required.';
12     if ($password !== $password2) $errors[] = 'Passwords do not match.';
13
14     if (!$errors) {
15         $hash = password_hash($password, PASSWORD_DEFAULT);
16         $stmt = $mysqli->prepare('INSERT INTO users (username,password) VALUES (?,?)');
17         try {
18             $stmt->bind_param('ss', $username, $hash);
19             $stmt->execute();
20             header('Location: login.php');
21             exit;
22         } catch (mysqli_sql_exception $e) {
23             $errors[] = 'Could not create account: ' . $e->getMessage();
24         }
25     }
26 }
27 ?>
28 <!doctype html>
29 <html>
30 <head>
31     <meta charset="utf-8">
32     <title>Register - ToDo App</title>
33     <link rel="stylesheet" href="assets/styles.css">
34 </head>
35 <body>
36 <div class="container">
37     <h1>Register</h1>
38     <?php if ($errors): ?><div class="error"><?php foreach ($errors as $e) echo '<div>'.htmlspecialchars($e).'</div>'; ?></div><?php endif; ?>
39
40     <form method="post">
41         <label>Username</label>
42         <input type="text" name="username" required>
43         <label>Password</label>
44         <input type="password" name="password" required>

```

```

Welcome  toggle_status.php
todo_app > toggle_status.php
1  <?php
2  require_once __DIR__ . '/config.php';
3  if (!isset($_SESSION['logged_in']) || !$_SESSION['logged_in']) { header('Location: login.php'); exit; }
4
5  $id = intval($_GET['id'] ?? 0);
6  if ($id > 0) {
7      $uid = $_SESSION['user_id'];
8      $stmt = $mysqli->prepare('SELECT status FROM tasks WHERE id=? AND user_id=?');
9      $stmt->bind_param('ii', $id, $uid);
10     $stmt->execute();
11     $row = $stmt->get_result()->fetch_assoc();
12     if ($row) {
13         $new = ($row['status'] === 'pending') ? 'completed' : 'pending';
14         $u = $mysqli->prepare('UPDATE tasks SET status=? WHERE id=? AND user_id=?');
15         $u->bind_param('sii', $new, $id, $uid);
16         $u->execute();
17     }
18 }
19 header('Location: dashboard.php');
20 exit;
21

```

Q4

```
Welcome create_poll.php x
poll_app > admin > create_poll.php
1 <?php
2 require_once __DIR__ . '/../config.php';
3 if (!is_logged_in()) { header('Location: login.php'); exit; }
4
5 $errors = [];
6 if ($_SERVER['REQUEST_METHOD'] === 'POST') {
7     $question = trim($_POST['question'] ?? '');
8     $options_text = trim($_POST['options'] ?? '');
9     if ($question === '') $errors[] = 'Question is required.';
10    $options = array_filter(array_map('trim', preg_split('/\r?\n/', $options_text)));
11    if (count($options) < 2) $errors[] = 'Please provide at least two options, one per line.';
12
13    if (!$errors) {
14        $mysqli->begin_transaction();
15        try {
16            $ins = $mysqli->prepare('INSERT INTO polls (question) VALUES (?)');
17            $ins->bind_param('s', $question);
18            $ins->execute();
19            $poll_id = $ins->insert_id;
20            $optStmt = $mysqli->prepare('INSERT INTO poll_options (poll_id,option_text) VALUES (?,?)');
21            foreach ($options as $opt) { $optStmt->bind_param('is', $poll_id, $opt); $optStmt->execute(); }
22            $mysqli->commit();
23            header('Location: dashboard.php'); exit;
24        } catch (mysqli_sql_exception $e) {
25            $mysqli->rollback();
26            $errors[] = 'DB error: ' . $e->getMessage();
27        }
28    }
29 }
30 ?>
31 <!doctype html>
32 <html>
33 <head>
34     <meta charset="utf-8">
35     <title>Create Poll</title>
36     <link rel="stylesheet" href="../assets/styles.css">
37 </head>
38 <body>
39 <div class="container">
40     <h1>Create Poll</h1>
41     <?php if ($errors) echo '<div class="error">'.htmlspecialchars(implode("\n", $errors)).'</div>'; ?>
42     <form method="post">
43         <label>Question</label>
44         <input type="text" name="question" required>
```

```

14     $mysqli->begin_transaction();
15     try {
16         $ins = $mysqli->prepare('INSERT INTO polls (question) VALUES (?)');
17         $ins->bind_param('s', $question);
18         $ins->execute();
19         $poll_id = $ins->insert_id;
20         $optStmt = $mysqli->prepare('INSERT INTO poll_options (poll_id,option_text) VALUES (?,?)');
21         foreach ($options as $opt) { $optStmt->bind_param('is', $poll_id, $opt); $optStmt->execute(); }
22         $mysqli->commit();
23         header('Location: dashboard.php'); exit;
24     } catch (mysqli_sql_exception $e) {
25         $mysqli->rollback();
26         $errors[] = 'DB error: ' . $e->getMessage();
27     }
28 }
29 }
30 ?>
31 <!doctype html>
32 <html>
33 <head>
34     <meta charset="utf-8">
35     <title>Create Poll</title>
36     <link rel="stylesheet" href="../assets/styles.css">
37 </head>
38 <body>
39 <div class="container">
40     <h1>Create Poll</h1>
41     <?php if ($errors) echo '<div class="error">'.htmlspecialchars(implode("\n", $errors)).'</div>'; ?>
42     <form method="post">
43         <label>Question</label>
44         <input type="text" name="question" required>
45         <label>Options (one per line)</label>
46         <textarea name="options" rows="6" required></textarea>
47         <button type="submit">Create</button>
48         <a class="btn" href="dashboard.php">Cancel</a>
49     </form>
50 </div>
51 </body>
52 </html>
53

```

```

poll_app > admin > dashboard.php
1  <?php
2  require_once __DIR__ . '/../config.php';
3  if (!is_logged_in()) { header('Location: login.php'); exit; }
4
5  $stmt = $mysqli->prepare('SELECT id,question,created_at FROM polls ORDER BY created_at DESC');
6  $stmt->execute();
7  $polls = $stmt->get_result();
8  ?>
9  <!doctype html>
10 <html>
11 <head>
12     <meta charset="utf-8">
13     <title>Admin - Polls</title>
14     <link rel="stylesheet" href="../assets/styles.css">
15 </head>
16 <body>
17 <div class="container">
18     <h1>Admin - Polls</h1>
19     <div class="actions"><a class="btn" href="create_poll.php">Create Poll</a> <a class="btn" href="logout.php">Logout</a></div>
20     <table>
21         <thead><tr><th>Question</th><th>Created</th><th>Actions</th></tr></thead>
22         <tbody>
23             <?php while ($p = $polls->fetch_assoc()): ?>
24                 <tr>
25                     <td><?php echo htmlspecialchars($p['question']); ?></td>
26                     <td><?php echo $p['created_at']; ?></td>
27                     <td>
28                         <a href="..results.php?id=<?php echo $p['id']; ?>">Results</a> |
29                         <a href="delete_poll.php?id=<?php echo $p['id']; ?>" onclick="return confirm('Delete poll?');">Delete</a>
30                     </td>
31                 </tr>
32             <?php endwhile; ?>
33         </tbody>
34     </table>
35 </div>
36 </body>
37 </html>
38

```

poll_app > admin > delete_poll.php

```
1 <?php
2 require_once __DIR__ . '/../config.php';
3 if (!is_logged_in()) { header('Location: login.php'); exit; }
4
5 $id = intval($_GET['id'] ?? 0);
6 if ($id > 0) {
7     $stmt = $mysqli->prepare('DELETE FROM polls WHERE id=?');
8     $stmt->bind_param('i', $id);
9     $stmt->execute();
10 }
11 header('Location: dashboard.php');
12 exit;
13
```

poll_app > admin > login.php

```
1 <?php
2 require_once __DIR__ . '/../config.php';
3 if (is_logged_in()) { header('Location: dashboard.php'); exit; }
4
5 $error = '';
6 if ($_SERVER['REQUEST_METHOD'] === 'POST') {
7     $username = trim($_POST['username'] ?? '');
8     $password = trim($_POST['password'] ?? '');
9     if ($username === '' || $password === '') { $error = 'Please enter username and password.'; }
10    else {
11        if (check_credentials($username, $password)) {
12            $_SESSION['logged_in'] = true;
13            $_SESSION['username'] = $username;
14            header('Location: dashboard.php'); exit;
15        } else { $error = 'Invalid username or password.'; }
16    }
17 }
18 ?>
19 <!doctype html>
20 <html>
21 <head>
22     <meta charset="utf-8">
23     <title>Admin Login - Polls</title>
24     <link rel="stylesheet" href="../../assets/styles.css">
25 </head>
26 <body>
27 <div class="container">
28     <h1>Admin Login</h1>
29     <?php if ($error) echo '<div class="error">'.htmlspecialchars($error).</div>'; ?>
30     <form method="post">
31         <label>Username</label>
32         <input type="text" name="username" required autofocus>
33         <label>Password</label>
34         <input type="password" name="password" required>
35         <button type="submit">Login</button>
36     </form>
37 </div>
38 </body>
39 </html>
40
```

poll_app > admin > logout.php

```
1 <?php
2 require_once __DIR__ . '/../config.php';
3 session_unset();
4 session_destroy();
5 header('Location: login.php');
6 exit;
7
```

```

poll_app > config.php
1  <?php
2  // poll_app/config.php - wrapper that prefers project-level config if present
3  if (file_exists(__DIR__ . '/../config.php')) {
4      require_once __DIR__ . '/../config.php';
5      return;
6  }
7
8  if (session_status() === PHP_SESSION_NONE) session_start();
9
10 $db_host = '127.0.0.1';
11 $db_user = 'root';
12 $db_pass = '';
13 $db_name = 'miniapp4';
14
15 mysqli_report(MYSQLI_REPORT_ERROR | MYSQLI_REPORT_STRICT);
16 try {
17     $mysqli = new mysqli($db_host, $db_user, $db_pass, $db_name);
18     $mysqli->set_charset('utf8mb4');
19 } catch (mysqli_sql_exception $e) {
20     http_response_code(500);
21     echo "Database connection failed: " . htmlspecialchars($e->getMessage()) . "\n";
22     exit;
23 }
24
25 function is_logged_in() {
26     return isset($_SESSION['logged_in']) && $_SESSION['logged_in'] === true;
27 }
28
29 function check_credentials($username, $password) {
30     return $username === 'admin' && $password === 'admin';
31 }
32
33 ?>

```

```

poll_app > index.php
1  <?php
2  require_once __DIR__ . '/config.php';
3
4  // List polls
5  $stmt = $mysqli->prepare('SELECT id,question FROM polls ORDER BY created_at DESC');
6  $stmt->execute();
7  $result = $stmt->get_result();
8  ?>
9  <!doctype html>
10 <html>
11 <head>
12     <meta charset="utf-8">
13     <title>Polls</title>
14     <link rel="stylesheet" href="assets/styles.css">
15 </head>
16 <body>
17 <div class="container">
18     <h1>Polls</h1>
19     <div class="actions"><a class="btn" href="admin/login.php">Admin</a></div>
20     <ul>
21         <?php while ($row = $result->fetch_assoc()): ?>
22             <li><a href="poll.php?id=<?php echo $row['id']; ?>"><?php echo htmlspecialchars($row['question']); ?></a></li>
23         <?php endwhile; ?>
24     </ul>
25 </div>
26 </body>
27 </html>
28

```

```

poll_app > poll.php
1  <?php
2  require_once __DIR__ . '/config.php';
3
4  $id = intval($_GET['id'] ?? 0);
5  if ($id <= 0) { header('Location: index.php'); exit; }
6
7  $stmt = $mysqli->prepare('SELECT question FROM polls WHERE id=?');
8  $stmt->bind_param('i', $id);
9  $stmt->execute();
10 $poll = $stmt->get_result()->fetch_assoc();
11 if (!$poll) { header('Location: index.php'); exit; }
12
13 $opts = $mysqli->prepare('SELECT id,option_text FROM poll_options WHERE poll_id=?');
14 $opts->bind_param('i', $id);
15 $opts->execute();
16 $options = $opts->get_result();
17
18 // check if user already voted
19 $voted = false;
20 if (isset($_SESSION['user_id'])) {
21     $v = $mysqli->prepare('SELECT id FROM votes WHERE poll_id=? AND user_id=? LIMIT 1');
22     $v->bind_param('ii', $id, $_SESSION['user_id']);
23     $v->execute();
24     $voted = (bool)$v->get_result()->fetch_assoc();
25 } else {
26     $cookieName = 'voted_poll_' . $id;
27     if (!empty($_COOKIE[$cookieName])) $voted = true;
28 }
29
30 ?>
31 <!doctype html>
32 <html>
33 <head>
34     <meta charset="utf-8">
35     <title>Vote</title>
36     <link rel="stylesheet" href="assets/styles.css">
37 </head>
38 <body>
39 <div class="container">
40     <h1><?php echo htmlspecialchars($poll['question']); ?></h1>
41
42     <?php if ($voted): ?>
43         <p>You already voted. <a href="results.php?id=<?php echo $id; ?>">See results</a></p>
44     <?php else: ?>

```

```

32 <html>
33 <head>
34     <meta charset="utf-8">
35     <title>Vote</title>
36     <link rel="stylesheet" href="assets/styles.css">
37 </head>
38 <body>
39 <div class="container">
40     <h1><?php echo htmlspecialchars($poll['question']); ?></h1>
41
42     <?php if ($voted): ?>
43         <p>You already voted. <a href="results.php?id=<?php echo $id; ?>">See results</a></p>
44     <?php else: ?>
45         <form method="post" action="vote.php">
46             <?php while ($opt = $options->fetch_assoc()): ?>
47                 <div><label><input type="radio" name="option_id" value="<?php echo $opt['id']; ?>"><?php echo htmlspecialchars($opt['option_text']); ?></label></div>
48             <?php endwhile; ?>
49             <input type="hidden" name="poll_id" value="<?php echo $id; ?>">
50             <button type="submit">Vote</button>
51         </form>
52     <?php endif; ?>
53
54     <p><a href="index.php">Back to polls</a></p>
55 </div>
56 </body>
57 </html>
58

```

```

poll_app > results.php
1  <?php
2  require_once __DIR__ . '/config.php';
3
4  $id = intval($_GET['id'] ?? 0);
5  if ($id <= 0) { header('Location: index.php'); exit; }
6
7  $stmt = $mysqli->prepare('SELECT option_text, (SELECT COUNT(*) FROM votes v WHERE v.option_id = po.id) AS votes FROM poll_options po WHERE po.poll_id=?');
8  $stmt->bind_param('i', $id);
9  $stmt->execute();
10 $res = $stmt->get_result();
11
12 $total = 0;
13 $rows = [];
14 while ($r = $res->fetch_assoc()) { $rows[] = $r; $total += (int)$r['votes']; }
15
16 ?>
17 <!doctype html>
18 <html>
19 <head>
20     <meta charset="utf-8">
21     <title>Results</title>
22     <link rel="stylesheet" href="assets/styles.css">
23 </head>
24 <body>
25 <div class="container">
26     <h1>Results</h1>
27     <?php if ($total == 0) echo '<p>No votes yet.</p>'; ?>
28     <ul>
29         <?php foreach ($rows as $r):
30             $v = (int)$r['votes'];
31             $pct = $total ? round($v / $total * 100, 1) : 0;
32         ?>
33         <li><?php echo htmlspecialchars($r['option_text']); ?> - <?php echo $v; ?> votes (<?php echo $pct; ?>%)</li>
34     <?php endforeach; ?>
35 </ul>
36 <p><a href="index.php">Back to polls</a></p>
37 </div>
38 </body>
39 </html>
40

```

```

poll_app > vote.php
1 <?php
2 require_once __DIR__ . '/config.php';
3
4 if ($_SERVER['REQUEST_METHOD'] !== 'POST') {
5     header('Location: index.php'); exit;
6 }
7
8 $poll_id = intval($_POST['poll_id'] ?? 0);
9 $option_id = intval($_POST['option_id'] ?? 0);
10 if ($poll_id <= 0 || $option_id <= 0) {
11     header('Location: poll.php?id=' . $poll_id); exit;
12 }
13
14 // check already voted
15 if (isset($_SESSION['user_id'])) {
16     $v = $mysqli->prepare('SELECT id FROM votes WHERE poll_id=? AND user_id=? LIMIT 1');
17     $v->bind_param('ii', $poll_id, $_SESSION['user_id']);
18     $v->execute();
19     if ($v->get_result()->fetch_assoc()) { header('Location: results.php?id=' . $poll_id); exit; }
20     $uid = $_SESSION['user_id'];
21     $cookieVal = null;
22 } else {
23     $cookieName = 'voted_poll_' . $poll_id;
24     if (!empty($_COOKIE[$cookieName])) { header('Location: results.php?id=' . $poll_id); exit; }
25     // generate a voter cookie
26     $cookieVal = bin2hex(random_bytes(16));
27     $uid = null;
28 }
29
30 $ins = $mysqli->prepare('INSERT INTO votes (poll_id,option_id,user_id,voter_cookie) VALUES (?, ?, ?, ?)');
31 $ins->bind_param('iiis', $poll_id, $option_id, $uid, $cookieVal);
32 try {
33     $ins->execute();
34     if ($cookieVal) setcookie($cookieName, $cookieVal, time()+60*60*24*365, '/');
35 } catch (mysqli_sql_exception $e) {
36     // ignore and redirect to results
37 }
38
39 header('Location: results.php?id=' . $poll_id);
40 exit;
41

```

Login

Username

Password

Register

Username

Password

Confirm Password

Add Task

Title

reading

Description

mckjjaijxamxxsa

Due Date

11 / 28 / 2025

Add

Cancel

My Tasks

Add Task

Logout

All

Title	Due	Status	Actions
reading mckjjaijxamxxsa	2025-11-28	pending	Edit Delete Toggle