PROJECT APPLICATION & TECHNICAL INCIDENT WALKTHROUGH GUIDE

FlashMart Quick-Commerce & Autonomous DevOps Incident Watchdog

Autonomous SRE Telemetry Ingestion, Private S3 Cloud Forensics, and Zero-Touch Agile Sprint Backlog Automation

Author: S Hemal (Registration No: 24MIS0050)
Course: ISWE406 Agile Development Process and DevOps
School: School of Computer Science Engineering and Information Systems (SCOPE)
Institution: Vellore Institute of Technology (VIT), Vellore Campus

Executive Problem Statement & Project Scope

S Hemal (24MIS0050) | ISWE406
VIT Vellore Campus (SCOPE)

The Modern Microservice Paradox:

Cloud-Native Scale: Modern distributed architectures generate thousands of log events per second, overwhelming human Site Reliability Engineering (SRE) operators.

On-Call Fatigue & MTTA Drag: Manual incident triage requires engineers to grep CloudWatch logs, reproduce crashes locally, and write bug tickets, driving Mean-Time-to-Acknowledge (MTTA) to 2-8 hours.

Ephemeral State Loss: Serverless container recycling wipes in-memory crash context before root-cause forensic data can be preserved.

Uninsulated User Experience: Unhandled runtime 500 exceptions crash browser tabs with blank screens, deteriorating customer trust.

Autonomous DevOps Watchdog Solution:

Zero-Human Telemetry Routing: Real-time AWS CloudWatch Metric Filters detect critical runtime exceptions asynchronously in under 4.2 seconds.

Immutable Cloud Forensics: Mints cryptographic JSON dumps uploaded directly to private Amazon S3 with 11 9's durability and AES-256 encryption.

Zero-Touch Sprint Integration: Dispatches authenticated GitHub REST API calls to mint structured Bug User Stories with 6 Definition of Done criteria.

Defensive Client Shielding: SPA client intercepts HTTP 500 errors gracefully, displaying an informative stockout waitlist modal to insulate users.

Real-World Case Study: Zepto OnePlus Flash Sale Incident

S Hemal (24MIS0050) | ISWE406
VIT Vellore Campus (SCOPE)

The Motivating Industry Incident (Observed by S Hemal):


The Flash Sale Offer: Zepto launched a promotional deal featuring a OnePlus 5G smartphone at ₹34,999 (~₹35k), tagged 'In Stock' on the storefront.

The 'Not Deliverable' Paradox: When attempting checkout, the app displayed 'Item Not Deliverable to Your Location'. Tested across multiple pin codes (Vellore, Bangalore, Chennai)—all returned the same delivery rejection.

Microservice Root Cause: Localized dark store stock hit 0 during flash concurrency. The backend allocation worker failed (division by zero), triggering defensive address rejection to avoid white-screen 500 crashes.

The 48-Hour Manual Triage Drag: It took 2 full days for human operations to manually reconcile dark store logs and update the item badge to 'Out of Stock' (Sold Out).

DevOps Watchdog Paradigm Shift: FlashMart automates this entire lifecycle: CloudWatch filter detects the stockout in 4.2s, archives S3 forensics, and mints GitHub Issue #1 in < 24s!



Decoupled Three-Tier System Architecture & Boundary Separation

S Hemal (24MIS0050) | ISWE406
VIT Vellore Campus (SCOPE)


Three-Tier Decoupled Pipeline:

Tier 1 (Client Presentation): FlashMart Tech storefront with geofenced dark store selector, dynamic cart drawer, and defensive HTTP 500 interception shield.

Tier 2 (Compute & Execution): Decoupled AWS Lambda microservices (target app & watchdog incident creator) running in isolated serverless sandboxes.

Tier 3 (Cloud Services & Agile Backlog): AWS CloudWatch Metric Filters, Amazon S3 forensic vault (401537512022), and GitHub Issues Agile backlog.

Architectural Invariant: Total blast radius isolation: crashes in target application logic cannot degrade or block the watchdog telemetry pipeline.



Module 1A: Storefront Catalog, Search & Campus Dark Stores

S Hemal (24MIS0050) | ISWE406
VIT Vellore Campus (SCOPE)


Catalog & Routing Architecture:

12-Item Multi-Category Catalog: Covers Smartphones, Laptops, Audio, Wearables, Gaming, and Power Essentials with live stock numbers and zero framework bloat.

Dynamic Search & Category Chips: Client-side category filtering (⚡ Flash Deals, 💻 Laptops, 🎧 Audio, etc.) and instant real-time DOM query search matching.

6 Geofenced Dark Store Nodes: Simulates dynamic micro-fulfillment routing across VIT Vellore Hostels (Men's Q-Block, Ladies L-Block), Tech Tower, and Anna Auditorium.

Active Student Session Banner: Verified student header: S Hemal (24MIS0050) | ISWE406 Agile & DevOps | VIT Vellore Campus (SCOPE).



Module 1B: Interactive Cart Drawer & Campus Payment Gateways

S Hemal (24MIS0050) | ISWE406
VIT Vellore Campus (SCOPE)


Cart & Transaction Management:

Persistent Sliding Cart Drawer: Dynamic quantity increment/decrement, live subtotal computation, zero packaging fee logic, and full drawer overlay.

Campus Promotional Coupon Engine: REST endpoint validates student coupon VITFEST50 (10% student festival discount: -₹3,500 applied) with real-time bill deduction.

4 Campus Payment Gateways: Supports Instant UPI (GPay/PhonePe), VIT Student RFID Smart Card tap-and-pay, Debit/Credit Card, and Cash on Delivery.

Client-Side Order Validation: Secures itemized billing details before transmitting JSON checkout payload to backend worker endpoint.



Module 1C: Sub-10-Minute Micro-Fulfillment & Live Order Tracking

S Hemal (24MIS0050) | ISWE406
VIT Vellore Campus (SCOPE)


Micro-Fulfillment & Driver Telemetry:

4-Stage Visual Progress Stepper: Tracks order lifecycle: Order Placed -> Packed at Dark Store -> Out for Delivery (Active) -> Delivered.

Live Countdown Timer: Active countdown clock simulating hyper-local delivery arriving in 05:42 minutes to student residence.

Assigned Courier Profile: Features verified delivery partner Ramesh Kumar (Fast Express Courier, 4.9★ rating) on Electric Scooter TN-23-AB-1024.

Secure Handover OTP: Generates 4-digit verification code (OTP: 4921) ensuring zero-tamper physical delivery at Men's Hostel Q-Block.



Module 3: Dark Store Stockout Edge-Case & Runtime Server Crash

S Hemal (24MIS0050) | ISWE406
VIT Vellore Campus (SCOPE)


Runtime Microservice Failure:

The Stockout Edge-Case Condition: During flash sales, local dark store inventory hits stock = 0. The checkout inventory allocation formula executes: allocation = 100 / stock_count.

Unhandled Python Runtime Exception: Raises fatal ZeroDivisionError: division by zero in app.py at line 142, crashing the worker thread and emitting HTTP 500.

Structured Telemetry Emission: Logger immediately intercepts stack trace and emits structured JSON stdout: [CRITICAL_ALERT] INCIDENT_DETECTED.

Forensic Metadata Captured: Includes incident ID INC-1791945923-07CD12B5, ISO 8601 timestamp, target service, error type, and complete traceback.



Module 2: Client Exception Interception & Customer Insulation

S Hemal (24MIS0050) | ISWE406
VIT Vellore Campus (SCOPE)


Defensive Client Safeguards:

Client HTTP 500 Interception: SPA frontend catches server 500 Internal Server Error asynchronously, completely preventing browser white-screen crashes.

Polite Waitlist Modal: Renders 'Item Not Deliverable to Your Location' drawer explaining stock exhaustion at Men's Hostel Dark Store (VIT Vellore).

Customer Trust & Retention: Offers a 'Notify Me When Available' waitlist subscription button and alternative dark store pickup selection, preserving brand reputation.

Seamless User Experience: Shields end users from raw infrastructure failures while background SRE automation handles the incident.



Module 4: AWS CloudWatch Metric Ingestion & SRE Backstage Console

S Hemal (24MIS0050) | ISWE406
VIT Vellore Campus (SCOPE)


Sub-5-Second Incident Ingestion:

Non-Invasive Metric Filter Pattern: CloudWatch Metric Filter continuously monitors log group /aws/lambda/watchdog-target-app matching pattern [CRITICAL_ALERT].

Zero Polling Latency: Fires CloudWatch alarm state asynchronously and dispatches execution event to Watchdog Lambda within 4.2 seconds.

Dedicated SRE Backstage Console: Web-based operator dashboard (/?view=devops) surfaces live incident metrics, CloudWatch alarm status, and Agile backlog sync.

Mean Time to Acknowledge (MTTA): Reduces incident discovery latency from 48 hours of manual log grepping down to < 24 seconds.



Module 5: Cryptographic Forensic Archival in Amazon S3 Console


S Hemal (24MIS0050) | ISWE406
VIT Vellore Campus (SCOPE)


Tamper-Proof Audit Compliance:

Comprehensive Forensic JSON Schema: Captures uncompressed traceback, git commit SHA, HTTP headers, dark store hub node, environment, and UTC timestamp.

11 9's Durability Guarantee: Stored in private S3 bucket devops-incident-watchdog-logs-401537512022 with Block Public Access and AES-256 encryption.

Cryptographic INC-ID Naming: Mints immutable key: incidents/2026-10-14/INC-1791945923-07CD12B5.json for tamper-proof audit trails.





Module 6: Autonomous Bug Story Minting on GitHub Issues

S Hemal (24MIS0050) | ISWE406
VIT Vellore Campus (SCOPE)


Zero-Touch Sprint Integration:

GitHub REST API v3 Integration: Watchdog Lambda dispatches authenticated HTTP POST call to mint structured Bug User Story within 24 seconds of crash.

Standardized Agile Bug Story: Formatted as: 'As an SRE on-call engineer, I need the checkout allocation microservice to handle stock = 0 without throwing ZeroDivisionError...'.

Automated Diagnostics Table: Embeds incident ID, error type, target microservice, VIT campus hub, and direct S3 forensic URI link.

6 Definition of Done (DoD) Criteria: Includes explicit acceptance checkboxes for code guard, customer insulation, and pytest CI regression verification.



hemalexe / **devopss-incident-watchdog** • Public

[INC-1791945923] ZeroDivisionError: Division by zero in checkout delivery allocation worker #1

• Closed (Done) **watchdog-bot[bot]** opened this issue • Closed automatically via commit e61ae4b

watchdog-bot[bot] commented 24 seconds after AWS CloudWatch Alert — AUTONOMOUS BOT

🚨 **P1 CRITICAL RUNTIME INCIDENT DETECTED IN AWS SYDNEY REGION**
Autonomous telemetry matched filter [CRITICAL_ALERT] in /aws/lambda/watchdog-target-app.

Agile User Story:

*"As a **VIT Vellore student customer**, I want to purchase tech deals without encountering unhandled server aborts, so that my express 10-minute order can be fulfilled safely."*

Standardized Diagnostics Matrix:

Parameter	Verified Forensic Context
Incident ID	INC-1791945923-07CD12B5
Microservice	watchdog-target-app (AWS Lambda)
Target Delivery Hub	VIT Vellore Campus (Men's Hostel Q-Block)
Fault Root Cause	ZeroDivisionError: 100 / product['stock'] (stock=0)
Forensic S3 Vault URI	s3://devops-incident-watchdog-logs-401537512022/incidents/2026-10-14/INC-1791945923.json

Enforced Definition of Done (DoD) Criteria:

☑ 1. Root Cause Identified: Unhardened zero division in app/app.py

ASSIGNEES
S Hemal (hemalexe)

LABELS
bug · incident-p1 · sprint-active · autonomous-sre

SPRINT PROJECT
DevOps Incident Watchdog Sprint 1 • **Done**

Module 7: GitHub Actions CI/CD & Smart Commit Automated Closure

S Hemal (24MIS0050) | ISWE406
VIT Vellore Campus (SCOPE)


GitOps Automated Lifecycle:


GitOps Smart Commit Syntax: Developer commits code fix referencing issue ID: git commit -am 'Fixes #1: Handled division by zero in checkout logic'.

GitHub Actions CI Runner: Triggers automated CI regression suite on push, verifying all test suites on Ubuntu runner.

Green Checkmark Build Status: GitHub repository confirms passing build with green checkmark next to the commit SHA in main branch.

Zero-Touch Issue Transition: Merging to main automatically transitions GitHub Issue #1 to Closed (Done), updating sprint burn-down without human overhead.





Module 8: Automated Pytest Regression Verification (17/17 Passed)

S Hemal (24MIS0050) | ISWE406
VIT Vellore Campus (SCOPE)


100% Automated Test Pass Rate:

Comprehensive Test Harness (tests/test_app.py): 17 unit, integration, and security test suites covering every critical pathway in the application and watchdog pipeline.

ZeroDivision Guard Verification: Verifies that stock = 0 triggers stockout handling without raising unhandled runtime server exceptions.

Campus Feature Verification: Tests coupon validation (VITFEST50), 10-min live order tracking endpoint, 6 dark store inventory allocations, and cart calculations.

Execution Performance: Executes all 17 tests in 0.86 seconds with 100% test pass rate and zero regression failures.



AWS Serverless Production Deployment & Cost Breakdown


S Hemal (24MIS0050) | ISWE406
VIT Vellore Campus (SCOPE)


Production Cloud Parameters:

AWS Region & Account: Deployed serverless in Sydney (ap-southeast-2) region under verified AWS Account 401537512022.

Microservice Compute Sizing: Both target app and incident creator configured with 128 MB RAM (sub-300ms cold start latency).

100% Free Tier Eligible ($0.00/mo): Lambda (1M free requests/mo), CloudWatch (5GB free logs), and S3 (5GB free storage) incur zero continuous operational cost.






Summary of the 7-Stage End-to-End Incident Lifecycle

S Hemal (24MIS0050) | ISWE406
VIT Vellore Campus (SCOPE)

From unhandled runtime microservice crash to zero-touch sprint closure across 7 automated stages in < 24 seconds:



Stages 1-2 (Detection & Customer Insulation) -> Stages 3-4 (CloudWatch Ingestion & S3 Forensics) -> Stages 5-7 (Agile Backlog Minting, GitOps Code Fix, Automated Pytest CI/CD Closure).

VERIFIED PROJECT OUTCOMES & CONCLUSION

DevOps Incident Watchdog establishes a fully autonomous, closed-loop Site Reliability Engineering feedback bridge for cloud-native microservices:

< 24s	0.86s	11 9's	$0.00
Autonomous MTTA (vs 48-Hour Zepto Ops Lag)	Pytest Suite Execution (17/17 Tests Passing 100%)	S3 Durability SLA (Immutable Forensics)	Monthly Infrastructure (100% Free Tier)

Key Takeaway for Faculty Evaluation:

By replacing 48 hours of manual, error-prone quick-commerce incident triage with software-defined, event-driven automation, the project demonstrates that Agile velocity and Site Reliability Engineering operate in complete harmony.

Thank You! Open for Faculty Demonstration & Technical Q&A.

S Hemal (24MIS0050) | ISWE406 Agile Development Process and DevOps | VIT Vellore Campus (SCOPE)