Status	Finished
Started	Monday, 26 October 2026, 1:31 AM
Completed	Monday, 26 October 2026, 1:34 AM
Duration	2 mins 58 secs
Grade	**13.00** out of 15.00 (**86.67**%)

Question **1**

Correct

Mark 1.00 out of 1.00

In the context of searching, what is a successful search?

a. When the list is sorted
b. When the search algorithm finishes
c. When the element is found in the list ✓
d. When the list contains duplicate elements

Question **2**

Correct

Mark 1.00 out of 1.00

In binary search, if the target element is less than the middle element, where does the search continue?

a. In the entire list
b. In the left sublist ✓
c. At the beginning of the list
d. In the right sublist

Question **3**

Correct

Mark 1.00 out of 1.00

What happens when the element is found in linear search?

a. The search stops immediately ✓
b. The search starts over from the beginning
c. The search backtracks to find duplicate elements
d. The search continues until the end of the list

Question **4**

Incorrect

Mark 0.00 out of 1.00

Given an array arr = {45,77,89,90,94,99,100} and key = 100; What are the mid values(corresponding array elements) generated in the first and second iterations?

a. 90 and 99

b. 89 and 94

c. 94 and 99 ✗

d. 90 and 100

Question **5**

Incorrect

Mark 0.00 out of 1.00

What happens in a binary search if the list has an even number of elements?

a. The higher middle element is chosen as the middle element

b. The lower middle element is chosen as the middle element ✗

c. The search stops

d. The middle element is chosen randomly

Question **6**

Correct

Mark 1.00 out of 1.00

Which of the following is not the required condition for a binary search algorithm?

a. There should be direct access to the middle element in any sublist

b. Number values should only be present

Number values should only be present

c. The list must be sorted

d. There must be a mechanism to delete and/or insert elements in the list ✓

Question **7**

Correct

Mark 1.00 out of 1.00

Which of the following is a type of searching method?

a. Bubble search

b. Merge search

c. Linear search ✓

d. Quick search

Question **8**

Correct

Mark 1.00 out of 1.00

What is the time complexity of binary search in the worst case?

- a. O(log n) ✓
- b. O(n log n)
- c. O👎
- d. O(1)

Question **9**

Correct

Mark 1.00 out of 1.00

What is searching in the context of computer science?

- a. Sorting elements in a list
- b. Inserting elements into a list
- c. Determining whether an element is present in a list ✓
- d. Deleting elements from a list

Question **10**

Correct

Mark 1.00 out of 1.00

What type of search would be most appropriate for finding an element in a list that is frequently updated?

- a. Interpolation search
- b. Binary search
- c. Hash search
- d. Linear search ✓

Question **11**

Correct

Mark 1.00 out of 1.00

What is the time complexity of linear search in the worst case?

- a. O(n log n)
- b. O(log n)
- c. O👎 ✓
- d. O(1)

Question **12**

Correct

Mark 1.00 out of 1.00

_____sort is the simplest sorting algorithm that works by repeatedly swapping the adjacent elements in case they are unordered in n-1 passes.

a. Selection

b. Complexity

c. Bubble ✓

d. Insertion

Question **13**

Correct

Mark 1.00 out of 1.00

In linear search, if the target element is not found in the list, what is the result?

a. The search is considered unsuccessful ✓

b. The last element is returned

c. An error is raised

d. The first element is returned

Question **14**

Correct

Mark 1.00 out of 1.00

Which of the following best describes the process of a linear search?

a. Sorting the list before searching

b. Dividing the list in half repeatedly

c. Checking each element sequentially ✓

d. Skipping every second element

Question **15**

Correct

Mark 1.00 out of 1.00

In binary search, what happens if the middle element does not match the target element?

a. The search continues in the left or right sublist ✓

b. The search stops

c. The search continues from the beginning

d. The list is sorted