Status	Finished
Started	Thursday, 29 October 2026, 10:29 AM
Completed	Thursday, 29 October 2026, 10:40 AM
Duration	10 mins 22 secs
Grade	**13.00** out of 15.00 (**86.67**%)

Question **1**

Correct

Mark 1.00 out of 1.00

A python tuple can be created without using any parentheses. (True/False)

a. False

b. True ✓

Question **2**

Correct

Mark 1.00 out of 1.00

Which of the following is a Python tuple?

a. [1,2,3,4]

b. {1,3,8,9,41}

c. ("Wonder")

d. (1,4,5,6,7) ✓

Question **3**

Correct

Mark 1.00 out of 1.00

Select which is true for Python tuple?

a. A tuple maintains the order of items ✓

b. We can change the tuple once created

c. None of these

d. A tuple is unordered

Question **4**

Correct

Mark 1.00 out of 1.00

Select all the correct options to remove “ECE” from the set.

```
sampleSet = {"ECE", "R&A", "MCT"}
```

a. sampleSet.delete("ECE")

b. sampleSet.discard("ECE") ✓

c. del.sampleSet("ECE")

d. remove.sampleSet("ECE")

Question **5**

Correct

Mark 1.00 out of 1.00

What is the output of the given below program?

```
t = (58, 47, 36, 25, 14, 3)
x = t[2:-1]
print(x)
```

a. (58,47,36,25)

b. (36, 25, 14) ✓

c. Error

d. (3,14,25)

Question **6**

Correct

Mark 1.00 out of 1.00

Find the output of the given Python program?

```
t1 = (55, 44, 33, 22, 11)
x = [t1[i] for i in range(0, len(t1), 2)]
print(x)
```

a. [55, 33, 11] ✓

b. ([55,33,11])

c. [(55,33,11)]

d. (55,33,11)

Question **7**

Correct

Mark 1.00 out of 1.00

What will be the output of following Python code?

```
set1={0,0,9}

print(set1)
```

a. {9}

b. {0,0,9}

c. {0,9} ✓

d. It will throw an error as there are two 0 while creating the set.

Question **8**

Incorrect

Mark 0.00 out of 1.00

Which of the following options will produce the same output?

```
t = (15, 83, 21, 49, 60,45,52,85,100)
# options i, ii, iii, or iv
print(t[:-1])
print(t[0:5])
print(t[0:8])
print(t[-7:])
```

a. ii,iv

b. iii,iv ✗

c. i,ii

d. i,iii

Question **9**

Incorrect

Mark 0.00 out of 1.00

What will set1|set2 do?

```
If set1={"a","b",3}
set2={3,7}
```

a. A new set will be created with the unique elements of set1 and set2. ✗

b. A new set will be created with the elements of both set1 and set2

c. Elements of set2 will get appended to set1

d. Elements of set1 will get appended to set2

Question **10**

Correct

Mark 1.00 out of 1.00

What is the output of the following

```
set1 = {1, 2, 3, 4, 5}
set2 = {6, 7, 1, 3, 4, 8, 2, 5}

print(set1.issubset(set2))
print(set2.issuperset(set1))
```

a. False
False

b. False
True

c. True ✓
True

d. True
False

Question **11**

Correct

Mark 1.00 out of 1.00

What is the output of the following set operation

```
sampleSet = {"Yellow", "Orange", "Black"}
sampleSet.update(["Blue", "Green", "Red"])
print(sampleSet)
```

a. {'Yellow', 'Orange', 'Black', ["Blue", "Green", "Red"]}

b. TypeError: update() doesn't allow list as a argument.

c. {'Yellow', 'Orange', 'Red', 'Black', 'Green', 'Blue'} ✓

d. Name Error

Question **12**

Correct

Mark 1.00 out of 1.00

What will be the output of the below Python code?

t1=(55,12,78,64,25)

t1.pop(12)

print(tuple1)

- a. 12
- b. Error ✓
- c. (12)
- d. (55,78,64,25)

Question **13**

Correct

Mark 1.00 out of 1.00

What is the output of the given below program?

```
t1 = (1,2,3)
t2 = (4,5,6)
x = t1+t2
print(x)
```

- a. Error
- b. (1,2,3)(4,5,6)
- c. (1,2,3,3,2,1)
- d. (1,2,3,4,5,6) ✓

Question **14**

Correct

Mark 1.00 out of 1.00

Find the output of the given Python program?

```
>>>t = (1, 2, 4, 3, 8, 9)
>>>[t[i] for i in range(0, len(t), 2)]
```

- a. [1, 4, 8] ✓
- b. (1, 4, 8)
- c. [1, 2, 4, 3, 8, 9]
- d. [2, 3, 9]

Question **15**

Correct

Mark 1.00 out of 1.00

What is the output of the following

```
set1 = {10, 20, 30, 40, 50}
set2 = {60, 70, 10, 30, 40, 80, 20, 50}

print(set1.issubset(set2))
print(set2.issuperset(set1))
```

a. True
False

b. False
True

c. False
False

d. True ✓
True