

## Experiment 5

**AIM: Deploy a simple app using nginx.**

Step 1: Download from <https://git-scm.com>

Step 2: C:\Users\Admin\nnginx-demo-1> \$ cd ngignx-demo-1

C:\Users\Admin\nnginx-demo-1>\$ npm init -y

Wrote to c:\ngignx-demo-1\package.json:

```
{
  "name": "ngignx-demo",
  "version": "1.0.0",
  "main": "index.js",
  "scripts": {
    "test": "echo \"Error: no test specified\" fifi exit 1"
  },
  "keywords": [],
  "author": "",
  "license": "ISC",
  "dependencies": {
    "express": "^5.2.1"
  },
  "devDependencies": {},
  "repository": {
    "type": "git",
    "url": "git+https://github.com/hemanshijalu126463-prog/OST.git"
  },
}
```



```
"bugs": {  
  "url": "https://github.com/hemanshijalu126463-prog/OST/issues"  
},  
"homepage": "https://github.com/hemanshijalu126463-prog/OST#readme",  
"description": ""  
}
```

```
C:\Users\Admin\nnginx-demo>$ npm install express
```

```
up to date, audited 66 packages in 2s
```

```
22 packages are looking for funding
```

```
run `npm fund` for details
```

```
found 0 vulnerabilities
```

Step 3: Create index.js

```
const express = require("express");  
const app = express();  
app.get("/", (req, res) => {  
  res.send("<h1>Hello BE 6th SEM - Deployed using Nginx /h1>");  
});  
app.get("/about", (req, res) => {  
  res.send("<h2>About Page - Nginx Reverse Proxy Demo </h2>");  
});  
app.listen(3000, () => {
```

```
console.log("App running on http://localhost:3000");
```

```
});
```

Step 4: Run the application

```
node index.js
```

Step 5: Download Nginx

Step 6: Configure nginx.conf

```
worker_processes 1;
```

```
events
```

```
{ worker_connections
```

```
1024;
```

```
}
```

```
http
```

```
{ server
```

```
{ listen
```

```
8080;
```

```
server_name localhost;
```

```
location / {
```

```
proxy_pass http://localhost:3000;
```

```
}
```

```
}
```

```
}
```

Step 7: Start Nginx

Open New CMD

```
D:\nginx-1.28.2>nginx -t
```


```
nginx: the configuration file D:\nginx-1.28.2/conf/nginx.conf syntax is ok
```

```
nginx: configuration file D:\nginx-1.28.2/conf/nginx.conf test is successful
```

Step 8: Reverse Proxy

Open browser:  
<http://localhost:8080>

Output:





```
Ca. Command Prompt
Microsoft Windows [Version 10.0.19045.6456]
(c) Microsoft Corporation. All rights reserved.

C:\Users\Admin>mkdir nginx-demo-1
A subdirectory or file nginx-demo-1 already exists.

C:\Users\Admin>cd nginx-demo-1

C:\Users\Admin\nginx-demo-1>npm init -y
Unknown command: "init-y"

Did you mean this?
  npm init # Create a package.json file
To see a list of supported npm commands, run:
  npm help

C:\Users\Admin\nginx-demo-1>npm init -y
Wrote to C:\Users\Admin\nginx-demo-1\package.json:

{
  "name": "nginx-demo-1",
  "version": "1.0.0",
  "description": "",
  "main": "index.js",
  "scripts": {
    "test": "echo \"Error: no test specified\" && exit 1"
  },
  "keywords": [],
  "author": "",
  "license": "ISC",
  "type": "commonjs",
  "dependencies": {
    "express": "^5.2.1"
  },
  "devDependencies": {}
}

up to date, audited 66 packages in 4s

22 packages are looking for funding
  run `npm fund` for details

found 0 vulnerabilities

C:\Users\Admin\nginx-demo-1>npm install express

up to date, audited 66 packages in 2s
```