




Figure 1. Soil carbon stock by lake, year and season. Small points are site values; lines show means and bars show sample SD across five sites. Equal site weighting; repeated sites across seasons. Source: Scatter Plot.xlsx. Unit: Mg C per hectare.




Figure 2. Phytoplankton carbon by lake, year and season. Small points are site values; lines show means and bars show sample SD across five sites. Equal site weighting; repeated sites across seasons. Source: Scatter Plot.xlsx. Phytoplankton-carbon unit is not supplied.




Figure 3. Reported TBC means from Scatter Plot.xlsx, Line_Graph. The monsoon mean is highest in both lakes and years. Units and the meaning of the supplied +/- values are unconfirmed, so no error bars are drawn. The TBC-labelled raw block duplicates TDS and is excluded.




Figure 4. Soil carbon stock versus Soil temperature. Panels separate lakes; seasons use different symbols. Both years are included (40 records per lake). X limits are shared, but y limits are lake-specific; apparent slopes should not be compared across panels. Numeric values are unaltered. Environmental units are not supplied.




Figure 5. Soil carbon stock versus Soil pH. Panels separate lakes; seasons use different symbols. Both years are included (40 records per lake). X limits are shared, but y limits are lake-specific; apparent slopes should not be compared across panels. Numeric values are unaltered. Environmental units are not supplied.




Figure 6. Soil carbon stock versus Bulk density. Panels separate lakes; seasons use different symbols. Both years are included (40 records per lake). X limits are shared, but y limits are lake-specific; apparent slopes should not be compared across panels. Numeric values are unaltered. Environmental units are not supplied.




Figure 7. Soil carbon stock versus Soil moisture. Panels separate lakes; seasons use different symbols. Both years are included (40 records per lake). X limits are shared, but y limits are lake-specific; apparent slopes should not be compared across panels. Numeric values are unaltered. Environmental units are not supplied.




Figure 8. Soil carbon stock versus Soil organic carbon (SOC). Panels separate lakes; seasons use different symbols. Both years are included (40 records per lake). X limits are shared, but y limits are lake-specific; apparent slopes should not be compared across panels. Numeric values are unaltered. Environmental units are not supplied.




Figure 9. Soil carbon stock versus Available nitrogen. Panels separate lakes; seasons use different symbols. Both years are included (40 records per lake). X limits are shared, but y limits are lake-specific; apparent slopes should not be compared across panels. Numeric values are unaltered. Environmental units are not supplied.




Figure 10. Soil carbon stock versus Available phosphorus. Panels separate lakes; seasons use different symbols. Both years are included (40 records per lake). X limits are shared, but y limits are lake-specific; apparent slopes should not be compared across panels. Numeric values are unaltered. Environmental units are not supplied.




Figure 11. Soil carbon stock versus Available potassium. Panels separate lakes; seasons use different symbols. Both years are included (40 records per lake). X limits are shared, but y limits are lake-specific; apparent slopes should not be compared across panels. Numeric values are unaltered. Environmental units are not supplied.




Figure 12. Phytoplankton carbon versus Water temperature. Panels separate lakes; seasons use different symbols. Both years are included (40 records per lake). X limits are shared, but y limits are lake-specific; apparent slopes should not be compared across panels. Numeric values are unaltered. Environmental units are not supplied.




Figure 13. Phytoplankton carbon versus Free CO₂. Panels separate lakes; seasons use different symbols. Both years are included (40 records per lake). X limits are shared, but y limits are lake-specific; apparent slopes should not be compared across panels. Numeric values are unaltered. Environmental units are not supplied.




Figure 14. Phytoplankton carbon versus Total hardness. Panels separate lakes; seasons use different symbols. Both years are included (40 records per lake). X limits are shared, but y limits are lake-specific; apparent slopes should not be compared across panels. Numeric values are unaltered. Environmental units are not supplied.




Figure 15. Soil carbon stock and soil variables. Reported Pearson correlations from Heatmap.xlsx / heatmap1; N = 80 records per pair. Upper-triangle duplicates are omitted. No significance stars are shown; repeated-site dependence and multiple comparisons are not adjusted.




Figure 16. TBC and soil variables — reported coefficients. Reported Pearson correlations from Heatmap.xlsx / heatmap2; N = 80 records per pair. Upper-triangle duplicates are omitted. No significance stars are shown; repeated-site dependence and multiple comparisons are not adjusted. TBC response coefficients cannot be checked against authentic raw biomass data.




Figure 17. TBC and water variables — reported coefficients. Reported Pearson correlations from Heatmap.xlsx / heatmap3; N = 80 records per pair. Block 1 of 3; all three blocks are needed for the complete matrix. Upper-triangle duplicates are omitted. No significance stars are shown; repeated-site dependence and multiple comparisons are not adjusted. TBC response coefficients cannot be checked against authentic raw biomass data.




Figure 18. TBC and water variables — reported coefficients. Reported Pearson correlations from Heatmap.xlsx / heatmap3; N = 80 records per pair. Block 2 of 3; all three blocks are needed for the complete matrix. Upper-triangle duplicates are omitted. No significance stars are shown; repeated-site dependence and multiple comparisons are not adjusted. TBC response coefficients cannot be checked against authentic raw biomass data.




Figure 19. TBC and water variables — reported coefficients. Reported Pearson correlations from Heatmap.xlsx / heatmap3; N = 80 records per pair. Block 3 of 3; all three blocks are needed for the complete matrix. Upper-triangle duplicates are omitted. No significance stars are shown; repeated-site dependence and multiple comparisons are not adjusted. TBC response coefficients cannot be checked against authentic raw biomass data.




Figure 20. Phytoplankton carbon and water variables. Reported Pearson correlations from Heatmap.xlsx / heatmap4; N = 80 records per pair. Block 1 of 3; all three blocks are needed for the complete matrix. Upper-triangle duplicates are omitted. No significance stars are shown; repeated-site dependence and multiple comparisons are not adjusted.




Figure 21. Phytoplankton carbon and water variables. Reported Pearson correlations from Heatmap.xlsx / heatmap4; N = 80 records per pair. Block 2 of 3; all three blocks are needed for the complete matrix. Upper-triangle duplicates are omitted. No significance stars are shown; repeated-site dependence and multiple comparisons are not adjusted.




Figure 22. Phytoplankton carbon and water variables. Reported Pearson correlations from Heatmap.xlsx / heatmap4; N = 80 records per pair. Block 3 of 3; all three blocks are needed for the complete matrix. Upper-triangle duplicates are omitted. No significance stars are shown; repeated-site dependence and multiple comparisons are not adjusted.




Figure 23. Soil environmental variables versus carbon responses: coefficients as reported in Heatmap.xlsx. Each entry uses 80 records. TBC coefficients are not verified against raw biomass data. Values are pooled associations, not season- or site-adjusted effects.




Figure 24. Water environmental variables versus carbon responses: coefficients as reported in Heatmap.xlsx. Each entry uses 80 records. TBC coefficients are not verified against raw biomass data. Values are pooled associations, not season- or site-adjusted effects.




Figure 25. Soil measurements from PCA.xlsx. Boxes pool ten records per lake-season across two years; points show every record, with circles for 2022 and triangles for 2023. Box/whisker conventions are described in the notebook. Different variables have different y scales; units are not specified in the source headers.




Figure 26. Soil measurements from PCA.xlsx. Boxes pool ten records per lake-season across two years; points show every record, with circles for 2022 and triangles for 2023. Box/whisker conventions are described in the notebook. Different variables have different y scales; units are not specified in the source headers.




Figure 27. Soil measurements from PCA.xlsx. Boxes pool ten records per lake-season across two years; points show every record, with circles for 2022 and triangles for 2023. Box/whisker conventions are described in the notebook. Different variables have different y scales; units are not specified in the source headers.




Figure 28. Soil measurements from PCA.xlsx. Boxes pool ten records per lake-season across two years; points show every record, with circles for 2022 and triangles for 2023. Box/whisker conventions are described in the notebook. Different variables have different y scales; units are not specified in the source headers.




Figure 29. Water measurements from PCA.xlsx. Boxes pool ten records per lake-season across two years; points show every record, with circles for 2022 and triangles for 2023. Box/whisker conventions are described in the notebook. Different variables have different y scales; units are not specified in the source headers.




Figure 30. Water measurements from PCA.xlsx. Boxes pool ten records per lake-season across two years; points show every record, with circles for 2022 and triangles for 2023. Box/whisker conventions are described in the notebook. Different variables have different y scales; units are not specified in the source headers.




Figure 31. Water measurements from PCA.xlsx. Boxes pool ten records per lake-season across two years; points show every record, with circles for 2022 and triangles for 2023. Box/whisker conventions are described in the notebook. Different variables have different y scales; units are not specified in the source headers.




Figure 32. Water measurements from PCA.xlsx. Boxes pool ten records per lake-season across two years; points show every record, with circles for 2022 and triangles for 2023. Box/whisker conventions are described in the notebook. Different variables have different y scales; units are not specified in the source headers.




Figure 33. Water measurements from PCA.xlsx. Boxes pool ten records per lake-season across two years; points show every record, with circles for 2022 and triangles for 2023. Box/whisker conventions are described in the notebook. Different variables have different y scales; units are not specified in the source headers.




Figure 34. Water measurements from PCA.xlsx. Boxes pool ten records per lake-season across two years; points show every record, with circles for 2022 and triangles for 2023. Box/whisker conventions are described in the notebook. Different variables have different y scales; units are not specified in the source headers.




Figure 35. Water measurements from PCA.xlsx. Boxes pool ten records per lake-season across two years; points show every record, with circles for 2022 and triangles for 2023. Box/whisker conventions are described in the notebook. Different variables have different y scales; units are not specified in the source headers.




Figure 36. Soil PCA of sample-SD-standardised measurements: variance explained by each component (bars) and cumulative percentage (line). All measured variables in this compartment are retained. Identifiers are excluded.




Figure 37. Water PCA of sample-SD-standardised measurements: variance explained by each component (bars) and cumulative percentage (line). All measured variables in this compartment are retained. Identifiers are excluded.




Figure 38. Soil PCA scores for PC1 and PC2, with lake colours and season symbols. Both components are obtained from the same PCA of all 80 records. Both years are pooled; coincident observations may overlap. The plot is descriptive and does not test separation between groups.




Figure 39. Water PCA scores for PC1 and PC2, with lake colours and season symbols. Both components are obtained from the same PCA of all 80 records. Both years are pooled; coincident observations may overlap. The plot is descriptive and does not test separation between groups.




Figure 40. Soil PCA scores for PC1 and PC2, with lake colours and season symbols. Both components are obtained from the same PCA of all 80 records. Year panels share limits and preserve equal x/y scale. The plot is descriptive and does not test separation between groups.




Figure 41. Water PCA scores for PC1 and PC2, with lake colours and season symbols. Both components are obtained from the same PCA of all 80 records. Year panels share limits and preserve equal x/y scale. The plot is descriptive and does not test separation between groups.




Figure 42. Correlation between each standardised soil variable and PC1-PC4. All variables are shown; raw workbook column names identify them. The same fixed -1 to +1 colour scale is used throughout. Signs of entire PCs may reverse without changing the PCA.




Figure 43. Correlation between each standardised water variable and PC1-PC4. All variables are shown; raw workbook column names identify them. The same fixed -1 to +1 colour scale is used throughout. Signs of entire PCs may reverse without changing the PCA.