

**A
PROJECT REPORT
ON
SHOPPING MART**

Submitted to:

**KURUKSHETRA UNIVERSITY,
KURUKSHETRA**

In the partial fulfilment of the requirement for
B.VOC (SOFTWARE DEVELOPMENT) SEM-II

Session 2021-2022



Under The Guidance Of

Ms. Shaina

Assistant Professor

Department Of Computer Science

Submitted By:

Krish Dhiman

B.VOC (SD) SEM-II

University Roll No 210121714

College RollNo.1211673042033

**SANATAN DHARMA COLLEGE
AMBALA CANTT**

DECLARATION

I hereby declare that this submission is my own work and that to the best of my knowledge and belief. It contains no material previously published or written by another person nor material which to a substantial extent has been accepted for the Award of any other degree or diploma of the university or other institute of higher learning, except where acknowledgement has been made in the next.



Krish Dhiman

CERTIFICATE-I

It is to validate that **Krish Dhiman** S/O Mr. **Sanjeev Kumar** of class B. Voc (Software Development)- 1st Year under **University Roll No 210121714 College Roll No. 1211673042033** has completed the project titled "**Shopping Mart**" in languages PHP, HTML and CSS for the degree of Bachelors in Vocation (Software Development)- Semester-II under my supervision. The work done in project is a result of the candidate's own efforts and report maintains is satisfied as per requirement.

I wish him good success in his future.



Ms. Shaina
Project Guide
Department Of Computer Science

CERTIFICATE-II

It is to validate that **Krish Dhiman S/O Mr. Sanjeev Kumar** of class B. Voc (Software Development)- 1st Year under **University Roll No 210121714 College Roll No. 1211673042033** has completed the project titled "**Shopping Mart**" in languages PHP, HTML and CSS for the degree of Bachelors in Vocation (Software Development)- Semester-II under the supervision of Ms. Shaina . The work done in project is a result of the candidate's own efforts and report maintains is satisfied as per requirement.

We wish him good success in his future.



Dr Girdhar Gopal

H.O.D.

Department Of Computer Science



Dr. Rajinder Singh

Principal

Santan Dharma College

Ambala Cantt

ACKNOWLEDGEMENT

I take this opportunity to express my profound gratitude and deep regard to my guide Ms. Shaina, Department of Computer Science for her exemplary guidance, monitoring and constant encouragement throughout the course of this project. The blessing, help and guidance given by her time to time shall carry me a long way in the journey of life on which I am about to embark.

I am obliged to staff members of **SANATAN DHARMA COLLEGE, AMBALA CANTT** for the valuable information provided by them in their respective fields. I am grateful for their cooperation during the period of my assignment.

Lastly, I thank almighty, my parents and my classmates for their constant encouragement without which this assignment would not have been possible.

Krish Dhiman

INDEX

1. INTRODUCTION	1
2. SOFTWARE AND HARDWARE REQUIREMENTS	2
3. INTRODUCTION TO LANGUAGES	3/12
4. CODING	13/38
5. SCREENSHOTS	39/41
6. CONCLUSION	
7. BIBLIOGRAPHY/REFERENCES	

INTRODUCTION

Online shopping through app has become very popular these days because people find it convenient and easy to shop from their home or office. People can save their time and energy by purchasing products online with some discounts. The offers on the internet can be easily compared, and the buyer can buy the product according to their favorable conditions like price, quality and other discounts for their individual needs. The next generation of mobile phone "SMART Phones", has opened the new paths of using specially designed apps. We have most of the companies making use of this trend of getting their company products available on their website for sale, to be accessed via the app. They are also coming out with some great offers to attract customers to download and use their apps more rather than accessing their website.

HARDWARE AND SOFTWARE REQUIREMENTS

1.HARDWARE REQUIREMENTS -

- ❖ Pentium - IV (Processor)
- ❖ 256 MB Ram
- ❖ 512 KB Cache Memory
- ❖ Hard disk 10 GB
- ❖ Microsoft Compatible 101 or more Key Board

2.SOFTWARE REQUIREMENTS -

- | | |
|---------------------|---------------|
| ❖ Operating System: | Windows |
| ❖ Web - Technology: | PHP |
| ❖ Front - End: | HTML and CSS |
| ❖ Back - End: | MySQL |
| ❖ Web Server: | Apache SERVER |

INTRODUCTION TO LANGUAGES

1. INTRODUCTION TO HTML -

HTML is the standard markup language for creating Web pages.

1.1 What is HTML?

- HTML stands for Hyper Text Markup Language
- HTML is the standard markup language for creating Web pages
- HTML describes the structure of a Web page
- HTML consists of a series of elements
- HTML elements tell the browser how to display the content
- HTML elements label pieces of content such as "this is a heading", "this is a paragraph", "this is a link", etc.

1.2 A Simple HTML Document

Example

```
•
<!DOCTYPE html>
<html>
<head>
<title>Page Title</title>
</head>
<body>

<h1>My First Heading</h1>
<p>My first paragraph.</p>

</body>
</html>
```

1.3 Example Explained

- The `<!DOCTYPE html>` declaration defines that this document is an HTML5 document.
- The `<html>` element is the root element of an HTML page.
- The `<head>` element contains meta information about the HTML page.
- The `<title>` element specifies a title for the HTML page (which is shown in the browser's title bar or in the page's tab).
- The `<body>` element defines the document's body, and is a container for all the visible contents, such as headings, paragraphs, images, hyperlinks, tables, lists, etc.
- The `<h1>` element defines a large heading.
- The `<p>` element defines a paragraph.

1.4 What is an HTML Element?

An HTML element is defined by a start tag, some content, and an end tag:

`<tagname> Content goes here... </tagname>`

The HTML **element** is everything from the start tag to the end tag:

`<h1>My First Heading</h1>`

`<p>My first paragraph.</p>`

Start tag	Element content	End tag
<code><h1></code>	My First Heading	<code></h1></code>
<code><p></code>	My first paragraph.	<code></p></code>
<code>
</code>	none	none

1.5 Web Browsers

The purpose of a web browser (Chrome, Edge, Firefox, Safari) is to read HTML documents and display them correctly.

A browser does not display the HTML tags, but uses them to determine how to display the document:

1.6 HTML History

Since the early days of the World Wide Web, there have been many versions of HTML:

Year	Version
1989	Tim Berners-Lee invented www
1991	Tim Berners-Lee invented HTML
1993	Dave Raggett drafted HTML+
1995	HTML Working Group defined HTML 2.0
1997	W3C Recommendation: HTML 3.2
1999	W3C Recommendation: HTML 4.01
2000	W3C Recommendation: XHTML 1.0
2008	WHATWG HTML5 First Public Draft
2012	<u>WHATWG HTML5 Living Standard</u>
2014	<u>W3C Recommendation: HTML5</u>
2016	W3C Candidate Recommendation: HTML 5.1
2017	<u>W3C Recommendation: HTML5.1 2nd Edition</u>
2017	<u>W3C Recommendation: HTML5.2</u>

2. INTRODUCTION TO CSS -

CSS stands for Cascading Style Sheets.

CSS saves a lot of work. It can control the layout of multiple web pages all at once.

2.1 What is CSS?

- CSS stands for Cascading Style Sheets.
- CSS describes how HTML elements are to be displayed on screen, paper, or in other media.

- CSS saves a lot of work. It can control the layout of multiple web pages all at once.

External stylesheets are stored in CSS files.

2.2 Why Use CSS?

CSS is used to define styles for your web pages, including the design, layout and variations in display for different devices and screen sizes.

CSS EXAMPLES

```
body {
  background-color: lightblue;
}
```

```
h1 {
  color: white;
  text-align: center;
}
```

```
p {
  font-family: verdana;
  font-size: 20px;
}
```

2.3 CSS Solved a Big Problem

HTML was NEVER intended to contain tags for formatting a web page!

HTML was created to describe the content of a web page, like:

```
<h1>This is a heading</h1>
```

```
<p>This is a paragraph.</p>
```

When tags like , and color attributes were added to the HTML 3.2 specification, it started a nightmare for web developers. Development of large websites, where fonts and color information were added to every single page, became a long and expensive process.

To solve this problem, the World Wide Web Consortium (W3C) created CSS.

CSS removed the style formatting from the HTML page!

2.4 Using CSS

CSS can be added to HTML documents in 3 ways:

- **Inline** - by using the style attribute inside HTML elements
- **Internal** - by using a <style> element in the <head> section
- **External** - by using a <link> element to link to an external CSS file

The most common way to add CSS, is to keep the styles in external CSS files. However, in this tutorial we will use inline and internal styles, because this is easier to demonstrate, and easier for you to try it yourself.

Inline CSS

An inline CSS is used to apply a unique style to a single HTML element.

An inline CSS uses the style attribute of an HTML element.

The following example sets the text color of the <h1> element to blue, and the text color of the <p> element to red:

Example

```
<h1 style="color:blue;">A Blue Heading</h1>
```

```
<p style="color:red;">A red paragraph.</p>
```

Internal CSS

An internal CSS is used to define a style for a single HTML page.

An internal CSS is defined in the <head> section of an HTML page, within a <style> element.

The following example sets the text color of ALL the <h1> elements (on that page) to blue, and the text color of ALL the <p> elements to red. In addition, the page will be displayed with a "powderblue" background color:

Example

```
<!DOCTYPE html>
<html>
<head>
<style>
body {background-color: powderblue;}
h1 {color: blue;}
p {color: red;}
</style>
</head>
<body>
<h1>This is a heading</h1>
<p>This is a paragraph.</p>

</body>
</html>
```

External CSS

An external style sheet is used to define the style for many HTML pages.

To use an external style sheet, add a link to it in the <head> section of each HTML page:

Example

```
<!DOCTYPE html>
<html>
<head>
<link rel="stylesheet" href="styles.css">
```

```
</head>
<body>

<h1>This is a heading</h1>
<p>This is a paragraph.</p>
```

```
</body>
</html>
```

The external style sheet can be written in any text editor. The file must not contain any HTML code, and must be saved with a .css extension.

Here is what the "styles.css" file looks like:

```
"styles.css":
body {
    background-color: powderblue;
}
h1 {
    color: blue;
}
p {
    color: red;
}
```

3. INTRODUCTION TO MY SQL -

SQL is a standard language for accessing and manipulating databases.

3.1 What is SQL?

- SQL stands for Structured Query Language.

SQL lets you access and manipulate databases.

- SQL became a standard of the American National Standards Institute (ANSI) in 1986, and of the International Organization for Standardization (ISO) in 1987.

•

3.2 What Can SQL do?

- SQL can execute queries against a database.
- SQL can retrieve data from a database.
- SQL can insert records in a database.
- SQL can update records in a database.

- SQL can delete records from a database.
- SQL can create new databases.
- SQL can create new tables in a database.
- SQL can create stored procedures in a database.
- SQL can create views in a database.
- SQL can set permissions on tables, procedures, and views.

3.3 SQL is a Standard - BUT....

Although SQL is an ANSI/ISO standard, there are different versions of the SQL language.

However, to be compliant with the ANSI standard, they all support at least the major commands (such as SELECT, UPDATE, DELETE, INSERT, WHERE) in a similar manner.

3.4 Using SQL in Your Web Site

To build a web site that shows data from a database, you will need:

- An RDBMS database program (i.e. MS Access, SQL Server, MySQL).
- To use a server-side scripting language, like PHP or ASP.
- To use SQL to get the data you want.
- To use HTML / CSS to style the page.

3.5 RDBMS

RDBMS stands for Relational Database Management System.

RDBMS is the basis for SQL, and for all modern database systems such as MS SQL Server, IBM DB2, Oracle, MySQL, and Microsoft Access.

The data in RDBMS is stored in database objects called tables. A table is a collection of related data entries and it consists of columns and rows.

Look at the "Customers" table:

Example

```
SELECT * FROM Customers;
```

Every table is broken up into smaller entities called fields. The fields in the Customers table consist of CustomerID, CustomerName, ContactName, Address, City, PostalCode and Country. A field is a column in a table that is designed to maintain specific information about every record in the table.

A record, also called a row, is each individual entry that exists in a table. For example, there are 91 records in the above Customers table. A record is a horizontal entity in a table.

A column is a vertical entity in a table that contains all information associated with a specific field in a table.

4. INTRODUCTION TO PHP -

PHP code is executed on the server.

4.1 What is PHP?

- PHP is an acronym for "PHP: Hypertext Preprocessor".
- PHP is a widely-used, open source scripting language.
- PHP scripts are executed on the server.
- PHP is free to download and use.

4.2 What is a PHP File?

- PHP files can contain text, HTML, CSS, JavaScript, and PHP code.
- PHP code is executed on the server, and the result is returned to the browser as plain HTML.
- PHP files have extension ".php".

4.3 What Can PHP Do?

- PHP can generate dynamic page content
- *PHP can create, open, read, write, delete, and close files on the server
- PHP can collect form data
- PHP can send and receive cookies
- PHP can add, delete, modify data in your database
- PHP can be used to control user-access
- PHP can encrypt data

With PHP you are not limited to output HTML. You can output images, PDF files, and even Flash movies. You can also output any text, such as XHTML and XML.

4.4 Why PHP?

- PHP runs on various platforms (Windows, Linux, Unix, Mac OS X, etc.).
- PHP is compatible with almost all servers used today (Apache, IIS, etc.).
- PHP supports a wide range of databases.
- PHP is free. Download it from the official PHP resource: www.php.net.
- PHP is easy to learn and runs efficiently on the server side.

4.5 Easy Learning with "PHP Tryit"

With our online "PHP Tryit" editor, you can edit the PHP code, and click on a button to view the result.

Example

```
<!DOCTYPE html>
<html>
<body>
  <?php
  echo "My first PHP script!";
?>

</body>
</html>
```

INTRODUCTION TO JAVASCRIPT -

JavaScript (often shortened to **JS**) is a lightweight, interpreted, object-oriented language with first-class functions, and is best known as the scripting language for Web pages, but it's used in many non-browser environments as well. It is a prototype-based, multi-paradigm scripting language that is dynamic, and supports object-oriented, imperative, and functional programming styles.

JavaScript runs on the client side of the web, which can be used to design / program how the web pages behave on the occurrence of an event. JavaScript is an easy to learn and also powerful scripting language, widely used for controlling web page behavior.

Contrary to popular misconception, **JavaScript is not "Interpreted Java"**. In a nutshell, JavaScript is a dynamic scripting language supporting prototype based object construction. The basic syntax is intentionally similar to both Java and C++ to reduce the number of new concepts required to learn the language. Language constructs, such as if statements, for and while loops, and switch and try ... catch blocks function the same as in these languages (or nearly so).

JavaScript can function as both a procedural and an object oriented language. Objects are created programmatically in JavaScript, by attaching methods and properties to otherwise empty objects **at run time**, as opposed to the syntactic class definitions common in compiled languages like C++ and Java. Once an object has been constructed it can be used as a blueprint (or prototype) for creating similar objects.

JavaScript's dynamic capabilities include runtime object construction, variable parameter lists, function variables, dynamic script creation (via eval), object introspection (via for ... in), and source code recovery (JavaScript programs can decompile function bodies back into their source text).

CODING

1. HTML

1.1 Index.html -

```
<!DOCTYPE html>
<html>
<head>
<!-- Basic -->
<meta charset="utf-8" />
<meta http-equiv="X-UA-Compatible" content="IE=edge" />
<!-- Mobile Metas -->
<meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no" />
<!-- Site Metas -->
<meta name="keywords" content="" />
<meta name="description" content="" />
<meta name="author" content="" />
<title>Watcher</title>

<!-- slider stylesheet -->
<link rel="stylesheet" type="text/css"
href="https://cdnjs.cloudflare.com/ajax/libs/OwlCarousel2/2.1.3/assets/owl.carousel.min.css" />

<!-- bootstrap core css -->
<link rel="stylesheet" type="text/css" href="css/bootstrap.css" />

<!-- fonts style -->
<link href="https://fonts.googleapis.com/css?family=Dosis:400,500|Poppins:400,700&display=swap"
rel="stylesheet">
<!-- Custom styles for this template -->
<link href="css/style.css" rel="stylesheet" />
<!-- responsive style -->
<link href="css/responsive.css" rel="stylesheet" />
</head>

<body>
<div class="hero_area">
<!-- header section strats -->
<header class="header_section">
<div class="container-fluid">
<nav class="navbar navbar-expand-lg custom_nav-container pt-3">
<a class="navbar-brand" href="index.html">
<span>
Watcher
</span>
</a>
<button class="navbar-toggler" type="button" data-toggle="collapse" data-
target="#navbarSupportedContent"
aria-controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle navigation">
<span class="navbar-toggler-icon"></span>
</button>

<div class="collapse navbar-collapse" id="navbarSupportedContent">
<div class="d-flex ml-auto flex-column flex-lg-row align-items-center">
<ul class="navbar-nav ">
```

```

<li class="nav-item active">
<a class="nav-link" href="index.html">Home <span class="sr-only">(current)</span></a>
</li>
<li class="nav-item">
<a class="nav-link" href="about.html"> About </a>
</li>
<li class="nav-item">
<a class="nav-link" href="watch.html"> Our Watches </a>
</li>
<li class="nav-item">
<a class="nav-link" href="contact.html">Contact us</a>
</li>
</ul>
<form class="form-inline my-2 my-lg-0 ml-0 ml-lg-4 mb-3 mb-lg-0">
<button class="btn my-2 my-sm-0 nav_search-btn" type="submit"></button>
</form>
</div>
</div>
</div>
</nav>
</div>
</header>
<!-- end header section -->
<!-- slider section -->
<section class="slider_section position-relative">
<div id="carouselExampleControls" class="carousel slide" data-ride="carousel">
<div class="carousel-inner">
<div class="carousel-item active">
<div class="slider_item-box">
<div class="slider_item-container">
<div class="container">
<div class="row">
<div class="col-md-5">
<div class="slider_img-box">
<div>

</div>
</div>
</div>
<div class="col-md-7">
<div class="slider_item-detail">
<div>
<h1>
Stylish watches
</h1>
<p>
EXPLORE THE WATCHER COLLECTION OF PRESTIGIOUS , HIGH - PRECISION
TIMEPIECES.
</p>
<div class="d-flex">
<a href="" class="slider-btn1 mr-3">
Read More
</a>
<a href="" class="slider-btn2">
Contact Us
</a>
</div>
</div>
</div>
</div>
</div>
</div>

```

```

</div>
</div>
</div>
</div>
<div class="carousel-item">
<div class="slider_item-box">
<div class="slider_item-container">
<div class="container">
<div class="row">
<div class="col-md-5">
<div class="slider_img-box">
<div>

</div>
</div>
</div>
<div class="col-md-7">
<div class="slider_item-detail">
<div>
<h1>
Stylish watches
</h1>
<p>
EXPLORE THE WATCHER COLLECTION OF PRESTIGIOUS , HIGH - PRECISION
TIMEPIECES.
</p>
<div class="d-flex">
<a href="" class="slider-btn1 mr-3">
Read More
</a>
<a href="" class="slider-btn2">
Contact Us
</a>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
<div class="carousel-item">
<div class="slider_item-box">
<div class="slider_item-container">
<div class="container">
<div class="row">
<div class="col-md-5">
<div class="slider_img-box">
<div>

</div>
</div>
</div>
</div>
<div class="col-md-7">
<div class="slider_item-detail">
<div>
<h1 class="">

```



```

</div>
</div>
</div>
</section>
<!-- end about section -->

<!-- brand section -->
<section class="brand_section layout_padding2">
<div class="container">
<div class="brand_heading">
<h3 class="custom_heading">
Our watch brands
</h3>
</div>
</div>
<div class="container-fluid brand_item-container">
<div class="brand_item-box">
<div class="brand_img-box item-1">
<a href="">
View More
</a>
</div>
<div class="brand_detail-box">
<h5>
$<span> 400000</span>
</h5>
<h6 class="">
best watch
</h6>
</div>
</div>
<div class="brand_item-box">
<div class="brand_img-box item-2">
<a href="">
View More
</a>
</div>
<div class="brand_detail-box">
<h5>
$<span> 50 </span>
</h5>
<h6 class="">
best watch
</h6>
</div>
</div>
<div class="brand_item-box">
<div class="brand_img-box item-3">
<a href="">
View More
</a>
</div>
<div class="brand_detail-box">
<h5>
$<span> 60 </span>
</h5>
<h6 class="">
best watch
</h6>
</div>

```

```

</div>
<div class="brand_item-box">
<div class="brand_img-box item-4">
<a href="">
View More
</a>
</div>
<div class="brand_detail-box">
<h5>
$<span> 70 </span>
</h5>
<h6 class="">
best watch
</h6>
</div>
</div>
<div class="brand_item-box">
<div class="brand_img-box item-5">
<a href="">
View More
</a>
</div>
<div class="brand_detail-box">
<h5>
$<span> 80 </span>
</h5>
<h6 class="">
best watch
</h6>
</div>
</div>
</div>
</section>
<!-- end brand section -->

<!-- why section -->
<section class="why_section layout_padding">
<div class="container">
<h3 class="custom_heading">
Why choose Us
</h3>
<p class="font-weight-bold">
It is a long established fact that a reader will be distracted by the readable content of a page
</p>
</div>
<div class="container">
<div class="row">
<div class="col-md-6">
<div class="img_box">

</div>
<div class="detail_box">
<h5>
Fast Delivery
</h5>
<p>
Ensure Fast Delivery of Your Online Orders. GET Pickup From Multiple Locations.
</p>
</div>
</div>
</div>

```



```

<div class="col-md-6">
<div class="img_box">

</div>
<div class="detail_box">
<h5>
Free Shipping
</h5>
<p>
With Free Shipping Your Orders is Delivered Five to Eight Days Afect all Your Items are Available to
Ship.
</p>
</div>
</div>
<div class="col-md-6">
<div class="img_box">

</div>
<div class="detail_box">
<h5>
Best Quality
</h5>
<p>
Our Watch Quality are Best in Around World And our watches are water resistance.
</p>
</div>
</div>
<div class="col-md-6">
<div class="img_box">

</div>
<div class="detail_box">
<h5>
24x7 Customer support
</h5>
<p>
We Provide Around the Clock Monitoring for Mission-Critical, Customer-Facing Appliacaton.
</p>
</div>
</div>
</div>
</div>
</div>
</section>
<!-- contact section -->
<section class="contact_section layout_padding">
<h2 class="custom_heading text-center">
NOW CONTACT US
</h2>
<div class="container mt-5 pt-5">
<form action="">
<div>
<input type="text" placeholder="NAME">
</div>
<div>
<input type="email" placeholder="EMAIL">
</div>
<div>
<input type="text" placeholder="PHONE NUMBER">
</div>
</div>

```

```

<input type="text" class="message-box" placeholder="MESSAGE">
</div>
<div class="d-flex justify-content-center mt-5 pt-5">
<button>
SEND
</button>
</div>
</form>
</div>
</section>

```

```

<!-- end contact section -->

```

```

<!-- info section -->
<section class="info_section layout_padding">
<div class="container">
<div class="info_items">
<a href="">
<div class="item">
<div class="img-box box-1">
<img src="" alt="">
</div>
<div class="detail-box">
<p>
Empolye
</p>
</div>
</div>
</a>
<a href="">
<div class="item">
<div class="img-box box-2">
<img src="" alt="">
</div>
<div class="detail-box">
<p>
+02 1234567890
</p>
</div>
</div>
</a>
<a href="">
<div class="item">
<div class="img-box box-3">
<img src="" alt="">
</div>
<div class="detail-box">
<p>
demo@gmail.com
</p>
</div>
</div>
</a>
</div>
</div>
</section>
<!-- end info_section -->

```

```

<!-- footer section -->
<section class="container-fluid footer_section">

```

```

<p>
© 2020 All Rights Reserved By
<a href="https://html.design/">Free Html Templates</a>
</p>
</section>
<!-- footer section -->
</body>
</html>

```

1.2 About.html

```

<!DOCTYPE html>
<html>
<head>
<!-- Basic -->
<meta charset="utf-8" />
<meta http-equiv="X-UA-Compatible" content="IE=edge" />
<!-- Mobile Metas -->
<meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no" />
<!-- Site Metas -->
<meta name="keywords" content="" />
<meta name="description" content="" />
<meta name="author" content="" />
<title>Watcher</title>
<!-- slider stylesheet -->
<link rel="stylesheet" type="text/css"
href="https://cdnjs.cloudflare.com/ajax/libs/OwlCarousel2/2.1.3/assets/owl.carousel.min.css" />

<!-- bootstrap core css -->
<link rel="stylesheet" type="text/css" href="css/bootstrap.css" />

<!-- fonts style -->
<link href="https://fonts.googleapis.com/css?family=Dosis:400,500|Poppins:400,700&display=swap"
rel="stylesheet">
<!-- Custom styles for this template -->
<link href="css/style.css" rel="stylesheet" />
<!-- responsive style -->
<link href="css/responsive.css" rel="stylesheet" />
</head>

<body class="sub_page">
<div class="hero_area">
<!-- header section strats -->
<header class="header_section">
<div class="container-fluid">
<nav class="navbar navbar-expand-lg custom_nav-container pt-3">
<a class="navbar-brand" href="index.html">
<span>
Watcher
</span>
</a>
<button class="navbar-toggler" type="button" data-toggle="collapse" data-
target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-expanded="false"
aria-label="Toggle navigation">
<span class="navbar-toggler-icon"></span>
</button>

<div class="collapse navbar-collapse" id="navbarSupportedContent">
<div class="d-flex ml-auto flex-column flex-lg-row align-items-center">
<ul class="navbar-nav ">

```

```

<li class="nav-item active">
<a class="nav-link" href="index.html">Home <span class="sr-only">(current)</span></a>
</li>
<li class="nav-item">
<a class="nav-link" href="about.html"> About </a>
</li>
<li class="nav-item">
<a class="nav-link" href="watch.html"> Our Watches </a>
</li>
<li class="nav-item">
<a class="nav-link" href="contact.html">Contact us</a>
</li>
</ul>
<form class="form-inline my-2 my-lg-0 ml-0 ml-lg-4 mb-3 mb-lg-0">
<button class="btn my-2 my-sm-0 nav_search-btn" type="submit"></button>
</form>
</div>
</div>
</nav>
</div>
</header>
<!-- end header section -->
</div>
<div class="bg">

<!-- about section -->
<section class="about_section layout_padding">
<div class="container-fluid">
<div class="row">
<div class="col-md-5 offset-md-2">
<div class="about_detail-box">
<h3 class="custom_heading">
About our watch
</h3>
<p class="">
It is a long established fact that a reader will be distracted by the readable content of a page when
looking at its layout. The point of using Lorem Ipsum is that it has a more-or-less normal distribution
of
letters, as opposed to using 'Content here, content here', making it
</p>
</div>
<a href="">
Read More
</a>
</div>
</div>
</div>
<div class="col-md-4">
<div class="about_img-box">

</div>
</div>
</div>
</div>
</section>

<!-- end about section -->
</div>
<!-- info section -->
<section class="info_section layout_padding">

```

```

<div class="container">
<div class="info_items">
<a href="">
<div class="item ">
<div class="img-box box-1">
<img src="" alt="">
</div>
<div class="detail-box">
<p>
Lorem Ipsum is simply dummy text
</p>
</div>
</div>
</a>
<a href="">
<div class="item ">
<div class="img-box box-2">
<img src="" alt="">
</div>
<div class="detail-box">
<p>
+02 1234567890
</p>
</div>
</div>
</a>
<a href="">
<div class="item ">
<div class="img-box box-3">
<img src="" alt="">
</div>
<div class="detail-box">
<p>
demo@gmail.com
</p>
</div>
</div>
</a>
</div>
</div>
</section>
<!-- end info_section -->
<!-- footer section -->
<section class="container-fluid footer_section">
<p>
© 2020 All Rights Reserved By
<a href="https://html.design/">Free Html Templates</a>
</p>
</section>
<!-- footer section -->
</body>
</html>

```

1.3 Contact.html

```

<!DOCTYPE html>
<html>
<head>
<!-- Basic -->
<meta charset="utf-8" />

```



```

<meta http-equiv="X-UA-Compatible" content="IE=edge" />
<!-- Mobile Metas -->
<meta name="viewport" content="width=device-width, initial-scale=1,
shrink-to-fit=no" />
<!-- Site Metas -->
<meta name="keywords" content="" />
<meta name="description" content="" />
<meta name="author" content="" />
<title>Watcher</title>
<!-- slider stylesheet -->
<link rel="stylesheet" type="text/css"
href="https://cdnjs.cloudflare.com/ajax/libs/OwlCarousel2/2.1.3/asse
ts/owl.carousel.min.css" />
<!-- bootstrap core css -->
<link rel="stylesheet" type="text/css" href="css/bootstrap.css" />
<!-- fonts style -->
<link
href="https://fonts.googleapis.com/css?family=Dosis:400,500|Poppins:
400,700&display=swap" rel="stylesheet">
<!-- Custom styles for this template -->
<link href="css/style.css" rel="stylesheet" />
<!-- responsive style -->
<link href="css/responsive.css" rel="stylesheet" />
</head>
<body class="sub_page">
<div class="hero_area">
<!-- header section strats -->
<header class="header_section">
<div class="container-fluid">
<nav class="navbar navbar-expand-lg custom_nav-container pt-3">
<a class="navbar-brand" href="index.html">
<span>
Watcher
</span>
</a>
<button class="navbar-toggler" type="button" data-toggle="collapse"
data-target="#navbarSupportedContent" aria-
controls="navbarSupportedContent" aria-expanded="false" aria-
label="Toggle navigation">
<span class="navbar-toggler-icon"></span>
</button>
<div class="collapse navbar-collapse" id="navbarSupportedContent">
<div class="d-flex ml-auto flex-column flex-lg-row align-items-
center">
<ul class="navbar-nav">
<li class="nav-item active">
<a class="nav-link" href="index.html">Home <span class="sr-
only">(current)</span></a>
</li>
<li class="nav-item">
<a class="nav-link" href="about.html"> About </a>
</li>
<li class="nav-item">
<a class="nav-link" href="watch.html"> Our watches </a>
</li>
<li class="nav-item">
<a class="nav-link" href="contact.html">Contact us</a>
</li>
</ul>
<form class="form-inline my-2 my-lg-0 ml-0 ml-lg-4 mb-3 mb-lg-0">
<button class="btn my-2 my-sm-0 nav_search-btn"
type="submit"></button>
</form>
</div>
</div>
</nav>
</div>
</header>
<!-- end header section -->

```

```

</div>
<!-- contact section -->
<section class="contact_section layout_padding">
  <h2 class="custom_heading text-center">
    NOW CONTACT US
  </h2>
  <div class="container mt-5 pt-5">
    <form action="">
      <div>
        <input type="text" placeholder="NAME">
      </div>
      <div>
        <input type="email" placeholder="EMAIL">
      </div>
      <div>
        <input type="text" placeholder="PHONE NUMBER">
      </div>
      <div>
        <input type="text" class="message-box" placeholder="MESSAGE">
      </div>
      <div class="d-flex justify-content-center mt-5 pt-5">
        <button>
          SEND
        </button>
      </div>
    </form>
  </div>
</section>
<!-- end contact section -->
<!-- info section -->
<section class="info_section layout_padding">
  <div class="container">
    <div class="info_items">
      <a href="">
        <div class="item ">
          <div class="img-box box-1">
            <img src="" alt="">
          </div>
          <div class="detail-box">
            <p>
              Lorem Ipsum is simply dummy text
            </p>
          </div>
        </div>
      </a>
      <a href="">
        <div class="item ">
          <div class="img-box box-2">
            <img src="" alt="">
          </div>
          <div class="detail-box">
            <p>
              +02 1234567890
            </p>
          </div>
        </div>
      </a>
      <a href="">
        <div class="item ">
          <div class="img-box box-3">
            <img src="" alt="">
          </div>
          <div class="detail-box">
            <p>
              demo@gmail.com
            </p>
          </div>
        </div>
      </a>
    </div>
  </div>
</section>

```

```

</div>
</div>
</section>
<!-- end info_section -->
<!-- footer section -->
<section class="container-fluid footer_section">
<p>
© 2020 All Rights Reserved By
<a href="https://html.design/">Free Html Templates</a>
</p>
</section>
<!-- footer section -->
<script type="text/javascript" src="js/jquery-
3.4.1.min.js"></script>
<script type="text/javascript" src="js/bootstrap.js"></script>
</body>
</html>

```

1.4 Watcher.html

```

<!DOCTYPE html>
<html>
<head>
<!-- Basic -->
<meta charset="utf-8" />
<meta http-equiv="X-UA-Compatible" content="IE=edge" />
<!-- Mobile Metas -->
<meta name="viewport" content="width=device-width, initial-scale=1,
shrink-to-fit=no" />
<!-- Site Metas -->
<meta name="keywords" content="" />
<meta name="description" content="" />
<meta name="author" content="" />
<title>Watcher</title>
<!-- slider stylesheet -->
<link rel="stylesheet" type="text/css"
href="https://cdnjs.cloudflare.com/ajax/libs/OwlCarousel2/2.1.3/asse
ts/owl.carousel.min.css" />
<!-- bootstrap core css -->
<link rel="stylesheet" type="text/css" href="css/bootstrap.css" />
<!-- fonts style -->
<link
href="https://fonts.googleapis.com/css?family=Dosis:400,500|Poppins:
400,700&display=swap" rel="stylesheet">
<!-- Custom styles for this template -->
<link href="css/style.css" rel="stylesheet" />
<!-- responsive style -->
<link href="css/responsive.css" rel="stylesheet" />
</head>
<body class="sub_page">
<div class="hero_area">
<!-- header section strats -->
<header class="header_section">
<div class="container-fluid">
<nav class="navbar navbar-expand-lg custom_nav-container pt-3">
<a class="navbar-brand" href="index.html">
<span>
Watcher
</span>
</a>
<button class="navbar-toggler" type="button" data-toggle="collapse"
data-target="#navbarSupportedContent" aria-
controls="navbarSupportedContent" aria-expanded="false" aria-
label="Toggle navigation">
<span class="navbar-toggler-icon"></span>
</button>
<div class="collapse navbar-collapse" id="navbarSupportedContent">
<div class="d-flex ml-auto flex-column flex-lg-row align-items-
center">

```



```

<ul class="navbar-nav ">
<li class="nav-item active">
<a class="nav-link" href="index.html">Home <span class="sr-
only">(current)</span></a>
</li>
<li class="nav-item">
<a class="nav-link" href="about.html"> About </a>
</li>
<li class="nav-item">
<a class="nav-link" href="watch.html"> Our watches </a>
</li>
<li class="nav-item">
<a class="nav-link" href="contact.html">Contact us</a>
</li>
</ul>
<form class="form-inline my-2 my-lg-0 ml-0 ml-lg-4 mb-3 mb-lg-0">
<button class="btn my-2 my-sm-0 nav_search-btn"
type="submit"></button>
</form>
</div>
</div>
</nav>
</div>
</header>
<!-- end header section -->
</div>
<div class="bg">
<!-- brand section -->
<section class="brand_section layout_padding2">
<div class="container">
<div class="brand_heading">
<h3 class="custom_heading">
Our watch brands
</h3>
<p class="font-weight-bold">
It is a long established fact that a reader will be distracted by
the readable content of a page
</p>
</div>
</div>
<div class="container-fluid brand_item-container">
<div class="brand_item-box">
<div class="brand_img-box item-1">
<a href="">
View More
</a>
</div>
<div class="brand_detail-box">
<h5>
$<span> 40 </span>
</h5>
<h6 class="">
best watch
</h6>
</div>
</div>
<div class="brand_item-box">
<div class="brand_img-box item-2">
<a href="">
View More
</a>
</div>
<div class="brand_detail-box">
<h5>
$<span> 50 </span>
</h5>
<h6 class="">
best watch
</h6>

```

```

</div>
</div>
<div class="brand_item-box">
<div class="brand_img-box item-3">
<a href="">
View More
</a>
</div>
<div class="brand_detail-box">
<h5>
$<span> 60 </span>
</h5>
<h6 class="">
best watch
</h6>
</div>
</div>
<div class="brand_item-box">
<div class="brand_img-box item-4">
<a href="">
View More
</a>
</div>
<div class="brand_detail-box">
<h5>
$<span> 70 </span>
</h5>
<h6 class="">
best watch
</h6>
</div>
</div>
<div class="brand_item-box">
<div class="brand_img-box item-5">
<a href="">
View More
</a>
</div>
<div class="brand_detail-box">
<h5>
$<span> 80 </span>
</h5>
<h6 class="">
best watch
</h6>
</div>
</div>
</div>
</section>
<!-- end brand section -->
</div>
<!-- info section -->
<section class="info_section layout_padding">
<div class="container">
<div class="info_items">
<a href="">
<div class="item ">
<div class="img-box box-1">
<img src="" alt="">
</div>
<div class="detail-box">
<p>
Lorem Ipsum is simply dummy text
</p>
</div>
</div>
</div>
<a href="">
<div class="item ">

```

```

<div class="img-box box-2">
<img src="" alt="">
</div>
<div class="detail-box">
<p>
+02 1234567890
</p>
</div>
</div>
</a>
<a href="">
<div class="item ">
<div class="img-box box-3">
<img src="" alt="">
</div>
<div class="detail-box">
<p>
demo@gmail.com
</p>
</div>
</div>
</a>
</div>
</div>
</div>
</section>

<!-- end info_section -->
<!-- footer section -->
<section class="container-fluid footer_section">
<p>
© 2020 All Rights Reserved By
<a href="https://html.design/">Free Html Templates</a>
</p>
</section>
<!-- footer section -->
<script type="text/javascript" src="js/jquery-
3.4.1.min.js"></script>
<script type="text/javascript" src="js/bootstrap.js"></script>
</body>
</html>

```

CSS

style.css

```
body {
font-family: "Poppins", sans-serif;
color: #000000;
background-color: #ffffff;
}

.layout_padding {
padding: 75px 0;
}

.layout_padding2 {
padding: 45px 0;
}

.layout_padding2-top {
padding-top: 45px;
}

.layout_padding2-bottom {
padding-bottom: 45px;
}

.layout_padding-top {
padding-top: 75px;
}

.layout_padding-bottom {
padding-bottom: 75px;
}

.custom_heading {
text-transform: uppercase;
font-weight: bold;
}

/*header section*/
.hero_area {
height: 98vh;
background-color: #b5caee;
}

.sub_page .hero_area {
height: auto;
}

.hero_area.sub_pages {
height: auto;
}

.header_section .container-fluid {
padding-right: 25px;
padding-left: 25px;
}

.header_section .nav_container {
margin: 0 auto;
}

.custom_nav-container.navbar-expand-lg .navbar-nav .nav-link {
padding: 10px 30px;
color: #ffffff;
text-align: center;
text-transform: uppercase;
}
a,
a:hover,
```

```

a:focus {
text-decoration: none;
}

a:hover,
a:focus {
color: initial;
}

.btn,
.btn:focus {
outline: none !important;
-webkit-box-shadow: none;
box-shadow: none;
}

.navbar-brand,
.navbar-brand:hover {
text-transform: uppercase;
font-weight: bold;
font-size: 24px;
color: #fafcfd;
}

.custom_nav-container .nav_search-btn {
background-image: url(../images/search-icon.png);
background-size: 22px;
background-repeat: no-repeat;
background-position-y: 7px;
width: 35px;
height: 35px;
padding: 0;
border: none;
}

.navbar-brand {
display: -webkit-box;
display: -ms-flexbox;
display: flex;
-webkit-box-align: center;
-ms-flex-align: center;
align-items: center;
}

.navbar-brand img {
width: 45px;
margin-right: 5px;
}

.navbar-brand span {
font-size: 20px;
font-weight: 700;
color: #191919;
margin-top: 5px;
}

.custom_nav-container {
z-index: 99999;
padding: 15px 0;
}

.custom_nav-container .navbar-toggler {
outline: none;
}

.custom_nav-container .navbar-toggler .navbar-toggler-icon {
background-image: url(../images/menu.png);
background-size: 55px;
}

/*end header section*/
/* slider section */
.slider_section {
padding-top: 8%;
}

```

```

}

.slider_item-box {
width: 100%;
height: 100%;
}
.slider_item-box .container {
height: 100%;
}
.slider_img-box {
width: 85%;
margin: 0 auto;
}

.slider_img-box img {
width: 100%;
}
.slider_item-container {
display: -webkit-box;
display: -ms-flexbox;
display: flex;
-webkit-box-align: center;
-ms-flex-align: center;
align-items: center;
width: 100%;
height: 100%;
background-repeat: no-repeat;
}
.slider-btn1 {
display: inline-block;
padding: 10px 35px;
background-color: #f2d8b9;
border: 1px solid #f2d8b9;
color: #ffffff;
}
.slider-btn1:hover {
background-color: transparent;
color: #f2d8b9;
}

.slider-btn2 {
display: inline-block;
padding: 10px 35px;
background-color: #252525;
border: 1px solid #252525;
color: #ffffff;
}
.slider-btn2:hover {
background-color: transparent;
color: #252525;
}
.slider_item-detail h1 {
font-size: 68px;
width: 95%;
text-transform: uppercase;
}
.slider_item-detail p {
margin: 45px 0;
}

.slider_section #carouselExampleControls,
.carousel-inner,
.carousel-item {
height: 100%;
}
.slider_section .carousel-control-prev,
.slider_section .carousel-control-next {
position: absolute;

```



```

top: 50%;
width: 50px;
height: 50px;
border: none;
border-radius: 100%;
opacity: 1;
background-repeat: no-repeat;
background-size: 10px;
background-position: center;
background-color: #f2d8b9;
-webkit-transform: translateY(-50%);
transform: translateY(-50%);
}

.slider_section .carousel-control-prev:hover,
.slider_section .carousel-control-next:hover {
background-color: #ffffff;
}
.slider_section .carousel-control-prev {
left: 2%;
background-image: url(../images/prev.png);
}
.slider_section .carousel-control-next {
right: 2%;
background-image: url(../images/next.png);
}

/* end slider section */
.bg {
background-image: url(../images/bg.jpg);
background-size: cover;
}
.about_section .row {
-webkit-box-align: center;
-ms-flex-align: center;
align-items: center;
}
.about_detail-box p {
margin-top: 30px;
margin-bottom: 45px;
}
.about_detail-box a {
display: inline-block;
padding: 7px 25px;
background-color: #252525;
border: 1px solid #252525;
color: #ffffff;
}
.about_detail-box a:hover {
background-color: transparent;
color: #252525;
}
.about_img-box img {
width: 100%;
}
.brand_section {
text-align: center;
background-color: #c1dcf9;
}
.brand_section h3 {
color: #fcfcfc;
}
.brand_section .brand_item-container {
display: -webkit-box;
display: -ms-flexbox;
display: flex;
-webkit-box-pack: center;
-ms-flex-pack: center;
justify-content: center;
}

```

```

-ms-flex-wrap: wrap;
flex-wrap: wrap;
}

.brand_item-box {
width: 265px;
margin: 30px 10px 0 10px;
}
.brand_img-box {
height: 310px;
background-size: cover;
background-position: center;
position: relative;
}
.brand_img-box.item-1 {
background-image: url(../images/item-1.jpg);
}

.brand_img-box.item-2 {
background-image: url(../images/item-2.jpg);
}
.brand_img-box.item-3 {
background-image: url(../images/item-3.jpg);
}
.brand_img-box.item-4 {
background-image: url(../images/item-4.jpg);
}
.brand_img-box.item-5 {
background-image: url(../images/item-5.jpg);
}
.brand_img-box {
display: -webkit-box;
display: -ms-flexbox;
display: flex;
-webkit-box-align: center;
-ms-flex-align: center;
align-items: center;
-webkit-box-pack: center;
-ms-flex-pack: center;
justify-content: center;
overflow: hidden;
}
.brand_img-box a {
display: none;
opacity: 0;
background-color: transparent;
border: 1px solid #999999;
color: #f9fafa;
padding: 12px 35px;
font-size: 15px;
z-index: 3;
-webkit-transition: opacity 0.4s;
transition: opacity 0.4s;
}
.brand_img-box::before {
content: "";
position: absolute;
top: 0;
left: 0;
width: 100%;
height: 100%;
background-color: rgba(37, 37, 37, 0.9);
z-index: 1;
-webkit-transform: translateY(320px);
transform: translateY(320px);
-webkit-transition: -webkit-transform 0.3s;
transition: -webkit-transform 0.3s;
transition: transform 0.3s, -webkit-transform 0.3s;
}

```



```

}
.brand_img-box:hover {
  cursor: pointer;
}
.brand_img-box:hover::before {
  -webkit-transform: translateY(0);
  transform: translateY(0);
}
.brand_img-box:hover a {
  display: inline-block;
  opacity: 1;
}
.brand_detail-box {
  margin-top: 20px;
}
.brand_detail-box h5 {
  text-transform: uppercase;
  font-weight: bold;
  color: #242425;
}
.brand_detail-box h5 span {
  color: #179dfb;
}
.brand_detail-box h6 {
  text-transform: uppercase;
  font-weight: bold;
  color: #fcf9fc;
}
}
.why_section .row {
  padding: 35px 0;
}
.why_section .row .col-md-6 {
  display: -webkit-box;
  display: -ms-flexbox;
  display: flex;
  -webkit-box-align: center;
  -ms-flex-align: center;
  align-items: center;
  -webkit-box-pack: justify;
  -ms-flex-pack: justify;
  justify-content: space-between;
  margin: 25px 0;
}
}
.why_section .img_box {
  min-width: 125px;
  min-height: 125px;
  margin-right: 25px;
  border: 1.5px solid #e3e2e2;
  border-radius: 7px;
  display: -webkit-box;
  display: -ms-flexbox;
  display: flex;
  -webkit-box-align: center;
  -ms-flex-align: center;
  align-items: center;
  -webkit-box-pack: center;
  -ms-flex-pack: center;
  justify-content: center;
}
.why_section .img_box img {
  width: 50px;
}
.why_section .detail_box h5 {
  font-weight: bold;
  color: #4b9df9;
}
}
.client_section .row {
  padding: 25px 0;
}

```

```

}
.client_section .row .col-12 {
display: -webkit-box;
display: -ms-flexbox;
display: flex;
}

.client_section .detail_box {
min-width: 150px;
margin-right: 25px;
text-align: center;
}
.client_section .detail_box img {
width: 100%;
}
.client_section .detail_box h5 {
font-weight: bold;
}
.client_section .detail_box h6 {
color: #0b3275;
}
.client_section .detail_box .name_box {
margin-top: 15px;
}
.client_section .detail_text {
padding-top: 10px;
}
.client_section #carouselExampleControls,
.client_section .carousel-inner,
.client_section .carousel-item {
height: 100%;
}
.client_section .carousel-control-prev,
.client_section .carousel-control-next {
position: absolute;
top: 50%;
width: 50px;
height: 45px;
border: none;
opacity: 1;
background-repeat: no-repeat;
background-size: 10px;
background-position: center;
background-color: #c1dcf9;
-webkit-transform: translateY(-50%);
transform: translateY(-50%);
}
.client_section .carousel-control-prev:hover,
.client_section .carousel-control-next:hover {
background-color: #f2d8b9;
}
.client_section .carousel-control-prev {
left: 2%;
background-image: url(../images/prev.png);
}
.client_section .carousel-control-next {
right: 2%;
background-image: url(../images/next.png);
}
.contact_section {
color: #fff;
background: -webkit-gradient(linear, left top, left bottom,
from(rgba(0, 0, 0, 0.3)), to(rgba(0, 0, 0, 0.3))),
url(../images/contact.jpg);
background: linear-gradient(rgba(0, 0, 0, 0.3), rgba(0, 0, 0, 0.3)),
url(../images/contact.jpg);
background-size: cover;
background-repeat: no-repeat;
}

```

```

.contact_section input {
width: 100%;
border: 0;
border-bottom: 1px solid #ffffff;
height: 40px;
padding-top: 45px;
padding-bottom: 20px;
background-color: transparent;
outline: none;
color: #fff;
}
.contact_section input::-webkit-input-placeholder {
color: #fff;
}
.contact_section input:-ms-input-placeholder {
color: #fff;
}
.contact_section input::-ms-input-placeholder {
color: #fff;
}
.contact_section input::placeholder {
color: #fff;
}
.contact_section input.message-box {
padding-top: 135px;
}
.contact_section button {
background-color: #179dfb;
padding: 12px 55px;
outline: none;
border: none;
border: 1px solid #179dfb;
color: #fff;
}
.contact_section button:hover {
color: #179dfb;
background-color: transparent;
}
.info_section {
background-color: #c1dcf9;
}
.info_items {
width: 90%;
margin: 0 auto;
display: -webkit-box;
display: -ms-flexbox;
display: flex;
-webkit-box-pack: justify;
-ms-flex-pack: justify;
justify-content: space-between;
}
.info_items .item {
width: 200px;
display: -webkit-box;
display: -ms-flexbox;
display: flex;
-webkit-box-orient: vertical;
-webkit-box-direction: normal;
-ms-flex-direction: column;
flex-direction: column;
-webkit-box-align: center;
-ms-flex-align: center;
align-items: center;
text-align: center;
}
.info_items .item .img-box {
width: 80px;
height: 80px;
border-radius: 100%;
}

```

```



background-color: #ffffff;
background-repeat: no-repeat;
background-position: center;
}



.info_items .item .detail-box {
margin-top: 25px;
color: #fff;
}
.info_items {
position: relative;
}
.info_items a {
position: relative;
}
.info_items::before {
content: "";
position: absolute;
top: 25%;
width: 80%;
height: 1px;
background-color: #fff;
left: 50%;
-webkit-transform: translateX(-50%);
transform: translateX(-50%);
}
.info_items .item .img-box.box-1 {
background-image: url(../images/location-blue.png);
}
.info_items .item .img-box.box-2 {
background-image: url(../images/telephone-blue.png);
}
.info_items .item .img-box.box-3 {
background-image: url(../images/envelope-blue.png);
}
.info_items .item .img-box:hover {
background-color: #179dfb;
}
.info_items .item .img-box:hover.box-1 {
background-image: url(../images/location-white.png);
}
.info_items .item .img-box:hover.box-2 {
background-image: url(../images/telephone-white.png);
}
.info_items .item .img-box:hover.box-3 {
background-image: url(../images/envelope-white.png);
}
/* footer section*/
.footer_section {
background-color: #273135;
padding: 20px;
font-family: "Dosis", sans-serif;
font-weight: 500;
}
.footer_section p {
color: #fbfcfd;
margin: 0;
text-align: center;
}
.footer_section a {
color: #fbfcfd;
}


/* end footer section*/
/*# sourceMappingURL=style.css.map */

```


SCREENSHOTS







CONCLUSION

Technology has made significant progress over the years to provide consumers a better online shopping experience and will continue to do so for years to come. With the rapid growth of products and brands, people have speculated that online shopping will overtake in-store shopping. While this has been the case in some areas, there is still demand for brick and mortar stores in market areas where the consumer feels more comfortable seeing and touching the product being bought. However, the availability of online shopping has produced a more educated consumer that can shop around with relative ease without having to spend a large amount of time. In exchange, online shopping has opened up doors to many small retailers that would never be in business if they had to incur the high cost of owning a brick and mortar store. At the end, it has been a win-win situation for both consumer and sellers.

BIBLIOGRAPHY/REFERENCE

WEBSITES

<https://www.w3schools.com/>

<https://www.javapoint.com/>

<https://www.geeksforgeeks.com/>

<https://www.googlemaps.com/>

BOOKS

Learning PHP,MYSQL & Javascript with JQuery, CSS & HTML5

Author : Robin Nixon

HTML and CSS: Design and build websites

Author : Jon Duckett