# DATA SCIENCE WITH R



#### REGRESSION ANALYSIS

Overview



**Simple Linear Regression** 

Multiple Linear Regression

Regression Assumptions

Implementation in SAS



# Regression

#### SIMPLE LINEAR REGRESSION

- ✓ Concepts OLS
- ✓ How to Run
- ✓ Interpret Results

### **OLS Results : Excel**

#### **SUMMARY OUTPUT**

Regression Statistics					
Multiple R	0.702085646				
R Square	0.492924254				
Adjusted R Square	0.49246866				
Standard Error	451.3259178				
Observations	1115				

	df	SS	MS	F	Significance F
Regression	1	220385522.7	2.2E+08	1081.938347	2.54E-166
Residual	1113	226712628.6	203695.1		
Total	1114	447098151.3			

	Coefficients	Standard Error	t Stat	P-value	Lower 95%	Upper 95%
IIntercept	-3245.446394	197.0110519	-16.4734	9.95259E-55	-3632.001323	-2858.891455
ggestate	166.4462854	5.060260218	32.89283	2.54E-166	156.5175606	176.37501)3



#### **OLS** Results: Excel

#### SUMMARY OUTPUT

Regression Statistics						
Multiple R	0.702085646					
R Square	0.492924254					
Adjusted R Square	0.49246866					
Standard Error	451.3259178					
Observations	1115					

	df	SS	MS	F	Significance F
Regression	1	220385522.7	2.2E+08	1081.938347	2.54E-166
Residual	1113	226712628.6	203695.1		
Total	1114	447098151.3			

	Coefficients	Standard Error	t Stat	P-value	Lower 95%	Upper 95%
IIntercept	-3245.446394	197.0110519	-16.4734	9.95259E-55	-3632.001323	-2858.891455
ggestate	166.4462854	5.060260218	32.89283	2.54E-166	156.5175606	176.37501)3



#### **OLS** Results: Excel

#### **SUMMARY OUTPUT**

Regression Statistics					
Multiple R	0.702085646				
R Square	0.492924254				
Adjusted R Square	0.49246866				
Standard Error	451.3259178				
Observations	1115				

	df	SS	MS	F	Significance F
Regression	1	220385522.7	2.2E+08	1081.938347	2.54E-166
Residual	1113	226712628.6	203695.1		
Total	1114	447098151.3			

_	Coefficients	Standard Error	t Stat	P-value	Lower 95%	Upper 95%
IIntercept	-3245.446394	197.0110519	-16.4734	9.95259E-55	-3632.001323	-2858.891455
ggestate	166.4462854	5.060260218	32.89283	2.54E-166	156.5175606	176.37501)3



### **OLS Results: Excel**

#### **SUMMARY OUTPUT**

Regression Statistics					
Multiple R	0.702085646				
R Square	0.492924254				
Adjusted R Square	0.49246866				
Standard Error	451.3259178				
Observations	1115				

	df	SS	MS	F	Significance F
Regression	1	220385522.7	2.2E+08	1081.938347	2.54E-166
Residual	1113	226712628.6	203695.1		
Total	1114	447098151.3			

	Coefficients	Standard Error	t Stat	P-value	Lower 95%	Upper 95%
IIntercept	-3245.446394	197.0110519	-16.4734	9.95259E-55	-3632.001323	-2858.891455
gestate	166.4462854	5.060260218	32.89283	2.54E-166	156.5175606	176.37501)3



#### **Understanding the output**

Starting with the bottom most table:

	Coefficients	Standard Error	t Stat	P-value
Intercept	-3245.446394	197.0110519	-16.4734	9.95259E-55 -
gestate	166.4462854	5.060260218	32.89283	2.54E-166



#### **Understanding the output**

Starting with the bottom most table:

	Coefficients	Standard Error	t Stat	P-value
Intercept	-3245.446394	197.0110519	-16.4734	9.95259E-55 -
gestate	166.4462854	5.060260218	32.89283	2.54E-166

We want to estimate a straight line that best captures the relationship between Birthweight and Gestation period –



#### **Understanding the output**

Starting with the bottom most table:

	Coefficients	Standard Error	t Stat	P-value
Intercept	-3245.446394	197.0110519	-16.4734	9.95259E-55 -
gestate	166.4462854	5.060260218	32.89283	2.54E-166

We want to estimate a straight line that best captures the relationship between Birthweight and Gestation period –

As per this model that straight line is:

Birthweight = -3245.44 + 166 \* Gestate



	Coefficients	Standard Error	t Stat	P-value
Intercept	-3245.446394	197.0110519	-16.4734	9.95259E-55 -
gestate	166.4462854	5.060260218	32.89283	2.54E-166

Birthweight = -3245.44 + 166 \* Gestate



	Coefficients	Standard Error	t Stat	P-value
Intercept	-3245.446394	197.0110519	-16.4734	9.95259E-55 -
gestate	166.4462854	5.060260218	32.89283	2.54E-166

Birthweight = -3245.44 + 166 \* Gestate

Here, the intercept is -3245. 44 the beta coefficient on Gestate is 166



	Coefficients	Standard Error	t Stat	P-value
Intercept	-3245.446394	197.0110519	-16.4734	9.95259E-55 -
gestate	166.4462854	5.060260218	32.89283	2.54E-166

Birthweight = -3245.44 + 166 \* Gestate

Here, the intercept is -3245. 44 the beta coefficient on Gestate is 166

How do we interpret the Beta Coefficient?



	Coefficients	Standard Error	t Stat	P-value
Intercept	-3245.446394	197.0110519	-16.4734	9.95259E-55 -
gestate	166.4462854	5.060260218	32.89283	2.54E-166

Birthweight = -3245.44 + 166 \* Gestate

Here, the intercept is -3245. 44 the beta coefficient on Gestate is 166

How do we interpret the Beta Coefficient?

For a unit increase in gestation period (1 week), the average increase in birthweight is 166

#### **BETA Coefficient:**

 For every unit increase in Gestation Period, we expect to see an increase in Birthweight by 166 grams



#### **BETA Coefficient:**

- For every unit increase in Gestation Period, we expect to see an increase in Birthweight by 166 grams
- Positive sign on the coefficient on gestation implies a positive relationship between Gestation Period and Birthweight



#### **BETA Coefficient:**

- For every unit increase in Gestation Period, we expect to see an increase in Birthweight by 166 grams
- Positive sign on the coefficient on gestation implies a positive relationship between Gestation Period and Birthweight
- What does unit increase mean?



#### **BETA Coefficient:**

- For every unit increase in Gestation Period, we expect to see an increase in Birthweight by 166 grams
- Positive sign on the coefficient on gestation implies a positive relationship between Gestation Period and Birthweight
- What does unit increase mean?
- Will every additional week of gestation automatically add 166 grams of birthweight to every baby?



How do we interpret the estimated regression function?

Birthweight = -3245.44 + 166 \* Gestate

#### **INTERCEPT**



How do we interpret the estimated regression function?

Birthweight = -3245.44 + 166 \* Gestate

#### **INTERCEPT**

With zero gestation weeks, we expect birthweight to be Negative



How do we interpret the estimated regression function?

Birthweight = -3245.44 + 166 \* Gestate

#### **INTERCEPT**

With zero gestation weeks, we expect birthweight to be Negative

It doesn't really make sense to talk about birthweight at Zero weeks

How do we interpret the estimated regression function?

Birthweight = -3245.44 + 166 \* Gestate

#### **INTERCEPT**

With zero gestation weeks, we expect birthweight to be Negative

- It doesn't really make sense to talk about birthweight at Zero weeks
- Provides a baseline



#### In our example:

Can we say that if birthweight increases 166, gestation will increase by 1?



#### In our example:

Can we say that if birthweight increases 166, gestation will increase by 1?

What about the error term? How does it influence the interpretation of results?



The second piece of critical information from the coefficients table is the P values



The second piece of critical information from the coefficients table is the P values

P-values denote the probability of rejecting the null hypothesis when it is in fact true



The second piece of critical information from the coefficients table is the P values

P-values denote the probability of rejecting the null hypothesis when it is in fact true

 H0: Beta coefficient = 0 (that is, independent variable has no impact on the dependent variable)



The second piece of critical information from the coefficients table is the P values

P-values denote the probability of rejecting the null hypothesis when it is in fact true

 H0: Beta coefficient = 0 (that is, independent variable has no impact on the dependent variable)

Lower the p-value?



How do we actually test the hypothesis?



#### How do we actually test the hypothesis?

One main point to remember is that we can show the distribution of

$$(\widehat{\beta_j} - \widehat{\beta_j}) / se(\widehat{\beta_j}) \sim t_{n-k-1}$$

#### How do we actually test the hypothesis?

One main point to remember is that we can show the distribution of

$$(\widehat{\beta_j} - \widehat{\beta_j}) / se(\widehat{\beta_j}) \sim t_{n-k-1}$$

What does the above equation mean?

#### How do we actually test the hypothesis?

One main point to remember is that we can show the distribution of

$$(\widehat{\beta_j} - \widehat{\beta_j}) / se(\widehat{\beta_j}) \sim t_{n-k-1}$$

What does the above equation mean?

The difference between the estimated coefficient and the actual value in the population divided by the standard error of the estimated population is distributed as a t-distribution with n-k-1 degrees of freedom, where k+1 are the number of unknown parameters in the population model

In the results table for the simple regression we have run, the p-value on the drivers variable is extremely low

	Coefficients	Standard Error	t Stat	P-value
Intercept		197.0110519		
gestate	166.4462854	5.060260218	32.89283	2.54E-166

- We should accept the alternate hypothesis that as gestation weeks increase, birthweight will increase
- i.e., gestation period is a statistically significant influencer of birthweight



### **OLS Results: Confidence Levels**

#### What about reliability or confidence in the results?

- If we see a beta coefficient of 166, are we certain that 100% of the time that if gestation increases by 1 week, then birthweight will increase by 166?
- Remember, the beta estimate is true of the sample on which the model has been built

	Coefficients	Standard Error	t Stat	P-value	Lower 95%	Upper 95%
Intercept	-3245.446394	197.0110519	-16.4734	9.95259E-55	-3632.001323	-2858.891465
gestate	166.4462854	5.060260218	32.89283	2.54E-166	156.5175606	176.3750103



#### To Be Continued

#### Regression Analysis

Simple Linear Regression



### **THANK YOU**