

Simple Calculator

Result:

12.5

25 / 2 = 12.5

7

8

÷

4

5

×

1

2

−

0

.

=

Clear

Clear

Delete



MainActivity.java 1 X

C:\> Users > hemes > Downloads > MainActivity.java > MainActivity

```
1  package com.example.calculator;
2
3  import android.os.Bundle;
4  import android.view.View;
5  import android.widget.Button;
6  import android.widget.EditText;
7  import android.widget.TextView;
8  import androidx.appcompat.app.AppCompatActivity;
9
10 public class MainActivity extends AppCompatActivity {
11
12     EditText num1, num2;
13     TextView result;
14     Button add, sub, mul, div, clear;
15
16     @Override
17     protected void onCreate(Bundle savedInstanceState) {
18         super.onCreate(savedInstanceState);
19         setContentView(R.layout.activity_main);
20
21         // Link UI elements
22         num1 = findViewById(R.id.editText1);
23         num2 = findViewById(R.id.editText2);
24         result = findViewById(R.id.textResult);
25
26         add = findViewById(R.id.btnAdd);
27         sub = findViewById(R.id.btnSub);
28         mul = findViewById(R.id.btnMul);
29         div = findViewById(R.id.btnDiv);
30         clear = findViewById(R.id.btnClear);
31
32         // ADDITION
33         add.setOnClickListener(new View.OnClickListener() {
34             @Override
35             public void onClick(View v) {
```

> Users > hemes > Downloads > MainActivity.java > MainActivity

```
10 public class MainActivity extends AppCompatActivity {
17     protected void onCreate(Bundle savedInstanceState) {
32         // ADDITION
33         add.setOnClickListener(new View.OnClickListener() {
34             @Override
35             public void onClick(View v) {
36                 double a = Double.parseDouble(num1.getText().toString());
37                 double b = Double.parseDouble(num2.getText().toString());
38                 result.setText("Result: " + (a + b));
39             }
40         });
41
42         // SUBTRACTION
43         sub.setOnClickListener(new View.OnClickListener() {
44             @Override
45             public void onClick(View v) {
46                 double a = Double.parseDouble(num1.getText().toString());
47                 double b = Double.parseDouble(num2.getText().toString());
48                 result.setText("Result: " + (a - b));
49             }
50         });
51
52         // MULTIPLICATION
53         mul.setOnClickListener(new View.OnClickListener() {
54             @Override
55             public void onClick(View v) {
56                 double a = Double.parseDouble(num1.getText().toString());
57                 double b = Double.parseDouble(num2.getText().toString());
58                 result.setText("Result: " + (a * b));
59             }
60         });
61     }
```

```
1  package com.example.textapp;  
2  
3  import android.graphics.Color;  
4  import android.graphics.Typeface;  
5  import android.os.Bundle;  
6  import android.view.View;  
7  import android.widget.Button;  
8  import android.widget.TextView;  
9  import android.widget.Toast;  
10 import androidx.appcompat.app.AppCompatActivity;  
11  
12 public class MainActivity extends AppCompatActivity {  
13  
14     TextView textView;  
15     Button btnBold, btnItalic, btnRed, btnBlue, btnToast;  
16  
17     @Override  
18     protected void onCreate(Bundle savedInstanceState) {  
19         super.onCreate(savedInstanceState);  
20         setContentView(R.layout.activity_main);  
21  
22         textView = findViewById(R.id.textView);  
23  
24         btnBold = findViewById(R.id.btnBold);  
25         btnItalic = findViewById(R.id.btnItalic);  
26         btnRed = findViewById(R.id.btnRed);  
27         btnBlue = findViewById(R.id.btnBlue);  
28         btnToast = findViewById(R.id.btnToast);  
29  
30         // Change to BOLD  
31         btnBold.setOnClickListener(new View.OnClickListener() {  
32             @Override  
33             public void onClick(View v) {  
34                 textView.setTypeface(null, Typeface.BOLD);  
35             }  
36         });  
37     }  
38 }
```

MainActivity.java 1 X

Users > hemes > Downloads > MainActivity.java > MainActivity

```
public class MainActivity extends AppCompatActivity {
    protected void onCreate(Bundle savedInstanceState) {

        // Change to ITALIC
        btnItalic.setOnClickListener(new View.OnClickListener() {
            @Override
            public void onClick(View v) {
                textView.setTypeface(null, Typeface.ITALIC);
            }
        });

        // Change text color to RED
        btnRed.setOnClickListener(new View.OnClickListener() {
            @Override
            public void onClick(View v) {
                textView.setTextColor(Color.RED);
            }
        });

        // Change text color to BLUE
        btnBlue.setOnClickListener(new View.OnClickListener() {
            @Override
            public void onClick(View v) {
                textView.setTextColor(Color.BLUE);
            }
        });

        // Show Toast message
        btnToast.setOnClickListener(new View.OnClickListener() {
            @Override
            public void onClick(View v) {
                Toast.makeText(MainActivity.this, "Button Clicked!", Toast.LENGTH_SHORT).show();
            }
        });
    }
}
```

Hello Android

Bold

Italic

Red Color

Blue Color

Show Toast

Email Sender

To:

Subject:

Message:

Send Email

MainActivity.java 1 X

C:\Users\hemes> Downloads > MainActivity.java > MainActivity

```
10 public class MainActivity extends AppCompatActivity {
16     protected void onCreate(Bundle savedInstanceState) {
25         btnSend.setOnClickListener(new View.OnClickListener() {
27             public void onClick(View v) {
29                 String to = etTo.getText().toString();
30                 String subject = etSubject.getText().toString();
31                 String message = etMessage.getText().toString();
32
33                 Intent intent = new Intent(Intent.ACTION_SEND);
34                 intent.setType("message/rfc822");
35
36                 intent.putExtra(Intent.EXTRA_EMAIL, new String[]{to});
37                 intent.putExtra(Intent.EXTRA_SUBJECT, subject);
38                 intent.putExtra(Intent.EXTRA_TEXT, message);
39
40                 startActivity(Intent.createChooser(intent, "Send Email"));
41             }
42         });
43     }
44 }
```

MainActivity.java 1 X

C:\Users\hemes\Downloads > MainActivity.java > MainActivity

```
1  package com.example.emailsender;  
2  
3  import android.content.Intent;  
4  import android.os.Bundle;  
5  import android.view.View;  
6  import android.widget.Button;  
7  import android.widget.EditText;  
8  import androidx.appcompat.app.AppCompatActivity;  
9  
10 public class MainActivity extends AppCompatActivity {  
11  
12     EditText etTo, etSubject, etMessage;  
13     Button btnSend;  
14  
15     @Override  
16     protected void onCreate(Bundle savedInstanceState) {  
17         super.onCreate(savedInstanceState);  
18         setContentView(R.layout.activity_main);  
19  
20         etTo = findViewById(R.id.etTo);  
21         etSubject = findViewById(R.id.etSubject);  
22         etMessage = findViewById(R.id.etMessage);  
23         btnSend = findViewById(R.id.btnSend);  
24  
25         btnSend.setOnClickListener(new View.OnClickListener() {  
26             @Override  
27             public void onClick(View v) {  
28  
29                 String to = etTo.getText().toString();  
30                 String subject = etSubject.getText().toString();  
31                 String message = etMessage.getText().toString();  
32  
33                 Intent intent = new Intent(Intent.ACTION_SEND);  
34                 intent.setType("message/rfc822");  
35
```

Simple Bank App

Current Balance: **\$500.00**

Enter Amount:

Deposit

Withdraw

Recent Transactions:

+ Deposited: \$100.00
- Withdrawn: \$50.00
+ Deposited: \$200.00
- Withdrawn: \$75.00
+ Deposited: \$200.00
- Withdrawn: \$75.00
+ Deposited: \$150.00

MainActivity.java 1 X

> Users > hemes > Downloads > MainActivity.java > MainActivity

```
1 package com.example.bankapp;
2
3 import android.os.Bundle;
4 import android.view.View;
5 import android.widget.Button;
6 import android.widget.EditText;
7 import android.widget.TextView;
8 import androidx.appcompat.app.AppCompatActivity;
9
10 public class MainActivity extends AppCompatActivity {
11
12     TextView tvBalance, tvHistory;
13     EditText etAmount;
14     Button btnDeposit, btnWithdraw;
15
16     double balance = 0; // initial balance
17
18     @Override
19     protected void onCreate(Bundle savedInstanceState) {
20         super.onCreate(savedInstanceState);
21         setContentView(R.layout.activity_main);
22
23         tvBalance = findViewById(R.id.tvBalance);
24         tvHistory = findViewById(R.id.tvHistory);
25         etAmount = findViewById(R.id.etAmount);
26         btnDeposit = findViewById(R.id.btnDeposit);
27         btnWithdraw = findViewById(R.id.btnWithdraw);
28
29         updateBalance();
30
31         // Deposit
32         btnDeposit.setOnClickListener(new View.OnClickListener() {
33             @Override
34             public void onClick(View v) {
```

Users > hemes > Downloads > MainActivity.java > MainActivity

```
public class MainActivity extends AppCompatActivity {
    protected void onCreate(Bundle savedInstanceState) {

        // Deposit
        btnDeposit.setOnClickListener(new View.OnClickListener() {
            @Override
            public void onClick(View v) {

                String amtStr = etAmount.getText().toString();
                if (amtStr.isEmpty()) return;

                double amount = Double.parseDouble(amtStr);
                balance += amount;


                tvHistory.append("\n+ Deposited: ₹" + amount);
                updateBalance();
                etAmount.setText("");
            }
        });

        // Withdraw
        btnWithdraw.setOnClickListener(new View.OnClickListener() {
            @Override
            public void onClick(View v) {

                String amtStr = etAmount.getText().toString();
                if (amtStr.isEmpty()) return;

                double amount = Double.parseDouble(amtStr);

                if (amount <= balance) {
                    balance -= amount;
                    tvHistory.append("\n- Withdrawn: ₹" + amount);
                } else {
                    tvHistory.append("\n! Insufficient Balance");
                }
            }
        });
    }
}
```



MainActivity.java 1 X

C: > Users > hemes > Downloads > MainActivity.java > MainActivity

```
1  package com.example.fileapp;  
2  
3  import android.os.Bundle;  
4  import android.os.Environment;  
5  import android.view.View;  
6  import android.widget.Button;  
7  import android.widget.EditText;  
8  import android.widget.TextView;  
9  import android.widget.Toast;  
10 import androidx.appcompat.app.AppCompatActivity;  
11  
12 import java.io.File;  
13 import java.io.FileInputStream;  
14 import java.io.FileOutputStream;  
15  
16 public class MainActivity extends AppCompatActivity {  
17  
18     EditText etInput;  
19     TextView tvOutput;  
20     Button btnSave, btnRead;  
21  
22     String fileName = "myfile.txt";  
23  
24     @Override  
25     protected void onCreate(Bundle savedInstanceState) {  
26         super.onCreate(savedInstanceState);  
27         setContentView(R.layout.activity_main);  
28  
29         etInput = findViewById(R.id.etInput);  
30         tvOutput = findViewById(R.id.tvOutput);  
31         btnSave = findViewById(R.id.btnSave);  
32         btnRead = findViewById(R.id.btnRead);  
33     }
```

MainActivity.java

C:\Users\hemes\Downloads> MainActivity.java > MainActivity

```
16 public class MainActivity extends AppCompatActivity {
25     protected void onCreate(Bundle savedInstanceState) {
34         // SAVE FILE
35         btnSave.setOnClickListener(new View.OnClickListener() {
36             @Override
37             public void onClick(View v) {
38
39                 try {
40                     String text = etInput.getText().toString();
41
42                     File file = new File(
43                         Environment.getExternalStorageDirectory(),
44                         fileName
45                     );
46
47                     FileOutputStream fos = new FileOutputStream(file);
48                     fos.write(text.getBytes());
49                     fos.close();
50
51                     Toast.makeText(MainActivity.this, "Saved to File", Toast.LENGTH_SHORT)
52
53                 } catch (Exception e) {
54                     e.printStackTrace();
55                 }
56             }
57         });
58
59         // READ FILE
60         btnRead.setOnClickListener(new View.OnClickListener() {
61             @Override
62             public void onClick(View v) {
63
64                 try {
65                     File file = new File(
66                         Environment.getExternalStorageDirectory(),
67                         fileName
```

MainActivity.java

> Users > hemes > Downloads > MainActivity.java > MainActivity

```
16 public class MainActivity extends AppCompatActivity {
25     protected void onCreate(Bundle savedInstanceState) {
35         btnSave.setOnClickListener(new View.OnClickListener() {
57             });
58
59         // READ FILE
60         btnRead.setOnClickListener(new View.OnClickListener() {
61             @Override
62             public void onClick(View v) {
63
64                 try {
65                     File file = new File(
66                         Environment.getExternalStorageDirectory(),
67                         fileName
68                     );
69
70                     FileInputStream fis = new FileInputStream(file);
71                     int c;
72                     StringBuilder data = new StringBuilder();
73
74                     while ((c = fis.read()) != -1) {
75                         data.append((char) c);
76                     }
77
78                     fis.close();
79                     tvOutput.setText(data.toString());
80
81                 } catch (Exception e) {
82                     e.printStackTrace();
83                 }
84             }
85         });
86     }
87 }
```