




Browser tabs: (49) How to install Pos..., hemanth057/kafka-m..., ChatGPT, http://localhost:8..., Download Postman |..., Get data - Hemanth..., Postman, github login - Brave S...

Address bar: 0040hemanth-1096853.postman.co/workspace/Hemanth-Kumar's-Workspace-f88b61fc-b57b-4814-8687-7618c09e...

Workspace: Hemanth Kumar's Workspace

Request Details:

- Method: PUT
- URL: http://localhost:8080/employees/101
- Body Type: raw
- Body Content:

```
1 {
2   "name": "Kumar",
3   "role": "Spring Boot Developer",
4   "salary": 75000
5 }
```

Response Details:

- Status: 200 OK
- Time: 449 ms
- Size: 237 B
- Body Type: JSON
- Body Content:

```
1 {
2   "id": 101,
3   "name": "Kumar",
4   "role": "Spring Boot Developer",
5   "salary": 75000.0
6 }
```

Left Sidebar:

- COLLECTIONS
 - My Collection
- ENVIRONMENTS
 - SPECS
 - FLAWS

Right Sidebar:

- New Chat
- Execute and inspect POST response
- Add validation tests for key fields
- Use an environment variable for base URL
- Describe what you need. Press @ for context, / for Skills.
- Auto

Bottom Bar: Connect Git, Console, Terminal, Desktop Agent, Globals, Vault, Tools


Postman interface showing a POST request to `http://localhost:8080/employees` with a JSON body:

```
{
  "id": 101,
  "name": "Hemanth",
  "role": "Java Developer",
  "salary": 50000
}
```

The response is `200 OK` with a status of `1.69 s` and `232 B`. The response body is displayed in JSON format:

```
{
  "id": 101,
  "name": "Hemanth",
  "role": "Java Developer",
  "salary": 50000.0
}
```

On the right side, there is a "New Chat" section with a text input field and a "Send" button. The input field contains the text: "Describe what you need. Press @ for context, / for Skills." Below the input field is an "Auto" button.



```
C:\WINDOWS\system32\cmd. x + v
HEMANTH
EMPLOYEE

SQL> select * from HEMANTH.employee;
no rows selected

SQL> select * from HEMANTH.employee;
no rows selected

SQL> select * from HEMANTH.employee;

      ID
-----
NAME
-----
DEPARTMENT          SALARY
-----
ROLE
-----
      101
Hemanth
Java Developer          50000

SQL> select * from HEMANTH.employee;

      ID
-----
NAME
-----
DEPARTMENT          SALARY
-----
ROLE
-----
      101
Kumar
Spring Boot Developer    75000

SQL> select * from HEMANTH.employee;
no rows selected

SQL> select * from HEMANTH.employee;
```