

SMART PUBLIC RESTROOM USING IOT

TEAM MEMBER

610821106031:HEMANTH S

Phase 5 Submission Document

Project: 223930_Team_1_6108_Smart Public Restroom



Project Definition:

The project aims to enhance public restroom management by installing IoT sensors to monitor occupancy and maintenance needs. The goal is to provide real-time data on restroom availability and cleanliness to the public through a platform or mobile app. This project includes defining objectives, designing the IoT sensor system, developing the restroom information platform, and integrating them using IoT technology and Python.

INTRODUCTION

In an era characterized by rapid urbanization and technological advancement, the concept of a "Smart Public Restroom" powered by the Internet of Things (IoT) has emerged as a pioneering solution to enhance public hygiene, convenience, and sustainability. These cutting-edge facilities are redefining the way we experience public spaces, optimizing resource management, and promoting a cleaner and more user-friendly environment.

Traditional public restrooms often fall short in terms of cleanliness, maintenance, and accessibility, leading to a less-than-desirable user experience. The integration of IoT technology into these facilities is a game-changer, as it enables real-time monitoring and management, resulting in numerous benefits for both authorities and the general public.

Smart Public Restrooms leverage IoT to seamlessly connect various devices, sensors, and systems within the restroom infrastructure, creating a holistic ecosystem that improves efficiency and user satisfaction. These innovative facilities are equipped with a range of features, such as automated cleaning, occupancy tracking, touchless fixtures, and data analytics, which collectively contribute to a more sustainable and user-friendly restroom experience.

The core objective of Smart Public Restrooms is to address several critical challenges, including:

Enhanced Hygiene: IoT-driven restrooms minimize human touchpoints and offer touchless handwashing, sanitization, and waste disposal solutions, reducing the risk of disease transmission.

Resource Optimization: IoT sensors can monitor restroom traffic, ensuring that cleaning and maintenance activities are performed when necessary, thus reducing water and energy consumption.

Improved Accessibility: These restrooms often feature inclusive facilities, making them accessible to individuals with disabilities and diverse needs.

User Convenience: IoT technology enhances user experience by providing real-time information on restroom availability, cleanliness, and even access to essential amenities.

Data-Driven Insights: Collected data can be analyzed to identify usage patterns, trends, and areas for improvement, facilitating data-driven decision-making for facility management.

Sustainability: The integration of IoT technology in restrooms supports environmental sustainability by reducing water and energy waste, as well as promoting more responsible waste disposal.

The deployment of IoT in public restrooms represents a significant step towards creating smarter, more efficient, and user-centric urban environments. As cities continue to grow and evolve, the adoption of Smart Public Restrooms not only addresses pressing issues of hygiene and resource management but also sets a precedent for the integration of IoT in various public infrastructure, heralding a future where technology serves as the backbone of smarter and more sustainable cities.

1: Problem Definition And Design Thinking

Abstract:

The concept of a smart public restroom utilizing the Internet of Things (IoT) technology offers innovative solutions to enhance the user experience, improve operational efficiency, and promote hygiene and sustainability. This abstract provides an overview of the key modules and functionalities of a smart public restroom system powered by IoT.

Modules:

Smart Access Control System:

- IoT-enabled smart locks and access control mechanisms to ensure authorized entry.
- Integration with mobile apps for touchless access via QR codes or smartphone authentication.
- Real-time occupancy monitoring to prevent overcrowding.

Hygiene Monitoring and Alerts:

- Sensor-based soap and sanitizer dispensers with refill notifications.
- Smart waste bins equipped with fill-level sensors to optimize trash collection routes.
- Automated alerts for maintenance when hygiene supplies are low.

Energy Efficiency:

- Smart lighting systems that adjust brightness based on occupancy and natural light.
- Temperature and ventilation control to conserve energy when the restroom is not in use.
- Integration with renewable energy sources, such as solar panels.

Water Conservation:

- IoT-connected water fixtures like faucets and toilets to reduce water wastage.
- Leak detection sensors to identify and address plumbing issues promptly.
- Data analytics for optimizing water consumption patterns.

Occupancy and Cleaning Management:

- Occupancy sensors to monitor restroom usage in real-time.
- Automatic scheduling of cleaning based on usage data.
- Remote monitoring and alerts for maintenance staff.

User Feedback and Experience Enhancement:

- Interactive touchscreens or mobile apps for users to provide feedback.
- Integration with AI chatbots for quick responses to user queries.
- Customizable ambiance settings, like music and fragrance dispensers.

Accessibility Features:

- IoT-powered accessibility solutions, such as voice-activated controls.
- Automatic door opening for people with disabilities
- Real

2: Innovation

Incorporating predictive maintenance algorithms to anticipate maintenance needs based on sensor data can significantly improve the efficiency and reliability of equipment and machinery in various industries. Predictive maintenance leverages data analytics, machine learning, and sensor technology to predict when equipment is likely to fail, allowing for timely maintenance and minimizing downtime.

Define Objectives and Goals:

Clearly define the objectives of implementing predictive maintenance. This could include reducing downtime, minimizing maintenance costs, extending equipment lifespan, or improving overall equipment effectiveness (OEE).

Data Collection:

Install sensors and data acquisition systems on critical equipment to gather relevant data. These sensors can capture information such as temperature, pressure, vibration, fluid levels, and more.

Data Preprocessing:

Clean and preprocess the sensor data. This involves removing noise, handling missing values, and converting data into a suitable format for analysis.

Feature Engineering:

Create relevant features from the raw sensor data. These features may include statistical summaries, trends, or other domain-specific indicators.

Data Storage:

Store the preprocessed data in a centralized database or data warehouse for easy access and analysis.

Select Algorithms:

Choose appropriate machine learning algorithms for predictive maintenance. Common algorithms include regression, decision trees, random forests, support vector machines, and neural networks. Some specialized algorithms for time series data analysis, like LSTM (Long Short-Term Memory) networks, may also be suitable.

Model Training:

Train the selected algorithms using historical sensor data and maintenance records. The goal is to build predictive models that can forecast equipment failures or maintenance needs.

Threshold and Alert Setting:

Define threshold values for each predictive model. When the model predicts a failure likelihood exceeding a certain threshold, generate alerts for maintenance personnel or trigger automated maintenance scheduling.

Integration with Maintenance Workflow:

Integrate the predictive maintenance system with your organization's maintenance workflow. Ensure that alerts are communicated to the right personnel or systems responsible for scheduling and executing maintenance tasks.

Continuous Monitoring:

Continuously monitor equipment using real-time sensor data. Update and retrain the predictive models as new data becomes available to improve accuracy.

Performance Evaluation:

Regularly evaluate the performance of the predictive maintenance system. Measure key metrics such as false positives, false negatives, precision, recall, and overall predictive accuracy.

Feedback Loop and Optimization:

Use feedback from maintenance activities to refine and optimize the predictive maintenance algorithms and thresholds. This iterative process can lead to continuous improvement.

Documentation and Reporting:

Maintain clear documentation of the predictive maintenance system's configuration, algorithms, and results. Generate reports to track the system's impact on equipment reliability and cost savings.

Scale and Expand:

Once the system proves effective for a subset of equipment, consider scaling and expanding its deployment to cover a broader range of assets within your organization.

Cybersecurity and Data Privacy:

Ensure that the predictive maintenance system adheres to cybersecurity best practices and data privacy regulations, especially if it involves sensitive or confidential data.

3 . Load And Preprocess The Dataset Development Part 1

load and preprocess such a dataset:

Define Data Objectives: Before collecting data, clearly define the objectives of your smart public restroom project. What aspects do you want to monitor and optimize? This could include occupancy, cleanliness, water usage, or other parameters.

Data Collection:

- a. **Sensors:** Install sensors and data collection devices. For example, occupancy sensors (PIR or ultrasonic), water flow sensors, air quality sensors, and temperature sensors.
- b. **CCTV Cameras:** Install cameras to monitor cleanliness and occupancy.
- c. **User Feedback:** Collect user feedback through touchscreen kiosks or mobile apps.
- d. **Maintenance Logs:** Record maintenance activities and schedules.

Data Storage:

- a. Set up a database system to store the collected data. Use a relational database (e.g., MySQL) or NoSQL database (e.g., MongoDB) depending on the data type.
- b. Create tables/collections to store data from different sources.

Data Preprocessing:

- a. **Data Cleaning:** Remove duplicates, correct inaccuracies, and handle missing data.
- b. **Data Integration:** Merge data from various sources into a single dataset.
- c. **Data Transformation:** Convert data into a usable format, e.g., timestamps to datetime objects.
- d. **Aggregation:** Create summary statistics, aggregating data into time intervals (hourly, daily, etc.).
- e. **Feature Engineering:** Create new features that might be useful for analysis.

Data Security and Privacy:

- a. Ensure that you follow best practices for data security and comply with relevant privacy regulations.
- b. Anonymize or pseudonymize sensitive data.

Data Analysis:

- a. Analyze the preprocessed data to gain insights into restroom usage patterns, cleanliness, and other relevant metrics.
- b. Use tools like Python with libraries such as Pandas and NumPy for data analysis.

Data Visualization:

- a. Create visualizations (e.g., bar charts, line graphs, heatmaps) to better understand the data and communicate findings.
- b. Tools like Matplotlib and Seaborn can be helpful.

Machine Learning (Optional):

If your dataset is large and diverse enough, you can build machine learning models for predictive maintenance, occupancy prediction, or other applications.

Monitoring and Real-time Updates:

Implement real-time monitoring of restroom conditions using the collected data. This can involve setting up alerts and dashboards.

Feedback Loop:

Continuously use the insights from the data to make improvements in the restroom's operation and maintenance.

Deploying IoT sensors in public restrooms to collect data, such as occupancy sensors and cleanliness sensors, can offer several benefits, including improved maintenance, resource efficiency, and user experience. Here are the steps can take to set up this system:

Define Objectives:

Clearly define the objectives of deploying IoT sensors in public restrooms. Determine what data you want to collect and how you plan to use that data. For example, you may want to monitor restroom occupancy, cleanliness, and usage patterns to optimize cleaning schedules and resources.

Select Appropriate Sensors:

Choose the right sensors for your specific needs. For occupancy sensing, you can use infrared or ultrasonic motion sensors, or even more advanced technologies like camera-based systems. For cleanliness, consider sensors that can detect conditions such as trash levels, soap and sanitizer levels, or even air quality.

Connectivity and Data Storage:

Ensure that the sensors are equipped with the necessary connectivity options, such as Wi-Fi, Bluetooth, or LoRa, to transmit data to a central system. Decide where and how the data will be stored and processed. Cloud-based solutions are common for IoT deployments.

Power Supply:

Determine the power supply for your sensors. Battery-powered sensors may require regular maintenance to replace batteries, while hardwired sensors can be more reliable but may require additional installation work.

Installation:

Install the sensors in strategic locations within the restrooms. For occupancy sensors, they could be placed above the restroom entrance or inside each stall. Cleanliness sensors may be installed in trash cans, soap dispensers, or air quality monitoring systems.

Data Processing and Analysis:

Develop or use software to process and analyze the data collected by the sensors. Create alerts or notifications for specific events, such as when a restroom needs cleaning or when it's at full occupancy.

User Privacy and Data Security:

Ensure that you have mechanisms in place to protect user privacy and data security. Anonymize data where possible and implement security protocols to prevent unauthorized access to the sensor network.

Maintenance and Calibration:

Regularly maintain and calibrate the sensors to ensure they are working accurately. Replace batteries as needed, clean sensor lenses, and update software to fix bugs or improve performance.

Integration with Existing Systems:

If your organization already uses facility management software, integrate the restroom sensor data with these systems to streamline operations.

User Feedback and Transparency:

Collect user feedback and be transparent about the purpose and use of the sensors. This can help build trust and improve the overall user experience

compliance with Regulations:

Ensure that your IoT sensor deployment complies with local regulations and privacy laws, especially if it involves video or audio recording.

Data Visualization and Reporting:

Implement a data visualization platform to create dashboards and reports that make it easy for facility managers to interpret and act on the collected data.

Develop a Python script on the IoT sensors to send real-time occupancy and cleanliness data to the restroom information platform.

```
import requests

import time

import random

# Simulated data collection - replace with actual sensor code
def collect_occupancy_data():
    # Simulated occupancy data, replace with your sensor logic
    return random.choice([0, 1])

def collect_cleanliness_data():
    # Simulated cleanliness data, replace with your sensor logic
    return random.uniform(0, 1)

# RESTroom Information Platform URL
platform_url = "https://your-restroom-platform.com/api/update"

# Replace with your authentication or API key if required
headers = {
    'Authorization': 'Bearer YOUR_API_KEY'
}

# Main loop for data collection and transmission
while True:
    # Collect occupancy and cleanliness data
    occupancy_data = collect_occupancy_data()
    cleanliness_data = collect_cleanliness_data()
```

```
# Prepare the data to send to the
platformdata = {
    'occupancy': occupancy_data,
    'cleanliness':
        cleanliness_data, 'timestamp':
        int(time.time())
}

# Send data to the platform
response = requests.post(platform_url, json=data, headers=headers)

if response.status_code == 200:
    print(f"Data sent successfully: {data}")
else:
    print(f"Failed to send data. Status code: {response.status_code}, Response:
{response.text}")

# Adjust the interval to match your data collection frequency
time.sleep(60) # Sleep for 60 seconds (1 minute)
```

4. Development Part 2

Building The Project By Performing Different Activities Like Feature Engineering, Model Training, Evaluation For Smart Public Restroom

Designing a smart public restroom using IoT (Internet of Things) involves several stages, including feature engineering, model training, and evaluation. Here's a step-by-step guide on how to perform these activities:

Define the Problem:

Identify the specific problems and objectives you want to address with your smart public restroom, such as optimizing resource usage, improving cleanliness, or enhancing user experience.

Data Collection:

Set up IoT sensors and devices to collect relevant data. This may include occupancy sensors, temperature sensors, motion detectors, and even smart soap dispensers. Ensure data is securely and accurately transmitted to a central server.

Feature Engineering:

Process and transform raw IoT data into meaningful features for analysis. For a public restroom, features might include:

- Occupancy patterns (busy hours, peak usage times)
- Temperature and humidity levels
- Dispenser usage (soap, paper towels)
- Cleaning frequency and schedules
- User feedback data (e.g., via feedback kiosks)
- Consider using time series analysis to capture temporal patterns in the data.

Data Storage:

Set up a robust data storage system to store the collected data. You can use databases, data lakes, or cloud services for this purpose.

Data Preprocessing:

Clean and preprocess the data. Handle missing values, outliers, and ensure data consistency.

Model Selection:

Choose the appropriate machine learning or statistical models that fit the problem. For public restrooms, models like time series analysis, regression, or classification might be useful.

Model Training:

Split the data into training and validation sets.

Train your selected models on the training data, using the features you engineered.

Model Evaluation:

Assess the performance of your models using appropriate metrics. For a smart public restroom, metrics could include accuracy, F1 score, Mean Absolute Error (MAE), Mean Squared Error (MSE), etc.

Consider cross-validation to ensure robust model performance.

Optimization and Deployment:

Fine-tune your models to achieve the best results.

Once satisfied with the model's performance, deploy it to your smart public restroom system.

Real-time Monitoring:

Continuously monitor the IoT devices and the model's predictions in real-time. IoT platforms and dashboards can help with this.

Implement alert systems for anomalies and issues (e.g., low soap levels or restroom overuse).

Feedback Loop:

Collect and integrate user feedback to continuously improve the system. Adjust the model and system parameters based on feedback.

Maintenance and Updates:

Regularly maintain and update the IoT devices and the underlying software to ensure optimal performance.

Security:

Implement robust security measures to protect the IoT devices and data from unauthorized access or cyberattacks.

Compliance and Privacy:

Ensure that your smart public restroom system complies with relevant privacy and data protection regulations.

Scale and Expand:

If your smart restroom is successful, consider scaling the solution to more locations and expanding its features based on user needs and feedback.

Continue building the project by developing the restroom information platform and mobile app for smart public restroom using IoT

Restroom Information Platform:

Define Platform Features:

Identify the features you want to include in the restroom information platform. These might include real-time occupancy status, cleanliness ratings, wait time estimates, and user feedback.

Data Integration:

Connect the platform to the data collected from IoT devices in the restroom. Ensure that data is updated in real-time.

Database and API:

Set up a database to store the restroom data and create APIs to access this data. You can use technologies like RESTful APIs or GraphQL for this purpose.

User Authentication:

Implement a secure user authentication system. Users should be able to create accounts, log in, and personalize their experience.

Real-Time Updates:

Implement a real-time update mechanism, such as WebSockets, to provide users with instant data on restroom occupancy, cleanliness, and other relevant information.

User Interface (UI):

Develop a user-friendly web-based interface for the platform. Use modern design principles and responsive design to ensure usability on various devices.

Rating and Feedback System:

Allow users to rate the restroom's cleanliness and leave feedback. Implement a rating system and a comment section for each restroom location.

Search and Navigation:

Include a search feature that helps users find nearby smart restrooms. You can use geolocation to assist with this. Implement maps and navigation tools if necessary.

Notifications:

Enable push notifications to inform users about real-time restroom status changes or maintenance alerts.

Analytics and Reporting:

Add an analytics dashboard to monitor restroom usage patterns and user behavior. This data can be used for continuous improvement.

Mobile App:**Platform Selection**

Decide whether to build separate apps for iOS and Android or create a cross-platform app using technologies like React Native or Flutter.

User Registration and Login

Allow users to register or log in to the mobile app to access the platform's features.

Dashboard:

Create a dashboard that displays the status of nearby smart restrooms, including occupancy, cleanliness ratings, and wait times.

Navigation:

Implement navigation features to guide users to their selected restroom locations. Utilize GPS and maps for this purpose.

Real-Time Updates:

Provide real-time updates on restroom availability, cleanliness, and user feedback.

Rating and Feedback

Enable users to rate restroom cleanliness and leave comments, just like on the web platform.

Push Notifications:

Send push notifications to keep users informed about restroom status changes and other important updates.

Profile Management:

Allow users to manage their profiles, preferences, and app settings.

Integration with Restroom Information Platform:

Ensure that the mobile app seamlessly integrates with the restroom information platform, sharing data and user preferences.

Testing and Quality Assurance

Thoroughly test the app on various devices and operating systems to ensure functionality, performance, and security.

Launch and Marketing:

Launch the mobile app on app stores (Google Play Store and Apple App Store) and promote it to your target audience.

User Support and Feedback:

Provide customer support channels for users who encounter issues and collect feedback to improve the app.

Updates and Maintenance:

Regularly update the app to add new features, improve performance, and fix bugs.

Use web development technologies (e.g., HTML, CSS, JavaScript) to create a platform that displays real-time restroom availability and cleanliness data for smart public restroom using IoT

HTML (index.html):

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Smart Restroom Dashboard</title>
  <link rel="stylesheet" href="style.css">
</head>

<body>
  <header>
    <h1>Smart Restroom Dashboard</h1>
  </header>
  <main>

    <section id="restroom-info">
      <h2>Restroom Information</h2>
      <div id="occupancy-status">

        <h3>Occupancy Status</h3>

        <p id="occupancy-data">Loading...</p>
      </div>
      <div id="cleanliness-status">
        <h3>Cleanliness Status</h3>
        <p id="cleanliness-data">Loading...</p>
      </div>
    </section>
  </main>
</body>
</html>
```

```
        </div>
    </section>
</main>

<script src="script.js"></script>
</body>
</html>
```

CSS (style.css):

```
body {
    font-family: Arial, sans-serif;
}
```

```
header {
    background-color: #0077b6;
    color: white;
    text-align: center;
    padding: 20px;
}
```

```
h1 {
    margin: 0;
}
```

```
main {
    padding: 20px;
}
```

```
h2 {  
  font-size: 24px;  
  margin-top: 0;  
}
```

```
#occupancy-status, #cleanliness-status {  
  border: 1px solid #ddd;  
  padding: 10px;  
  margin-bottom: 20px;  
  border-radius: 5px;  
}
```

```
#occupancy-data, #cleanliness-data {  
  font-size: 18px;  
}
```

JavaScript (script.js):

```
// Simulated real-time data (replace with actual IoT data) const  
simulatedData = {  
  occupancy: "Occupied",  
  cleanliness: "Good",  
};  
  
// Update the occupancy and cleanliness data  
function updateData() {
```

```
const occupancyStatus = document.getElementById("occupancy-data");
const cleanlinessStatus = document.getElementById("cleanliness-data");

occupancyStatus.textContent = simulatedData.occupancy;
cleanlinessStatus.textContent = simulatedData.cleanliness;
}

// Update data every few seconds (simulated real-time updates)
setInterval(updateData, 5000);

// Initialize data on page load
updateData();
```

HTML defines the structure of the webpage, including placeholders for real-time occupancy and cleanliness data.

CSS provides basic styling to make the dashboard visually appealing. JavaScript updates the data displayed on the dashboard every few seconds (simulated real-time updates). You should replace the simulated data with actual IoT data from your smart public restroom.

Design mobile apps for iOS and Android platforms that provide users with access to realtime restroom information for smart public restroom using IoT

Designing mobile apps for iOS and Android platforms that provide users with access to real-time restroom information for a smart public restroom using IoT involves several steps, including user interface design, app functionality, and integration with IoT data sources. Below is a high-level overview of the design process:

1. User Interface (UI) Design:

Define the app's visual style, color scheme, and overall look and feel. Create wireframes and mockups for key app screens, including the dashboard, restroom details, user feedback, and settings.

Ensure a user-friendly and intuitive design with a focus on simplicity and ease of use.

2. Features and Functionality:

a. User Registration and Authentication

Allow users to create accounts and log in for a personalized experience.

Implement secure authentication methods.

b. Dashboard:

The main screen should display nearby smart restrooms.

Provide real-time information on occupancy status, cleanliness ratings, and wait times.

c. Restroom Details:

Users can select a specific restroom for more information.

Show real-time details, including occupancy, cleanliness, and user feedback.

d. User Feedback

Allow users to rate restroom cleanliness and leave comments. Provide a way for users to report issues or leave suggestions.

e. Navigation:

Include GPS and mapping features for users to navigate to selected restrooms.

f. Notifications

Send push notifications to inform users about restroom status changes and maintenance alerts.

g. User Profiles

Enable users to manage their profiles, view their history, and customize their preferences.

3. Data Integration:

Connect the app to the IoT data sources and the restroom information platform. Ensure real-time data updates.

4. Platform-Specific Development:

a. iOS (Swift):

Develop the app for iOS devices, following Apple's guidelines and best practices.

Optimize the user experience for iPhones and iPads.

b. Android (Java/Kotlin):

Develop the app for Android devices, following Google's guidelines and best practices.

Optimize the user experience for various Android smartphones and tablets.

5. User Experience (UX) Testing:

Test the app on different iOS and Android devices to ensure it functions correctly and looks great on each platform.

Pay attention to responsiveness, performance, and usability.

6. Security and Privacy:

Implement strong security measures to protect user data and privacy.

Comply with relevant data protection regulations, such as GDPR or CCPA.

7. Quality Assurance:

Conduct thorough testing to identify and fix any bugs, crashes, or performance issues.

Ensure that the app functions seamlessly on different device models and operating system versions.

8. App Store Deployment:

Submit the app to the Apple App Store for iOS and Google Play Store for Android.

Prepare app descriptions, screenshots, and other assets.

9. Marketing and User Onboarding:

Plan a marketing strategy to promote the app to your target audience.

Create user onboarding materials to help users understand how to use the app effectively.

10. User Support and Feedback:

Provide customer support channels for users who encounter issues.

Collect user feedback to make continuous improvements.

11. Updates and Maintenance:

Regularly update the app to add new features, improve performance, and address user feedback.

Block Diagram

