

MCQ Test

1. Which cloud storage model is best suited for storing virtual machine disks?

- A. Object storage
- B. Block storage
- C. File storage
- D. Archive storage

2. Which protocol style is widely used for lightweight web APIs in cloud platforms?

- A. SOAP only
- B. REST
- C. FTP
- D. SMTP

3. Serverless computing is best described as:

- A. Computing without networks
- B. Running code without managing servers directly
- C. Local execution only
- D. Batch-only processing

4. Edge computing primarily helps by:

- A. Increasing central storage only
- B. Reducing latency near data sources
- C. Eliminating internet access
- D. Replacing cloud storage fully

5. Fog computing differs from edge computing because it:

- A. Always runs inside sensors
- B. Introduces an intermediate distributed layer between edge and cloud

C. Works only in private clouds

D. Uses no network resources

6. Which storage model is commonly used for shared departmental files?

- A. File storage
- B. Register storage
- C. Cache-only storage

D. Tape-only storage

7. A browser calling a cloud web application typically communicates through:

A. BIOS interrupts

B. Web APIs

C. Only command-line tools

D. VPN tunnels only

8. SAN stands for:

A. Secure Access Node

B. Storage Area Network

C. Shared Application Namespace

D. Service Access Network

9. Which of the following is a common benefit of serverless architecture?

A. Manual scaling of servers

B. Pay-per-use execution model

C. Dedicated physical hardware ownership

D. No monitoring required

10. Collaboration within the cloud usually improves:

A. Shared access to services and documents

B. Hardware disposal speed

C. Cable management

D. BIOS configuration

11. Which one is an example of a platform service?

A. Managed application runtime

B. Keyboard driver

C. Physical rack switch only

D. Local USB storage

12. Object storage is generally preferred for:

A. Mounting OS boot volumes

B. Large unstructured cloud data such as images and backups

C. CPU scheduling

D. Hypervisor installation

13. Which component allows applications to communicate programmatically with cloud services?

- A. Heat sink
- B. Web API
- C. Mouse driver
- D. Compiler cache

14. A low-latency smart factory use case is best supported by:

- A. Edge computing
- B. Cold archive only
- C. Offline storage
- D. Manual processing

15. Which one is not a typical cloud access method?

- A. Browser-based access
- B. API access
- C. Platform console access
- D. Paper-based access

Q.No Correct Answer Answer

- | | | |
|----|----------|---|
| 1 | B | Block storage |
| 2 | B | REST |
| 3 | B | Running code without managing servers directly |
| 4 | B | Reducing latency near data sources |
| 5 | B | Introduces an intermediate distributed layer between edge and cloud |
| 6 | A | File storage |
| 7 | B | Web APIs |
| 8 | B | Storage Area Network |
| 9 | B | Pay-per-use execution model |
| 10 | A | Shared access to services and documents |

Q.No Correct Answer Answer

11	A	Managed application runtime
12	B	Large unstructured cloud data such as images and backups
13	B	Web API
14	A	Edge computing
15	D	Paper-based access

1. **VM disks → Block Storage**
2. **Cloud web APIs → REST**
3. **Serverless → Code without directly managing servers**
4. **Edge → Low latency**
5. **Fog → Intermediate layer between Edge and Cloud**
6. **Shared files → File Storage**
7. **Browser → Web APIs**
8. **SAN → Storage Area Network**
9. **Serverless → Pay-per-use**
10. **Cloud collaboration → Shared access**
11. **Platform service → Managed application runtime**
12. **Images/backups → Object Storage**
13. **Programmatic cloud communication → Web API**
14. **Smart factory low latency → Edge**
15. **Not a cloud access method → Paper-based access**