1. Auth API

#	Function	URL	Method	Fields
1	Signup	http://54.164.83.129:8555 /api/account/signup	POST	Postdata : username, name, password, email, mobile
2	Login	http://54.164.83.129:8555 /api/account/token-auth	POST	Postdata : username, password
3	Logout	http://54.164.83.129:8555 /api/account/logout	DELETE	Header: X-Auth-Token: <token></token>

2. Social Auth API

#	Function	URL	Method	Fields
1	Signup	http://54.164.83.129:8555/ api/account/social/signup	POST	Postdata: name, email, mobile, social_id, token, provider
2	Login	http://54.164.83.129:8555/ api/account/social/token-a uth	POST	Postdata : social_id, token, provider(eg: facebook)

3. Company API

#	Function	URL	Method	Fields
1	create /edit	http://54.164.83.129:8555 /api/profile	POST	Postdata: company_name, designation, membership_number, trade_license_number, company_email, image (optional) Header: X-Auth-Token: <token></token>
2	View	http://54.164.83.129:8555 /api/profile	GET	Header: X-Auth-Token: <token></token>
3	Set Region	http://54.164.83.129:8555 /api/profile/set-region	POST	Postdata: region_id (integer) (available IDs are: 1(Middle East), 2(Africa), 3(CIS), 4(Indian Subcontinent), 5(Asia), 6(Australia), 7(North America), 8(South America). Header: X-Auth-Token: <token></token>

4. Business Matching API

#	Function	URL	Method	Fields
1	Set details	http://54.164.83.129:8555 /api/business-matching	POST	Postdata: provides(products/services/both) employee_count, annual_turnover. Header: X-Auth-Token: <token></token>
2	Get details	http://54.164.83.129:8555 /api/account/token-auth	GET	Header: X-Auth-Token: <token></token>

5.Business Listing*

#	Function	URL	Method	Fields
1	View	http://54.164.83.129:8555/ap i/business-list	GET	Header: X-Auth-Token: <token></token>
2	Members	http://54.164.83.129:8555/ap i/member-list/ <trade_license _number></trade_license 	GET	Header: X-Auth-Token: <token></token>

6.Connections

#	Function	URL	Method	Fields
1	send invite	http://54.164.83.129:8555/api /connection/invite	POST	Postdata: recipient_id Header: X-Auth-Token: <token></token>
2	open Invitation list	http://54.164.83.129:8555/api /connection/invitations	GET	Header: X-Auth-Token: <token></token>
3	Accept	http://54.164.83.129:8555/api /connection/accept	POST	Postdata: invitation_id Header: X-Auth-Token: <token></token>
4	my connectio ns	http://54.164.83.129:8555/api /connection/my-connections	GET	Header: X-Auth-Token: <token></token>
5	Public list	http://54.164.83.129:8555/api /connection/list/ <id of="" target<br="">user></id>	GET	Header: X-Auth-Token: <token></token>

6	Delete	http://54.164.83.129:8555/api	POST	Postdata: connection_id
		/connection/delete		Header: X-Auth-Token: <token></token>

7. Notifications

#	Function	URL	Method	Fields
1	Notificatio n list	http://54.164.83.129:8555/ap i/notifications/list	POST	Postdata: page Header: X-Auth-Token: <token></token>
2	Mark Read	http://54.164.83.129:8555/ap i/notifications/list	POST	notification_ids(array), read (bool) eg:- notification_ids[0] = <id notification="" of=""> notification_ids[1] = <id notification="" of=""> notification_ids[2] = <id notification="" of=""></id></id></id>

8.News and Events

#	Function	URL	Method	Fields
1	News	http://54.164.83.129:8555/api/news	GET	Null
2	Events	http://54.164.83.129:8555/api/events	GET	Null

9.Bookmarks

#	Function	URL	Method	Fields
1	Add	http://54.164.83.129:8555/api/ bookmarks/add	POST	Postdata: title ,item_id, item_id_type, item_parameter, item_parm_type Header: X-Auth-Token: <token></token>
2	List	http://54.164.83.129:8555/api/ bookmarks/list	POST	Postdata: page_no Header : X-Auth-Token: <token></token>
3	Show	http://54.164.83.129:8555/api/bookmarks/show/ <bookmark_i d=""></bookmark_i>	GET	Header: X-Auth-Token: <token></token>

4	Delete	http://54.164.83.129:8555/api/ bookmarks/delete	POST	Postdata: bookmark_ids(array)
				bookmark_ids[0] = <id bookmark="" of=""> bookmark_ids[1] = <id bookmark="" of=""></id></id>
				bookmark_ids[2] = <id bookmark="" of=""></id>
				Header: X-Auth-Token: <token></token>

10.User

#	Function	URL	Method	Fields
1	Show	http://54.164.83.129:8555/api/ profile/show/ <user_id></user_id>	GET	Header: X-Auth-Token: <token></token>

11.Calendar

#	Function	URL	Method	Fields
1	Add	http://54.164.83.129:8555/api/ calender/add	POST	Postdata: date ,item_id,item_id_type, item_parameter, item_parm_type eg: date = <dd-mm-yyyy hh:mm=""> format Header: X-Auth-Token:<token></token></dd-mm-yyyy>
2	List	http://54.164.83.129:8555/api/ calender/list	POST	Postdata: page_no(optional) Header: X-Auth-Token: <token></token>
3	Show	http://54.164.83.129:8555/api/calender/show/ <calender_id></calender_id>	GET	Header: X-Auth-Token: <token></token>
4	Delete	http://54.164.83.129:8555/api/ calender/delete	POST	Postdata: calender_ids(array) calender_ids[0] = <id calender="" of=""> calender_ids[1] = <id calender="" of=""></id></id>
				Header: X-Auth-Token: <token></token>

12.Endorsement

#	Function	URL	Method	Fields
---	----------	-----	--------	--------

1	Add	http://54.164.83.129:8555/api/ endorsement/add	POST	Postdata: user_id (<integer>of target user), optional_msg (text) Header: X-Auth-Token:<token></token></integer>
2	My Endorsem ents	http://54.164.83.129:8555/api/ endorsement/my_endorsemen ts	POST	Postdata: page_no(optional) Header: X-Auth-Token: <token></token>
3	public list view	http://54.164.83.129:8555/api/ endorsement/show_endorsem ents/ <id of="" target="" user=""></id>	POST	Postdata: page_no(optional) Header: X-Auth-Token: <token></token>
4	Show	http://54.164.83.129:8555/api/ endorsement/show/ <id of<br="">endorsement></id>	GET	Header: X-Auth-Token: <token></token>
5	Delete	http://54.164.83.129:8555/api/ endorsement/delete	POST	Postdata: endorsement_ids(array) endorsement_ids[0] = <id endorsement="" of=""> endorsement_ids[1] = <id endorsement="" of=""> Header: X-Auth-Token:<token></token></id></id>

13.Meeting

#	Function	URL	Method	Fields
1	Add	http://54.164.83.129:8555/api/ meeting/add	POST	Postdata: to_user_id (user id of recipient) optional fields: timing,timing_two, timing_three, optional_msg <dd-mm-yyyy hh:mm=""> Header: X-Auth-Token:<token></token></dd-mm-yyyy>
2	Accept	http://54.164.83.129:8555/api/ meeting/accept	POST	Postdata: meeting_id, accepted_timing_no Header: X-Auth-Token: <token></token>
3	Confirmed meetings	http://54.164.83.129:8555/api/ meeting/confirmed	POST	Postdata: page_no(optional) Header: X-Auth-Token: <token></token>
4	List requests	http://54.164.83.129:8555/api/ meeting/requests	POST	Postdata: page_no(optional) Header: X-Auth-Token: <token></token>

5	Reject	http://54.164.83.129:8555/api/ meeting/reject	POST	Postdata: meeting_id Header: X-Auth-Token: <token></token>
6	Modify(un used)	http://54.164.83.129:8555/api/ meeting/return	POST	Postdata: meeting_id optional fields: timing,timing_two, timing_three, Header: X-Auth-Token: <token></token>

14.Refer

#	Function	URL	Method	Fields
1	Add	http://54.164.83.129:8555/api/ refer/add	POST	Postdata: to_user_id (user id of target user)(int), item_type (type of the item referred, for events item_type=event)(string), item_id (id of the item)(int), optional_msg Header: X-Auth-Token: <token></token>
2	List	http://54.164.83.129:8555/api/ refer/list	POST	Postdata: page_no(optional) Header: X-Auth-Token: <token></token>

15.Business categories

#	Function	URL	Method	Fields
1	Set	http://54.164.83.129:8555/api/ business-categories/set	POST	Postdata: category_ids(array) Header: X-Auth-Token: <token></token>
2	List	http://54.164.83.129:8555/api/ business-categories/list	GET	Header: X-Auth-Token: <token></token>
3	Remove	http://54.164.83.129:8555/api/ business-categories/delete	POST	Postdata: category_ids (integer array)(get ids from "Business categories list"). Header: X-Auth-Token: <token></token>

16.Job Post

#	Function	URL	Method	Fields
1	Add	http://54.164.83.129:8555/api /job-post/add	POST	Postdata: title(string,max 100), description(string,max 500), due_date(optional, dd-mm-yyyy hh:mm) Header: X-Auth-Token: <token></token>
2	List	http://54.164.83.129:8555/api /job-post/list	POST	Postdata: page_no(optional,int) Header: X-Auth-Token: <token></token>
3	Remove	http://54.164.83.129:8555/api /job-post/delete	POST	Postdata: job_post_id Header: X-Auth-Token: <token></token>
4	My Posts	http://54.164.83.129:8555/api /job-post/my-list	POST	Postdata: page_no(optional,int) Header: X-Auth-Token: <token></token>
5	Show	http://54.164.83.129:8555/api /job-post/show	POST	Postdata: job_post_id Header: X-Auth-Token: <token></token>
6	Update	http://54.164.83.129:8555/api /job-post/update	POST	Postdata: title(string,max 100), description(string,max 500), due_date(optional, dd-mm-yyyy hh:mm) Header: X-Auth-Token: <token></token>

17.Job apply

#	Function	URL	Method	Fields
1	add(apply)	http://54.164.83.129:8555/api/ job-application/add	POST	Postdata: job_post_id Header: X-Auth-Token: <token></token>
2	Inbound list	http://54.164.83.129:8555/api/ job-application/inbound-list	POST	Postdata: job_post_id,page_no(optional) Header: X-Auth-Token: <token></token>
3	outbound list	http://54.164.83.129:8555/api/ job-application/outbound-list	POST	Postdata: page_no(optional) Header: X-Auth-Token: <token></token>
4	Remove	http://54.164.83.129:8555/api/ job-application/delete	POST	Postdata: job_application_id Header: X-Auth-Token: <token></token>