

ExtensionSentry Forensic Intelligence Report

Extension	Cloud Session Guardian
Version	9.8.1
Archive	Cloud_Session_Guardian_critical_demo.zip
SHA256	b2fe905392f735867525180cffe0d5cc67c88931dfafc53b6bceec43be65bd969
Risk Score	67/100
Threat Level	HIGH
Verdict	Security review required

Executive Narrative

The extension exposes elevated-risk behaviors that warrant analyst review.

Findings

MEDIUM - Sensitive Chrome permission declared: nativeMessaging

Bridge browser code to native host applications.

Recommendation: Confirm the permission is justified by documented extension functionality and minimize if possible.

MEDIUM - High-risk Chrome permission: clipboardRead

Read clipboard content.

Recommendation: Constrain capabilities with optional permissions and explicit user gestures.

MEDIUM - High-risk Chrome permission: cookies

Read or modify cookies.

Recommendation: Constrain capabilities with optional permissions and explicit user gestures.

MEDIUM - High-risk Chrome permission: scripting

Inject scripts into web pages.

Recommendation: Constrain capabilities with optional permissions and explicit user gestures.

MEDIUM - High-risk Chrome permission: tabs

Read tab titles, favicons, and URLs.

Recommendation: Constrain capabilities with optional permissions and explicit user gestures.

MEDIUM - High-risk Chrome permission: webRequest

Observe network traffic.

Recommendation: Constrain capabilities with optional permissions and explicit user gestures.

HIGH - Extension requests broad host access

The extension can observe or modify content across a large browsing surface.

Recommendation: Replace broad host permissions with exact domains and optional host grants.

MEDIUM - Content scripts inject across broad URL patterns

Automatic injection across many origins expands the data exposure boundary.

Recommendation: Restrict content scripts to approved business domains.

CRITICAL - Dynamic eval execution detected

Eval can execute remotely influenced strings as privileged extension code.

Recommendation: Remove eval and replace dynamic execution with static dispatch tables.

HIGH - Function constructor dynamic execution detected

The Function constructor can turn attacker-controlled strings into code.

Recommendation: Replace Function constructors with explicit functions and validated inputs.

LOW - Chrome tabs API access observed

Code paths interact with browser tab metadata or execution surfaces.

Recommendation: Review tab access paths and restrict them to user-initiated workflows.

MEDIUM - Cookie API access observed

Extension code can interact with browser cookies.

Recommendation: Remove cookie access unless needed for a documented security use case.

MEDIUM - Sensitive token storage pattern

Credential-like data appears to be stored in browser-accessible storage.

Recommendation: Move secrets to server-side storage or encrypted short-lived tokens.