

ExtensionSentry Forensic Intelligence Report

Extension	__MSG_name__
Version	6.40.0
Archive	adblock_forensic_zipped.zip
SHA256	7ca4235ea8d95ed13ead9af1e464c85daeddb399092dfccc3192442a7229a016
Risk Score	100/100
Threat Level	CRITICAL
Verdict	Quarantine recommended

Executive Narrative

Multiple high-confidence indicators create an emergency review posture.

Findings

CRITICAL - Critical Chrome permission: management

Enumerate or manipulate other installed extensions.

Recommendation: Remove the permission or require a documented exception with compensating controls.

HIGH - High-risk Chrome permission: scripting

Inject scripts into web pages.

Recommendation: Constrain capabilities with optional permissions and explicit user gestures.

HIGH - High-risk Chrome permission: tabs

Read tab titles, favicons, and URLs.

Recommendation: Constrain capabilities with optional permissions and explicit user gestures.

HIGH - High-risk Chrome permission: webRequest

Observe network traffic.

Recommendation: Constrain capabilities with optional permissions and explicit user gestures.

HIGH - Extension requests broad host access

The extension can observe or modify content across a large browsing surface.

Recommendation: Replace broad host permissions with exact domains and optional host grants.

MEDIUM - Content scripts inject across broad URL patterns

Automatic injection across many origins expands the data exposure boundary.

Recommendation: Restrict content scripts to approved business domains.

HIGH - Function constructor dynamic execution detected

The Function constructor can turn attacker-controlled strings into code.

Recommendation: Replace Function constructors with explicit functions and validated inputs.

CRITICAL - Remote script injection behavior detected

The extension appears capable of injecting script elements sourced from remote locations.

Recommendation: Bundle scripts locally and block remote script construction.

CRITICAL - Keystroke capture near credential terms

Keyboard events are handled near credential-sensitive identifiers.

Recommendation: Confirm no keystroke telemetry is collected and isolate sensitive inputs.

MEDIUM - Sensitive token storage pattern

Credential-like data appears to be stored in browser-accessible storage.

Recommendation: Move secrets to server-side storage or encrypted short-lived tokens.

MEDIUM - Dangerous DOM sink usage

HTML-writing sinks can become XSS vectors when paired with untrusted input.

Recommendation: Use safe DOM APIs, templates, and strict sanitization.

CRITICAL - Keystroke capture near credential terms

Keyboard events are handled near credential-sensitive identifiers.

Recommendation: Confirm no keystroke telemetry is collected and isolate sensitive inputs.

CRITICAL - Keystroke capture near credential terms

Keyboard events are handled near credential-sensitive identifiers.

Recommendation: Confirm no keystroke telemetry is collected and isolate sensitive inputs.

CRITICAL - Remote script injection behavior detected

The extension appears capable of injecting script elements sourced from remote locations.
Recommendation: Bundle scripts locally and block remote script construction.

MEDIUM - Sensitive token storage pattern

Credential-like data appears to be stored in browser-accessible storage.
Recommendation: Move secrets to server-side storage or encrypted short-lived tokens.

MEDIUM - Sensitive token storage pattern

Credential-like data appears to be stored in browser-accessible storage.
Recommendation: Move secrets to server-side storage or encrypted short-lived tokens.

MEDIUM - Sensitive token storage pattern

Credential-like data appears to be stored in browser-accessible storage.
Recommendation: Move secrets to server-side storage or encrypted short-lived tokens.

MEDIUM - Dangerous DOM sink usage

HTML-writing sinks can become XSS vectors when paired with untrusted input.
Recommendation: Use safe DOM APIs, templates, and strict sanitization.

MEDIUM - Sensitive token storage pattern

Credential-like data appears to be stored in browser-accessible storage.
Recommendation: Move secrets to server-side storage or encrypted short-lived tokens.

MEDIUM - Sensitive token storage pattern

Credential-like data appears to be stored in browser-accessible storage.
Recommendation: Move secrets to server-side storage or encrypted short-lived tokens.

MEDIUM - Sensitive token storage pattern

Credential-like data appears to be stored in browser-accessible storage.
Recommendation: Move secrets to server-side storage or encrypted short-lived tokens.

MEDIUM - Dangerous DOM sink usage

HTML-writing sinks can become XSS vectors when paired with untrusted input.
Recommendation: Use safe DOM APIs, templates, and strict sanitization.

MEDIUM - Sensitive token storage pattern

Credential-like data appears to be stored in browser-accessible storage.

Recommendation: Move secrets to server-side storage or encrypted short-lived tokens.

MEDIUM - Dangerous DOM sink usage

HTML-writing sinks can become XSS vectors when paired with untrusted input.

Recommendation: Use safe DOM APIs, templates, and strict sanitization.

CRITICAL - Cryptomining indicator detected

JavaScript contains known cryptomining terms or pool protocol references.

Recommendation: Quarantine the extension and perform incident response on installed endpoints.

MEDIUM - Sensitive token storage pattern

Credential-like data appears to be stored in browser-accessible storage.

Recommendation: Move secrets to server-side storage or encrypted short-lived tokens.

MEDIUM - Sensitive token storage pattern

Credential-like data appears to be stored in browser-accessible storage.

Recommendation: Move secrets to server-side storage or encrypted short-lived tokens.

MEDIUM - Sensitive token storage pattern

Credential-like data appears to be stored in browser-accessible storage.

Recommendation: Move secrets to server-side storage or encrypted short-lived tokens.

MEDIUM - Sensitive token storage pattern

Credential-like data appears to be stored in browser-accessible storage.

Recommendation: Move secrets to server-side storage or encrypted short-lived tokens.

MEDIUM - Dangerous DOM sink usage

HTML-writing sinks can become XSS vectors when paired with untrusted input.

Recommendation: Use safe DOM APIs, templates, and strict sanitization.

MEDIUM - Sensitive token storage pattern

Credential-like data appears to be stored in browser-accessible storage.

Recommendation: Move secrets to server-side storage or encrypted short-lived tokens.

MEDIUM - Sensitive token storage pattern

Credential-like data appears to be stored in browser-accessible storage.

Recommendation: Move secrets to server-side storage or encrypted short-lived tokens.

MEDIUM - Dangerous DOM sink usage

HTML-writing sinks can become XSS vectors when paired with untrusted input.

Recommendation: Use safe DOM APIs, templates, and strict sanitization.

HIGH - Large encoded payload found in JavaScript

Large base64 or hexadecimal blobs can conceal staged payloads or exfiltration logic.

Recommendation: Require source review and remove opaque encoded payloads.

MEDIUM - Sensitive token storage pattern

Credential-like data appears to be stored in browser-accessible storage.

Recommendation: Move secrets to server-side storage or encrypted short-lived tokens.

MEDIUM - Dangerous DOM sink usage

HTML-writing sinks can become XSS vectors when paired with untrusted input.

Recommendation: Use safe DOM APIs, templates, and strict sanitization.

MEDIUM - Insecure HTTP endpoint references

The extension references endpoints that can be intercepted or modified in transit.

Recommendation: Use HTTPS for all remote endpoints and pin trusted service domains where possible.

HIGH - IP literal network destinations detected

Hard-coded IP destinations bypass domain reputation and ownership controls.

Recommendation: Investigate IP ownership and replace literals with approved domains.

HIGH - Suspicious external domain indicators

The extension references domains with risky TLDs or common exfiltration service keywords.

Recommendation: Block the domains until ownership and data flow are verified.