

The screenshot shows a web browser window with the address bar displaying 'localhost:5173'. The page title is 'Agentic URL Shortener' with a subtitle 'Spec-driven • governed SDLC orchestration'. The navigation bar includes 'English' and three tabs: 'SHORTENER' (active), 'ANALYTICS', and 'ORCHESTRATOR'. The main content area features a 'Create short link' section with a text input for 'Long URL *', two optional inputs for 'Custom alias (optional)' and 'TTL seconds (optional)', and a blue 'SHORTEN' button.

PROD STEP:

Docker command:

- 1) docker -v (If error install docker in the local)
- 2) docker compose build

```
Hemanths-MacBook-Air:AgenticURL hemanthpeela$ docker compose build
=> CACHED [greenfield builder 2/6] WORKDIR /app 0.0s
=> CACHED [greenfield builder 3/6] COPY gradle gradle 0.0s
=> CACHED [greenfield builder 4/6] COPY gradlew build.gradle settings.gradle ./ 0.0s
=> CACHED [greenfield builder 5/6] COPY src src 0.0s
=> CACHED [greenfield builder 6/6] RUN chmod +x gradlew && ./gradlew bootJar --no-daemon 0.0s
=> CACHED [brownfield stage-1 4/4] COPY --from=builder /app/build/libs/*.jar app.jar 0.0s
=> [greenfield] exporting to image 0.4s
=> => exporting layers 0.0s
=> => exporting manifest sha256:5b2b93edbc3d1f7014993c2debb762e04e8921c354abcc41c3babb87d8fae131 0.1s
=> => exporting config sha256:11377e68503305c423d7e53c7a02638e1e3b954d4059a07021776ccaacde2044 0.1s
=> => exporting attestation manifest sha256:814f0316d3cae9bbe9cca02d034365f558453e1cc6bca8414bfefffb10fce195 0.1s
=> => exporting manifest list sha256:29f90430a6981f4a4547af6db25296d98a9f412602ac6f98b71583b47b20211d 0.1s
=> => naming to docker.io/library/agentcurl-greenfield:latest 0.0s
=> => unpacking to docker.io/library/agentcurl-greenfield:latest 0.0s
=> [brownfield] exporting to image 0.4s
=> => exporting layers 0.0s
=> => exporting manifest sha256:a8a1e9b74caa6b6f6b22431e199b38266f67af962ed667e8330952f9ed1d18 0.1s
=> => exporting config sha256:43c468a86564a8050ce3bcc39381b6a2fbade612a7407a24cb118ef5de636724 0.1s
=> => exporting attestation manifest sha256:6aad17818d63a577ccc9749eaeaf12b47ff5716ab3525c7cde4526ba2190422 0.1s
=> => exporting manifest list sha256:75ccf4cffa7bbcaa9986f3759d907d9f7d95452be9f5df8cc9bc2bdbb0fcb8d 0.1s
=> => naming to docker.io/library/agentcurl-brownfield:latest 0.0s
=> => unpacking to docker.io/library/agentcurl-brownfield:latest 0.0s
=> [brownfield] resolving provenance for metadata file 0.0s
=> [greenfield] resolving provenance for metadata file 0.0s
=> CACHED [ambiguous builder 2/6] WORKDIR /app 0.0s
=> CACHED [ambiguous builder 3/6] COPY ui/package.json ./ 0.0s
=> CACHED [ambiguous builder 4/6] RUN npm install 0.0s
=> [ambiguous builder 5/6] COPY ui/ ./ 6.7s
=> [ambiguous builder 6/6] RUN npm run build 5.0s
=> CACHED [ambiguous stage-1 3/4] RUN npm install -g serve 0.0s
=> [ambiguous stage-1 4/4] COPY --from=builder /app/dist ./dist 0.0s
=> [ambiguous] exporting to image 0.1s
=> => exporting layers 0.0s
=> => exporting manifest sha256:6c564efaa31d67c756572d062e95586300eb05f9e45310e76b4af37e5f1b1c18 0.0s
=> => exporting config sha256:d3b4ee9b003e3cf1834a5e6b9ce5b5e12d9563458e04523d3280bae8b3b2fdca 0.0s
=> => exporting attestation manifest sha256:af3a6b6e0aa13a369c364914cc5370847c5e1e70a4e65aac15084a7fcad2c6e5 0.0s
=> => exporting manifest list sha256:10b78159817c9f9b662d2d4556427aa9c3c9738b0042436b47804bd3d5db334 0.0s
=> => naming to docker.io/library/agentcurl-ambiguous:latest 0.0s
=> => unpacking to docker.io/library/agentcurl-ambiguous:latest 0.0s
=> [ambiguous] resolving provenance for metadata file 0.0s
[+] Building 3/3
✓ agentcurl-greenfield Built 0.0s
✓ agentcurl-ambiguous Built 0.0s
✓ agentcurl-brownfield Built 0.0s
Hemanths-MacBook-Air:AgenticURL hemanthpeela$
```


- 3) docker compose up -d

```
Hemanths-MacBook-Air:AgenticURL hemanthpeela$ docker compose up -d
WARN[0000] /Users/hemanthpeela/DevStack/AgenticURL/docker-compose.yml: the attribute `version` is obsolete, it will be ignored, please remove it to avoid potential confusion
WARN[0000] Found orphan containers ([agentcurl-ui]) for this project. If you removed or renamed this service in your compose file, you can run this command with the --remove-orphans flag to clean it up.
[+] Running 3/3
✓ Container ambiguous-node Started 1.1s
✓ Container greenfield-node Started 1.1s
✓ Container brownfield-node Started 1.1s
```

Greenfield URL - <http://localhost:8080/swagger-ui/index.html>

Brownfield URL - <http://localhost:8081/swagger-ui/index.html>

Frontend UI - <http://localhost:4173>



AI Mode - LLM Support (Enable Ollama to run it locally free of cost)

- 1) Go to file - LlmConfig.java
- 2) Changes these properties

```
@Value("${app.llm.backend:ollama}")
private String llmBackend;

💡 @Value("${spring.ai.openai.chat.options.model:gemma4:12b}")
private String ollama;
```

- 3) Check the model installed locally - ollama list (In command prompt)

Model - gemma4:12b

```
[Hemanths-MacBook-Air:~ hemanthpeela$ ollama list
NAME          ID          SIZE    MODIFIED
gemma4:12b    4eb23ef187e2  7.6 GB  7 hours ago
Hemanths-MacBook-Air:~ hemanthpeela$
```

- 4) Change the “ollama” remove quotes

```
74  */
75  @Bean
76  @ConditionalOnProperty(name = "app.llm.backend", havingValue = "ollama")
77  public Llm ollamaLlm(ChatModel chatModel) {
78      ChatClient client = ChatClient.builder(chatModel).build();
79      return new SpringAiLlm(client, ollama);
80  }
81
```

- 5) Comment OpenAI line 54 and uncomment Ollama line 60, in build.gradle

```
52
53  // Spring AI - OpenAI (ChatGPT) - uncomment to use OpenAI
54  //implementation "org.springframework.ai:spring-ai-openai-spring-boot-starter:${springAiVersion}"
55
56  Changed lines // Spring AI - Azure OpenAI - uncomment to use Azure OpenAI
57  //implementation "org.springframework.ai:spring-ai-azure-openai-spring-boot-starter:${springAiVersion}"
58
59  // Spring AI - Ollama (Local LLM) - uncomment to use Ollama
60  implementation "org.springframework.ai:spring-ai-ollama-spring-boot-starter:${springAiVersion}"
61
```

- 6) Update the application properties

```
16  # LLM Backend Selection: mock, openai, azure, ollama, anthropic
17  #app.llm.backend=${AGENT_LLM:mock}
18  app.llm.backend=${AGENT_LLM:ollama}
19
20  # OpenAI Configuration
21  #spring.ai.openai.api-key=${OPENAI_API_KEY:sk-placeholder-for-dev}
22  #spring.ai.openai.chat.options.model=${OPENAI_MODEL:gpt-4o}
23  #spring.ai.openai.chat.options.temperature=0.7
24
25  # Azure OpenAI Configuration (uncomment to use)
26  # spring.ai.azure.openai.api-key=${AZURE_OPENAI_API_KEY:}
27  # spring.ai.azure.openai.endpoint=${AZURE_OPENAI_ENDPOINT:}
28  # spring.ai.azure.openai.chat.options.deployment-name=${AZURE_OPENAI_DEPLOYMENT:gpt-4}
29  # spring.ai.azure.openai.chat.options.temperature=0.7
30
31  # Ollama Configuration (local LLM - uncomment to use)
32  spring.ai.ollama.base-url=${OLLAMA_BASE_URL:http://localhost:11434}
33  spring.ai.ollama.chat.options.model=${OLLAMA_MODEL:gemma4:12b}
34  spring.ai.ollama.chat.options.temperature=0.7
35
```

7) Run the spring boot application and NPM from first page.

```

      _ _ _ _ _
     / _ _ _ _ _ \
    ( C ) _ _ _ _ _ \
    W _ _ _ _ _ \
    ' _ _ _ _ _ \
    =====|_|=====|_|_/ _ _ _ _ _

:: Spring Boot ::           (v3.5.14)

2026-08-03T00:21:25.457+05:30 INFO 15438 --- [main] com.example.app.Application : Starting Application using Java 17.0.14 with PID 15438 (/Users/hu
2026-08-03T00:21:25.459+05:30 INFO 15438 --- [main] com.example.app.Application : No active profile set, falling back to 1 default profile: "default"
2026-08-03T00:21:26.036+05:30 INFO 15438 --- [main] o.s.b.w.embedded.tomcat.TomcatWebServer : Tomcat initialized with port 8080 (http)
2026-08-03T00:21:26.036+05:30 INFO 15438 --- [main] o.apache.catalina.core.StandardService : Starting service [Tomcat]
2026-08-03T00:21:26.037+05:30 INFO 15438 --- [main] o.apache.catalina.core.StandardEngine : Starting Servlet engine: [Apache Tomcat/10.1.54]
2026-08-03T00:21:26.061+05:30 INFO 15438 --- [main] o.a.c.c.g.[Tomcat].[localhost].[/] : Initializing Spring embedded WebApplicationContext
2026-08-03T00:21:26.061+05:30 INFO 15438 --- [main] w.s.c.ServletWebServerApplicationContext : Root WebApplicationContext: initialization completed in 579 ms
2026-08-03T00:21:26.289+05:30 INFO 15438 --- [main] o.s.b.a.w.s.WelcomePageHandlerMapping : Adding welcome page: class path resource [static/index.html]
2026-08-03T00:21:26.298+05:30 INFO 15438 --- [main] o.s.v.b.OptionalValidatorFactoryBean : Failed to set up a Bean Validation provider: jakarta.validation.i
2026-08-03T00:21:26.418+05:30 INFO 15438 --- [main] o.s.b.w.embedded.tomcat.TomcatWebServer : Tomcat started on port 8080 (http) with context path '/'
2026-08-03T00:21:26.424+05:30 INFO 15438 --- [main] com.example.app.Application : Started Application in 1.144 seconds (process running for 1.302)
2026-08-03T00:21:34.760+05:30 INFO 15438 --- [nio-8080-exec-1] o.a.c.c.g.[Tomcat].[localhost].[/] : Initializing Spring DispatcherServlet 'dispatcherServlet'
2026-08-03T00:21:34.760+05:30 INFO 15438 --- [nio-8080-exec-1] o.s.web.servlet.DispatcherServlet : Initializing Servlet 'dispatcherServlet'
2026-08-03T00:21:34.770+05:30 INFO 15438 --- [nio-8080-exec-1] o.s.web.servlet.DispatcherServlet : Completed initialization in 10 ms
2026-08-03T00:23:08.677+05:30 INFO 15438 --- [ionShutdownHook] o.s.b.w.e.tomcat.GracefulShutdown : Commencing graceful shutdown. Waiting for active requests to com

```

8) Load the application and check the model.

SHORTENER
ANALYTICS
ORCHESTRATOR

Agentic SDLC orchestrator

Scenario
greenfield

Approval
auto-approve

RUN SCENARIO

PENDING REQUESTS

METRICS

LLM: spring-ai:gemme4

AI Agent Mode

SUBMIT URL SHORTEN

Stable

URL Shortening Prompt

URL Shortening Examples (click to use):

Shorten <https://github.com/example/repo> with ...

Create a short URL for <https://docs.google.co...>

Shorten https://example.com/campaign?utm_sour...

"Build a URL shortener service with core APIs and click analytics."