Sample Data Insertion

Deterministic seed rows for all nine tables in the hotel database

Prepared by: Hemanth Krishna S

Project: Hotel Management System. Output convention: result tables are expected outputs from the fixed rows in the shared SQL script; they are not screenshots of MySQL execution.

1. Sample-data plan

The sample data is small enough to inspect but varied enough to support joins and aggregate queries. It includes two hotels, multiple room types, guests with different booking histories, available and occupied rooms, bookings in different states, multiple services, and payments in paid and pending states.

Table	Rows	Purpose in reports
hotels	2	Compare properties and cities.
room_types	4	Group rooms by category and rate.
guests	5	Include varied booking histories and a guest with no bookings.
staff	4	Represent staff across both hotels.
rooms	8	Track room type, hotel, and status.
bookings	6	Include checked-in, checked-out, and confirmed stays.
services	4	Provide different priced services.
booking_services	7	Link services and quantities to bookings.
payments	6	Include paid and pending transactions.

2. Insert statements

The following statements are included in the unified SQL script. Run the full script so that parent records exist before child records are inserted.

```
INSERT INTO hotels VALUES
(1,'Lakeview Residency','Bengaluru','080-40001001'),
(2,'Coastal Comfort','Chennai','044-40002002');

INSERT INTO room_types VALUES
(1,'Standard',2,2500.00),
(2,'Deluxe',3,4000.00),
(3,'Suite',4,7000.00),
(4,'Family',5,5500.00);

INSERT INTO guests
(guest_id,guest_no,full_name,email,phone,registered_on) VALUES
(1,'GST001','Ananya Rao','ananya.rao@example.com','+91-90000-10001','2025-06-10'),
(2,'GST002','Rahul Nair','rahul.nair@example.com','+91-90000-10002','2025-07-02'),
(3,'GST003','Meera Iyer','meera.iyer@example.com','+91-90000-10003','2025-08-18'),
(4,'GST004','Arjun Das','arjun.das@example.com','+91-90000-10004','2025-09-01'),
(5,'GST005','Kavya Menon','kavya.menon@example.com','+91-90000-10005','2025-10-12');

-- The unified script contains the remaining INSERT statements
-- for staff, rooms, bookings, services, booking_services, and payments.
```

Expected row counts after successful insertion: hotels 2, room_types 4, guests 5, staff 4, rooms 8, bookings 6, services 4, booking_services 7, payments 6.

3. Verification

```
SELECT 'hotels' AS table_name, COUNT(*) AS row_count FROM hotels
UNION ALL SELECT 'room_types', COUNT(*) FROM room_types
```

```
UNION ALL SELECT 'guests', COUNT(*) FROM guests
UNION ALL SELECT 'staff', COUNT(*) FROM staff
UNION ALL SELECT 'rooms', COUNT(*) FROM rooms
UNION ALL SELECT 'bookings', COUNT(*) FROM bookings
UNION ALL SELECT 'services', COUNT(*) FROM services
UNION ALL SELECT 'booking_services', COUNT(*) FROM booking_services
UNION ALL SELECT 'payments', COUNT(*) FROM payments;
```

Screenshot guidance: run the insert script and the verification query in MySQL Workbench. Capture the query and Result Grid. The numbers above are expected outputs, not screenshots of execution.