

DAY 4 ASSIGNMENT 1

By-Hemantkumar Shahaji Mohite


Q 1 : Find out the mail servers of the following domain :

lbn.com

Wipro.com

Solⁿ :

1. Finding out mail server of www.ibm.com
 - i. Open Command Prompt
 - ii. Enter “nslookup” command
It will show us current system ip address
 - iii. Type set type=mx and press enter
 - iv. Type www.ibm.com
 - v. It shows result as
responsible mail addr = hostmaster.akamai.com



```
Select C:\WINDOWS\system32\cmd.exe - nslookup
Microsoft Windows [Version 10.0.19041.450]
(c) 2020 Microsoft Corporation. All rights reserved.

C:\Users\Hemant Mohite>nslookup
Default Server: Unknown
Address: 192.168.0.1

> www.ibm.com
Server: Unknown
Address: 192.168.0.1

Non-authoritative answer:
Name: e2874.dscx.akamaiedge.net
Addresses: 2405:200:1630:18ae:b3a
           2405:200:1630:189e:b3a
           49.44.205.77
Aliases: www.ibm.com
          www.ibm.com.cs186.net
          outer-ccdn-dual.ibmcom.edgekey.net
          outer-ccdn-dual.ibmcom.edgekey.net.globalredir.akadns.net

> set type=mx
> www.ibm.com
Server: Unknown
Address: 192.168.0.1

Non-authoritative answer:
www.ibm.com canonical name = www.ibm.com.cs186.net
www.ibm.com.cs186.net canonical name = outer-ccdn-dual.ibmcom.edgekey.net
outer-ccdn-dual.ibmcom.edgekey.net canonical name = outer-ccdn-dual.ibmcom.edgekey.net.globalredir.akadns.net
outer-ccdn-dual.ibmcom.edgekey.net.globalredir.akadns.net canonical name = e2874.dscx.akamaiedge.net

dscx.akamaiedge.net
primary name server = n8dscx.akamaiedge.net
responsible mail addr = hostmaster.akamai.com
serial = 1590600470
refresh = 1000 (16 mins 40 secs)
retry = 1000 (16 mins 40 secs)
expire = 1000 (16 mins 40 secs)
default TTL = 1800 (30 mins)
```

2. Finding out mail server of www.wipro.com

- vi. Open Command Prompt
- vii. Enter "**nslookup**" command
It will show us current system ip address
- viii. Type **set type=mx** and press enter
- ix. Type www.wipro.com
- x. It shows result as
responsible mail addr = awsdns-hostmaster.amazon.com

```
C:\WINDOWS\system32\cmd.exe - nslookup
Microsoft Windows [Version 10.0.19041.450]
(c) 2020 Microsoft Corporation. All rights reserved.

C:\Users\Hemant Mohite>nslookup
Default Server: UnKnown
Address: 192.168.0.1

> www.wipro.com
Server: UnKnown
Address: 192.168.0.1

Non-authoritative answer:
Name:   d361nqn33s63ex.cloudfront.net
Addresses:  2600:9000:21f6:f400:13:4f33:b240:93a1
            2600:9000:21f6:1e00:13:4f33:b240:93a1
            2600:9000:21f6:6e00:13:4f33:b240:93a1
            2600:9000:21f6:8400:13:4f33:b240:93a1
            2600:9000:21f6:8c00:13:4f33:b240:93a1
            2600:9000:21f6:be00:13:4f33:b240:93a1
            2600:9000:21f6:ce00:13:4f33:b240:93a1
            2600:9000:21f6:e800:13:4f33:b240:93a1
            13.227.165.54
            13.227.165.72
            13.227.165.111
            13.227.165.24
Aliases:  www.wipro.com

> set type=mx
> www.wipro.com
Server: UnKnown
Address: 192.168.0.1

Non-authoritative answer:
www.wipro.com canonical name = d361nqn33s63ex.cloudfront.net
d361nqn33s63ex.cloudfront.net
    primary name server = ns-1658.awsdns-15.co.uk
    responsible mail addr = awsdns-hostmaster.amazon.com
    serial = 1
    refresh = 7200 (2 hours)
    retry = 900 (15 mins)
    expire = 1209600 (14 days)
    default TTL = 86400 (1 day)
```

Q 2: Find the locations, where these email servers are hosted.

Solⁿ :

1. Finding out mail server of www.ibm.com
 - i. Go to this <http://mxlookup.online-domain-tools.com/>
 - ii. Enter www.ibm.com
 - iii. It will show target domain of mailserver and ip address
 - iv. Again go to [this link](#)

MX Lookup for ibm.com:

Target	IP	Preference value	TTL
mx0b-001b2d01.pphosted.com	148.163.158.5	5	1 hrs
mx0a-001b2d01.pphosted.com	148.163.156.1	5	1 hrs

- v. Enter in textbox as mail@ibm.com
- vi. We get information about location of mail server
- vii. We get location of Mail server from **United States**

mail@ibm.com	
Mailbox Domain	mx0b-001b2d01.pphosted.com
IP	148.163.158.5
Country	United States
City	Sunnyvale
Latitude	37.424900054932
Longitude	-122.0074005127
ISP	N/A

2. Finding out mail server of www.wipro.com
 - i. Go to this <http://mxlookup.online-domain-tools.com/>
 - ii. Enter www.wipro.com
 - iii. It will show target domain of mailserver and ip address
 - iv. Again go to [this link](#)

MX Lookup for wipro.com:


Target	IP	Preference value	TTL
wipro-com.mail.protection.outlook.com	104.47.124.36	0	31 min 3 sec

- v. Enter in textbox as mail@wipro.com
- vi. We get information about location of mail server
- vii. We get location of Mail server from **Singapore**


mail@wipro.com	
Mailbox Domain	wipro-com.mail.protection.outlook.com
IP	104.47.125.36
Country	Singapore
City	Singapore
Latitude	1.2930999994278
Longitude	103.85579681396
ISP	N/A

Q 3: Scan and find out port numbers open 203.163.246.23


Solⁿ :



```
bpg@kali-pc-001:~$ nmap -Pn -p1-65535 -vv -A 203.163.246.23
Starting Nmap 7.80 ( https://nmap.org ) at 2020-09-01 00:25 PDT
Happy 23rd Birthday to Nmap, may it live to be 123!
NSE: Loaded 151 scripts for scanning.
NSE: Script Pre-scanning.
NSE: Starting runlevel 1 (of 3) scan.
Initiating NSE at 00:25
Completed NSE at 00:25, 0.00s elapsed
NSE: Starting runlevel 2 (of 3) scan.
Initiating NSE at 00:25
Completed NSE at 00:25, 0.00s elapsed
NSE: Starting runlevel 3 (of 3) scan.
Initiating NSE at 00:25
Completed NSE at 00:25, 0.00s elapsed
Initiating Parallel DNS resolution of 1 host. at 00:25
Completed Parallel DNS resolution of 1 host. at 00:25, 0.02s elapsed
Initiating Connect Scan at 00:25
Scanning 203.163.246.23 [65535 ports]
Connect Scan Timing: About 0.31% done
Connect Scan Timing: About 0.53% done
Connect Scan Timing: About 0.76% done
Connect Scan Timing: About 0.98% done
Connect Scan Timing: About 1.21% done; ETC: 04:05 (3:37:09 remaining)
Connect Scan Timing: About 6.42% done; ETC: 04:05 (3:26:07 remaining)
Connect Scan Timing: About 11.41% done; ETC: 04:05 (3:15:05 remaining)
Connect Scan Timing: About 16.45% done; ETC: 04:05 (3:04:02 remaining)
Connect Scan Timing: About 21.50% done; ETC: 04:06 (2:53:00 remaining)
Stats: 0:56:22 elapsed; 0 hosts completed (1 up), 1 undergoing Connect Scan
Connect Scan Timing: About 25.57% done; ETC: 04:06 (2:44:06 remaining)
Connect Scan Timing: About 30.56% done; ETC: 04:06 (2:33:03 remaining)
Connect Scan Timing: About 35.58% done; ETC: 04:06 (2:21:59 remaining)
Connect Scan Timing: About 40.31% done; ETC: 03:54 (2:04:21 remaining)
Connect Scan Timing: About 58.25% done; ETC: 02:50 (1:00:32 remaining)
Connect Scan Timing: About 76.11% done; ETC: 02:17 (0:26:40 remaining)
Connect Scan Timing: About 94.07% done; ETC: 01:56 (0:05:23 remaining)
Completed Connect Scan at 01:51, 5137.90s elapsed (65535 total ports)
Initiating Service scan at 01:51
NSE: Script scanning 203.163.246.23.
NSE: Starting runlevel 1 (of 3) scan.
Initiating NSE at 01:51
Completed NSE at 01:51, 0.00s elapsed
NSE: Starting runlevel 2 (of 3) scan.
Initiating NSE at 01:51
Completed NSE at 01:51, 0.00s elapsed
NSE: Starting runlevel 3 (of 3) scan.
Initiating NSE at 01:51
Completed NSE at 01:51, 0.00s elapsed
Nmap scan report for 203.163.246.23
Host is up, received user-set (0.031s latency).
All 65535 scanned ports on 203.163.246.23 are filtered because of 65525 no-responses and 10 host-unreaches
NSE: Script Post-scanning.
NSE: Starting runlevel 1 (of 3) scan.
Initiating NSE at 01:51
Completed NSE at 01:51, 0.00s elapsed
```



```
Stats: 0:56:22 elapsed; 0 hosts completed (1 up), 1 undergoing Connect Scan
Connect Scan Timing: About 25.57% done; ETC: 04:06 (2:44:06 remaining)
Connect Scan Timing: About 30.56% done; ETC: 04:06 (2:33:03 remaining)
Connect Scan Timing: About 35.58% done; ETC: 04:06 (2:21:59 remaining)
Connect Scan Timing: About 40.31% done; ETC: 03:54 (2:04:21 remaining)
Connect Scan Timing: About 58.25% done; ETC: 02:50 (1:00:32 remaining)
Connect Scan Timing: About 76.11% done; ETC: 02:17 (0:26:40 remaining)
Connect Scan Timing: About 94.07% done; ETC: 01:56 (0:05:23 remaining)
Completed Connect Scan at 01:51, 5137.90s elapsed (65535 total ports)
Initiating Service scan at 01:51
NSE: Script scanning 203.163.246.23.
NSE: Starting runlevel 1 (of 3) scan.
Initiating NSE at 01:51
Completed NSE at 01:51, 0.00s elapsed
NSE: Starting runlevel 2 (of 3) scan.
Initiating NSE at 01:51
Completed NSE at 01:51, 0.00s elapsed
NSE: Starting runlevel 3 (of 3) scan.
Initiating NSE at 01:51
Completed NSE at 01:51, 0.00s elapsed
Nmap scan report for 203.163.246.23
Host is up, received user-set (0.031s latency).
All 65535 scanned ports on 203.163.246.23 are filtered because of 65525 no-responses and 10 host-unreaches
NSE: Script Post-scanning.
NSE: Starting runlevel 1 (of 3) scan.
Initiating NSE at 01:51
Completed NSE at 01:51, 0.00s elapsed
```



Q 4 : Install nessus in a VM and scan your laptop/desktop for CVE.

Solⁿ :



Report generated by Nessus™

My Basic Network Scan

Fri, 28 Aug 2020 19:19:56 India Standard Time

TABLE OF CONTENTS

- [Vulnerabilities by Host](#)
- [192.168.18.1](#)

Vulnerabilities by Host [Expand All](#) [Collapse All](#)

192.168.18.1



Scan Information

Start time: Fri Aug 28 19:09:06 2020

End time: Fri Aug 28 19:19:55 2020

Host Information

Netbios Name: DESKTOP-DIEDQIT

IP: 192.168.18.1

OS: Windows

Vulnerabilities

57608 - SMB Signing not required

Synopsis

Signing is not required on the remote SMB server.

Description

Signing is not required on the remote SMB server. An unauthenticated, remote attacker can exploit this to conduct man-in-the-middle attacks against the SMB server.

See Also

<https://support.microsoft.com/en-us/help/887429/overview-of-server-message-block-signing>

<http://technet.microsoft.com/en-us/library/cc731957.aspx>

<http://www.nessus.org/u?74b80723>

<https://www.samba.org/samba/docs/current/man-html/smb.conf.5.html>

<http://www.nessus.org/u?a3cac4ea>

Solution

Enforce message signing in the host's configuration. On Windows, this is found in the policy setting 'Microsoft network server: Digitally sign communications (always)'. On Samba, the setting is called 'server signing'. See the 'see also' links for further details.

Risk Factor

Medium

CVSS v3.0 Base Score

5.3 (CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:L/A:N)

CVSS v3.0 Temporal Score

4.6 (CVSS:3.0/E:U/RL:O/RC:C)

CVSS Base Score

5.0 (CVSS2#AV:N/AC:L/Au:N/C:N/I:P/A:N)

CVSS Temporal Score

3.7 (CVSS2#E:U/RL:OF/RC:C)

Plugin Information

Published: 2012/01/19, Modified: 2018/11/15

Plugin Output

tcp/445/cifs

12634 - Authenticated Check : OS Name and Installed Package Enumeration

Synopsis

This plugin gathers information about the remote host via an authenticated session.

Description

This plugin logs into the remote host using SSH, RSH, RLOGIN, Telnet, or local commands and extracts the list of installed packages.

If using SSH, the scan should be configured with a valid SSH public key and possibly an SSH passphrase (if the SSH public key is protected by a passphrase).

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2004/07/06, Modified: 2020/07/23

Plugin Output

tcp/0

```
Nessus can run commands on localhost to check if patches are applied.
```

```
However, the execution of the command "uname -a" failed, so local security checks have not been enabled.
```

```
SSH Version Banner :
```

45590 - Common Platform Enumeration (CPE)

Synopsis

It was possible to enumerate CPE names that matched on the remote system.

Description

By using information obtained from a Nessus scan, this plugin reports CPE (Common Platform Enumeration) matches for various hardware and software products found on a host.

Note that if an official CPE is not available for the product, this plugin computes the best possible CPE based on the information available from the scan.

See Also

<http://cpe.mitre.org/>

<https://nvd.nist.gov/products/cpe>

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2010/04/21, Modified: 2020/08/20

Plugin Output

tcp/0

The remote operating system matched the following CPE :

```
cpe:/o:microsoft:windows
```

Following application CPE's matched on the remote system :

```
cpe:/a:mysql:mysql:
```

```
cpe:/a:vmware:vmware_server:
```

10736 - DCE Services Enumeration

Synopsis

A DCE/RPC service is running on the remote host.

Description

By sending a Lookup request to the portmapper (TCP 135 or epmapper PIPE) it was possible to enumerate the Distributed Computing Environment (DCE) services running on the remote port. Using this information it is possible to connect and bind to each service by sending an RPC request to the remote port/pipe.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2001/08/26, Modified: 2020/08/20

Plugin Output

tcp/135/epmap

The following DCERPC services are available locally :

```
Object UUID : 00000000-0000-0000-0000-000000000000
```

```
UUID : 51a227ae-825b-41f2-b4a9-1ac9557a1018, version 1.0
```

```
Description : Unknown RPC service
```

```
Annotation : Ngc Pop Key Service
```

```
Type : Local RPC service
```

Named pipe : samss lpc

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 51a227ae-825b-41f2-b4a9-1ac9557a1018, version 1.0
Description : Unknown RPC service
Annotation : Ngc Pop Key Service
Type : Local RPC service
Named pipe : SidKey Local End Point

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 51a227ae-825b-41f2-b4a9-1ac9557a1018, version 1.0
Description : Unknown RPC service
Annotation : Ngc Pop Key Service
Type : Local RPC service
Named pipe : protected_storage

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 51a227ae-825b-41f2-b4a9-1ac9557a1018, version 1.0
Description : Unknown RPC service
Annotation : Ngc Pop Key Service
Type : Local RPC service
Named pipe : lsasspirpc

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 51a227ae-825b-41f2-b4a9-1ac9557a1018, version 1.0
Description : Unknown RPC service
Annotation : Ngc Pop Key Service
Type : Local RPC service
Named pipe : lsapolicylookup

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 51a227ae-825b-41f2-b4a9-1ac9557a1018, version 1.0
Description : Unknown RPC service
Annotation : Ngc Pop Key Service
Type : Local RPC service
Named pipe : LSA_EAS_ENDPOINT

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 51a227ae-825b-41f2-b4a9-1ac9557a1018, version 1.0
Description : Unknown RPC service
Annotation : Ngc Pop Key Service
Type : Local RPC service
Named pipe : LSA_IDPEXT_ENDPOINT

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 51a227ae-825b-41f2-b4a9-1ac9557a1018, version 1.0
Description : Unknown RPC service
Annotation : Ngc Pop Key Service
Type : Local RPC service
Named pipe : lsacap

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 51a227ae-825b-41f2-b4a9-1ac9557a1018, version 1.0
Description : Unknown RPC service
Annotation : Ngc Pop Key Service
Type : Local RPC service
Named pipe : LSARPC_ENDPOINT

Object UUID : 6c637067-6569-746e-0000-000000000000
UUID : c9ac6db5-82b7-4e55-ae8a-e464ed7b4277, version 1.0
Description : Unknown RPC service
Annotation : Impl friendly name
Type : Local RPC service
Named pipe : LRPC-1ab4611b0311a694c8

Object UUID : 24d1f7c7-76af-4f28-9ccd-7f6cb6468601
UUID : 2eb08e3e-639f-4fba-97b1-14f878961076, version 1.0
Description : Unknown RPC service
Annotation : Group Policy RPC Interface
Type : Local RPC service
Named pipe : LRPC-e8d41eba9b0734ca9e

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : cc105610-da03-467e-bc73-5b9e2937458d, version 1.0
Description : Unknown RPC service
Annotation : LiveIdSvc RPC Interface
Type : Local RPC service
Named pipe : LRPC-3b4c08b715d08f47d8

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : faf2447b-b348-4feb-8dbe-beee5b7f7778, version 1.0
Description : Unknown RPC service
Annotation : OnlineProviderCert RPC Interface
Type : Local RPC service
Named pipe : LRPC-3b4c08b715d08f47d8

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 572e35b4-1344-4565-96a1-f5df3bfa89bb, version 1.0
Description : Unknown RPC service
Annotation : LiveIdSvcNotify RPC Interface
Type : Local RPC service
Named pipe : liveidsvcnotify

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 64d1d045-f675-460b-8a94-570246b36dab, version 1.0
Description : Unknown RPC service
Annotation : CLIPSVC Default RPC Interface
Type : Local RPC service
Named pipe : ClipServiceTransportEndpoint-00001

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : ae2dc901-312d-41df-8b79-e835e63db874, version 1.0
Description : Unknown RPC service
Annotation : appxsvc
Type : Local RPC service
Named pipe : LRPC-fb04bcb19b4d38d334

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : ff9fd3c4-742e-45e0-91dd-2f5bc632a1df, version 1.0
Description : Unknown RPC service
Annotation : appxsvc
Type : Local RPC service
Named pipe : LRPC-fb04bcb19b4d38d334

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : d2716e94-25cb-4820-bc15-537866578562, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-3d293c950ede9d25a5

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 0c53aa2e-fb1c-49c5-bfb6-c54f8e5857cd, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-3d293c950ede9d25a5

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 0c53aa2e-fb1c-49c5-bfb6-c54f8e5857cd, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : OLEDD58F493EACBEA194A03E9F32482

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 923c9623-db7f-4b34-9e6d-e86580f8ca2a, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-3d293c950ede9d25a5

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 923c9623-db7f-4b34-9e6d-e86580f8ca2a, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : OLEDD58F493EACBEA194A03E9F32482

Object UUID : 00000002-0000-0000-0000-000000000000
UUID : 8ec21e98-b5ce-4916-a3d6-449fa428a007, version 0.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : OLEA233D480DC6FAF1C4F6928086676

Object UUID : 00000002-0000-0000-0000-000000000000
UUID : 8ec21e98-b5ce-4916-a3d6-449fa428a007, version 0.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-73f06a7a4c4cd46147

Object UUID : 00000002-0000-0000-0000-000000000000
UUID : 0fc77b1a-95d8-4a2e-a0c0-cff54237462b, version 0.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : OLEA233D480DC6FAF1C4F6928086676

Object UUID : 00000002-0000-0000-0000-000000000000
UUID : 0fc77b1a-95d8-4a2e-a0c0-cff54237462b, version 0.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-73f06a7a4c4cd46147

Object UUID : 00000002-0000-0000-0000-000000000000
UUID : b1ef227e-dfa5-421e-82bb-67a6a129c496, version 0.0
Description : Unknown RPC service

Type : Local RPC service
Named pipe : OLEA233D480DC6FAF1C4F6928086676

Object UUID : 00000002-0000-0000-0000-000000000000
UUID : b1ef227e-dfa5-421e-82bb-67a6a129c496, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-73f06a7a4c4cd46147

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 0e3ae095-8a23-48f4-9782-03c1594a890e, version 1.0
Description : Unknown RPC service
Annotation : NGC Service KSP RPC Interface
Type : Local RPC service
Named pipe : LRPC-06cb084806a09c7111

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : c225e799-29de-42af-bc05-1e2127cc056e, version 1.0
Description : Unknown RPC service
Annotation : NGC Service Management RPC Interface
Type : Local RPC service
Named pipe : LRPC-06cb084806a09c7111

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : d9844ed9-f72a-4745-a4a1-ee71f950781d, version 1.0
Description : Unknown RPC service
Annotation : NGC Service Silent Management RPC Interface
Type : Local RPC service
Named pipe : LRPC-06cb084806a09c7111

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 2b70bed6-1757-4d22-9f39-448589fbeb5, version 1.0
Description : Unknown RPC service
Annotation : NGC Service Ticket RPC Interface
Type : Local RPC service
Named pipe : LRPC-06cb084806a09c7111

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 9cbc9d3a-7586-4814-8d70-18737dcbe523, version 1.0
Description : Unknown RPC service
Annotation : NGC Service LocalAccount Vault Interface
Type : Local RPC service
Named pipe : LRPC-06cb084806a09c7111

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 4e25f4a2-21e8-40ce-b401-32050413143a, version 1.0
Description : Unknown RPC service
Annotation : Device Credential RPC Interface
Type : Local RPC service
Named pipe : LRPC-06cb084806a09c7111

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : fd6b7e61-2bed-4d48-a267-d746fe449fed, version 1.0
Description : Unknown RPC service
Annotation : Device Credential Presence RPC Interface
Type : Local RPC service
Named pipe : LRPC-06cb084806a09c7111

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 8337aebc-5564-46fd-bc41-7798f18d2e4b, version 1.0
Description : Unknown RPC service
Annotation : Device Credential Manager RPC Interface
Type : Local RPC service
Named pipe : LRPC-06cb084806a09c7111

Object UUID : bae10e73-0002-0000-9dab-7d0f635c171a
UUID : 509bc7ae-77be-4ee8-b07c-0d096bb44345, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : OLE4FBC752E699639D01564221E4B1D

Object UUID : bae10e73-0002-0000-9dab-7d0f635c171a
UUID : 509bc7ae-77be-4ee8-b07c-0d096bb44345, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-98a2bc877b48a791ad

Object UUID : b08669ee-8cb5-43a5-a017-84fe00000002
UUID : 76f226c3-ec14-4325-8a99-6a46348418af, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : WMsgKRpc0802FC42

Object UUID : 52ef130c-08fd-4388-86b3-6edf00000002
UUID : 12e65dd8-887f-41ef-91bf-8d816c42c2e7, version 1.0
Description : Unknown RPC service
Annotation : Secure Desktop LRPC interface
Type : Local RPC service
Named pipe : WMsgKRpc0802FC42

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 4b112204-0e19-11d3-b42b-0000f81feb9f, version 1.0
Description : SSDP service
Windows process : unknow
Type : Local RPC service
Named pipe : LRPC-bb7cfeal33c4c7d6f6

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : bf4dc912-e52f-4904-8ebe-9317c1bdd497, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : OLE8F9B8A33A36F8E324C9D141A2CBE

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : bf4dc912-e52f-4904-8ebe-9317c1bdd497, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-2a4e37f72bbc590a53

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : a4b8d482-80ce-40d6-934d-b22a01a44fe7, version 1.0
Description : Unknown RPC service
Annotation : LicenseManager
Type : Local RPC service

Named pipe : LicenseServiceEndpoint

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 06bba54a-be05-49f9-b0a0-30f790261023, version 1.0
Description : Unknown RPC service
Annotation : Security Center
Type : Local RPC service
Named pipe : OLEB1A86A3589CB70DFB467D678D383

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 06bba54a-be05-49f9-b0a0-30f790261023, version 1.0
Description : Unknown RPC service
Annotation : Security Center
Type : Local RPC service
Named pipe : LRPC-003fec73058b980901

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : be6293d3-2827-4dda-8057-8588240124c9, version 0.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-7220d548cc4736ace6

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 54b4c689-969a-476f-8dc2-990885e9f562, version 0.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-7220d548cc4736ace6

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 7a20fcec-dec4-4c59-be57-212e8f65d3de, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-d2d11dd6e7a8e79e3d

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 0497b57d-2e66-424f-a0c6-157cd5d41700, version 1.0
Description : Unknown RPC service
Annotation : AppInfo
Type : Local RPC service
Named pipe : LRPC-b1d2d35f41d57dd8c2

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 201ef99a-7fa0-444c-9399-19ba84f12a1a, version 1.0
Description : Unknown RPC service
Annotation : AppInfo
Type : Local RPC service
Named pipe : LRPC-b1d2d35f41d57dd8c2

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 5f54ce7d-5b79-4175-8584-cb65313a0e98, version 1.0
Description : Unknown RPC service
Annotation : AppInfo
Type : Local RPC service
Named pipe : LRPC-b1d2d35f41d57dd8c2

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : fd7a0523-dc70-43dd-9b2e-9c5ed48225b1, version 1.0

Description : Unknown RPC service
Annotation : AppInfo
Type : Local RPC service
Named pipe : LRPC-b1d2d35f41d57dd8c2

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 58e604e8-9adb-4d2e-a464-3b0683fb1480, version 1.0
Description : Unknown RPC service
Annotation : AppInfo
Type : Local RPC service
Named pipe : LRPC-b1d2d35f41d57dd8c2

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 0767a036-0d22-48aa-ba69-b619480f38cb, version 1.0
Description : Unknown RPC service
Annotation : PcaSvc
Type : Local RPC service
Named pipe : LRPC-ca1e7c3f89d999ef9f

Object UUID : ccb8aa07-7225-4ea0-8501-4b3c1b1acd43
UUID : d09bdeb5-6171-4a34-bfe2-06fa82652568, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : OLE8267AE03790948DD7F1185D78999

Object UUID : ccb8aa07-7225-4ea0-8501-4b3c1b1acd43
UUID : d09bdeb5-6171-4a34-bfe2-06fa82652568, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-5934ae51c519fbf5ce5

Object UUID : 582a47b2-bcd8-4d3c-8acb-fe09d5bd6eec
UUID : d09bdeb5-6171-4a34-bfe2-06fa82652568, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : OLE8267AE03790948DD7F1185D78999

Object UUID : 582a47b2-bcd8-4d3c-8acb-fe09d5bd6eec
UUID : d09bdeb5-6171-4a34-bfe2-06fa82652568, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-5934ae51c519fbf5ce5

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 30034843-029d-46ec-8fff-5d12987f85c4, version 1.0
Description : Unknown RPC service
Annotation : INgcProvisioningHandler
Type : Local RPC service
Named pipe : LRPC-bd5124b3758fbb48f1

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 8bef2320-f308-4720-b913-0129cecfa6b9, version 1.0
Description : Unknown RPC service
Annotation : IVscProvisioningHandler
Type : Local RPC service
Named pipe : LRPC-bd5124b3758fbb48f1

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 2d24ff0b-1bab-404c-a0fd-42c85577bf68, version 1.0
Description : Unknown RPC service
Annotation : INgcHandler
Type : Local RPC service
Named pipe : LRPC-bd5124b3758fbb48f1

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 7642249b-84c2-4404-b6eb-1e0a2458839a, version 1.0
Description : Unknown RPC service
Annotation : INgcSecureBioHandler
Type : Local RPC service
Named pipe : LRPC-bd5124b3758fbb48f1

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : e6f89680-fc98-11e3-80d4-10604b681cfa, version 1.0
Description : Unknown RPC service
Annotation : INgcGidsHandler
Type : Local RPC service
Named pipe : LRPC-bd5124b3758fbb48f1

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : b58aa02e-2884-4e97-8176-4ee06d794184, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-72b61fe891c8fe3238

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : c27f3c08-92ba-478c-b446-b419c4cef0e2, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-c10b160c63bb3f06b2

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : d4051bde-9cdd-4910-b393-4aa85ec3c482, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-2b1f4de8ba9f46da4c

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 4c9dbf19-d39e-4bb9-90ee-8f7179b20283, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-2b1f4de8ba9f46da4c

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : fd8be72b-a9cd-4b2c-a9ca-4ded242fbe4d, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-2b1f4de8ba9f46da4c

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 95095ec8-32ea-4eb0-a3e2-041f97b36168, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-2b1f4de8ba9f46da4c

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : e38f5360-8572-473e-b696-1b46873beeab, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-2b1f4de8ba9f46da4c

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : d22895ef-aff4-42c5-a5b2-b14466d34ab4, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-2b1f4de8ba9f46da4c

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 98cd761e-e77d-41c8-a3c0-0fb756d90ec2, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-2b1f4de8ba9f46da4c

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 714dc5c4-c5f6-466a-b037-a573c958031e, version 1.0
Description : Unknown RPC service
Annotation : ProcessTag Server Endpoint
Type : Local RPC service
Named pipe : OLE684B9348190A019A4AE7A2B6F73C

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 714dc5c4-c5f6-466a-b037-a573c958031e, version 1.0
Description : Unknown RPC service
Annotation : ProcessTag Server Endpoint
Type : Local RPC service
Named pipe : LRPC-33e4fe3ebf3dc04b0d

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 650a7e26-eab8-5533-ce43-9c1dfce11511, version 1.0
Description : Unknown RPC service
Annotation : Vpn APIs
Type : Local RPC service
Named pipe : RasmanLrpc

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 650a7e26-eab8-5533-ce43-9c1dfce11511, version 1.0
Description : Unknown RPC service
Annotation : Vpn APIs
Type : Local RPC service
Named pipe : VpnikeRpc

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 650a7e26-eab8-5533-ce43-9c1dfce11511, version 1.0
Description : Unknown RPC service
Annotation : Vpn APIs
Type : Local RPC service
Named pipe : LRPC-0a6d37b3cec96c2b50

Object UUID : 49541cea-a719-4e75-8d58-a3a7bffff960e
UUID : 850cee52-3038-4277-b9b4-e05db8b2c35c, version 1.0
Description : Unknown RPC service
Annotation : Device Association Framework Association RPC Interface

Type : Local RPC service
Named pipe : LRPC-560b59e1e1cbaecd25

Object UUID : 80b4038a-1d09-4c05-b1b6-249a4c2e0736
UUID : ald4eae7-39f8-4bca-8e72-832767f5082a, version 1.0
Description : Unknown RPC service
Annotation : Device Association Framework Inbound RPC Interface
Type : Local RPC service
Named pipe : LRPC-560b59e1e1cbaecd25

Object UUID : 145857ef-d848-4a7e-b544-c1984d26cf05
UUID : 2e7d4935-59d2-4312-a2c8-41900aa5495f, version 1.0
Description : Unknown RPC service
Annotation : Device Association Framework Challenge RPC Interface
Type : Local RPC service
Named pipe : LRPC-560b59e1e1cbaecd25

Object UUID : 289e5e0f-414a-4de9-8d17-244507ffffc07
UUID : bd84cd86-9825-4376-813d-334c543f89b1, version 1.0
Description : Unknown RPC service
Annotation : Device Association Framework Query RPC Interface
Type : Local RPC service
Named pipe : LRPC-560b59e1e1cbaecd25

Object UUID : 1475c123-1193-4379-81ac-302c4383421d
UUID : 5b665b9a-a086-4e26-ae24-96ab050b0ec3, version 1.0
Description : Unknown RPC service
Annotation : Device Association Framework AEP Store Access RPC Interface
Type : Local RPC service
Named pipe : LRPC-560b59e1e1cbaecd25

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 98716d03-89ac-44c7-bb8c-285824e51c4a, version 1.0
Description : Unknown RPC service
Annotation : XactSrv service
Type : Local RPC service
Named pipe : LRPC-1df701679b0a1d7438

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 1a0d010f-1c33-432c-b0f5-8cf4e8053099, version 1.0
Description : Unknown RPC service
Annotation : IdSegSrv service
Type : Local RPC service
Named pipe : LRPC-1df701679b0a1d7438

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 552d076a-cb29-4e44-8b6a-d15e59e2c0af, version 1.0
Description : Unknown RPC service
Annotation : IP Transition Configuration endpoint
Type : Local RPC service
Named pipe : LRPC-2aabdl44ecbc068007

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 2e6035b2-e8f1-41a7-a044-656b439c4c34, version 1.0
Description : Unknown RPC service
Annotation : Proxy Manager provider server endpoint
Type : Local RPC service

Named pipe : LRPC-2aabdl144ecbc068007

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 2e6035b2-e8f1-41a7-a044-656b439c4c34, version 1.0
Description : Unknown RPC service
Annotation : Proxy Manager provider server endpoint
Type : Local RPC service
Named pipe : TeredoDiagnostics

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 2e6035b2-e8f1-41a7-a044-656b439c4c34, version 1.0
Description : Unknown RPC service
Annotation : Proxy Manager provider server endpoint
Type : Local RPC service
Named pipe : TeredoControl

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : c36be077-e14b-4fe9-8abc-e856ef4f048b, version 1.0
Description : Unknown RPC service
Annotation : Proxy Manager client server endpoint
Type : Local RPC service
Named pipe : LRPC-2aabdl144ecbc068007

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : c36be077-e14b-4fe9-8abc-e856ef4f048b, version 1.0
Description : Unknown RPC service
Annotation : Proxy Manager client server endpoint
Type : Local RPC service
Named pipe : TeredoDiagnostics

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : c36be077-e14b-4fe9-8abc-e856ef4f048b, version 1.0
Description : Unknown RPC service
Annotation : Proxy Manager client server endpoint
Type : Local RPC service
Named pipe : TeredoControl

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : c49a5a70-8a7f-4e70-ba16-1e8f1f193ef1, version 1.0
Description : Unknown RPC service
Annotation : Adh APIs
Type : Local RPC service
Named pipe : LRPC-2aabdl144ecbc068007

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : c49a5a70-8a7f-4e70-ba16-1e8f1f193ef1, version 1.0
Description : Unknown RPC service
Annotation : Adh APIs
Type : Local RPC service
Named pipe : TeredoDiagnostics

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : c49a5a70-8a7f-4e70-ba16-1e8f1f193ef1, version 1.0
Description : Unknown RPC service
Annotation : Adh APIs
Type : Local RPC service
Named pipe : TeredoControl

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : c49a5a70-8a7f-4e70-ba16-1e8f1f193ef1, version 1.0
Description : Unknown RPC service
Annotation : Adh APIs
Type : Local RPC service
Named pipe : OLE847083CEF7D53D1EEF117B1A53A9

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : dd490425-5325-4565-b774-7e27d6c09c24, version 1.0
Description : Unknown RPC service
Annotation : Base Firewall Engine API
Type : Local RPC service
Named pipe : LRPC-99ca74df4d2f85d306

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 7f9d11bf-7fb9-436b-a812-b2d50c5d4c03, version 1.0
Description : Unknown RPC service
Annotation : Fw APIs
Type : Local RPC service
Named pipe : LRPC-99ca74df4d2f85d306

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 7f9d11bf-7fb9-436b-a812-b2d50c5d4c03, version 1.0
Description : Unknown RPC service
Annotation : Fw APIs
Type : Local RPC service
Named pipe : LRPC-52cda2b0aa8f1830a2

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : f47433c3-3e9d-4157-aad4-83aalf5c2d4c, version 1.0
Description : Unknown RPC service
Annotation : Fw APIs
Type : Local RPC service
Named pipe : LRPC-99ca74df4d2f85d306

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : f47433c3-3e9d-4157-aad4-83aalf5c2d4c, version 1.0
Description : Unknown RPC service
Annotation : Fw APIs
Type : Local RPC service
Named pipe : LRPC-52cda2b0aa8f1830a2

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : f47433c3-3e9d-4157-aad4-83aalf5c2d4c, version 1.0
Description : Unknown RPC service
Annotation : Fw APIs
Type : Local RPC service
Named pipe : LRPC-8fa971db2c3e15f119

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 2fb92682-6599-42dc-ae13-bd2ca89bd11c, version 1.0
Description : Unknown RPC service
Annotation : Fw APIs
Type : Local RPC service
Named pipe : LRPC-99ca74df4d2f85d306

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 2fb92682-6599-42dc-ae13-bd2ca89bd11c, version 1.0
Description : Unknown RPC service
Annotation : Fw APIs
Type : Local RPC service
Named pipe : LRPC-52cda2b0aa8f1830a2

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 2fb92682-6599-42dc-ae13-bd2ca89bd11c, version 1.0
Description : Unknown RPC service
Annotation : Fw APIs
Type : Local RPC service
Named pipe : LRPC-8fa971db2c3e15f119

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 2fb92682-6599-42dc-ae13-bd2ca89bd11c, version 1.0
Description : Unknown RPC service
Annotation : Fw APIs
Type : Local RPC service
Named pipe : LRPC-1b68435bcf49ebe0fc

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : f2c9b409-c1c9-4100-8639-d8ab1486694a, version 1.0
Description : Unknown RPC service
Annotation : Witness Client Upcall Server
Type : Local RPC service
Named pipe : LRPC-dae8e229e9bd33f591

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : eb081a0d-10ee-478a-a1dd-50995283e7a8, version 3.0
Description : Unknown RPC service
Annotation : Witness Client Test Interface
Type : Local RPC service
Named pipe : LRPC-dae8e229e9bd33f591

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 7f1343fe-50a9-4927-a778-0c5859517bac, version 1.0
Description : Unknown RPC service
Annotation : DfsDs service
Type : Local RPC service
Named pipe : LRPC-dae8e229e9bd33f591

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : c0e9671e-33c6-4438-9464-56b2e1b1c7b4, version 1.0
Description : Unknown RPC service
Annotation : wbiosrvc
Type : Local RPC service
Named pipe : LRPC-b0cc5030c285818fff

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 4be96a0f-9f52-4729-a51d-c70610f118b0, version 1.0
Description : Unknown RPC service
Annotation : wbiosrvc
Type : Local RPC service
Named pipe : LRPC-b0cc5030c285818fff

Object UUID : 00000000-0000-0000-0000-000000000000

UUID : 12345678-1234-abcd-ef00-0123456789ab, version 1.0
Description : IPsec Services (Windows XP & 2003)
Windows process : lsass.exe
Type : Local RPC service
Named pipe : LRPC-ca846e6b2902f3b03a

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 0b6edbf8-4a24-4fc6-8a23-942b1eca65d1, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-ca846e6b2902f3b03a

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : ae33069b-a2a8-46ee-a235-ddfd339be281, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-ca846e6b2902f3b03a

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 4a452661-8290-4b36-8fbe-7f4093a94978, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-ca846e6b2902f3b03a

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 76f03f96-cdfd-44fc-a22c-64950a001209, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-ca846e6b2902f3b03a

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 25952c5d-7976-4aa1-a3cb-c35f7ae79d1b, version 1.0
Description : Unknown RPC service
Annotation : Wireless Diagnostics
Type : Local RPC service
Named pipe : LRPC-387812a53e2e7c0ebd

Object UUID : 6e616c77-7673-0063-0000-000000000000
UUID : c9ac6db5-82b7-4e55-ae8a-e464ed7b4277, version 1.0
Description : Unknown RPC service
Annotation : Impl friendly name
Type : Local RPC service
Named pipe : LRPC-387812a53e2e7c0ebd

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 266f33b4-c7c1-4bd1-8f52-ddb8f2214ea9, version 1.0
Description : Unknown RPC service
Annotation : Wlan Service
Type : Local RPC service
Named pipe : LRPC-387812a53e2e7c0ebd

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 266f33b4-c7c1-4bd1-8f52-ddb8f2214ea9, version 1.0
Description : Unknown RPC service
Annotation : Wlan Service
Type : Local RPC service
Named pipe : LRPC-4742ba5d88fae7c656

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 266f33b4-c7c1-4bd1-8f52-ddb8f2214eb0, version 1.0
Description : Unknown RPC service
Annotation : Wlan Service LowPriv
Type : Local RPC service
Named pipe : LRPC-387812a53e2e7c0ebd

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 266f33b4-c7c1-4bd1-8f52-ddb8f2214eb0, version 1.0
Description : Unknown RPC service
Annotation : Wlan Service LowPriv
Type : Local RPC service
Named pipe : LRPC-4742ba5d88fae7c656

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : af7fead8-c34a-461f-8894-6d6f0e5eddcdd, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-387812a53e2e7c0ebd

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : af7fead8-c34a-461f-8894-6d6f0e5eddcdd, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-4742ba5d88fae7c656

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : af7fead8-c34a-461f-8894-6d6f0e5eddcdd, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : OLEA5D4E8FD54019141C21FCFABBDAA

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : af7fead8-c34a-461f-8894-6d6f0e5eddcdd, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-5336890b74d617b9f9

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : abfb6ca3-0c5e-4734-9285-0aee72fe8d1c, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : OLEE37ABE7E90E4F756D311173F2591

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : abfb6ca3-0c5e-4734-9285-0aee72fe8d1c, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-fd602e6a8dc261236a

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : b37f900a-eae4-4304-a2ab-12bb668c0188, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : OLEE37ABE7E90E4F756D311173F2591

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : b37f900a-eae4-4304-a2ab-12bb668c0188, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-fd602e6a8dc261236a

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : e7f76134-9ef5-4949-a2d6-3368cc0988f3, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : OLEE37ABE7E90E4F756D311173F2591

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : e7f76134-9ef5-4949-a2d6-3368cc0988f3, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-fd602e6a8dc261236a

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 7aeb6705-3ae6-471a-882d-f39c109edc12, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : OLEE37ABE7E90E4F756D311173F2591

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 7aeb6705-3ae6-471a-882d-f39c109edc12, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-fd602e6a8dc261236a

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : f44e62af-dab1-44c2-8013-049a9de417d6, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : OLEE37ABE7E90E4F756D311173F2591

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : f44e62af-dab1-44c2-8013-049a9de417d6, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-fd602e6a8dc261236a

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : c2d1b5dd-fa81-4460-9dd6-e7658b85454b, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : OLEE37ABE7E90E4F756D311173F2591

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : c2d1b5dd-fa81-4460-9dd6-e7658b85454b, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-fd602e6a8dc261236a

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 30adc50c-5cbc-46ce-9a0e-91914789e23c, version 1.0
Description : Unknown RPC service

Annotation : NRP server endpoint
Type : Local RPC service
Named pipe : DNSResolver

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 30adc50c-5cbc-46ce-9a0e-91914789e23c, version 1.0
Description : Unknown RPC service
Annotation : NRP server endpoint
Type : Local RPC service
Named pipe : LRPC-b0a0a6cf1afca55bb1

Object UUID : 736e6573-0000-0000-0000-000000000000
UUID : c9ac6db5-82b7-4e55-ae8a-e464ed7b4277, version 1.0
Description : Unknown RPC service
Annotation : Impl friendly name
Type : Local RPC service
Named pipe : senssvc

Object UUID : 736e6573-0000-0000-0000-000000000000
UUID : c9ac6db5-82b7-4e55-ae8a-e464ed7b4277, version 1.0
Description : Unknown RPC service
Annotation : Impl friendly name
Type : Local RPC service
Named pipe : LRPC-dbfea32234aad68176

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 3473dd4d-2e88-4006-9cba-22570909dd10, version 5.0
Description : Unknown RPC service
Annotation : WinHttp Auto-Proxy Service
Type : Local RPC service
Named pipe : LRPC-b53f684e95ff00bfcd

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 3473dd4d-2e88-4006-9cba-22570909dd10, version 5.0
Description : Unknown RPC service
Annotation : WinHttp Auto-Proxy Service
Type : Local RPC service
Named pipe : d2cecf26-ed60-46dc-963e-4112e51623e3

Object UUID : f2add560-eb85-4170-82a2-a48e789690cd
UUID : d09bdeb5-6171-4a34-bfe2-06fa82652568, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-276620479c8a70fc7b

Object UUID : 045ad40c-5920-4757-90a5-ae0e7e6f6838
UUID : d09bdeb5-6171-4a34-bfe2-06fa82652568, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-276620479c8a70fc7b

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 4c8d0bef-d7f1-49f0-9102-caa05f58d114, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : nlaplg

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 4c8d0bef-d7f1-49f0-9102-caa05f58d114, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : nlaapi

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : b18fbab6-56f8-4702-84e0-41053293a869, version 1.0
Description : Unknown RPC service
Annotation : UserMgrCli
Type : Local RPC service
Named pipe : OLEA937F1F7AC47A4BD2BBAA7BD7A43

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : b18fbab6-56f8-4702-84e0-41053293a869, version 1.0
Description : Unknown RPC service
Annotation : UserMgrCli
Type : Local RPC service
Named pipe : LRPC-8244bda369216f7a4d

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 0d3c7f20-1c8d-4654-a1b3-51563b298bda, version 1.0
Description : Unknown RPC service
Annotation : UserMgrCli
Type : Local RPC service
Named pipe : OLEA937F1F7AC47A4BD2BBAA7BD7A43

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 0d3c7f20-1c8d-4654-a1b3-51563b298bda, version 1.0
Description : Unknown RPC service
Annotation : UserMgrCli
Type : Local RPC service
Named pipe : LRPC-8244bda369216f7a4d

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 3c4728c5-f0ab-448b-bda1-6ce01eb0a6d5, version 1.0
Description : DHCP Client Service
Windows process : svchost.exe
Annotation : DHCP Client LRPC Endpoint
Type : Local RPC service
Named pipe : dhcpcsvc

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 3c4728c5-f0ab-448b-bda1-6ce01eb0a6d6, version 1.0
Description : Unknown RPC service
Annotation : DHCPv6 Client LRPC Endpoint
Type : Local RPC service
Named pipe : dhcpcsvc

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 3c4728c5-f0ab-448b-bda1-6ce01eb0a6d6, version 1.0
Description : Unknown RPC service
Annotation : DHCPv6 Client LRPC Endpoint
Type : Local RPC service
Named pipe : dhcpcsvc6

Object UUID : 00000000-0000-0000-0000-000000000000

UUID : 7ea70bcf-48af-4f6a-8968-6a440754d5fa, version 1.0
Description : Unknown RPC service
Annotation : NSI server endpoint
Type : Local RPC service
Named pipe : LRPC-d86b63f9f6c253abf4

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : f6beaff7-1e19-4fbb-9f8f-b89e2018337c, version 1.0
Description : Unknown RPC service
Annotation : Event log TCPIP
Type : Local RPC service
Named pipe : eventlog

Object UUID : 666f7270-6c69-7365-0000-000000000000
UUID : c9ac6db5-82b7-4e55-ae8a-e464ed7b4277, version 1.0
Description : Unknown RPC service
Annotation : Impl friendly name
Type : Local RPC service
Named pipe : IUserProfile2

Object UUID : b5ccd5ef-4238-440b-bba0-999f828f1cfe
UUID : d09bdeb5-6171-4a34-bfe2-06fa82652568, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-c73549a14df65f2db9

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : a500d4c6-0dd1-4543-bc0c-d5f93486eaf8, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-c73549a14df65f2db9

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : a500d4c6-0dd1-4543-bc0c-d5f93486eaf8, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-0d1df0c1d83ad0e64b

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 0a74ef1c-41a4-4e06-83ae-dc74fb1cdd53, version 1.0
Description : Scheduler Service
Windows process : svchost.exe
Type : Local RPC service
Named pipe : LRPC-ef04a2fd4f0bb879fd

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 1ff70682-0a51-30e8-076d-740be8cee98b, version 1.0
Description : Scheduler Service
Windows process : svchost.exe
Type : Local RPC service
Named pipe : LRPC-ef04a2fd4f0bb879fd

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 378e52b0-c0a9-11cf-822d-00aa0051e40f, version 1.0
Description : Scheduler Service
Windows process : svchost.exe
Type : Local RPC service

Named pipe : LRPC-ef04a2fd4f0bb879fd

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 33d84484-3626-47ee-8c6f-e7e98b113be1, version 2.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-ef04a2fd4f0bb879fd

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 33d84484-3626-47ee-8c6f-e7e98b113be1, version 2.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : ubpmtaskhostchannel

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 33d84484-3626-47ee-8c6f-e7e98b113be1, version 2.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-d2f00587ad27cd2202

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 86d35949-83c9-4044-b424-db363231fd0c, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-ef04a2fd4f0bb879fd

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 86d35949-83c9-4044-b424-db363231fd0c, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : ubpmtaskhostchannel

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 86d35949-83c9-4044-b424-db363231fd0c, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-d2f00587ad27cd2202

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 3a9ef155-691d-4449-8d05-09ad57031823, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-ef04a2fd4f0bb879fd

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 3a9ef155-691d-4449-8d05-09ad57031823, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : ubpmtaskhostchannel

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 3a9ef155-691d-4449-8d05-09ad57031823, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-d2f00587ad27cd2202

Object UUID : 00000000-0000-0000-0000-000000000000

UUID : a69816f5-83b6-4d48-8633-067f99f5f2d3, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-78613ad6138f2394ff

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : b54e9aa3-cf29-4f21-a8ea-98c5850ce296, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-78613ad6138f2394ff

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : b54e9aa3-cf29-4f21-a8ea-98c5850ce296, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-ab7480536ef879281e

Object UUID : fdd099c6-df06-4904-83b4-a87a27903c70
UUID : d09bdeb5-6171-4a34-bfe2-06fa82652568, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-79bbb6dfcb790eed40

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 5222821f-d5e2-4885-84f1-5f6185a0ec41, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-c363c8cf913a465f01

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 880fd55e-43b9-11e0-b1a8-cf4edfd72085, version 1.0
Description : Unknown RPC service
Annotation : KAPI Service endpoint
Type : Local RPC service
Named pipe : LRPC-79bbb6dfcb790eed40

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 880fd55e-43b9-11e0-b1a8-cf4edfd72085, version 1.0
Description : Unknown RPC service
Annotation : KAPI Service endpoint
Type : Local RPC service
Named pipe : OLECEACBCD94867F034A64A0BE6C81F

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 880fd55e-43b9-11e0-b1a8-cf4edfd72085, version 1.0
Description : Unknown RPC service
Annotation : KAPI Service endpoint
Type : Local RPC service
Named pipe : LRPC-9fb70e1b3c7fdcd7fa

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : e40f7b57-7a25-4cd3-a135-7f7d3df9d16b, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-d2ff9581ee2affd688

Object UUID : 6d726574-7273-0076-0000-000000000000

UUID : c9ac6db5-82b7-4e55-ae8a-e464ed7b4277, version 1.0
Description : Unknown RPC service
Annotation : Impl friendly name
Type : Local RPC service
Named pipe : LRPC-436a75f88094526533

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 4bec6bb8-b5c2-4b6f-b2c1-5da5cf92d0d9, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : umpo

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 085b0334-e454-4d91-9b8c-4134f9e793f3, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : umpo

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 8782d3b9-ebbd-4644-a3d8-e8725381919b, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : umpo

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 3b338d89-6cfa-44b8-847e-531531bc9992, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : umpo

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : bdaa0970-413b-4a3e-9e5d-f6dc9d7e0760, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : umpo

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 5824833b-3c1a-4ad2-bdfd-c31d19e23ed2, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : umpo

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 0361ae94-0316-4c6c-8ad8-c594375800e2, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : umpo

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : dd59071b-3215-4c59-8481-972edad0f6a, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : umpo

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : dd59071b-3215-4c59-8481-972edad0f6a, version 1.0
Description : Unknown RPC service

Type : Local RPC service
Named pipe : actkernel

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 2d98a740-581d-41b9-aa0d-a88b9d5ce938, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : umpo

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 2d98a740-581d-41b9-aa0d-a88b9d5ce938, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : actkernel

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 2d98a740-581d-41b9-aa0d-a88b9d5ce938, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-f6357dd44fa7b44ca3

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 8bfc3bel-6def-4e2d-af74-7c47cd0ade4a, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : umpo

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 8bfc3bel-6def-4e2d-af74-7c47cd0ade4a, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : actkernel

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 8bfc3bel-6def-4e2d-af74-7c47cd0ade4a, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-f6357dd44fa7b44ca3

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 1b37ca91-76b1-4f5e-a3c7-2abfc61f2bb0, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : umpo

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 1b37ca91-76b1-4f5e-a3c7-2abfc61f2bb0, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : actkernel

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 1b37ca91-76b1-4f5e-a3c7-2abfc61f2bb0, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-f6357dd44fa7b44ca3

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : c605f9fb-f0a3-4e2a-a073-73560f8d9e3e, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : umpo

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : c605f9fb-f0a3-4e2a-a073-73560f8d9e3e, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : actkernel

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : c605f9fb-f0a3-4e2a-a073-73560f8d9e3e, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-f6357dd44fa7b44ca3

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 0d3e2735-cea0-4ecc-a9e2-41a2d81aed4e, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : umpo

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 0d3e2735-cea0-4ecc-a9e2-41a2d81aed4e, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : actkernel

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 0d3e2735-cea0-4ecc-a9e2-41a2d81aed4e, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-f6357dd44fa7b44ca3

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 2513bcbe-6cd4-4348-855e-7efb3c336dd3, version 2.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : umpo

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 2513bcbe-6cd4-4348-855e-7efb3c336dd3, version 2.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : actkernel

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 2513bcbe-6cd4-4348-855e-7efb3c336dd3, version 2.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-f6357dd44fa7b44ca3

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 2513bcbe-6cd4-4348-855e-7efb3c336dd3, version 2.0
Description : Unknown RPC service

Type : Local RPC service
Named pipe : OLED402B9DD5D65C18B41D11C7C442A

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 20c40295-8dba-48e6-aebf-3e78ef3bb144, version 2.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : umpo

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 20c40295-8dba-48e6-aebf-3e78ef3bb144, version 2.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : actkernel

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 20c40295-8dba-48e6-aebf-3e78ef3bb144, version 2.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-f6357dd44fa7b44ca3

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 20c40295-8dba-48e6-aebf-3e78ef3bb144, version 2.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : OLED402B9DD5D65C18B41D11C7C442A

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 857fb1be-084f-4fb5-b59c-4b2c4be5f0cf, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : umpo

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 857fb1be-084f-4fb5-b59c-4b2c4be5f0cf, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : actkernel

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 857fb1be-084f-4fb5-b59c-4b2c4be5f0cf, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-f6357dd44fa7b44ca3

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 857fb1be-084f-4fb5-b59c-4b2c4be5f0cf, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : OLED402B9DD5D65C18B41D11C7C442A

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 55e6b932-1979-45d6-90c5-7f6270724112, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : umpo

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 55e6b932-1979-45d6-90c5-7f6270724112, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : actkernel

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 55e6b932-1979-45d6-90c5-7f6270724112, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-f6357dd44fa7b44ca3

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 55e6b932-1979-45d6-90c5-7f6270724112, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : OLED402B9DD5D65C18B41D11C7C442A

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 55e6b932-1979-45d6-90c5-7f6270724112, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-231e796f629b47426d

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 76c217bc-c8b4-4201-a745-373ad9032b1a, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : umpo

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 76c217bc-c8b4-4201-a745-373ad9032b1a, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : actkernel

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 76c217bc-c8b4-4201-a745-373ad9032b1a, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-f6357dd44fa7b44ca3

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 76c217bc-c8b4-4201-a745-373ad9032b1a, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : OLED402B9DD5D65C18B41D11C7C442A

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 76c217bc-c8b4-4201-a745-373ad9032b1a, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-231e796f629b47426d

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 88abcb3-34ea-76ae-8215-767520655a23, version 0.0
Description : Unknown RPC service

Type : Local RPC service
Named pipe : umpo

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 88abcbcb3-34ea-76ae-8215-767520655a23, version 0.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : actkernel

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 88abcbcb3-34ea-76ae-8215-767520655a23, version 0.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-f6357dd44fa7b44ca3

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 88abcbcb3-34ea-76ae-8215-767520655a23, version 0.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : OLED402B9DD5D65C18B41D11C7C442A

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 88abcbcb3-34ea-76ae-8215-767520655a23, version 0.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-231e796f629b47426d

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 2c7fd9ce-e706-4b40-b412-953107ef9bb0, version 0.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : umpo

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : c521facf-09a9-42c5-b155-72388595cbf0, version 0.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : umpo

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 1832bcf6-cab8-41d4-85d2-c9410764f75a, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : umpo

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 4dace966-a243-4450-ae3f-9b7bcb5315b8, version 2.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : umpo

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 178d84be-9291-4994-82c6-3f909aca5a03, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : umpo

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : e53d94ca-7464-4839-b044-09a2fb8b3ae5, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : umpo

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : fae436b0-b864-4a87-9eda-298547cd82f2, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : umpo

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 082a3471-31b6-422a-b931-a54401960c62, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : umpo

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 6982a06e-5fe2-46b1-b39c-a2c545bfa069, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : umpo

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 0ff1f646-13bb-400a-ab50-9a78f2b7a85a, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : umpo

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 4ed8abcc-f1e2-438b-981f-bb0e8abc010c, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : umpo

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 95406f0b-b239-4318-91bb-cea3a46ff0dc, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : umpo

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 0d47017b-b33b-46ad-9e18-fe96456c5078, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : umpo

Object UUID : 7cd4a68a-505e-456b-b11e-ca76a5dd491c
UUID : d09bdeb5-6171-4a34-bfe2-06fa82652568, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : umpo

Object UUID : 7cd4a68a-505e-456b-b11e-ca76a5dd491c
UUID : d09bdeb5-6171-4a34-bfe2-06fa82652568, version 1.0
Description : Unknown RPC service

Type : Local RPC service
Named pipe : actkernel

Object UUID : 7cd4a68a-505e-456b-b11e-ca76a5dd491c
UUID : d09bdeb5-6171-4a34-bfe2-06fa82652568, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-f6357dd44fa7b44ca3

Object UUID : 7cd4a68a-505e-456b-b11e-ca76a5dd491c
UUID : d09bdeb5-6171-4a34-bfe2-06fa82652568, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : OLED402B9DD5D65C18B41D11C7C442A

Object UUID : 7cd4a68a-505e-456b-b11e-ca76a5dd491c
UUID : d09bdeb5-6171-4a34-bfe2-06fa82652568, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-231e796f629b47426d

Object UUID : 7cd4a68a-505e-456b-b11e-ca76a5dd491c
UUID : d09bdeb5-6171-4a34-bfe2-06fa82652568, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-9a3f8c5bef55708901

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 9b008953-f195-4bf9-bde0-4471971e58ed, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : umpo

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 9b008953-f195-4bf9-bde0-4471971e58ed, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : actkernel

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 9b008953-f195-4bf9-bde0-4471971e58ed, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-f6357dd44fa7b44ca3

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 9b008953-f195-4bf9-bde0-4471971e58ed, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : OLED402B9DD5D65C18B41D11C7C442A

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 9b008953-f195-4bf9-bde0-4471971e58ed, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-231e796f629b47426d

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 9b008953-f195-4bf9-bde0-4471971e58ed, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-9a3f8c5bef55708901

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 9b008953-f195-4bf9-bde0-4471971e58ed, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-ec7028734c659b673a

Object UUID : db57eb61-1aa2-4906-9396-23e8b8024c32
UUID : d09bdeb5-6171-4a34-bfe2-06fa82652568, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : umpo

Object UUID : db57eb61-1aa2-4906-9396-23e8b8024c32
UUID : d09bdeb5-6171-4a34-bfe2-06fa82652568, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : actkernel

Object UUID : db57eb61-1aa2-4906-9396-23e8b8024c32
UUID : d09bdeb5-6171-4a34-bfe2-06fa82652568, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-f6357dd44fa7b44ca3

Object UUID : db57eb61-1aa2-4906-9396-23e8b8024c32
UUID : d09bdeb5-6171-4a34-bfe2-06fa82652568, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : OLED402B9DD5D65C18B41D11C7C442A

Object UUID : db57eb61-1aa2-4906-9396-23e8b8024c32
UUID : d09bdeb5-6171-4a34-bfe2-06fa82652568, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-231e796f629b47426d

Object UUID : db57eb61-1aa2-4906-9396-23e8b8024c32
UUID : d09bdeb5-6171-4a34-bfe2-06fa82652568, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-9a3f8c5bef55708901

Object UUID : db57eb61-1aa2-4906-9396-23e8b8024c32
UUID : d09bdeb5-6171-4a34-bfe2-06fa82652568, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-ec7028734c659b673a

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 697dcda9-3ba9-4eb2-9247-e11f1901b0d2, version 1.0
Description : Unknown RPC service

Type : Local RPC service
Named pipe : umpo

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 697dcda9-3ba9-4eb2-9247-e11f1901b0d2, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : actkernel

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 697dcda9-3ba9-4eb2-9247-e11f1901b0d2, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-f6357dd44fa7b44ca3

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 697dcda9-3ba9-4eb2-9247-e11f1901b0d2, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : OLED402B9DD5D65C18B41D11C7C442A

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 697dcda9-3ba9-4eb2-9247-e11f1901b0d2, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-231e796f629b47426d

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 697dcda9-3ba9-4eb2-9247-e11f1901b0d2, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-9a3f8c5bef55708901

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 697dcda9-3ba9-4eb2-9247-e11f1901b0d2, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-ec7028734c659b673a

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 697dcda9-3ba9-4eb2-9247-e11f1901b0d2, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-045b756ca5b47652a1

Object UUID : 9e56cbc5-e634-4267-818e-ffa7dce1fa86
UUID : d09bdeb5-6171-4a34-bfe2-06fa82652568, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : umpo

Object UUID : 9e56cbc5-e634-4267-818e-ffa7dce1fa86
UUID : d09bdeb5-6171-4a34-bfe2-06fa82652568, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : actkernel

Object UUID : 9e56cbc5-e634-4267-818e-ffa7dce1fa86
UUID : d09bdeb5-6171-4a34-bfe2-06fa82652568, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-f6357dd44fa7b44ca3

Object UUID : 9e56cbc5-e634-4267-818e-ffa7dce1fa86
UUID : d09bdeb5-6171-4a34-bfe2-06fa82652568, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : OLED402B9DD5D65C18B41D11C7C442A

Object UUID : 9e56cbc5-e634-4267-818e-ffa7dce1fa86
UUID : d09bdeb5-6171-4a34-bfe2-06fa82652568, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-231e796f629b47426d

Object UUID : 9e56cbc5-e634-4267-818e-ffa7dce1fa86
UUID : d09bdeb5-6171-4a34-bfe2-06fa82652568, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-9a3f8c5bef55708901

Object UUID : 9e56cbc5-e634-4267-818e-ffa7dce1fa86
UUID : d09bdeb5-6171-4a34-bfe2-06fa82652568, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-ec7028734c659b673a

Object UUID : 9e56cbc5-e634-4267-818e-ffa7dce1fa86
UUID : d09bdeb5-6171-4a34-bfe2-06fa82652568, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-045b756ca5b47652a1

Object UUID : 9e56cbc5-e634-4267-818e-ffa7dce1fa86
UUID : d09bdeb5-6171-4a34-bfe2-06fa82652568, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : csebpib

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : fc48cd89-98d6-4628-9839-86f7a3e4161a, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : umpo

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : fc48cd89-98d6-4628-9839-86f7a3e4161a, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : actkernel

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : fc48cd89-98d6-4628-9839-86f7a3e4161a, version 1.0
Description : Unknown RPC service

Type : Local RPC service
Named pipe : LRPC-f6357dd44fa7b44ca3

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : fc48cd89-98d6-4628-9839-86f7a3e4161a, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : OLED402B9DD5D65C18B41D11C7C442A

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : fc48cd89-98d6-4628-9839-86f7a3e4161a, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-231e796f629b47426d

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : fc48cd89-98d6-4628-9839-86f7a3e4161a, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-9a3f8c5bef55708901

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : fc48cd89-98d6-4628-9839-86f7a3e4161a, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-ec7028734c659b673a

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : fc48cd89-98d6-4628-9839-86f7a3e4161a, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-045b756ca5b47652a1

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : fc48cd89-98d6-4628-9839-86f7a3e4161a, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : csebpub

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : fc48cd89-98d6-4628-9839-86f7a3e4161a, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : dabrpc

Object UUID : b08669ee-8cb5-43a5-a017-84fe00000000
UUID : 76f226c3-ec14-4325-8a99-6a46348418af, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : WMsgKRpc0153A10

Object UUID : b08669ee-8cb5-43a5-a017-84fe00000000
UUID : 76f226c3-ec14-4325-8a99-6a46348418af, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : WindowsShutdown

Object UUID : 765294ba-60bc-48b8-92e9-89fd77769d91
UUID : d95afe70-a6d5-4259-822e-2c84da1ddb0d, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : WMsgKRpc0153A10

Object UUID : 765294ba-60bc-48b8-92e9-89fd77769d91
UUID : d95afe70-a6d5-4259-822e-2c84da1ddb0d, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : WindowsShutdown

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 12345778-1234-abcd-ef00-0123456789ac, version 1.0
Description : Security Account Manager
Windows process : lsass.exe
Type : Local RPC service
Named pipe : audit

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 12345778-1234-abcd-ef00-0123456789ac, version 1.0
Description : Security Account Manager
Windows process : lsass.exe
Type : Local RPC service
Named pipe : securityevent

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 12345778-1234-abcd-ef00-0123456789ac, version 1.0
Description : Security Account Manager
Windows process : lsass.exe
Type : Local RPC service
Named pipe : LSARPC_ENDPOINT

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 12345778-1234-abcd-ef00-0123456789ac, version 1.0
Description : Security Account Manager
Windows process : lsass.exe
Type : Local RPC service
Named pipe : lsacap

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 12345778-1234-abcd-ef00-0123456789ac, version 1.0
Description : Security Account Manager
Windows process : lsass.exe
Type : Local RPC service
Named pipe : LSA_IDPEXT_ENDPOINT

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 12345778-1234-abcd-ef00-0123456789ac, version 1.0
Description : Security Account Manager
Windows process : lsass.exe
Type : Local RPC service
Named pipe : LSA_EAS_ENDPOINT

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 12345778-1234-abcd-ef00-0123456789ac, version 1.0
Description : Security Account Manager

Windows process : lsass.exe
Type : Local RPC service
Named pipe : lsapolicylookup

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 12345778-1234-abcd-ef00-0123456789ac, version 1.0
Description : Security Account Manager
Windows process : lsass.exe
Type : Local RPC service
Named pipe : lsasspirpc

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 12345778-1234-abcd-ef00-0123456789ac, version 1.0
Description : Security Account Manager
Windows process : lsass.exe
Type : Local RPC service
Named pipe : protected_storage

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 12345778-1234-abcd-ef00-0123456789ac, version 1.0
Description : Security Account Manager
Windows process : lsass.exe
Type : Local RPC service
Named pipe : SidKey Local End Point

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 12345778-1234-abcd-ef00-0123456789ac, version 1.0
Description : Security Account Manager
Windows process : lsass.exe
Type : Local RPC service
Named pipe : samss lpc

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : b25a52bf-e5dd-4f4a-aea6-8ca7272a0e86, version 2.0
Description : Unknown RPC service
Annotation : KeyIso
Type : Local RPC service
Named pipe : audit

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : b25a52bf-e5dd-4f4a-aea6-8ca7272a0e86, version 2.0
Description : Unknown RPC service
Annotation : KeyIso
Type : Local RPC service
Named pipe : securityevent

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : b25a52bf-e5dd-4f4a-aea6-8ca7272a0e86, version 2.0
Description : Unknown RPC service
Annotation : KeyIso
Type : Local RPC service
Named pipe : LSARPC_ENDPOINT

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : b25a52bf-e5dd-4f4a-aea6-8ca7272a0e86, version 2.0
Description : Unknown RPC service
Annotation : KeyIso

Type : Local RPC service
Named pipe : lsacap

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : b25a52bf-e5dd-4f4a-aea6-8ca7272a0e86, version 2.0
Description : Unknown RPC service
Annotation : KeyIso
Type : Local RPC service
Named pipe : LSA_IDPEXT_ENDPOINT

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : b25a52bf-e5dd-4f4a-aea6-8ca7272a0e86, version 2.0
Description : Unknown RPC service
Annotation : KeyIso
Type : Local RPC service
Named pipe : LSA_EAS_ENDPOINT

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : b25a52bf-e5dd-4f4a-aea6-8ca7272a0e86, version 2.0
Description : Unknown RPC service
Annotation : KeyIso
Type : Local RPC service
Named pipe : lsapolicylookup

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : b25a52bf-e5dd-4f4a-aea6-8ca7272a0e86, version 2.0
Description : Unknown RPC service
Annotation : KeyIso
Type : Local RPC service
Named pipe : lsasspirpc

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : b25a52bf-e5dd-4f4a-aea6-8ca7272a0e86, version 2.0
Description : Unknown RPC service
Annotation : KeyIso
Type : Local RPC service
Named pipe : protected_storage

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : b25a52bf-e5dd-4f4a-aea6-8ca7272a0e86, version 2.0
Description : Unknown RPC service
Annotation : KeyIso
Type : Local RPC service
Named pipe : SidKey Local End Point

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : b25a52bf-e5dd-4f4a-aea6-8ca7272a0e86, version 2.0
Description : Unknown RPC service
Annotation : KeyIso
Type : Local RPC service
Named pipe : samss lpc

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 8fb74744-b2ff-4c00-be0d-9ef9a191fe1b, version 1.0
Description : Unknown RPC service
Annotation : Ngc Pop Key Service
Type : Local RPC service

Named pipe : audit

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 8fb74744-b2ff-4c00-be0d-9ef9a191fe1b, version 1.0
Description : Unknown RPC service
Annotation : Ngc Pop Key Service
Type : Local RPC service
Named pipe : securityevent

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 8fb74744-b2ff-4c00-be0d-9ef9a191fe1b, version 1.0
Description : Unknown RPC service
Annotation : Ngc Pop Key Service
Type : Local RPC service
Named pipe : LSARPC_ENDPOINT

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 8fb74744-b2ff-4c00-be0d-9ef9a191fe1b, version 1.0
Description : Unknown RPC service
Annotation : Ngc Pop Key Service
Type : Local RPC service
Named pipe : lsacap

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 8fb74744-b2ff-4c00-be0d-9ef9a191fe1b, version 1.0
Description : Unknown RPC service
Annotation : Ngc Pop Key Service
Type : Local RPC service
Named pipe : LSA_IDPEXT_ENDPOINT

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 8fb74744-b2ff-4c00-be0d-9ef9a191fe1b, version 1.0
Description : Unknown RPC service
Annotation : Ngc Pop Key Service
Type : Local RPC service
Named pipe : LSA_EAS_ENDPOINT

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 8fb74744-b2ff-4c00-be0d-9ef9a191fe1b, version 1.0
Description : Unknown RPC service
Annotation : Ngc Pop Key Service
Type : Local RPC service
Named pipe : lsapolicylookup

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 8fb74744-b2ff-4c00-be0d-9ef9a191fe1b, version 1.0
Description : Unknown RPC service
Annotation : Ngc Pop Key Service
Type : Local RPC service
Named pipe : lsasspirpc

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 8fb74744-b2ff-4c00-be0d-9ef9a191fe1b, version 1.0
Description : Unknown RPC service
Annotation : Ngc Pop Key Service
Type : Local RPC service
Named pipe : protected_storage

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 8fb74744-b2ff-4c00-be0d-9ef9a191fe1b, version 1.0
Description : Unknown RPC service
Annotation : Ngc Pop Key Service
Type : Local RPC service
Named pipe : SidKey Local End Point

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 8fb74744-b2ff-4c00-be0d-9ef9a191fe1b, version 1.0
Description : Unknown RPC service
Annotation : Ngc Pop Key Service
Type : Local RPC service
Named pipe : samss lpc

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 51a227ae-825b-41f2-b4a9-1ac9557a1018, version 1.0
Description : Unknown RPC service
Annotation : Ngc Pop Key Service
Type : Local RPC service
Named pipe : audit

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 51a227ae-825b-41f2-b4a9-1ac9557a1018, version 1.0
Description : Unknown RPC service
Annotation : Ngc Pop Key Service
Type : Local RPC service
Named pipe : securityevent

10736 - DCE Services Enumeration

Synopsis

A DCE/RPC service is running on the remote host.

Description

By sending a Lookup request to the portmapper (TCP 135 or epmapper PIPE) it was possible to enumerate the Distributed Computing Environment (DCE) services running on the remote port. Using this information it is possible to connect and bind to each service by sending an RPC request to the remote port/pipe.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2001/08/26, Modified: 2020/08/20

Plugin Output

tcp/445/cifs

The following DCERPC services are available remotely :

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 650a7e26-eab8-5533-ce43-9c1dfce11511, version 1.0
Description : Unknown RPC service
Annotation : Vpn APIs
Type : Remote RPC service
Named pipe : \PIPE\ROUTER
Netbios name : \\DESKTOP-DIEDQIT

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 7f1343fe-50a9-4927-a778-0c5859517bac, version 1.0
Description : Unknown RPC service
Annotation : DfsDs service
Type : Remote RPC service
Named pipe : \PIPE\wkssvc
Netbios name : \\DESKTOP-DIEDQIT

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : f6beaff7-1e19-4fbb-9f8f-b89e2018337c, version 1.0
Description : Unknown RPC service
Annotation : Event log TCPIP
Type : Remote RPC service
Named pipe : \pipe\eventlog
Netbios name : \\DESKTOP-DIEDQIT

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 1ff70682-0a51-30e8-076d-740be8cee98b, version 1.0
Description : Scheduler Service
Windows process : svchost.exe
Type : Remote RPC service
Named pipe : \PIPE\atsvc
Netbios name : \\DESKTOP-DIEDQIT

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 378e52b0-c0a9-11cf-822d-00aa0051e40f, version 1.0
Description : Scheduler Service
Windows process : svchost.exe
Type : Remote RPC service
Named pipe : \PIPE\atsvc
Netbios name : \\DESKTOP-DIEDQIT

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 33d84484-3626-47ee-8c6f-e7e98b113be1, version 2.0
Description : Unknown RPC service
Type : Remote RPC service
Named pipe : \PIPE\atsvc
Netbios name : \\DESKTOP-DIEDQIT

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 86d35949-83c9-4044-b424-db363231fd0c, version 1.0
Description : Unknown RPC service
Type : Remote RPC service
Named pipe : \PIPE\atsvc

```

Netbios name : \\DESKTOP-DIEDQIT

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 3a9ef155-691d-4449-8d05-09ad57031823, version 1.0
Description : Unknown RPC service
Type : Remote RPC service
Named pipe : \\PIPE\\atsvc
Netbios name : \\DESKTOP-DIEDQIT

Object UUID : b08669ee-8cb5-43a5-a017-84fe00000000
UUID : 76f226c3-ec14-4325-8a99-6a46348418af, version 1.0
Description : Unknown RPC service
Type : Remote RPC service
Named pipe : \\PIPE\\InitShutdown
Netbios name : \\DESKTOP-DIEDQIT

Object UUID : 765294ba-60bc-48b8-92e9-89fd77769d91
UUID : d95afe70-a6d5-4259-822e-2c84da1ddb0d, version 1.0
Description : Unknown RPC service
Type : Remote RPC service
Named pipe : \\PIPE\\InitShutdown
Netbios name : \\DESKTOP-DIEDQIT

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 12345778-1234-abcd-ef00-0123456789ac, version 1.0
Description : Security Account Manager
Windows process : lsass.exe
Type : Remote RPC service
Named pipe : \\pipe\\lsass
Netbios name : \\DESKTOP-DIEDQIT

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : b25a52bf-e5dd-4f4a-aea6-8ca7272a0e86, version 2.0
Description : Unknown RPC service
Annotation : KeyIso
Type : Remote RPC service
Named pipe : \\pipe\\lsass
Netbios name : \\DESKTOP-DIEDQIT

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 8fb74744-b2ff-4c00-be0d-9ef9a191felb, version 1.0
Description : Unknown RPC service
Annotation : Ngc Pop Key Service
Type : Remote RPC service
Named pipe : \\pipe\\lsass
Netbios name : \\DESKTOP-DIEDQIT

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 51a227ae-825b-41f2-b4a9-1ac9557a1018, version 1.0
Description : Unknown RPC service
Annotation : Ngc Pop Key Service
Type : Remote RPC service
Named pipe : \\pipe\\lsass
Netbios name : \\DESKTOP-DIEDQIT

```

Synopsis

A DCE/RPC service is running on the remote host.

Description

By sending a Lookup request to the portmapper (TCP 135 or epmapper PIPE) it was possible to enumerate the Distributed Computing Environment (DCE) services running on the remote port. Using this information it is possible to connect and bind to each service by sending an RPC request to the remote port/pipe.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2001/08/26, Modified: 2020/08/20

Plugin Output

tcp/49664/dce-rpc

The following DCERPC services are available on TCP port 49664 :

```
Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 51a227ae-825b-41f2-b4a9-1ac9557a1018, version 1.0
Description : Unknown RPC service
Annotation : Ngc Pop Key Service
Type : Remote RPC service
TCP Port : 49664
IP : 192.168.18.1
```

```
Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 12345778-1234-abcd-ef00-0123456789ac, version 1.0
Description : Security Account Manager
Windows process : lsass.exe
Type : Remote RPC service
TCP Port : 49664
IP : 192.168.18.1
```

```
Object UUID : 00000000-0000-0000-0000-000000000000
UUID : b25a52bf-e5dd-4f4a-aea6-8ca7272a0e86, version 2.0
Description : Unknown RPC service
Annotation : KeyIso
Type : Remote RPC service
TCP Port : 49664
IP : 192.168.18.1
```

```
Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 8fb74744-b2ff-4c00-be0d-9ef9a191fe1b, version 1.0
Description : Unknown RPC service
```

```
Annotation : Ngc Pop Key Service
Type : Remote RPC service
TCP Port : 49664
IP : 192.168.18.1
```

10736 - DCE Services Enumeration

Synopsis

A DCE/RPC service is running on the remote host.

Description

By sending a Lookup request to the portmapper (TCP 135 or epmapper PIPE) it was possible to enumerate the Distributed Computing Environment (DCE) services running on the remote port. Using this information it is possible to connect and bind to each service by sending an RPC request to the remote port/pipe.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2001/08/26, Modified: 2020/08/20

Plugin Output

tcp/49665/dce-rpc

The following DCERPC services are available on TCP port 49665 :

```
Object UUID : 765294ba-60bc-48b8-92e9-89fd77769d91
UUID : d95afe70-a6d5-4259-822e-2c84da1ddb0d, version 1.0
Description : Unknown RPC service
Type : Remote RPC service
TCP Port : 49665
IP : 192.168.18.1
```

10736 - DCE Services Enumeration

Synopsis

A DCE/RPC service is running on the remote host.

Description

By sending a Lookup request to the portmapper (TCP 135 or epmapper PIPE) it was possible to enumerate the Distributed Computing Environment (DCE) services running on the remote port. Using this information it is possible to connect and bind to each service by sending an RPC request to the remote port/pipe.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2001/08/26, Modified: 2020/08/20

Plugin Output

tcp/49666/dce-rpc

The following DCERPC services are available on TCP port 49666 :

```
Object UUID : 00000000-0000-0000-0000-000000000000
UUID : f6beaff7-1e19-4fbb-9f8f-b89e2018337c, version 1.0
Description : Unknown RPC service
Annotation : Event log TCPIP
Type : Remote RPC service
TCP Port : 49666
IP : 192.168.18.1
```

10736 - DCE Services Enumeration

Synopsis

A DCE/RPC service is running on the remote host.

Description

By sending a Lookup request to the portmapper (TCP 135 or epmapper PIPE) it was possible to enumerate the Distributed Computing Environment (DCE) services running on the remote port. Using this information it is possible to connect and bind to each service by sending an RPC request to the remote port/pipe.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2001/08/26, Modified: 2020/08/20

Plugin Output

tcp/49667/dce-rpc

The following DCERPC services are available on TCP port 49667 :

```
Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 86d35949-83c9-4044-b424-db363231fd0c, version 1.0
Description : Unknown RPC service
Type : Remote RPC service
TCP Port : 49667
IP : 192.168.18.1
```

```
Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 3a9ef155-691d-4449-8d05-09ad57031823, version 1.0
Description : Unknown RPC service
Type : Remote RPC service
TCP Port : 49667
IP : 192.168.18.1
```

10736 - DCE Services Enumeration

Synopsis

A DCE/RPC service is running on the remote host.

Description

By sending a Lookup request to the portmapper (TCP 135 or epmapper PIPE) it was possible to enumerate the Distributed Computing Environment (DCE) services running on the remote port. Using this information it is possible to connect and bind to each service by sending an RPC request to the remote port/pipe.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2001/08/26, Modified: 2020/08/20

Plugin Output

tcp/49668/dce-rpc

The following DCERPC services are available on TCP port 49668 :

```
Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 12345678-1234-abcd-ef00-0123456789ab, version 1.0
Description : IPsec Services (Windows XP & 2003)
Windows process : lsass.exe
Type : Remote RPC service
TCP Port : 49668
IP : 192.168.18.1
```

```
Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 0b6edbf8-4a24-4fc6-8a23-942b1eca65d1, version 1.0
Description : Unknown RPC service
```

```
Type : Remote RPC service
TCP Port : 49668
IP : 192.168.18.1
```

```
Object UUID : 00000000-0000-0000-0000-000000000000
UUID : ae33069b-a2a8-46ee-a235-ddfd339be281, version 1.0
Description : Unknown RPC service
Type : Remote RPC service
TCP Port : 49668
IP : 192.168.18.1
```

```
Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 4a452661-8290-4b36-8fbe-7f4093a94978, version 1.0
Description : Unknown RPC service
Type : Remote RPC service
TCP Port : 49668
IP : 192.168.18.1
```

```
Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 76f03f96-cdfd-44fc-a22c-64950a001209, version 1.0
Description : Unknown RPC service
Type : Remote RPC service
TCP Port : 49668
IP : 192.168.18.1
```

10736 - DCE Services Enumeration

Synopsis

A DCE/RPC service is running on the remote host.

Description

By sending a Lookup request to the portmapper (TCP 135 or epmapper PIPE) it was possible to enumerate the Distributed Computing Environment (DCE) services running on the remote port. Using this information it is possible to connect and bind to each service by sending an RPC request to the remote port/pipe.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2001/08/26, Modified: 2020/08/20

Plugin Output

tcp/49673/dce-rpc

The following DCERPC services are available on TCP port 49673 :

```
Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 367abb81-9844-35f1-ad32-98f038001003, version 2.0
Description : Service Control Manager
Windows process : svchost.exe
Type : Remote RPC service
TCP Port : 49673
IP : 192.168.18.1
```

54615 - Device Type

-

Synopsis

It is possible to guess the remote device type.

Description

Based on the remote operating system, it is possible to determine what the remote system type is (eg: a printer, router, general-purpose computer, etc).

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2011/05/23, Modified: 2011/05/23

Plugin Output

tcp/0

```
Remote device type : general-purpose
Confidence level : 50
```

12053 - Host Fully Qualified Domain Name (FQDN) Resolution

-

Synopsis

It was possible to resolve the name of the remote host.

Description

Nessus was able to resolve the fully qualified domain name (FQDN) of the remote host.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2004/02/11, Modified: 2017/04/14

Plugin Output

tcp/0

```
192.168.18.1 resolves as DESKTOP-DIEDQIT.
```

117886 - Local Checks Not Enabled (info)

-

Synopsis

Local checks were not enabled.

Description

Nessus did not enable local checks on the remote host. This does not necessarily indicate a problem with the scan. Credentials may not have been provided, local checks may not be available for the target, the target may not have been identified, or another issue may have occurred that prevented local checks from being enabled. See plugin output for details.

This plugin reports informational findings related to local checks not being enabled. For failure information, see plugin 21745 :

'Authentication Failure - Local Checks Not Run'.

Solution

n/a

Risk Factor

None

References

XREF IAVB:0001-B-515

Plugin Information

Published: 2018/10/02, Modified: 2020/08/25

Plugin Output

tcp/0

The following issues were reported :

```
- Plugin : ssh_get_info2.nasl  
Plugin ID : 97993
```

```
Plugin Name : OS Identification and Installed Software Enumeration over SSH  
v2 (Using New SSH Library)
```

```
Protocol : LOCALHOST
```

```
Message :
```

```
Credentialed checks of Windows are not supported using SSH.
```

```
- Plugin : ssh_get_info.nasl
Plugin ID : 12634
Plugin Name : Authenticated Check : OS Name and Installed Package
Enumeration
Protocol : LOCALHOST
Message :
Remote host was not identified as a known device or operating
system and the execution of "uname -a" failed.

SSH Version Banner :
```

```
- Plugin : no_local_checks_credentials.nasl
Plugin ID : 110723
Plugin Name : No Credentials Provided
Message :
Credentials were not provided for detected SMB service.
```

42410 - Microsoft Windows NTLMSSP Authentication Request Remote Network Name Disclosure

Synopsis

It is possible to obtain the network name of the remote host.

Description

The remote host listens on tcp port 445 and replies to SMB requests.

By sending an NTLMSSP authentication request it is possible to obtain the name of the remote system and the name of its domain.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2009/11/06, Modified: 2019/11/22

Plugin Output

tcp/445/cifs

The following 2 NetBIOS names have been gathered :

```
DESKTOP-DIEDQIT = Computer name
DESKTOP-DIEDQIT = Workgroup / Domain name
```

11011 - Microsoft Windows SMB Service Detection

Synopsis

A file / print sharing service is listening on the remote host.

Description

The remote service understands the CIFS (Common Internet File System) or Server Message Block (SMB) protocol, used to provide shared access to files, printers, etc between nodes on a network.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2002/06/05, Modified: 2020/08/20

Plugin Output

tcp/139/smb

```
An SMB server is running on this port.
```

11011 - Microsoft Windows SMB Service Detection

-

Synopsis

A file / print sharing service is listening on the remote host.

Description

The remote service understands the CIFS (Common Internet File System) or Server Message Block (SMB) protocol, used to provide shared access to files, printers, etc between nodes on a network.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2002/06/05, Modified: 2020/08/20

Plugin Output

tcp/445/cifs

```
A CIFS server is running on this port.
```

100871 - Microsoft Windows SMB Versions Supported (remote check)

-

Synopsis

It was possible to obtain information about the version of SMB running on the remote host.

Description

Nessus was able to obtain the version of SMB running on the remote host by sending an authentication request to port 139 or 445.

Note that this plugin is a remote check and does not work on agents.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2017/06/19, Modified: 2019/11/22

Plugin Output

tcp/445/cifs

```
The remote host supports the following versions of SMB :  
SMBv2
```

106716 - Microsoft Windows SMB2 and SMB3 Dialects Supported (remote check)

-

Synopsis

It was possible to obtain information about the dialects of SMB2 and SMB3 available on the remote host.

Description

Nessus was able to obtain the set of SMB2 and SMB3 dialects running on the remote host by sending an authentication request to port 139 or 445.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2018/02/09, Modified: 2020/03/11

Plugin Output

tcp/445/cifs

```
The remote host supports the following SMB dialects :
```

```
_version_ introduced in windows version_  
2.0.2 Windows 2008  
2.1 Windows 7  
3.0 Windows 8  
3.0.2 Windows 8.1  
3.1.1 Windows 10
```

The remote host does NOT support the following SMB dialects :

```
_version_ introduced in windows version_  
2.2.2 Windows 8 Beta  
2.2.4 Windows 8 Beta  
3.1 Windows 10
```

19506 - Nessus Scan Information

Synopsis

This plugin displays information about the Nessus scan.

Description

This plugin displays, for each tested host, information about the scan itself :

- The version of the plugin set.
- The type of scanner (Nessus or Nessus Home).
- The version of the Nessus Engine.
- The port scanner(s) used.
- The port range scanned.
- Whether credentialed or third-party patch management checks are possible.
- Whether the display of superseded patches is enabled
- The date of the scan.
- The duration of the scan.
- The number of hosts scanned in parallel.
- The number of checks done in parallel.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2005/08/26, Modified: 2020/08/27

Plugin Output

tcp/0

Information about this scan :

```
Nessus version : 8.11.1  
Plugin feed version : 202008280505
```

```
Scanner edition used : Nessus Home
Scan type : Normal
Scan policy used : Basic Network Scan
Scanner IP : 192.168.18.1
Thorough tests : no
Experimental tests : no
Paranoia level : 1
Report verbosity : 1
Safe checks : yes
Optimize the test : yes
Credentialled checks : no
Patch management checks : None
Display superseded patches : yes (supersedence plugin launched)
CGI scanning : disabled
Web application tests : disabled
Max hosts : 30
Max checks : 4
Recv timeout : 5
Backports : None
Allow post-scan editing: Yes
Scan Start Date : 2020/8/28 19:09 India Standard Time
Scan duration : 647 sec
```

110723 - No Credentials Provided

-

Synopsis

Nessus was able to find common ports used for local checks, however, no credentials were provided in the scan policy.

Description

Nessus was unable to execute credentialled checks because no credentials were provided.

Solution

n/a

Risk Factor

None

References

XREF IAVB:0001-B-504

Plugin Information

Published: 2018/06/27, Modified: 2020/08/25

Plugin Output

tcp/0

```
SMB was detected on port 445 but no credentials were provided.
SMB local checks were not enabled.
```

11936 - OS Identification

Synopsis

It is possible to guess the remote operating system.

Description

Using a combination of remote probes (e.g., TCP/IP, SMB, HTTP, NTP, SNMP, etc.), it is possible to guess the name of the remote operating system in use. It is also possible sometimes to guess the version of the operating system.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2003/12/09, Modified: 2020/03/09

Plugin Output

tcp/0

```
Remote operating system : Windows
Confidence level : 50
Method : Misc
```

```
The remote host is running Windows
```

97993 - OS Identification and Installed Software Enumeration over SSH v2 (Using New SSH Library)

Synopsis

Information about the remote host can be disclosed via an authenticated session.

Description

Nessus was able to login to the remote host using SSH or local commands and extract the list of installed packages.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2017/05/30, Modified: 2020/06/12

Plugin Output

tcp/0

```
Nessus can run commands on localhost to check if patches are applied.  
Credentialed checks of Windows are not supported using SSH.  
The remote host is not currently supported by this plugin.  
Runtime : 3.143991 seconds
```

20301 - VMware ESX/GSX Server detection

Synopsis

The remote host appears to be running VMware Server, ESX Server, or GSX Server.

Description

According to its banner, the remote host appears to be running a VMware server authentication daemon, which likely indicates the remote host is running VMware Server, ESX Server, or GSX Server.

See Also

<https://www.vmware.com/>

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2005/12/14, Modified: 2019/11/22

Plugin Output

tcp/902/vmware_auth

135860 - WMI Not Available

Synopsis

WMI queries could not be made against the remote host.

Description

WMI (Windows Management Instrumentation) is not available on the remote host over DCOM. WMI queries are used to gather information about the remote host, such as its current state, network interface configuration, etc.

Without this information Nessus may not be able to identify installed software or security vulnerabilities that exist on the remote host.

See Also

<https://docs.microsoft.com/en-us/windows/win32/wmisdk/wmi-start-page>

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2020/04/21, Modified: 2020/08/20

Plugin Output

tcp/445/cifs

```
Can't connect to the 'root\CIMV2' WMI namespace.
```

10150 - Windows NetBIOS / SMB Remote Host Information Disclosure

-

Synopsis

It was possible to obtain the network name of the remote host.

Description

The remote host is listening on UDP port 137 or TCP port 445, and replies to NetBIOS nbtscan or SMB requests.

Note that this plugin gathers information to be used in other plugins, but does not itself generate a report.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 1999/10/12, Modified: 2020/08/20

Plugin Output

tcp/445/cifs

```
The following 2 NetBIOS names have been gathered :
```

```
DESKTOP-DIEDQIT = Computer name
```

```
DESKTOP-DIEDQIT = Workgroup / Domain name
```

