

Microsoft Windows [Version 10.0.26200.8875]  
(c) Microsoft Corporation. All rights reserved.

C:\Users\sanjana>cd "C:\Program Files\MySQL\MySQL Server 8.0\bin"

C:\Program Files\MySQL\MySQL Server 8.0\bin>mysql -u root -p

Enter password: \*\*\*\*\*

Welcome to the MySQL monitor. Commands end with ; or \g.

Your MySQL connection id is 11

Server version: 8.0.46 MySQL Community Server - GPL

Copyright (c) 2000, 2026, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its  
affiliates. Other names may be trademarks of their respective  
owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

mysql> ^C

mysql> USE StudentDB3;

Database changed

mysql> CREATE TABLE DBMS\_Stud(

-> Reg\_No INT UNSIGNED NOT NULL AUTO\_INCREMENT,

-> PRIMARY KEY (Reg\_No),

-> Name VARCHAR(30) NOT NULL,

-> Department VARCHAR(30) NOT NULL,

-> Mark INT(30) NOT NULL

-> );

Query OK, 0 rows affected, 1 warning (0.02 sec)

mysql> DESC DBMS\_Stud;

| Field      | Type         | Null | Key | Default | Extra          |
|------------|--------------|------|-----|---------|----------------|
| Reg_No     | int unsigned | NO   | PRI | NULL    | auto_increment |
| Name       | varchar(30)  | NO   |     | NULL    |                |
| Department | varchar(30)  | NO   |     | NULL    |                |
| Mark       | int          | NO   |     | NULL    |                |

4 rows in set (0.01 sec)

mysql> INSERT INTO DBMS\_Stud(Name, Department, Mark) VALUES

-> ('Raj', 'CSE', 89),

-> ('Rajesh', 'CSE', 88),

-> ('Ramesh', 'ECE', 90),

-> ('Rajan', 'ECE', 85);

```
-> ('Ramesh','ECE',90),  
-> ('Rajan','ECE',85);
```

Query OK, 4 rows affected (0.01 sec)

Records: 4 Duplicates: 0 Warnings: 0

```
mysql> SELECT * FROM DBMS_Stud;
```

| Reg_No | Name   | Department | Mark |
|--------|--------|------------|------|
| 1      | Raj    | CSE        | 89   |
| 2      | Rajesh | CSE        | 88   |
| 3      | Ramesh | ECE        | 90   |
| 4      | Rajan  | ECE        | 85   |

4 rows in set (0.00 sec)

```
mysql> INSERT INTO DBMS_Stud(Reg_No,Name,Department,Mark) VALUES
```

```
-> (10,'Aarthi','CSE',89),  
-> (12,'Anu','CSE',88),  
-> (11,'Anbu','ECE',90);
```

Query OK, 3 rows affected (0.01 sec)

Records: 3 Duplicates: 0 Warnings: 0

```
mysql> SELECT * FROM DBMS_Stud;
```

| Reg_No | Name   | Department | Mark |
|--------|--------|------------|------|
| 1      | Raj    | CSE        | 89   |
| 2      | Rajesh | CSE        | 88   |
| 3      | Ramesh | ECE        | 90   |
| 4      | Rajan  | ECE        | 85   |
| 10     | Aarthi | CSE        | 89   |
| 11     | Anbu   | ECE        | 90   |
| 12     | Anu    | CSE        | 88   |

7 rows in set (0.00 sec)

```
mysql> INSERT INTO DBMS_Stud(Name,Department,Mark) VALUES
```

```
-> ('abc','CSE',89),  
-> ('xyz','CSE',88);
```

Query OK, 2 rows affected (0.00 sec)

Records: 2 Duplicates: 0 Warnings: 0

```
mysql> SELECT * FROM DBMS_Stud;
```

| Reg_No | Name | Department | Mark |
|--------|------|------------|------|
|--------|------|------------|------|

```
mysql> SELECT * FROM DBMS_Stud;
```

| Reg_No | Name   | Department | Mark |
|--------|--------|------------|------|
| 1      | Raj    | CSE        | 89   |
| 2      | Rajesh | CSE        | 88   |
| 3      | Ramesh | ECE        | 90   |
| 4      | Rajan  | ECE        | 85   |
| 10     | Aarthi | CSE        | 89   |
| 11     | Anbu   | ECE        | 90   |
| 12     | Anu    | CSE        | 88   |
| 13     | abc    | CSE        | 89   |
| 14     | xyz    | CSE        | 88   |

```
9 rows in set (0.00 sec)
```

```
mysql> INSERT INTO DBMS_Stud(Name,Department,Mark) VALUES  
-> ('AAAAA','CSE',89),  
-> ('BBBBB','ECE',88),  
-> ('CCCCC','ECE',88);
```

```
Query OK, 3 rows affected (0.01 sec)
```

```
Records: 3 Duplicates: 0 Warnings: 0
```

```
mysql> SELECT * FROM DBMS_Stud;
```

| Reg_No | Name   | Department | Mark |
|--------|--------|------------|------|
| 1      | Raj    | CSE        | 89   |
| 2      | Rajesh | CSE        | 88   |
| 3      | Ramesh | ECE        | 90   |
| 4      | Rajan  | ECE        | 85   |
| 10     | Aarthi | CSE        | 89   |
| 11     | Anbu   | ECE        | 90   |
| 12     | Anu    | CSE        | 88   |
| 13     | abc    | CSE        | 89   |
| 14     | xyz    | CSE        | 88   |
| 15     | AAAAA  | CSE        | 89   |
| 16     | BBBBB  | ECE        | 88   |
| 17     | CCCCC  | ECE        | 88   |

```
12 rows in set (0.00 sec)
```

```
mysql> ALTER TABLE DBMS_Stud AUTO_INCREMENT=50;
```

```
Query OK, 0 rows affected (0.01 sec)
```

```
Records: 0 Duplicates: 0 Warnings: 0
```

```
mysql> INSERT INTO DBMS_Stud(Name,Department,Mark) VALUES
-> ('DD','CSE',89),
-> ('EE','ECE',88),
-> ('FF','ECE',88);
```

```
Query OK, 3 rows affected (0.01 sec)
Records: 3  Duplicates: 0  Warnings: 0
```

```
mysql> SELECT * FROM DBMS_Stud;
```

| Reg_No | Name   | Department | Mark |
|--------|--------|------------|------|
| 1      | Raj    | CSE        | 89   |
| 2      | Rajesh | CSE        | 88   |
| 3      | Ramesh | ECE        | 90   |
| 4      | Rajan  | ECE        | 85   |
| 10     | Aarthi | CSE        | 89   |
| 11     | Anbu   | ECE        | 90   |
| 12     | Anu    | CSE        | 88   |
| 13     | abc    | CSE        | 89   |
| 14     | xyz    | CSE        | 88   |
| 15     | AAAAA  | CSE        | 89   |
| 16     | BBBBB  | ECE        | 88   |
| 17     | CCCCC  | ECE        | 88   |
| 50     | DD     | CSE        | 89   |
| 51     | EE     | ECE        | 88   |
| 52     | FF     | ECE        | 88   |

```
15 rows in set (0.00 sec)
```

```
mysql> ALTER TABLE DBMS_Stud DROP Reg_No;
```

```
Query OK, 15 rows affected (0.04 sec)
Records: 15  Duplicates: 0  Warnings: 0
```

```
mysql> DESC DBMS_Stud;
```

| Field      | Type        | Null | Key | Default | Extra |
|------------|-------------|------|-----|---------|-------|
| Name       | varchar(30) | NO   |     | NULL    |       |
| Department | varchar(30) | NO   |     | NULL    |       |
| Mark       | int         | NO   |     | NULL    |       |

```
3 rows in set (0.00 sec)
```

```
mysql> INSERT INTO DBMS_Stud(Name,Department,Mark) VALUES
-> ('gggg','CSE',89),
-> ('hhhh','ECE',88);
```

```
mysql> ALTER TABLE DBMS_Stud DROP Reg_No;
Query OK, 15 rows affected (0.04 sec)
Records: 15  Duplicates: 0  Warnings: 0
```

```
mysql> DESC DBMS_Stud;
```

| Field      | Type        | Null | Key | Default | Extra |
|------------|-------------|------|-----|---------|-------|
| Name       | varchar(30) | NO   |     | NULL    |       |
| Department | varchar(30) | NO   |     | NULL    |       |
| Mark       | int         | NO   |     | NULL    |       |

3 rows in set (0.00 sec)

```
mysql> INSERT INTO DBMS_Stud(Name,Department,Mark) VALUES
-> ('gggg','CSE',89),
-> ('hhhh','ECE',88);
Query OK, 2 rows affected (0.01 sec)
Records: 2  Duplicates: 0  Warnings: 0
```

```
mysql> SELECT * FROM DBMS_Stud;
```

| Name   | Department | Mark |
|--------|------------|------|
| Raj    | CSE        | 89   |
| Rajesh | CSE        | 88   |
| Ramesh | ECE        | 90   |
| Rajan  | ECE        | 85   |
| Aarthi | CSE        | 89   |
| Anbu   | ECE        | 90   |
| Anu    | CSE        | 88   |
| abc    | CSE        | 89   |
| xyz    | CSE        | 88   |
| AAAAA  | CSE        | 89   |
| BBBBB  | ECE        | 88   |
| CCCCC  | ECE        | 88   |
| DD     | CSE        | 89   |
| EE     | ECE        | 88   |
| FF     | ECE        | 88   |
| gggg   | CSE        | 89   |
| hhhh   | ECE        | 88   |

17 rows in set (0.00 sec)