Status	Finished
Started	Wednesday, 21 October 2026, 10:06 PM
Completed	Wednesday, 21 October 2026, 10:18 PM
Duration	11 mins 51 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

What will be the output of the following Python code snippet?

```
a={}
a['a']=1
a['b']=[2,3,4]
print(a)
```

a. Error

b. {'b': [2], 'a': [3]}

c. {'b': [2], 'a': 1}

d. {'b': [2, 3, 4], 'a': 1} ✓

Question **2**

Correct

Mark 1.00 out of 1.00

_____ function returns the value corresponding to the key passed as the argument.

a. get ✓

b. values

c. del

d. update

Question **3**

Correct

Mark 1.00 out of 1.00

In Python, Dictionaries are immutable

Select one:

True

False ✓

Question **4**

Correct

Mark 1.00 out of 1.00

Which function/statement delete all the items of the dictionary?

- a. clear( ) ✓
- b. pop( )
- c. delete( )
- d. del

Question **5**

Correct

Mark 1.00 out of 1.00

Both keys and values are unique in dictionary.

- a. False ✓
- b. True

Question **6**

Correct

Mark 1.00 out of 1.00

clear() method is used to delete the dictionary.

- a. True
- b. False ✓

Question **7**

Correct

Mark 1.00 out of 1.00

What will be the output of the following Python code snippet?

```
a={1:"A",2:"B",3:"C"}
print(a.get(5,4))
```

- a. Invalid Synatx,Error
- b. 5
- c. A
- d. 4 ✓

Question **8**

Correct

Mark 1.00 out of 1.00

Which one of the following is correct?

a. A python, a dictionary can neither have two same keys nor two same values.

b. A dictionary can have two same keys or same values but cannot have two same key-value pair

c. A dictionary can have two same keys with different values.

d. A dictionary can have two same values with different keys. ✓

Question **9**

Correct

Mark 1.00 out of 1.00

Keys of dictionary must be _____.

a. antique

b. unique ✓

c. integers

d. mutable

Question **10**

Correct

Mark 1.00 out of 1.00

Which statement is used to create an empty dictionary?

a. d1 = { } ✓

b. d1 = 🥚

c. d1 = dict{ }

d. d1 = [ ]

Question **11**

Correct

Mark 1.00 out of 1.00

What does the following code print?

```
names = {'Janice': 5, 'Emily': 3, 'John': 7, 'Eleanor': 2}
list_o_names = []
names['Emily'] += 10
names['Erik'] = 22

for name in names:
    if names[name] > 5:
        list_o_names.append(name)
print(list_o_names)
```

a. ['Emily', 'John', 'Erik'] ✓

b. ['Janice', 'Emily', 'John']

c. ['Janice', 'John', 'Erik']

d. ['Janice', 'Emily', 'John', 'Eleanor']

Question **12**

Correct

Mark 1.00 out of 1.00

What will be the Output of the following code?

```
dl={1:10, 2:20, 3:30, 4:40}
d2={5:50, 6:60, 7:70}
dl.update (d2)
print (dl)
```

a. [(1, 10), (2, 20), (3, 30), (4, 40), (5, 50)]

b. [1: 10, 2: 20, 3: 30, 4: 40, 5: 50, 6: 60, 7: 70]

c. {1: 10, 2: 20, 3: 30, 4: 40, 5: 50, 6: 60, 7: 70} ✓

d. {1:10, 2: 20, 4: 40, 5: 50, 6: 60, 7: 70}

Question **13**

Correct

Mark 1.00 out of 1.00

Which of the following is feature of Dictionary?

a. Dictionary is mutable.

b. Keys must be of an immutable data type.

c. Keys are unique within a dictionary.

d. All of the mentioned ✓

Question **14**

Correct

Mark 1.00 out of 1.00

Which function/statement delete the dictionary from the memory?

a. pop
b. del ✓
c. delete
d. clear

Question **15**

Correct

Mark 1.00 out of 1.00

Which function helps to merge dictionary 'D1' and 'D2'?

a. merge
b. update ✓
c. append
d. get