



SN - De2897/22/241225

CENTRE FOR PLANT MEDICINE RESEARCH.
MICROBIOLOGY DEPARTMENT

Product Code	Product Form	Date Received	Date Analysed
De/256/24	Decoction	8 th January, 2025	24 th January, 2025

Microbial Load Analysis

Test	Result (CFU/mL)	Acceptance Criterion BP (2019)	Compliance
¹ TAMC/ 37 °C /24h/PCA	0	Not more than 5.0 x 10 ⁴ (CFU/mL)	Passed
² TYMC/ 25 °C /5Days/MEA	1.0 x 10 ²	Not more than 5.0 x 10 ² (CFU/mL)	Passed
<i>E. coli</i>	Absent	Absent	Passed
<i>Salmonella sp.</i>	Absent	Absent	Passed
<i>Staphylococcus sp.</i>	Absent	Absent	Passed


¹ TAMC = Total Aerobic Microbial Count² TYMC = Total Yeast and Molds Counts³ (-/+) = Absence. ⁴BP= British Pharmacopoeia.

General Comment: The sample meets the microbial load requirements as per BP specifications

General Conclusion: The product passed the microbial load analysis.

Analyzed By

Image not found or type unknown



Mr. Emmanuel Adu
Technologist

Approved By

Image not found or type unknown



Dr. Martey Orleans
Snr. Research Scientist

