

## 5. Problem Statement

### Task 1:

Create a java program MyKafkaProducer.java that takes a file name and delimiter as input arguments.

It should read the content of file line by line.

Fields in the file are in following order

1. Kafka Topic Name
2. Key
3. value

For every line, insert the key and value to the repsective Kafka broker in a fire and forget mode.

After record is sent, it should print appropriate message on screen.

Pass dataset\_producer.txt as the input file and -as delimiter.

LINK: [https://drive.google.com/file/d/0B\\_Qiau8wv1KoSnR5eHpKOF9rTFU/view?usp=sharing](https://drive.google.com/file/d/0B_Qiau8wv1KoSnR5eHpKOF9rTFU/view?usp=sharing)

### Java Code-:

```
package producer;
```

```
import org.apache.kafka.clients.producer.KafkaProducer;  
import org.apache.kafka.clients.producer.ProducerRecord;
```

```
import java.io.BufferedReader;
```

```
import java.io.FileReader;
```

```
import java.io.IOException;
import java.util.Properties;

public class MyKafkaProducer {
    public static void main(String[] args) throws IOException{

        Properties props = new Properties();
        props.put("bootstrap.servers", "localhost:9092");

        props.put("key.serializer", "org.apache.kafka.common.serialization.StringSerializer");
        props.put("value.serializer", "org.apache.kafka.common.serialization.StringSerializer");

        KafkaProducer<String, String> producer = new KafkaProducer<>(props);
        ProducerRecord<String, String> producerRecord = null;

        String fileName = "/home/acadgild/dataset_producer.txt";

        String delimiter = "-";

        try(BufferedReader br = new BufferedReader(new FileReader(fileName)))
        { for(String line; (line = br.readLine()) != null; ) {
            String[] tempArray = line.split(delimiter);


            String topic = tempArray[0];
            String key = tempArray[1];
            String value = tempArray[2];

            producerRecord = new ProducerRecord<String, String>(topic, key,
                value); producer.send(producerRecord);

            System.out.printf("Record sent to topic:%s. Key:%s, Value:%s\n", topic, key, value);
        }
    }
    producer.close();
}
```

}

Output:-



The screenshot shows the Eclipse IDE interface with the console window open. The title bar reads "eclipse-workspace - Assignment\_24/src/producer/MyKafkaProducer.java - Eclipse". The console output shows the following messages:

```
<terminated> MyKafkaProducer [Java Application] /usr/java/jdk1.8.0_151/bin/java (Jun 19, 2018, 4:43:48 AM)
Record sent to topic:ItemTopic1. Key:{item_id:"101"}, Value:{user_id:"U101"}
Record sent to topic:UserTopic1. Key:{name:"John"}, Value:{exp:"16"}
Record sent to topic:ItemTopic1. Key:{item_id:"101"}, Value:{user_id:"U106"}
Record sent to topic:UserTopic1. Key:{name:"Mark"}, Value:{exp:"18"}
Record sent to topic:ItemTopic1. Key:{item_id:"102"}, Value:{user_id:"U110"}
Record sent to topic:UserTopic1. Key:{name:"Cylin"}, Value:{exp:"15"}
Record sent to topic:ItemTopic1. Key:{item_id:"102"}, Value:{user_id:"U101"}
Record sent to topic:UserTopic1. Key:{name:"Prod"}, Value:{exp:"14"}
Record sent to topic:ItemTopic1. Key:{item_id:"104"}, Value:{user_id:"U102"}
Record sent to topic:UserTopic1. Key:{name:"Abhay"}, Value:{exp:"17"}
Record sent to topic:ItemTopic1. Key:{item_id:"107"}, Value:{user_id:"U104"}
Record sent to topic:UserTopic1. Key:{name:"Misano"}, Value:{exp:"19"}
```

The bottom of the window shows the taskbar with "acadgild" and "eclipse-workspace - A..." open.

```
[acadmild@localhost kafka_2.12-0.10.1.1]$ ./bin/kafka-console-consumer.sh --topic ItemTopic1 --from-beginning --zookeeper localhost:2181 --property print.key=true
Using the ConsoleConsumer with old consumer is deprecated and will be removed in a future major release. Consider using the new consumer by passing [bootstrap-server] instead of [zookeeper].
{"item_id":"101"} {"user_id":"U101"}
{"item_id":"101"} {"user_id":"U106"}
{"item_id":"102"} {"user_id":"U110"}
{"item_id":"102"} {"user_id":"U101"}
{"item_id":"104"} {"user_id":"U102"}
{"item_id":"107"} {"user_id":"U104"}
```

by subscribing to the professional edition here: <https://mobaxterm.mobatek.net>

```
[acadmild@localhost kafka_2.12-0.10.1.1]$ ./bin/kafka-console-consumer.sh --topic UserTopic1 --from-beginning --zookeeper localhost:2181 --property print.key=true
Using the ConsoleConsumer with old consumer is deprecated and will be removed in a future major release. Consider using the new consumer by passing [bootstrap-server] instead of [zookeeper].
{"name":"John"} {"exp":16}
{"name":"Mark"} {"exp":18}
{"name":"Cylin"} {"exp":15}
{"name":"Prod"} {"exp":14}
{"name":"Abhay"} {"exp":17}
{"name":"Misano"} {"exp":19}
```

## Task 2:

Modify the previous program MyKafkaProducer.java and create a new Java program

KafkaProducerWithAck.java

This should perform the same task as of KafkaProducer.java with some modification.

When passing any data to a topic, it should wait for acknowledgement.

After acknowledgement is received from the broker, it should print the key and value which has been

written to a specified topic.

The application should attempt for 3 retries before giving any exception.

Pass dataset\_producer.txt as the input file and -as delimiter.

### Java Code-:

```
package producer;
```

```
import org.apache.kafka.clients.producer.KafkaProducer;  
import org.apache.kafka.clients.producer.ProducerRecord;
```

```
import java.io.BufferedReader;
```

```
import java.io.FileReader;
```

```
import java.io.IOException;
```

```
import java.util.Properties;
```

```
public class MyKafkaProducer {
```

```
    public static void main(String[] args) throws IOException{
```

```
        Properties props = new Properties();
```

```
        props.put("bootstrap.servers", "localhost:9092");
```

```
        props.put("acks", "all");
```

```
        props.put("retries", 3);
```

```
        props.put("key.serializer", "org.apache.kafka.common.serialization.StringSerializer");
```

```
        props.put("value.serializer", "org.apache.kafka.common.serialization.StringSerializer");
```

```
KafkaProducer<String, String> producer = new KafkaProducer<>(props);  
ProducerRecord<String, String> producerRecord = null;
```

```
String fileName =  
"/home/acadgild/dataset_producer.txt"; String delimiter  
= "-";
```

```
try(BufferedReader br = new BufferedReader(new FileReader(fileName)))  
{ for(String line; (line = br.readLine()) != null; ) {
```

```
    String[] tempArray = line.split(delimiter);
```

```

String topic = tempArray[0];

String key = tempArray[1];

String value = tempArray[2];

producerRecord = new ProducerRecord<String, String>(topic, key, value);


producer.send(producerRecord);

System.out.printf("Acknowledgement received for topic:%s. Key:%s, Value:%s\n",
topic, key, value);
    }
}

producer.close();
}
}

```

Output:-



The screenshot shows the Eclipse IDE's console window. The title bar indicates the application is 'KafkaProducerWithAck [Java Application]' running on 'usr/java/jdk1.8.0\_151/bin/java' at 'Jun 19, 2018, 5:14:53 AM'. The console output consists of 12 lines of 'Acknowledgement received' messages. Each line specifies a topic (either 'ItemTopic1' or 'UserTopic1'), a key (containing 'item\_id' or 'name'), and a value (containing 'user\_id' or 'exp'). The topics and keys alternate between the two topics. The console window is part of a larger IDE interface with tabs for 'Problems', 'Javadoc', 'Declaration', 'Console', and 'History'.

```

<terminated> KafkaProducerWithAck [Java Application] /usr/java/jdk1.8.0_151/bin/java (Jun 19, 2018, 5:14:53 AM)
Acknowledgement received for topic:ItemTopic1. Key:{"item_id":"101"}, Value:{"user_id":"U101"}
Acknowledgement received for topic:UserTopic1. Key:{"name":"John"}, Value:{"exp":16}
Acknowledgement received for topic:ItemTopic1. Key:{"item_id":"101"}, Value:{"user_id":"U106"}
Acknowledgement received for topic:UserTopic1. Key:{"name":"Mark"}, Value:{"exp":18}
Acknowledgement received for topic:ItemTopic1. Key:{"item_id":"102"}, Value:{"user_id":"U110"}
Acknowledgement received for topic:UserTopic1. Key:{"name":"Cylin"}, Value:{"exp":15}
Acknowledgement received for topic:ItemTopic1. Key:{"item_id":"102"}, Value:{"user_id":"U101"}
Acknowledgement received for topic:UserTopic1. Key:{"name":"Prod"}, Value:{"exp":14}
Acknowledgement received for topic:ItemTopic1. Key:{"item_id":"104"}, Value:{"user_id":"U102"}
Acknowledgement received for topic:UserTopic1. Key:{"name":"Abhay"}, Value:{"exp":17}
Acknowledgement received for topic:ItemTopic1. Key:{"item_id":"107"}, Value:{"user_id":"U104"}
Acknowledgement received for topic:UserTopic1. Key:{"name":"Misano"}, Value:{"exp":19}

```

```

{"name":"John"} {"exp":16}
{"name":"Mark"} {"exp":18}
{"name":"Cylin"} {"exp":15}
{"name":"Prod"} {"exp":14}
{"name":"Abhay"} {"exp":17}
{"name":"Misano"} {"exp":19}

```

```

{"item_id":"101"} {"user_id":"U101"}
{"item_id":"101"} {"user_id":"U106"}
{"item_id":"102"} {"user_id":"U110"}
{"item_id":"102"} {"user_id":"U101"}
{"item_id":"104"} {"user_id":"U102"}

```