

```
resources > views > components > Layout.blade.php
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4     <meta charset="UTF-8">
5     <meta name="viewport" content="width=device-width, initial-scale=1.0">
6     <title>@yield('title')</title>
7     <link rel="stylesheet" href="{{ asset('css/app.css') }}">
8     @yield('styles')
9 </head>
10 <body>
11     <header>
12         <div class="logo">
13             <a href="{{ url('/') }}" style="text-decoration: none;">
14                 <h1 class="text"></h1>
15             </a>
16         </div>
17         <nav class="logo">
18             <ul>
19                 <li><a href="{{ url('/') }}" style="text-decoration: none;">Home</a></li>
20                 <li><a href="{{ url('/about') }}" style="text-decoration: none;">About</a></li>
21                 <li><a href="{{ url('/contactus') }}" style="text-decoration: none;">Contact Us</a></li>
22             </ul>
23         </nav>
24     </header>
25
26     <div class="content">
27         @yield('content')
28     </div>
29
30     <script src="{{ asset('js/app.js') }}"></script>
31     <script src="https://code.jquery.com/jquery-3.5.1.slim.min.js"></script>
32     <script src="https://cdn.jsdelivr.net/npm/@popperjs/core@2.11.6/dist/umd/popper.min.js"></script>
33     <script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.5.2/js/bootstrap.min.js"></script>
34     <script src="https://stackpath.bootstrapcdn.com/bootstrap/5.3.0/js/bootstrap.bundle.min.js"></script>
35
36     @yield('scripts')
37 </body>
38 </html>
39
```

- **Layout blade.** It is designed to provide a consistent structure for all the views that extend it. Its purpose is to define the general HTML structure that is shared across multiple pages, ensuring that common elements such as headers, navigation bars, styles, and scripts are applied uniformly.

```
resources > views > about.blade.php
1
2 @extends('components.layout')
3 @section('title', 'About Us')
4
5 @section('styles')
6     <link rel="stylesheet" href="https://fonts.googleapis.com/css2?family=Bebas+Neue&family=Figtree:wght@300;600&display=swap">
7
8     <link rel="stylesheet" href="{{ asset('styles/styles_a.css') }}">
9 @endsection
10
11 @section('content')
12
13     <div class="section-header">
14         <h2 class="header header_home">About Us</h2>
15     </div>
16
```

```
resources > views > contactus.blade.php
1 @extends('Components.Layout')
2
3 @section('title', 'Contact Us')
4
5 @section('styles')
6     <link rel="stylesheet" href="https://fonts.googleapis.com/css2?family=Bebas+Neue&family=Figtree:wght@300;600&display=swap">
7     <link rel="stylesheet" href="https://unpkg.com/ajax/libs/normalize/5.0.0/normalize.min.css">
8     <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/css/bootstrap.min.css">
9     <link rel="stylesheet" href="https://fonts.googleapis.com/css2?family=Pacifico&family=Quicksand&display=swap">
10     <link rel="stylesheet" href="{{ url('styles/style_con.css') }}">
11 @endsection
12
13 @section('content')
14
```

```
resources > views > welcome.blade.php
1  @extends('components.layout')
2
3  @section('title', 'Web Development')
4
5  @section('styles')
6      <!-- External Google Font -->
7      <link rel='stylesheet' href='https://fonts.googleapis.com/css2?family=Bebas+Neue&family=Figtree:wght@300;600&display=swap'>
8
9      <!-- Specific styles for welcome page -->
10     <link rel="stylesheet" href="{{ asset('styles/styles_h.css') }}">
11 @endsection
12
13 @section('content')
14     <div class="container">
15         
16         <h1>Web Development</h1>
17         <h2>Group Laravel Project</h2>
18         <a href="{{ url('/login') }}">
19             <button>Explore More</button>
20         </a>
21     </div>
22 @endsection
```




- The blade views about, contactus, and welcome extend a base layout file using the `@extends` directive, which allows them to inherit the layout's structure. The specific content for each page is then inserted into predefined sections using the `@section` directive.

```
routes > web.php
1  <?php
2
3  use Illuminate\Support\Facades\Auth;
4  use Illuminate\Http\Request;
5  use Illuminate\Support\Facades\Route;
6
7  Route::get('/', function () {
8      return view('welcome');
9  })->name('welcome');
10
11 Route::get('/contactus', function () {
12     return view('contactus');
13 })->name('contact');
14
15 Route::get('/about', function () {
16     return view('about');
17 })->name('about');
18
19 Route::get('/user/{name?}', function ($name = null) {
20     $userName = preg_replace('/[^a-zA-Z]/', '', $name);
21     $userName = $userName ?: 'Guest';
22     $userName = ucfirst(strtolower($userName));
23     session()->flash('user_name', $userName);
24
25     return redirect()->route('welcome');
26 });
```

- In this routing setup, `/contactus`, and `/about` routes directly return their respective views (welcome, contactus, about) and are named for easy reference. The `/user/{name?}` route processes an optional name parameter, sanitizes it, stores it in the session, and then redirects to the welcome route.

```
resources > views > contactus.blade.php
1  @extends('Components.Layout')
2
3  @section('title', 'Contact Us')
```

- Since I'm not that familiar in using blade directives like `@extends` and `@section`, I encounter layout issues where content doesn't display correctly. But with the help of my groupmates and also from internet sources, I learned how to use this correctly.



- Rendered web pages (welcome page, about page, and contact us page).