



Keeping Our Customers Successful

Medical Tooling Case

*Infusion

*Syringe

*Laboratory Consumables

Keeping Our Customers Successful

Infusion




Syringe Connector

Syringe connector-Medical tool

0.56 ,PC transparent


- Cavities: 32
- Mold Size: 500 x 550 x 428 mm
- Mold Weight: 1250 Kg
- Tonnage: 130 Ton
- Cycle Time: 11 Sec
- Region: Asia
- Highlights:
 - (1) Servo motor for screw thread.
 - (2) Hot Side gate direct onto part, 0 black spots, yellowing and peeling appear.



Needle Sleeve Joint

23.4x16.4x6.3, 0.4 g ,PC

- Cavities: 8
- Mold Size: 500x400x430mm
- Mold Weight: 670 Kg
- Tonnage: Ton
- Cycle Time: 12 Sec
- Region: Asia
- Fully hot runner valve gate
- 0 black spots, yellowing and peeling appear.





PB Special Purpose Joints

Φ6.6x33, 0.55g ,PC

- Cavities: 32
- Mold Size: 600x430x440mm
- Mold Weight: 885 Kg
- Tonnage: Ton
- Cycle Time: 14 Sec
- Region: Asia
- Highlights:

(1) Special air cooling for
Φ0.5x150mm Core insert pin.

(2) Hot Side gate direct onto part, 0
black spots, yellowing and peeling
appear.




Connector

I-Bracket

Φ14.15x18, 1.0g ,PP


- Cavities: 32
- Mold Size: 450x400x550mm
- Mold Weight: 770 Kg
- Tonnage: 150 Ton
- Cycle Time: 18 Sec
- Region: Asia



T-WO Bracket

44x14.5x9.9, 1.3g ,PP

- Cavities: 16
- Mold Size: 650x500x440 mm
- Mold Weight: 1115 Kg
- Tonnage: Ton
- Cycle Time: 16 Sec
- Region: Asia
- Highlights:
 - (1) Fully hot runner valve gate
 - (2) Ruhr taper tolerance 0.03mm




EF Connector

EF Cap

Φ12x12, 0.4g ,PP

- Cavities: 32
- Mold Size: 570x450x440mm
- Mold Weight: 880 Kg
- Tonnage: 180 Ton
- Cycle Time: 10 Sec
- Region: Asia
- Highlights:

- (1) Fully hot runner valve gate
- (2) Ruhr taper tolerance 0.03mm




I- Luer taper

22x10.7x7.8, 0.63g ,PC

- Cavities: 16
- Mold Size: 640x500x550mm
- Mold Weight: 1370 Kg
- Tonnage: 130 Ton
- Cycle Time: 12 Sec
- Region: Asia
- Highlights:

(1) Fully hot runner valve gate

(2) Change color in half an hour



Hemostatic Clip

Hemoclip-Medical tool

1.1 g, PP

- Cavities: 64
- Mold Size: 600 x 870 x 500 mm
- Mold Weight: 1850 Kg
- Tonnage: 230 Ton
- Cycle Time: 9.6 Sec
- Region: Asia
- Highlights:

- (1) Hot valve gate direct onto part
- (2) Compact mold structure, shorten cycle time




Blood filter

Blood filter


0.8 g, PP

- Cavities: 16
- Mold Size: 400x435x390 mm
- Mold Weight: 343 Kg
- Tonnage: 100 Ton
- Cycle Time: 10 ± 1 Sec
- Region: Asia
- Highlights:

- (1) Lots of open and shut off area
- (2) Short cycle time.
- (3) Core inserts with tight machining tolerance 0.005-0.008 mm
- (4) Average wall thickness: 0.6 mm



Syringe Series



Syringe

1ml Lock Barrel

22x31x85mm, 4.6g , PP

- Cavities: 48
- Mold Size: 600x1150x675 mm
- Mold Weight: 3400 Kg
- Tonnage: 230 Ton
- Gate: Semi-hot syatem
- Cycle Time: 14 Sec
- Region: Asia
- Highlights:

(1) Servo motor for screw thread.




Syringe

1ml Barrel

10x19x85mm , PP

- Cavities: 64
- Mold Size: 450x730x476 mm
- Mold Weight: 1200 Kg
- Tonnage: 230 Ton
- Gate: Semi-hot syatem
- Cycle Time: 14 Sec
- Region: Asia
- Highlights:
(1) Fully Hot runner side gate, 1 gate.




Syringe

1ml Cap

8.4x8.4x43mm , PP

- Cavities: 64
- Mold Size: **500x500x457mm**
- Mold Weight: 890 Kg
- Tonnage: 180 Ton
- Gate: Full hot side gate
- Cycle Time: 7 Sec
- Region: Asia
- Highlights:

(1) Fully hot 90° side gating, 1 gate.




Syringe

1ml Cap

8.1x8.1x25.8mm , PP

- Cavities: 128
- Mold Size: **590x750x500mm**
- Mold Weight: 1700 Kg
- Tonnage: 230 Ton
- Gate: Full hot side gate
- Cycle Time: 6.5 Sec
- Region: Asia
- Highlights:

(1) Fully hot valve gate, 1 gate.




Syringe

3ml Barrel

13x25x80mm , PP

- Cavities: 64
- Mold Size: 740x1090x643
- Mold Weight: 2800 Kg
- Tonnage: 300 Ton
- Gate: Full hot side gate
- Cycle Time: 12 Sec
- Region: Asia
- Highlights:
 - (1) Fully hot 90° side gating, 1 gate.
 - (2) Servo motor for screw thread.




Syringe

5ml Barrel

13x25x80mm , PP

- Cavities: 64
- Mold Size: **740x1090x643mm**
- Mold Weight: 2800 Kg
- Tonnage: 300 Ton
- Gate: Full hot side gate
- Cycle Time: 13 Sec
- Region: Asia
- Highlights:
 - (1) Fully hot 90° side gating, 1 gate.
 - (2) Servo motor for screw thread.




Syringe

10ml Barrel

22x31x85mm, 4.6g , PP

- Cavities: 48
- Mold Size: 600x700x630 mm
- Mold Weight: 1900 Kg
- Tonnage: 230 Ton
- Gate: Full hot side gate
- Cycle Time: 15 Sec
- Region: Asia
- Highlights:
 - (1) Fully hot 60° side gating, 1 gate.
 - (2) Servo motor for screw thread.




Syringe

10ml Barrel

22x31x85mm, 4.6g , PP

- Cavities: 64
- Mold Size: **740x1090x643** mm
- Mold Weight: 2800 Kg
- Tonnage: 300 Ton
- Gate: Full hot side gate
- Cycle Time: 12 Sec
- Region: Asia
- Highlights:
 - (1) Fully hot 90° side gating, 1 gate.
 - (2) Servo motor for screw thread.




Syringe

30ml Barrel

28x43x123mm , PP

- Cavities: 32
- Mold Size: **550x850x700** mm
- Mold Weight: 2800 Kg
- Tonnage: 300 Ton
- Gate: Full hot side gate
- Cycle Time: 14 Sec
- Region: Asia
- Highlights:

(1) Fully hot 90° side gating, 2 gate.




Syringe

60ml Barrel

33x50x150mm , PP

- Cavities: 24
- Mold Size: **550x950x700** mm
- Mold Weight: 2250 Kg
- Tonnage: 300 Ton
- Gate: Full hot side gate
- Cycle Time: 16 Sec
- Region: Asia
- Highlights:

(1) Fully hot 90° side gating, 2 gate.




Syringe

10ml PLUNGER

19x19x95mm , PP

- Cavities: 64
- Mold Size: **690x670x560** mm
- Mold Weight: 2000 Kg
- Tonnage: 300 Ton
- Gate: Full hot side gate
- Cycle Time: 10 Sec
- Region: Asia
- Highlights:

(1) Fully hot 90° side gating, 1 gate.




Syringe

0.5ml/1ml needle hub

7x7x8mm , PP

- Cavities: 96
- Mold Size: **600x710x476** mm
- Mold Weight: 1750 Kg
- Tonnage: 300 Ton
- Gate: Full hot side gate
- Cycle Time: 10 Sec
- Region: Asia
- Highlights:

(1) Fully hot 90° side gating, 1 gate.




27G	0.46mm
28G	0.41mm
29G	0.38mm
30G	0.38mm
31G	0.30mm
32G	0.26mm
33G	0.23mm

Syringe

1ml Safety needle hub

9x13x20mm, 0.58g , PP

- Cavities: 48
- Mold Size: 570x860x570 mm
- Mold Weight: 2000 Kg
- Tonnage: 230 Ton
- Gate: Full hot side gate
- Cycle Time: 12 Sec
- Region: Asia
- Highlights:
(1) Fully hot 90° side gating





Syringe

1 ml safe insulin syringe boss

Φ7.82x8mm, 0.16g , PC

- Cavities: 48
- Mold Size: 450x600x500 mm
- Mold Weight: 1000 Kg
- Tonnage: 100 Ton
- Gate: Full hot side gate
- Cycle Time: 10 Sec
- Region: Asia
- Highlights:
 - (1) Fully hot 90° side gating
 - (2) 0.16g part weight and PC resin, direct side gate solution




Syringe

Safety protective cover

7x9x33mm, 0.8g , MABS



- Cavities: 24
- Mold Size: 450x700x550 mm
- Mold Weight: 1200 Kg
- Tonnage: 100 Ton
- Gate: Full hot valve gate
- Cycle Time: 13 Sec
- Region: Asia
- Highlights:
(1) Thin-wall with 0.275mm



Safety spring blood collection needle - needle base

24.4x6.7x4.6mm, 0.19g, MABS

- Cavities: 24
- Mold Size: 500x650x450 mm
- Mold Weight: 1010 Kg
- Tonnage: 130 Ton
- Gate: Hot runner+ Valve gate
- Cycle Time: 11.88 Sec
- Region: China
- Highlights:
(1) Small pin with 0.67mm





Syringe

Disposable blood collection needle - safety needle handle

Φ3.1x37.3 7x9x33mm, 0.18g , MABS

- Cavities: 32
- Mold Size: 500x550x500 mm
- Mold Weight: 950 Kg
- Tonnage: 130 Ton
- Gate: Hot nozzle to cold runner
+ Sub gate
- Cycle Time: 11.68 Sec
- Region: China
- Highlights:

(1) Small pin with 0.25mm



规格 (针) /Gauge	A	B	C	D
18G (1.25)	1.30+/-0.04	0.80-0.95	1.90+/-0.1	2.16+/-0.1
19G (1.10)	1.14+/-0.03	0.80-0.95	1.70+/-0.1	2.16+/-0.1
21G (0.8)	0.85+/-0.03	0.60-0.70	1.70+/-0.1	2.16+/-0.1
22G (0.75)	0.75+/-0.03	0.60-0.70	1.70+/-0.1	2.16+/-0.1
23G (0.6)	0.66-0.69	0.47-0.53	1.1-1.15	1.67-1.72
25G (0.5)	0.66-0.69	0.35-0.45	1.70+/-0.1	2.16+/-0.1
27G (0.4)	0.44+/-0.03	0.25-0.35	1.70+/-0.1	2.16+/-0.1
28G (0.36)	0.39+/-0.03	0.25-0.35	1.70+/-0.1	2.16+/-0.1
29G (0.33)	0.37+/-0.03	0.25-0.30	1.70+/-0.1	2.16+/-0.1


Syringe

Disposable blood collection needle - locking connector

11.7x10.1x7 , 0.32g, ABS

- Cavities: 16
- Mold Size: 570x400x520 mm
- Mold Weight: 750 Kg
- Tonnage: 100 Ton
- Gate: Hot runner+ Valve gate
- Cycle Time: 12.5 Sec
- Region: China
- Highlights:

(1) Fully hot runner system.




Disposable blood collection needle

- locking connector

11.7x10.1x7 , 0.32g, ABS

- Cavities: 24
- Mold Size: 520x760x520 mm
- Mold Weight: 1600 Kg
- Tonnage: 200 Ton
- Gate: Hot runner+ Valve gate
- Cycle Time: 12.97 Sec
- Region: China
- Highlights:
(1) Fully hot runner system.




Syringe

Safety syringe - Safety cover

53.7x15.9x14.4 mm, 1.15g, PP

- Cavities: 32
- Mold Size: 450x700x540 mm
- Mold Weight: 1130 Kg
- Tonnage: 250Ton
- Gate: Hot runner+ Valve gate
- Cycle Time: 11.7 Sec
- Region: China
- Highlights:
(1) Fully hot runner system.




Syringe

Safety syringe - Safety cover

20x50x12 mm, 1g, PP


- Cavities: 32
- Mold Size: 500x650x580 mm
- Mold Weight: 1400 Kg
- Tonnage: 150Ton
- Gate: Hot runner+ Valve gate
- Cycle Time: 10.2 Sec
- Region: China
- Highlights:
(1) Fully hot runner system.



Needle holder - Luer connector

6.8x7.8x16 mm, 0.31g, PC

- Cavities: 32
- Mold Size: 500x650x450 mm
- Mold Weight: 1030 Kg
- Tonnage: 130Ton
- Gate: Hot runner+ Valve gate
- Cycle Time: 11.7 Sec
- Region: China
- Highlights:
(1) Fully hot runner system.



Laboratory Consumables



Lab Consumable



Blood test tubes



Pipette Tip




PCR plate and Tube

Lab Test Tube

Test Tube

Φ19x102, 4.3g , PP

- Cavities: 128
- Mold Size: 1400x1000x940 mm
- Mold Weight: 10265 Kg
- Tonnage: 580 Ton
- Cycle Time: 10 Sec
- Region: North America
- Highlights:
 - (1) Fully hot half valve gate
 - (2) Concentricity 0.1mm
 - (3) Capacity of Big Project Management, 12 molds delivery at the same time.




Lab Test Caps

Test Cap

Ø21.5x14.8, 2.3g ,HDPE

- Cavities: 128
- Mold Size: 1190x710x700mm
- Mold Weight: 4610Kg
- Tonnage: 360Ton
- Cycle Time: 10-13 Sec
- Region: North America
- Highlights:
 - (1) Fully hot half valve gate
 - (2) Capacity of Big Project Management, 12 molds delivery at the same time.





Syringe

Front Cover


49.7x22.4x12.1mm, 1.99g , PS

- Cavities: 32
- Mold Size: 900x600x420 mm
- Mold Weight: 1800 Kg
- Tonnage: 250 Ton
- Gate: Hot nozzle to cold runner + Sub gate
- Cycle Time: 14 Sec
- Region: USA



SARS-CoV-2

- **Dovetail Slider**
36.8x7.6x2.9, 0.3g , HDPE
- Cavities: 32
- Mold Size: 450x450x380 mm
- Mold Weight: 900 Kg
- Tonnage: 100 Ton
- Gate: Hot runner+ Tip gate
- Cycle Time: 8.82 Sec
- Region: USA




SARS-CoV-2

Rear Cover

121.3x49.2x5.9, 8.58g,HIPS




- Cavities: 16
- Mold Size: 850x500x500 mm
- Mold Weight: 1700 Kg
- Tonnage: 200 Ton
- Gate: Hot runner+ Valve gate
- Cycle Time: 16.59 Sec
- Region: USA



96 PCR plate-Medical tool

PP transparent


- Cavities: 1
- Mold Size: 350 x 300 x 325 mm
- Mold Weight: 500 Kg
- Tonnage: 100 Ton
- Cycle Time: 16 Sec
- Region: Europe
- Highlights:
 - (1) Special overflow runner for 96 Tubes
 - (2) Thin-wall of 0.25mm
 - (3) A total of 68 sets of PCR plate molds were manufactured within two years.



Tube strip

Tube strip

- Part Size : 82x15.6x8.2 mm;
- Resin: PP
- Part weight: 0.86 g (1 pcs)
- Cavities: 1x8
- Mold Size : 450x400x470 mm
- Mold Weight: 660 Kg
- Tonnage: 100 Ton
- Cycle Time: 14 Sec
- Region: Europe





Keeping Our Customers Successful

Tube strip

Cycler 8 well strips, permanent closure with caps

- Part Size : 89x25.8x20.5 mm;
- Resin: PP
- Part weight: 2.1 g (1 pcs)
- Cavities: 1x8
- Mold Size : 450x400x450 mm
- Mold Weight: 630 Kg
- Tonnage: 200 Ton
- Cycle Time: 17 Sec
- Region: Europe



Keeping Our Customers Successful


PCR Tube

0.2mL PCR tube-Medical tool

PP transparent

- Cavities: 8
- Mold Size: 350 x 350 x 345 mm
- Mold Weight: 550 Kg
- Tonnage: 100 Ton
- Cycle Time: 12 Sec
- Region: Europe
- Highlights:


(1) Thin-wall of 0.25mm



MEDICAL

移液吸头

- Part Size : $\Phi 7.8 \times 95.4$ mm;
- Resin: PP
- Part weight: 0.83 g (1 pcs)
- Cavities: 1x16
- Mold Size : 400x270x470 mm
- Mold Weight: 400 Kg
- Tonnage: 100 Ton
- Cycle Time: 10 Sec
- Region:
- Highlights:



DIC reaction cap

DIC reaction cap-Medical tool

Φ10.6x38.5mm, 0.75g , GPPS

- Cavities: 16
- Mold Size: 350x350x460 mm
- Mold Weight: 410 Kg
- Tonnage: 100 Ton
- Gate: Semi-hot system
pin point gate
- Cycle Time: 12 Sec
- Region: Asia
- 0 black spots, yellowing and peeling appear.




DIC reaction cap

DIC reaction cap-Medical tool

11x11x38.5mm, 0.78g , PP

- Cavities: 32
- Mold Size: 350x650x500 mm
- Mold Weight: 800 Kg
- Tonnage: 180 Ton
- Gate: Full-hot valve gate
- Cycle Time: 10 Sec
- Region: Asia
- Highlights:


Hot valve gate direct onto part,
0 black spots, yellowing and peeling
appear.



Nasal drip nozzle

21.2x9.48x5mm, 0.3g, PP

- Cavities: 16
- Mold Size: 570x380x500 mm
- Mold Weight: 850 Kg
- Tonnage: 150 Ton
- Gate: Hot nozzle to cold runner + Sub gate
- Cycle Time: 22 Sec
- Region: China



Screw Cap

Screw Cap

2.3 g , PP

- Cavities: 16
- Mold Size: 470 x 470 x 535 mm
- Mold Weight: 995 Kg
- Tonnage: 130 Ton
- Cycle Time: 10 Sec
- Region: North America
- Fully hot runner valve gate




Medical Tube

Tube

3.7 g , PP

- Cavities: 16
- Mold Size: 410 x 540 x 685 mm
- Mold Weight: 1150 Kg
- Tonnage: 130 Ton
- Cycle Time: 14 Sec
- Region: North America
- Full hot runner side gate



Thank You!



Website : www.tkmold.com
E-mail : sales@tkmold.com