




Packaging Tooling Case

Keeping Our Customers Successful

128 CAVITY MOLD

Toothpaste FT Cap


16*16.3*35.8mm, PP, 1.15g

- Cavities: 128
- Mold Size: 900x 1300 x 820mm
- Mold Weight: 6920Kg
- Tonnage: 400 Ton
- Cycle Time: 11 Sec
- Highlights:

In mold closing from Top

Unscrewing driven by hydraulic

Daily Output: +1 million pcs



Stack Molds



Inner and out housing, 8+8 cav stack mold, cycle time 12S, 12 molds as one launch, capacity to handle big project

Stack Molds

FT Cap

ø51*17mm, PP, 4.8g

- Cavities: (48+48)
- Mold Size: 930x 1400 x 1280mm
- Mold Weight: 12200 Kg
- Tonnage: 700 Ton
- Est. Cycle Time: 12 Sec
- 3 different version change




Stack Mold

Coffee Mate FT Cap

ø55*37mm, PP, 12.8g

- Cavities: 24+24
- Mold Size: 1000x 1070 x 1300mm
- Mold Weight: 10900 Kg
- Tonnage: 550 Ton
- Cycle Time: 12 Sec
- Highlights:
Full hot side gate



Stack Mold

Pepsi Trop Lid


ø69*45*9mm, PP, 3.8g

- Cavities: 48+48
- Mold Size: 1000x 1300x 1220mm
- Mold Weight: 13250 Kg
- Tonnage: 1000 Ton
- Cycle Time: 12 Sec
- Highlights:

Full hot valve gate nozzles

Servo motor ejection system

Change cavity side on machine




Stack Mold

5L Oil Bottle Handle

16*89*107mm, PE, 8.5g

- Cavities: 2X16
- Mold Size: 900x 1300 x 740mm
- Mold Weight: 9700Kg
- Tonnage: 500Ton
- Cycle Time: 11.5 Sec



Stack Mold

Parmesan Cheese Base

Part Size : $\varnothing 73 \times 20 \text{ mm}$; PP 8.2g


- Cavities : 32+32
- Mold Size : H x V x S/H
- 813 x 1220 x 1104 mm
- Mold Weight : 8400Kg
- Tonnage : 500Ton
- Cycle Time : 9.6 Sec
- Region: USA
- Highlights:

Kick off arm ejection system

16W lead time from Kick off to shipment

Full hot runner valve gate hot half

Hot half interchangeable between base and lid



Stack Mold

Parmesan Cheese Lid

Part Size : $\varnothing 73 \times 7$ mm; PP 5.8g


- Cavities : 32+32
- Mold Size : H x V x S/H
- 813 x 1220 x 1104 mm
- Mold Weight : 8400Kg
- Tonnage : 500Ton
- Cycle Time : 10 Sec
- Region: USA
- Highlights:

Hydraulic ejection system

16W lead time from Kick off to shipment

Full hot runner valve gate hot half


Hot half interchangeable between base and lid



Stack Mold

Square Container Lid

- Part Size : 105 x 128 x 13.2mm
- Avg. Thickness: 0.55mm
- Cavities : 6+6
- Mold Size : H x V x S/H
- 900 x 1020 x 1090 mm
- Mold Weight : 7250Kg
- Tonnage : 500Ton
- Cycle Time : 7 Sec
- Region: USA




CAPS AND CLOUSURE

24MM FT Cap

ø27*25mm, PP, 2.97g

- Cavities: 32
 - Mold Size: 700x 1300 x 770mm
 - Mold Weight: 4100Kg
 - Tonnage: 300 Ton
 - Cycle Time: 12 Sec
 - Highlights:
- In mold closing
5 versions changeover




CAPS AND CLOUSURE

24MM FT Cap

ø29*23mm, PP, 4.57g

- Cavities: 72
- Mold Size: 740x 1300 x 830mm
- Mold Weight: 5900Kg
- Tonnage: 400 Ton
- Cycle Time: 12 Sec
- Highlights:
10Weeks delivery from PO to shipment




CAPS AND CLOUSURE

Flip Top Cap

ø28*27mm, PP, 2.99g

- Cavities: 12
 - Mold Size: 550x 840 x 680mm
 - Mold Weight: 2080 Kg
 - Tonnage: 250 Ton
 - Cycle Time: 14 Sec
 - Highlights:
- In mold closing
 Unscrewing core
 Angle Slider




CAPS AND CLOUSURE

Toothpaste FT Cap

16*16.3*35.8mm, PP, 1.18g

- Cavities: 48
 - Mold Size: 600x 780 x 610mm
 - Mold Weight: 2250Kg
 - Tonnage: 300 Ton
 - Cycle Time: 12.5 Sec
 - Highlights:
- In mold closing
Unscrewing driven by hydraulic motor




CAPS AND CLOUSURE

Flip Top Cap

ø21*23mm, PP, 1.4g

- Cavities: 24
- Mold Size: 450x 870 x 580mm
- Mold Weight: 1750 Kg
- Tonnage: 220 Ton
- Cycle Time: 11.8 Sec
- Highlights:
In mold closing
Angle Slider



CAPS AND CLOUSURE

Flip Top Cap

ø36*16mm, PP, 4.2g

- Cavities: 32
 - Mold Size: 780x 820 x 690mm
 - Mold Weight: 3080 Kg
 - Tonnage: 350Ton
 - Cycle Time: 12 Sec
 - Highlights:
- In mold closing from TOP




CAPS AND CLOUSURE

Flip Top Cap

ø48*26mm, PP, 7.9g

- Cavities: 32
- Mold Size: 900x 1350 x 770mm
- Mold Weight: 6700 Kg
- Tonnage: 440Ton
- Cycle Time: 12 Sec



CAPS AND CLOSURE

Cap

Ø34x42mm, 3.3 g , PP


- Cavities: 96
- Mold Size: 1067 x 790 x 647mm
- Mold Weight: 4150 Kg
- Tonnage: 500 Ton
- Cycle Time: 14 Sec
- Highlights:
 1. Easy to maintain and disassemble on machine.
 2. Interchangeable stack inserts.
 3. Coinstantaneous Unscrewing and ejection.
 4. Easy to adjust start thread position .



CAPS AND CLOUSURE

Tube Head

- $\varnothing 48 \times 24 / 3.5g$: HDPE
- Cavities : 32
- Mold Size : 915x 1270 x 650mm
- Mold Weight : 5200 Kg
- Tonnage : 500 Ton
- Cycle Time : 9.0 sec




CAPS AND CLOSURE

(2K) CR-III Outer Closure

Ø56x36mm, 7.0 g, PP+TPE

- Cavities: 18+18
- Mold Size: 913 x 1408 x 578 mm
- Mold Weight: 3180 Kg
- Tonnage: 450 Ton
- Cycle Time: 10 Sec
- Highlights:
 - 2K mold.
 - One common hot half with 3 different size cold half version
 - Moldmax HH core insert to shorten cycle time



CAPS AND CLOUSURE

Detergent Measuring Cup

Ø74x80mm, 25.5 g , PP

- Cavities: 16
- Mold Size: 810 x 710 x 700mm
- Mold Weight: 3115 Kg
- Tonnage: 320 Ton
- Cycle Time: 19 Sec
- Highlights:
 1. Ø91*298mm unscrewing core with good cooling.
 2. Moldmax RH core insert for good cooling.
 3. Easy to maintain and disassemble on machine.
 4. Interchangeable stack inserts.
 5. Coinstantaneous Unscrewing and ejection.
 6. Easy to adjust start thread position.



Detergent Measuring Cup

Ø73x65mm, 17.7 g , PP

- Cavities: 18
- Mold Size: 820 x 1150 x 680mm
- Mold Weight: 2980 Kg
- Tonnage: 300 Ton
- Cycle Time: 13 Sec
- Bump off thread




CAPS AND CLOUSURE

Detergent Measuring Cap

Ø51x50mm, PP

- Cavities: 32
- Mold Size: 750 x 1100 x 620mm
- Mold Weight: 3550 Kg
- Tonnage: 320 Ton
- Cycle Time: 15 Sec



CAPS AND CLOUSURE

Aerosol cap

Ø 66x50mm, 12.3 g , PP

- Cavities: 12
- Mold Size: 950x 600 x 858mm
- Mold Weight: 2550 Kg
- Tonnage: 300 Ton
- Cycle Time: 13 Sec
- Highlights:
 - 1.nmbu&mbu interchangeable version.
 2. Small and good cooling Alloy side core pins and BeCu core pins.




CAPS AND CLOUSURE

Actuator cap

ø35*21mm, PP

- Cavities: 16
 - Mold Size: 450x 670 x 600mm
 - Mold Weight: 1400 Kg
 - Tonnage: 400 Ton
 - Cycle Time: 13 Sec
 - Highlights:
- Conformal cooling on core insert
4 orifice version




CAPS AND CLOUSURE

Aerosol Cap

Ø 53x42mm, 6.7 g , PP

- Cavities: 16
- Mold Size: 496x 796 x 665mm
- Mold Weight: 1980 Kg
- Tonnage: 150 Ton
- Cycle Time: 11 Sec




CAPS AND CLOSURE

Bump Off Cap

ø33*27mm, PP

- Cavities: 64
- Mold Size: 750x 980 x 530mm
- Mold Weight: 3100 Kg
- Tonnage: 400 Ton
- Cycle Time: 6.1 Sec




CAPS AND CLOSURE

Medical Cap

ø22*21mm, PP, 1.9g

- Cavities: 16
- Mold Size: 400x 600 x 460mm
- Mold Weight: 900 Kg
- Tonnage: 110 Ton
- Cycle Time: 12.9 Sec
- Servo motor unscrewing



CAPS AND CLOUSURE

2K Pull Ring FT Cap


ø34*27mm, PP+TPE, 6.75g

- Cavities: 12+12
- Mold Size: 700x 930 x 650mm
- Mold Weight: 2095Kg
- Tonnage: 420 Ton
- Cycle Time: 18 Sec
- Highlights:

10Weeks delivery from PO to shipment

Conformal cooling on critical insert

Cycle time reduce 22%




CAPS AND CLOUSURE

2L Oil Base Cap

ø35*23mm, PP, 3.68g

- Cavities: 32
- Mold Size: 750x 850 x 670mm
- Mold Weight: 3350 Kg
- Tonnage: 350Ton
- Cycle Time: 8 Sec
- Highlights: Short C/T



Pump

6 tools for the pump series molds

- Cavities: 32
 - Unscrewing core
 - Tonnage: 300-390Tons
 - Cycle Time: 9- 15 Sec
 - Region: USA
 - Highlights:
- Capacity to handle big project



Cosmetic

Mascara-Outer Bottle

ø22*60mm, ABS, 5.1g

- Cavities: 8
- Mold Size: 350x 400 x 410mm
- Mold Weight: 390 Kg
- Tonnage: 100Ton
- Highlights: Special curve shape




Cosmetic

Mascara-Outer Cap

19.2*20.2*50.2mm, 5.51g , ABS

- Cavities: 8
- Mold Size: 346x 396x 375mm
- Mold Weight: 405 Kg
- Tonnage: 80 Ton
- Cycle Time:14 Sec
- Region: Germany



Thin Wall


Square Container

102*135*117mm, PP, 40.9g

MFI: 75

Avg. Thickness: 0.8mm

- Cavities: 4
- Mold Size: 900x 1200 x 755mm
- Mold Weight: 5500Kg
- Tonnage: 400 Ton
- Cycle Time: 7.2Sec



Thin Wall


Yan Yan Compartment Insert

ø65*35mm, PP, 14.9g

Avg. Thickness: 0.63mm

- Cavities: 12
- Mold Size: 675x 1035 x 730mm
- Mold Weight: 3320Kg
- Tonnage: 350 Ton
- Cycle Time: 8 Sec
- Highlights:

One common hot half with 2 different size cold half version



Thin Wall


800ml Round Container

ø114*99mm, PP, 36g

MFI: 75

Avg. Thickness: 0.8mm

- Cavities: 4
- Mold Size: 630x 650 x 670mm
- Mold Weight: 1790Kg
- Tonnage: 300 Ton
- Cycle Time: 6.0Sec



Thin Wall


Detergent Lid

20*195*214mm, PP, 26g

MFI: 55

Avg. Thickness: 0.85mm

- Cavities: 6
- Mold Size: 880x 1200 x 690mm
- Mold Weight: 5050Kg
- Tonnage: 500 Ton
- Cycle Time: 7.7Sec




Thin Wall

Flip top lid with spoon

- Part Size : 265*131*26mm;
- Resin : PP(50% Copo-50% Homo)
- Part weight: 25.5±1.5g (1 pcs)
- Avg. Thickness: 0.7mm
- Cavities: 4
- Mold Size : 710×1208×1095mm
- Mold Weight: 3110 Kg
- Tonnage: 400 Ton High Speed
- Cycle Time: 9.5 Sec
- Region: Spain
- Highlights:

(1) Interchangeable spoon inserts for 6 versions



Thank You!



Website : www.tkmold.com

E-mail : sales@tkmold.com