




目录 CONTENT



Company Profile

One-stop precision mechanical solution partner



Equipment & Operation

World-class facilities with advanced equipment and operation systems



Technologies & Capabilities

Top tier mold maker, molder, surface treatment and assembly



Sample show

Diversified business segments, world-class customer base and experiences





01

Company Profile





TK Group was founded in 1983 in Hong Kong as a mold manufacturer. Through over 40 years of dedicated development, we have grown into a global leader, providing clients worldwide with comprehensive, one-stop precision mechanical solutions.

Guang Ming · Shen Zhen China

Our Vision: A Globally Leading One-stop Precision Mechanical Solutions Partner

History

- Established in 1983, Hong Kong, China
- Listed on the Stock Exchange in 2013 (2283.hk)
- Ranked The Largest Export Tooling Maker in China in 2016
- Established
TK Su Zhou in 2010
TK Germany in 2014
TK Hui Zhou in 2017
TK Techo LSR and TK Vietnam in 2021

Business share

- Customer Electronics BD
59.3% of net sales
- Automotive BD
17.5% of net sales
- Personal care, medical, packaging BD
23.2% of net sales

Key data

- Net sales:
USD 303' M
- Production base:
Shenzhen, Huizhou, Suzhou, Vietnam
- Employees: 4,800
- Number of engineers: 500

Our Mission: Enrich Human Life with Touching Value



China-Shen Zhen

- Tooling Fabrication
- Injection Molding
- Spray Painting
- Secondary Processes
- Employees : 3,600
- Floor space : 180,000m²



China-Hui Zhou

- Injection Molding
- LSR Molding
- Spray Painting
- Employees : 550
- Floor space : 38,000m²




China-Su Zhou

- Tool Fabrication
- Injection Molding
- Secondary Processes
- Employees : 400
- Floor space : 23,000m²



Vietnam

- Tool Repairing
- Injection Molding
- Secondary Processes
- Employees : 200
- Floor space : 10,000m²



- After-Sales Service
- Headquarter
- Cooperative Agents
- Production Base

TK Shenzhen HQ

0.5H driving from Shenzhen T3 Airport

TK Huizhou

1.5H driving from Shenzhen Headquarters

TK Suzhou

1.5H driving from Shanghai Hong Qiao Airport


TK Vietnam

0.5H driving from Hanoi Airport

TK Germany

0.5H driving from Braunschweig Airport




Organizational Structure




Performance Overview



Sales Revenue





Corporate Responsibility
Materials Technology
Production Technology

Solution-Oriented Development Partners



02

Equipment & Operation



// Business Division -- Consumer Electronics

Overview

- Mold Design & Manufacturing
 - Plastic mold design, development (Moldflow), production.
 - LSR, metal, ceramic molding.
 - Component Manufacturing
 - Multilingual project capability
 - Full-time mold designers & engineers
 - Mold fitting technicians
 - Injection molding feasibility analysis
 - Injection mold design & manufacturing
 - Flexible automated production lines
 - Big data management platform
 - Plastic molding, silicone molding, IML molding
 - Secondary processing
 - 4 Painting lines
 - 2 NCVM paint booths
 - Screen printing, pad printing, laser engraving
 - Automatic assembly line;
 - Kit assembly and packaging line
- Certification
ISO 9001, ISO 14001, ISO 45001, ISO 13485, IATF 16949

More BD : Packaging, Medical, Personal Care, Automotive





ISO14064#2024
Carbon verification
certification




Ecovadis#2025 Top
35%certification



Procurement of
green electricity
15+%



In the CDP 2025 climate change assessment, TK was rated **B**, which is above the global and industry average.



For seven consecutive years, TK has published its ESG Report to outline its performance to stakeholders. The bilingual report (Chinese and English) is available on the Hong Kong Stock Exchange (HKEX) website and the Group's official site.

Smart Factory Panorama

MES/ERP integration transforms lighthouse factory operations from a black box into data-driven transparency.



Equipment -- Tooling

- Machining precise tolerance up to 0.002mm;
- Multi-cavity molds & stacked molds, insert injection molds & multi-shot molds;
- **Ranked No.1** export tool maker in China;
- Tool capacity >2,000 sets per year.


Major Machines	Quantity
CNC milling machine	125
EDM machine	62
Wire cutting machine	22
Trial injection molding machine	18
Precision grinding machine	59
CNC coordinate grinding machine	2
ED Drilling	3
Precision lathe	6
Mold making machine	10
High-precision hard turning	1
CMM	17
Total	325



// Equipment -- Molding

- Mostly Japan and Europe Injection Machines;
- High Speed & Electrical Machines 500+, Machine Range 6T~550T;
- Double shot (2K) and Triple shot (3K);
- Multi-shots by AUI platform;
- Annual plastic consumption 7,000 tons.

tonnage	quantity
<100T	65
100T-200T	346
200T-300T	52
>300T	40
Total	503



Automated Mold Production Line



Production
efficiency
32%
improved



5 lines

Full automation

60 m

Single line length

95%

24-Hour utilization rate



Size inspection

- CMM
- OMM
- CT
- CAV
- Profile Scanner
- White Light Interferometer
- Roughness Tester
- AIM
- Coating Thickness Gauge
- Metallographic Microscope
- Digital Caliper
- Height gauge
- Micrometer
- Pin gauge



Electrical testing

- Network analyzer (vector)
- Resistance scanner
- Battery Tester
- Battery simulation power
- DC low resistance tester
- Multimeter
- DC power supply (30V/5A)

Material performance testing

- Melt Flow Index Tester
- Moisture Analyzer
- Infrared Spectrometer
- XRF Spectrometer



Appearance inspection

- CCD detection
- Color Meter
- Gloss Meter
- Lens Transmittance tester
- Microscope
- Standard Light Box

Environmental Monitoring

- Temperature Curve Tester
- Constant Temperature/Humidity Chamber
- Rapid Temperature Change Testing Machine
- UV energy meter
- Electrostatic tester
- Dust Particle Counter
- Differential pressure gauge
- PH value tester
- Conductivity tester
- Sound level meter
- Illuminance meter

Reliability testing

- Xenon Arc Exposure Tester
- UV Aging Tester
- Thermal Shock Chamber
- Rapid Temperature Change Tester
- Constant Temperature/Humidity Chamber
- RCA Abrasion Tester
- Vibration Wear-Resistance Machine
- Alcohol Rubber Abrasion Tester
- Salt Spray Tester
- Precision roller testing machine
- Air leakage testing machine
- Hardness tester
- Cross-cut tester



Mechanical property testing

- Transport Simulation Vibrational Testing Machine
- Single Arm Drop Testing Machine
- Universal Computer-Controlled Push Pull Tester
- Drop Testing Machine
- Ball Impact Tester
- Electric Bending Test Machine
- Variable pressure strength tester
- Bursting strength tester
- Push-pull force gauge
- Torque meter



Certification Category	First Certification Date	Certification Category	First Certification Date
UL (E126118)	1999/12	ISO13485 (2016)	2010/2
ISO9001 (2015)	1999/12	GMP Statement	2019/11
ISO14001 (2015)	2006/6	IATF 16949 (2016)	2021/1
ISO45001 (2018)	2018/6	AEO Certificate	2023/9





03

Technologies & Capabilities





Ultimate efficiency

- Multi-cavity & stack mold technology: up to 128 cavities, 100% productivity gain, lower unit cost.



Complex Structures Expert

- Sliders, lifters & optimized inserts ensure smooth demolding and longer mold life.





Micron-level precision machining

- 5-axis CNC machining
- Precision EDM for fine features





Full-process quality control

- 100% CMM inspection; ≥99.8% pass rate on critical dimensions.



Consumer Electronics Molds

Multi-cavity, ultra-precision machining, 50+ proven similar molds





Packaging Molds

Single/dual-shot molding, quick changeover, short cycles, fast prototyping



Medical Molds

Modular design: short cycle, high stability, rapid development & trial



Personal care Molds

ESI & R&D innovation, efficient mold/part design for global leaders



Automotive Molds

High-gloss/dual-color/ mid-large molds, large-scale production, serving top 100 clients

High-speed thin-wall injection molding

- Over molding & multi-shot molding; soft-hard bonding; enhanced functionality & aesthetics.




Multi-material injection molding

- Thin-wall parts (e.g., electronic housings) under 0.6mm, stable production.

Special material molding

- Extensive experience in LSR components & engineering plastics (e.g. PEEK).



LSR

Optimized hot runner, temperature control & venting for material properties



PEEK

maximizes performance, withstands high heat/pressure.



IML / IMD Molding

Dead front /
Personalized graphic /
Waterproof window /
conductive circuit




2K/3K shots

Multi-shot with UAI
solution



LSR Molding

LSR over molding with
engineering plastic /
Metal / Silicone



Injection Compression Molding (ICM)

Reduce internal stress;
improve gate flow;
uniform wall thickness



Precise Insert Molding

Metal/glass/ceramic/P
CB; achieves IP68
waterproof



Spray Painting

- 4 Automatic Spindle lines
- 450m~560m length
- 3 Painting & 3 Roasting Station
- Class 100K Clean Room
- Class 10K Clean Spray Booth




Printing


- Pad Printing
- Silk screen printing
- 6 color offset printing
- Digital printing




- NCVM
- Lamination
- CNC Shaping & De-gating
- Laser Etching
- Ultrasonic Welding
- Foil Stamping
- Fabric Wrapping
- Polishing

Mold Development Process Control







Advanced R&D Team

- In-mold decoration (IMD)
- Electronic-plastic integration
- Surface finishing
- New material validation


Product Design Center

- Industrial innovation design
- Leading ESI & Moldflow services



Conformal Cooling

3D-printed conformal cooling: 30% higher efficiency, less warpage.



Rapid Heating Cycle Molding (RHCM)


Achieves high-gloss finish, thin walls, and reduces stress marks & weld lines.



Lean Automation


In-mold placement, assembly, inspection, and secondary processing.





Conventional Electronics

Challenge: Complex structure & high cost limit shape/location application.



IMSE® Smart Molded Structures

Solution: Developed with Tactotek, user-centric smart surfaces.

Heavy, deep, multi-layer assembly structures

- 64 parts + PCBA
- 20+ injection molding tools
- Costly assembly
- 45mm assembly depth
- 650 grams
- Large toxic-process PCBA as a base
- Vast production waste & High CO2 footprint

Single-piece 3D structures integrate electronics, mechanics and cosmetics

- 1 molded part + small PCBA
- 3mm molded material thickness, 90% less
- 150 grams, 70% less
- TCO 25% less
- CO2eq 60% less

// DFM & Moldflow Simulation



We Use UG
NX8.5/12

- More than 100 UG licenses
- CAD files with .STP/.STEP/.IGS format
- Embedded standard tooling component library




We Use Mold Flow
Insight 2019

- Wall thickness analysis
- Tooling Temperature analysis
- Cooling analysis
- Warpage analysis
- Moldflow analysts: Certified Gold, Silver, Bronze Engineers



Imported molding presses

6–1500T range, precision debugging, high-speed/high-pressure validation, process optimization.




Ten steps standardized debug steps

full-parameter closed-loop optimization for injection, holding, temperature, etc.




Turnkey delivery

Molds, product and machines are production-ready upon handover.



Mold quality control

- **Design standards:** Mold design based on manufacturing processes meets scientific molding requirements
- **Process control:** Fully automated processing ensures micron-level precision and quality
- **Service commitment:** Comprehensive quality services provided




Product quality control

- Certified international quality management ensures consistent quality and on-time delivery
- Process data analysis drives continuous quality improvement
- All products comply with HSF standards (e.g., RoHS, REACH)



- Hong Kong Mold Design Gold Award
- Shenzhen Machinery Association President
- SPI (U.S.) Member
- China Key Large Precision Plastic Mold Enterprise
- Shenzhen Customs AEO Advanced Certification
- National High-Tech Enterprise




- Best Quality Supplier
- Annual Partner
- Best delivery
- Best ESG Practicing Supplier
- Gold Award for Sustainable Development
- Excellent technology supplier
- Award for Aid to Tibet



04

Sample show






// Sample Display -- Precision Mold



Tooling solution - Sockets

- Super high precision on building
- 200+ control dimensions, >1.67 CPK
- 50+ similar tools' experience
- 20+ years of cooperation experience with global leading Brands



Tooling solution - Cover Plates

- 8+8 stack molding
- The first stack mold made using PLR
- Each component has 8 slanted tops, and all lifters are interchangeable
- DME activation device



Tooling solution - Case & Cover

- 32 cavity inserts are interchangeable
- The product requires a 0-cape
- Injection molding balance is less than 5%

Sample Display -- CE



// Sample Display -- CE





Website: www.tkmold.com

E-mail: sales@tkmold.com

