



東江控股
TK HOLDINGS

Keeping Our Customers Successful

Established in 1983

- over 40 years of precision mold making experience

National Recognition for Export Excellence

- Recognized as the No. 1 mold exporter in China in 2015

Four major manufacturing bases

- Shenzhen, Huizhou, Suzhou (China) and Vietnam, totaling approximately 180,000 m²

After sales service support

- Global support across North America, Europe, and Asia

Turnkey Solutions Provider

- Comprehensive one-stop solutions from mold design and engineering to production and validation

Industries we serve


- Serving leading brands in medical devices, automotive, consumer electronics, and smart devices




History Milestones



Organization Chart



Global Sites



● Tooling

● Sales Offices


● Contract partner

● Tooling and Molding

★ Headquarter & Production Base



- Turn-key on site support
- Global after sales service

Turnover



TKM

PM




■ Asia&others ■ North America ■ TKP&TKMG ■ China ■ Europe

■ Asia&others ■ North America ■ TKP&TKMG ■ China ■ Europe



Consumer Packaging Products









Packaging Partners Across the Globe




Trusted by the World's Top Medical Brands





Controlled Process. Predictable Results



Our Commitment to Quality

State-of-the-Art Environment:

- Fully controlled cleanroom facility with precise temperature regulation.


Data-Driven Machining Standards:

- Exact tolerances ensured through advanced machining processes, with every component verified using CMM and optical metrology for unmatched accuracy and consistency.

Efficient Assembly:

- Direct assembly methods eliminating the need for manual mold matching or trial-and-error adjustments, ensuring consistency and reliability.





Integrated Engineering Support for Faster, Smarter Launches

- Providing proactive DFM support during the part design phase to address manufacturability challenges before mold design and steel cut-minimizing risk and compressing lead times.




Proven CAD Capability

- Utilizing Siemens NX 8.5/12 with over **30+ years** of combined engineering experience and **400+** successful mold programs completed.




Moldflow-Powered Optimization

- Leveraging Autodesk Moldflow Synergy 2025, our engineering team conducts detailed flow, cooling, and warpage simulations to guide critical DFM decisions and ensure part and tool performance before production.




High Cavitation-128




Tolerance can meet
0.002mm

Stack Mold



Rotating 2K Mold



Precision Equipment that Powers Performance

Major Machines	Qty
CNC Milling Machine	104
5-Axis CNC Milling Machine	12
EDM Machine	55
EDM Wire-cut Machine	19
Grinding Machine	59
CNC Jig grinder	5
EDM Hole Drilling Machine	3
Gun Drilling Center	4
Lathe	6
Mold Reversal Machine	10
High Precision Hard Turning	3
CMM	17
IMM for test (Including 2k)	18(6)



Studer Universal Grinding Machine



Hauser CNC Jig Grinder



Agiecharmilles EDM Machine



Yasda Jig Bore High Speed CNC



56 Meters of Lights-Out Precision

- Fully automated machining line spanning 56 meters, equipped with 10 robots and integrated CNC, EDM and CMM systems.

Dimensional:


- ✓ CMM (Coordinate Measuring Machine)
- ✓ OMM (Optical Measuring Machine)
- ✓ Roughness Measuring Machine
- ✓ Optical Surface Profiler
- ✓ Digital Caliper
- ✓ Ring Gauge
- ✓ Thickness Meter
- ✓ Three latitude optical scanner



Zeiss CMM

Conformal Cooling Channel by Direct Metal Laser Sintering (DMLS) and Diffusion Bonding :

- TK Mold offers in-house metal additive manufacturing to produce conformal cooling inserts, providing an integrated solution for high-performance tooling with up to 35% cycle time reduction and improved dimensional stability
- Cooling channels are conformal , meaning they precisely follow the shape of the molded part
- Minimizes warpage, sink marks, and internal stress in molded components
- Increases production efficiency , making it ideal for high-volume, precision molding
- Max work piece dimensions: 250 × 250 × 380 mm (Height)250 × 250 × 380 mm (Height



- We collaborate with industry-leading suppliers to ensure the highest standards in steel, heat treatment, hot runner systems, and production equipment—delivering reliable performance for every mold we build.

ASSAB 

**Mold
Masters** 

HUSKY®

œrlikon
balzers

HASCO®
Enabling with System.

DME™

meusburger
SETTING STANDARDS

SCHMOLZ + BICKENBACH
International



ARBURG

ENGEL

Krauss Maffei
Flowing Plastics


BÖHLER  **UDDEHOLM**

Comprehensive Mold Testing Center





Clamping Force	Brand	Robot	Visible water flow	2 nd Shot	Remarks
100T / 150 Ton	Arburg / Fanuc	1	YES		Arburg-LSR material
180T	JSW	2	YES	1	Rotation Table L Type(2K)
200T	Milacron	1	YES	1	Rotation Table L Type(2K)
250T	Krauss- Maffei	1	YES	1	Rotation Table L Type(2K)
280T	JSW		YES		
300T	Netstal Synergy		YES	1	Rotation Table L Type(3K)
400T	HUSKY		YES		High Speed
450T	JSW		YES		
500T	Netstal SynErgy	1	YES	1	Rotation Table L Type(2K)
650T	ENGEL		YES	1	Rotation Table L Type(2K)
1000T	Krauss- Maffei	1	YES		
1500T	ENGEL	1	YES	1	Rotation Table L Type(2K)

Our validation process follows scientific molding best practices to establish a stable, repeatable process window. By capturing key data across both pre- and post-molding phases, we ensure part quality, dimensional consistency, and tool performance from first shot to production



- ✓ Tensile testing
- ✓ Torque test
- ✓ Sealing test
- ✓ Leakage testing
- ✓ Oil pouring wall hanging test
- ✓ High temperature; Low temperature; Negative pressure; Shelf life testing





8 high-cavitation stack molds (8+8 cavity) delivered as a synchronized package launch, supporting a 12-second cycle time per tool. TK Mold ensures parallel production readiness for complex, large-volume programs.

Thank You!



Website : www.tkmold.com
E-mail : sales@tkmold.com