```
P Administrator. Git CMD (Deprecated)

P C:\Users\LENOVO>cd ..

C:\Users>cd ..

C:\Users>cd ..

C:\users>cd ..

C:\users>cd ..

C:\users>cd ..

C:\users>cd htdocs

tt

Cc:\xampp>ct ct

cc:\xampp\htdocs>cd hendrylaravel

cc:\xampp\htdocs\hendrylaravel>php artisa make:controller PenontonController

Could not open input file: artisa

AC:\xampp\htdocs\hendrylaravel>php artisan make:controller PenontonController

Controller created successfully.

pC:\xampp\htdocs\hendrylaravel>

p

Mi

Ge

On

Se

On

Se
```

```
PenontonController.php ×
                                          m penonton.blade.php
web.php
app > Http > Controllers >  PenontonController.php
       namespace App\Http\Controllers;
       use Illuminate\Http\Request;
       class PenontonController extends Controller
           public function index($nama){
               return $nama;
       public function penonton(){
               return view('penonton');
        public function proses(Request $request){
           $nama = $request->input('nama');
           $alamat = $request->input('alamat');
           return "Nama : ".$nama.", Alamat : ".$alamat;
       K
```






```
Administrator: C:\Windows\system32\cmd.exe
                                                                                                                                                                     П
                                                                                                                                                                              ×
 Method Illuminate\Database\Schema\Blueprint::varchar does not exist.
  at
                 public function __call($method, $parameters)
                       if (! static::hasMacro($method))
    throw new BadMethodCallExcep
                                     new BadMethodCallException(sprintf(
                                   'Method %s::%s does not exist.', static::class, $method

    Bad Method Call: Did you mean Illuminate\Database\Schema\Blueprint::char() ?

       C:\xampp\htdocs\hendrylaravel\database\migrations\2014_10_12_000000_create_users_table.php:17
       Illuminate\Database\Schema\Blueprint::__call("varchar")
       C:\xampp\htdocs\hendrylaravel\vendor\laravel\framework\src\Illuminate\Database\Schema\Builder.php:166
       CreateUsersTable::{closure}(Object(Illuminate\Database\Schema\Blueprint))
:\xampp\htdocs\hendrylaravel>php artisan migrate
igrating: 2014_10_12_000000_create_users_table
igrated: 2014_10_12_000000_create_users_table (0.08 seconds)
igrating: 2019_08_19_000000_create_failed_jobs_table
igrated: 2019_08_19_000000_create_failed_jobs_table (0.02 seconds)
igrating: 2020_04_13_143955_create_mahasiswa_table
igrated: 2020_04_13_143955_create_mahasiswa_table (0.02 seconds)
 \xampp\htdocs\hendrylaravel>
```



```
File Edit Selection View Go Run Terminal Help
                                                            web.php - hendrylaravel - Visual Studio
      💏 web.php 💢
                      2020_04_14_022757_create_pegawai_table.php
                                                                  PenontonController.php
      routes > 💝 web.php
             <?php
             use Illuminate\Support\Facades\Route;
مړ
              | Web Routes
留
              | routes are loaded by the RouteServiceProvider within a group which
        12
             contains the "web" middleware group. Now create something great!
             Route::get('/', function () {
                 return view('welcome');
             });
             Route::get('/penonton','PenontonController@penonton');
             Route::post('/penonton/proses','PenontonController@proses');
             Route::get('/penonton','PenontonController@index');
             Route::get('/penonton/hapus/{id}', 'PenontonController@hapus');
```

Menginput data ke database

```
Route::get('/penonton/tambah','PenontonController@tambah');
Route::post('/penonton/store','PenontonController@store');
```

```
public function tambah(){
   return view('tambah');

   return redirect('/penonton');
}
```





Edit Database


```
Route::get('/penonton/edit/{id}','PenontonController@edit');
Route::post('/penonton/update','PenontonController@update');
```

```
public function edit($id){
    $penonton = DB::table('tblpenonton')->where('id',$id)->get();

    return view('edit',['penonton' =>$penonton]);
    return redirect('/penonton');
}
```

```
| We rediblock pip | We promotocontroling pip | We template couply | We index block pip | We rediblock pip | We dibblock pip | We dibblock
```

Data **Penonton**








Hapus data dari Database

```
Route::get('/penonton/hapus/{id}','PenontonController@hapus');
```

```
public function hapus($id){
   DB::table('tblpenonton')->where('id',$id)->delete();
   return redirect('/penonton');
}
```

Data **Penonton**



Data **Penonton**

