

## 2.8. Maxwell's equations & electromagnetic waves



**Why does holding a car key to the head  
increase the range to open the car?**  
**YouTube - Top Gear**



from **wikipedia** under **CC0 1.0 Universal**

- key fob **transmits** electromagnetic (EM) waves
- → we need to **understand EM waves**

## Maxwell & electromagnetism

- Initially, **understanding of electricity and magnetism** (Oersted, Ampère, and Faraday) was **fragmented**, with phenomena being studied in isolation
- **James Clerk Maxwell** (1831–1879):
  - **unified electricity and magnetism** through four fundamental equations  
→ Maxwell's equations
  - used **concept of fields** (introduced by Faraday)
  - predicted the existence of **electromagnetic waves**, which were later experimentally confirmed by *Heinrich Hertz* (1857-1894)

Maxwell's correction of Ampère's law: Recap what we know

We already know that:

1. time-constant electric currents generate time-constant magnetic fields (first observed by Ørsted & Ampère's law)

$$\oint \vec{\mathbf{B}} \cdot d\vec{\mathbf{l}} = \mu_0 I_{\text{enc}}$$

2. changing magnetic fields generate electric fields (Faraday's law)

$$\oint \vec{\mathbf{E}} \cdot d\vec{\mathbf{l}} = -\frac{d\Phi_B}{dt}$$


→ Maxwell's contribution/idea: **changing electric field produces a magnetic field**, leading to the concept of **displacement current**

Maxwell's correction of Ampère's law: The need for displacement current

- Ampère's law:  $\oint \vec{\mathbf{B}} \cdot d\vec{\mathbf{l}} = \mu_0 I_{\text{enc}}$ 
  - $\rightarrow$  **magnetic field  $\vec{\mathbf{B}}$  around a closed loop is proportional to enclosed current  $I_{\text{enc}}$**
- Maxwell realized there are **scenarios where Ampère's law fails**:
  - imaging charging capacitor:
    - during charging, current in wire generates magnetic field
    - no charges pass gap between plates

Maxwell's correction of Ampère's law: The need for displacement current (cont')

- **important**  $\oint$  is a line integral over the closed path, but  $I_{\text{enc}}$  considers the current through the surface bound by the closed path
- for surface  $S_1$ : **everything works**, enclosed current generates magnetic field
$$\oint \vec{B} \cdot d\vec{l} = \mu_0 I_{\text{enc}} \rightarrow B = \frac{\mu_0 I_{\text{enc}}}{2\pi r}$$
- for surface  $S_2$ : **fails because no current through  $S_2$** :  $\oint \vec{B} \cdot d\vec{l} \neq 0$  but  $\mu_0 I_{\text{enc}} = 0$



from **wikipedia**, public domain

Maxwell's correction of Ampère's law:

Introducing the displacement current

- Maxwell resolved issue by introducing **displacement current**  $I_D$  with  $Q = CV = \epsilon_0 \frac{A}{d} Ed = \epsilon_0 AE$ :

$$I_D = \frac{dQ}{dt} = \epsilon_0 \frac{AdE}{dt} = \epsilon_0 \frac{d\Phi_e}{dt}$$

- displacement current is **not a real flow of charge**, but it represents the effect of a time-varying electric field to generate the observed magnetic field
- **Ampère's law with displacement current:**

$$\oint \vec{\mathbf{B}} \cdot d\vec{\mathbf{l}} = \mu_0 I_{\text{enc}} + \mu_0 \epsilon_0 \frac{d\Phi_E}{dt}$$

## Physics & symmetry (obsession): Gauss's law for magnetism

### sim - Gauss's laws

- **we already know**, the electric flux through a closed surface is

$$\Phi_E = \oint \vec{\mathbf{E}} \cdot d\vec{\mathbf{A}} = \frac{Q_{\text{enc}}}{\epsilon_0}$$

- **since no magnetic monopoles exist**, the magnetic flux through a close surface is

$$\Phi_B = \oint \vec{\mathbf{B}} \cdot d\vec{\mathbf{A}} = 0$$



Putting everything together: Maxwell's equations

- **4 equations to unify electricity and magnetism into electromagnetism**

- Gauss's law for electricity:

$$\oint \vec{\mathbf{E}} \cdot d\vec{\mathbf{A}} = \frac{Q_{enc}}{\epsilon_0}$$

- Gauss's law for magnetism:

$$\oint \vec{\mathbf{B}} \cdot d\vec{\mathbf{A}} = 0$$

- Faraday's law of induction:

$$\oint \vec{\mathbf{E}} \cdot d\vec{\mathbf{l}} = -\frac{d\Phi_B}{dt}$$

- Ampère's law with Maxwell correction:

$$\oint \vec{\mathbf{B}} \cdot d\vec{\mathbf{l}} = \mu_0 I + \mu_0 \epsilon_0 \frac{d\Phi_E}{dt}$$

Maxwell's Equations: (1) Gauss's law for electricity

$$\oint \vec{\mathbf{E}} d\vec{\mathbf{A}} = \frac{Q_{enc}}{\epsilon_0}$$

This states that **electric charges produce electric fields**, and the **total electric flux** of **E** through a **closed surface** is **proportional to the charge enclosed**.

Note: We take the integral over a closed surface.

Maxwell's Equations: (2) Gauss's law for magnetism

$$\oint \vec{\mathbf{B}} d\vec{\mathbf{A}} = 0$$

This implies that magnetic field lines have no beginning or end, meaning **no magnetic monopoles exist**.

Note: We take the integral over a closed surface.

Maxwell's Equations: (3) Faraday's law of induction:

$$\oint \vec{\mathbf{E}} d\vec{\mathbf{l}} = -\frac{d\Phi_B}{dt}$$

This describes how a **changing magnetic field induces an electric field**, which is the principle behind electrical generators.

Note: We take the integral around a closed path.

Maxwell's Equations: (4) Ampère's law with Maxwell correction:

$$\oint \vec{\mathbf{B}} \cdot d\vec{\mathbf{l}} = \mu_0 I_{\text{enc}} + \mu_0 \epsilon_0 \frac{d\Phi_E}{dt}$$

This states that an **electric current and/or a changing electric field generates a magnetic field**.

Note: We take the integral around a closed path.

## Significance of Maxwell's equations

1. **Unification of electricity and magnetism:**  
Electricity and magnetism are intrinsically linked
2. **Prediction of electromagnetic waves and light:** Predicted existence of electromagnetic waves that propagate at a speed calculated from  $\epsilon_0$  and  $\mu_0$  (speed of light). Light itself is an electromagnetic wave, i.e. unifying optics with electromagnetism.
3. **Foundation of Classical Electromagnetism:**  
Maxwell's equations form the complete and consistent foundation of classical electromagnetism and describe all classical electromagnetic phenomena.
4. **Basis for Special Relativity:** While formulated within classical physics, Maxwell's equations played crucial role in development of Special Relativity, i.e. the fact that speed of light is constant for all observers.

## Electromagnetic waves:

ew11 + ew23 - transmit / receive EM waves

- let's start with an experiment and observe
- **antenna length and orientation** seems to play a role, **why?**



## Electromagnetic waves: Propagation without matter

- Maxwell equations for empty space
- no charges → **closed E-field lines & only displacement current**

$$\oint \vec{\mathbf{E}} \cdot d\vec{\mathbf{A}} = 0$$

$$\oint \vec{\mathbf{B}} \cdot d\vec{\mathbf{A}} = 0$$



$$\oint \vec{\mathbf{E}} \cdot d\vec{\mathbf{l}} = -\frac{d\Phi_B}{dt}$$

$$\oint \vec{\mathbf{B}} \cdot d\vec{\mathbf{l}} = \mu_0\epsilon_0 \frac{d\Phi_E}{dt}$$

**changing electric field produces a changing magnetic field and vice versa → wave propagation**

# Electromagnetic waves: Transmission by dipole antenna



- in essence LC-circuit with AC supply



*[left] from **wikipedia** by user Averse under **CC Attribution-ShareAlike 3.0 Unported** [right] from **wikipedia** under **CC0 1.0 Universal***

## Electromagnetic waves: Transmission by dipole antenna (cont')


- while complex to describe in the near-field, EM-waves can be reasonably flat in the far field
- → EM-waves are **plane waves** in the radiation/far field



*[left] from wikipedia under CC0 1.0 Universal [right] from  
wikipedia under CC0 1.0 Universal*

## Electromagnetic waves: Transversal waves

- by definition  $\vec{E}$  perpendicular to  $\vec{B} \rightarrow$  **wave travels perpendicular to E- and B-field** ( $\vec{E} \times \vec{B}$ )
- $\rightarrow$  EM waves are **transversal waves**
- further, B and E are **in phase**



from [wikipedia](#) **CC Attribution-ShareAlike 3.0 Unported**

## Electromagnetic waves: Traveling, sinusoidal waves

- EM waves with wavelength  $\lambda$  generated by sinusoidal oscillations at antenna
- in general, traveling wave with velocity  $\nu = f\lambda = \frac{\omega}{k}$ , angular frequency  $\omega = 2\pi f$ , and wave number  $k = \frac{2\pi}{\lambda}$ :

$$D(x, t) = A \sin\left(\frac{2\pi}{\lambda}(x - \nu t)\right) = A \sin(kx - \omega t)$$



- sinusoidal description of plane EM waves:
  - $E = E_0 \sin(kx - \omega t)$  with the E-field oscillating in  $y$  direction
  - $B = B_0 \sin(kx - \omega t)$  with the B-field oscillating in  $z$  direction

*Note: waves moving to the right, i.e.  $(kx - \omega t)$ , waves moving to the left, i.e.  $(kx + \omega t)$*

# Electromagnetic waves: Receiving & wavelength

recap ew11 + ew23

- EM wave needs to **induce voltage** in antenna to be "received"
- alternating E-field of EM-waves causes electric oscillations in antenna
- dipole antenna **resonant** if its length is approx. half EM wavelength
- at resonance, induced currents **add constructively** (remember standing waves)






*[left] from wikipediaCC Attribution-ShareAlike 3.0*

**Unported** *[right] from wikipedia under CC0 1.0*  
**Universal**\*

# Electromagnetic waves: Receiving & polarization

recap ew11 + ew23

- orientation of E-field to antenna needs to match to induce voltage
- most common polarizations: linear and circular



from [wikipedia](#) under [CC Attribution-ShareAlike 4.0 International](#)

# Electromagnetic waves: Velocity & speed of light

ow28

- wave velocity defined as:

$$\nu = \frac{\omega}{k} = f\lambda$$

- **is the speed of light constant?**

## Electromagnetic waves: Velocity & speed of light (cont')

- for EM wave in vacuum & since E and B in phase:

$$\nu = \frac{E}{B} = \frac{1}{\sqrt{\epsilon_0 \mu_0}} = c$$

- thus, **speed of EM waves in vacuum is the speed of light** and  $c = \lambda f = \text{const}$
- for EM wave in matter, things are different:
  - $\nu \leq c$ :
  - frequency remains constant
  - wavelength changes  $\lambda_n = \frac{v}{f} = \frac{c}{nf} = \frac{\lambda}{n}$

ew22 - H20 and decimeter waves

Revisiting "Why does holding a car key to the head increase the range to open the car?"

ew22 - H20 and decimeter waves



from **wikipedia** under **CC0 1.0 Universal**


- key fob transmits EM-waves at 300 MHz - 433 MHz
- in air: wave length  $\approx 1$  m (@ 300 MHz)
- in water/brain: wave length  $\approx 10 - 12$  cm (@ 300 MHz)
- head acts as resonator (constructive interference) to amplify signal/boost range

# Electromagnetic spectrum & light

- all electromagnetic waves propagate at

$$c = \lambda f = \frac{1}{\sqrt{\epsilon_0 \mu_0}} = 300 \times 10^6 \text{ m/s}$$

- visible light spans frequencies from  $(4.0 - 7.5) \times 10^{14} \text{ Hz}$  (tera-hertz) and wavelengths between 400 nm and 750 nm



from [wikipediaCC Attribution-ShareAlike 3.0 Unported](#)