FEATURE SPECIFICATION DOCUMENT
Clipora

Rincian fitur produk untuk arahan pembuatan sistem website, backend, frontend, dan integrasi

Nama produk	Clipora
Fokus dokumen	Feature Specification Document
Tujuan	Menjadi acuan fitur, aturan sistem, UI, dan dependency implementasi
Catatan strategis	Core engine tetap: input video -> transcribe -> AI analysis -> clip -> subtitle/caption -> render -> distribution

Acuan visual final: nama brand yang digunakan di seluruh sistem adalah Clipora. Arah visual dashboard dan identitas logo mengikuti referensi final yang telah dipilih sebelumnya.

1. Ringkasan Sistem

Clipora adalah platform web yang membantu creator, UMKM, dan bisnis kecil mengubah satu sumber konten menjadi banyak konten promosi siap pakai dan siap distribusi.

Dokumen ini merinci fitur per modul dengan format yang konsisten: nama fitur, tujuan, input/output, aturan logika, UI placement, dan dependency backend/frontend.

Dokumen ini disusun untuk membantu product owner, UI/UX designer, frontend engineer, backend engineer, dan integration engineer bekerja dari arah sistem yang sama.

2. Lapisan Sistem Clipora

Lapisan	Isi
Core Engine	Input, transcription, AI analysis, moment detection, clip planning, caption, subtitle, render.
Business Layer	Objective, campaign, CTA, brand preset, multi-output, use case template.
Distribution Layer	Scheduler, queue, export packaging, publish-ready output, channel preset.
Feedback Layer	Analytics, AI recommendations, usage log, campaign performance, CTA performance.

Authentication & Workspace

Sign Up / Login

Tujuan	Memberi akses masuk ke sistem dan membuat sesi user aktif.
Input	Email, password, atau OAuth Google.
Output	Session user aktif, token atau cookie, redirect ke dashboard.
Aturan logika	Sistem harus memvalidasi kredensial, mencegah login ganda yang tidak valid, dan menyimpan role user per workspace.
UI placement	Halaman login, signup, dan auth modal.
Dependency backend/frontend	Backend: auth service, session/token, user table. Frontend: auth pages, validation, redirect guard.

Workspace Setup

Tujuan	Membentuk ruang kerja utama per brand atau bisnis.
Input	Nama workspace, kategori bisnis, owner, preferensi bahasa.
Output	Workspace aktif dan context data untuk semua modul.
Aturan logika	Satu user dapat memiliki lebih dari satu workspace; setiap write action wajib membawa workspace context.
UI placement	Onboarding setelah login pertama dan menu switcher di header.
Dependency backend/frontend	Backend: workspaces, memberships, role mapping. Frontend: onboarding flow, workspace switcher.

Role & Access Control

Tujuan	Mengatur hak akses user dalam tim.
Input	Role: owner, admin, editor, reviewer, viewer.
Output	Hak akses per halaman dan per aksi.
Aturan logika	Aksi sensitif seperti billing, integrasi, publish, dan delete harus dibatasi berdasarkan role.
UI placement	Team Workspace dan middleware permission di seluruh UI.
Dependency backend/frontend	Backend: RBAC middleware, membership table. Frontend: route guard, hidden/disabled actions.

Home Dashboard

KPI Overview

Tujuan	Memberi ringkasan cepat tentang kondisi akun dan aktivitas konten.
Input	Data project, jobs, schedules, publish records, analytics snapshots.
Output	Cards: content processed, clips generated, scheduled this week, top performing clip, CTA conversions.
Aturan logika	KPI ditarik dari snapshot agregat agar halaman cepat dibuka; data tidak boleh dihitung berat secara real-time untuk setiap refresh.
UI placement	Halaman Home, baris KPI paling atas.

Dependency backend/frontend	Backend: analytics overview endpoint, snapshots. Frontend: KPI cards, loaders, empty states.

Quick Actions

Tujuan	Mempercepat aksi utama tanpa harus masuk ke banyak menu.
Input	Shortcut action yang dipilih user.
Output	Navigasi cepat ke upload, paste URL, campaign baru, schedule post.
Aturan logika	Aksi harus membuka modal atau halaman target dengan konteks workspace aktif.
UI placement	Home hero section.
Dependency backend/frontend	Backend: tidak berat, hanya routing context. Frontend: action buttons, modal launchers.

AI Recommendations

Tujuan	Memberi saran tindakan berbasis performa dan penggunaan terakhir.
Input	Analytics snapshot, objective, publish history, CTA performance.
Output	3-5 rekomendasi prioritas mingguan.
Aturan logika	Rekomendasi minimal membaca performa hook, CTA, dan objective; bila data belum cukup, tampilkan rekomendasi default berbasis template.
UI placement	Panel kanan Home.
Dependency backend/frontend	Backend: recommendation service atau rule-based engine. Frontend: recommendation panel, dismiss/save actions.

Create Content

Source Input

Tujuan	Memasukkan sumber konten ke sistem.
Input	Upload video, URL YouTube, audio file, Google Drive import, Dropbox import, bulk upload, webhook import.
Output	Project baru dan asset record awal.

Aturan logika	Setiap input harus menghasilkan project dan processing job terpisah; file perlu divalidasi ukuran, format, dan durasinya.
UI placement	Halaman Create Content, panel kiri source selector.
Dependency backend/frontend	Backend: upload signed URL, project creation, asset ingest job. Frontend: source cards, drag-drop uploader, URL validation.

Project Information Form

Tujuan	Memberi konteks bisnis pada konten yang diproses.
Input	Project name, campaign, objective, target channels, business category, subtitle language, tone, CTA preset, brand preset.
Output	Metadata project yang dipakai AI dan workflow berikutnya.
Aturan logika	Field objective, channel target, dan brand preset harus wajib atau memiliki default agar AI tidak bekerja tanpa arah.
UI placement	Halaman Create Content, panel tengah.
Dependency backend/frontend	Backend: project schema, enums, validation. Frontend: form fields, state persistence, draft autosave.

Estimated Output Preview

Tujuan	Membuat user paham perkiraan hasil sebelum memproses.
Input	Durasi input, objective, channel, preset, kualitas file.
Output	Estimasi jumlah clip, estimasi durasi proses, suggested use cases, peringatan kualitas video.
Aturan logika	Estimasi boleh berbasis heuristic pada fase awal; bukan prediksi presisi.
UI placement	Halaman Create Content, panel kanan.
Dependency backend/frontend	Backend: estimate endpoint atau local heuristics. Frontend: preview summary card.

Content Studio

Transcript Engine

Tujuan	Mengubah audio menjadi transcript bertimestamp.
Input	Video atau audio yang telah diingest.
Output	Full transcript, segmented transcript, searchable timeline.
Aturan logika	Jika provider transcribe gagal, sistem harus memberi status gagal yang jelas dan opsi retry; language detect dapat otomatis atau manual.
UI placement	Content Studio panel kiri.
Dependency backend/frontend	Backend: transcription job, transcript storage. Frontend: transcript list, search, timestamp jump.

Moment Detection

Tujuan	Mendeteksi segmen penting yang relevan untuk objective bisnis.
Input	Transcript, metadata project, objective, jika ada sinyal visual/audio tambahan.
Output	Daftar moments dengan score, type, reason, start-end timestamp.
Aturan logika	Moment type minimal meliputi promo, testimonial, edukasi, hook, quote, owner story, FAQ, urgency, hard sell, soft sell.
UI placement	Content Studio panel kiri di bawah transcript filter.
Dependency backend/frontend	Backend: AI analysis job, scoring model. Frontend: filters, clickable moment list, badges.

Clip Suggestions

Tujuan	Membuat kandidat clip otomatis dari hasil analisis.
Input	Detected moments, objective, target channels, clip length preference.
Output	Candidate clips dan beberapa angle dari sumber yang sama.
Aturan logika	Satu moment dapat menghasilkan lebih dari satu candidate jika objective berbeda; kandidat harus bisa diduplikasi dan diedit manual.
UI placement	Content Studio panel tengah dan bagian bawah candidate strip.
Dependency	Backend: clip planner, clip table. Frontend: timeline selection, candidate cards,

backend/frontend	duplicate/save flow.

Hook Generator

Tujuan	Membuat pembuka video yang lebih kuat.
Input	Transcript snippet, objective, tone, product context.
Output	Beberapa alternatif hook seperti curiosity, promo, benefit, urgency, social proof.
Aturan logika	Setiap clip harus bisa punya lebih dari satu hook variant; user dapat generate ulang tanpa menimpa versi lama.
UI placement	Content Studio panel kanan tab Hook.
Dependency backend/frontend	Backend: caption generation service. Frontend: variant tabs, regenerate/apply buttons.

Caption Generator

Tujuan	Membuat caption yang sesuai objective dan platform.
Input	Clip context, objective, platform, tone, CTA preset.
Output	Caption, hashtag dasar, optional short description.
Aturan logika	Caption harus dapat dibedakan per channel dan per objective; versi hard sell dan soft sell harus dipisah.
UI placement	Content Studio panel kanan tab Caption.
Dependency backend/frontend	Backend: caption generation, prompt templates. Frontend: edit text area, save variant, character count.

CTA Generator

Tujuan	Mengarahkan output menuju aksi bisnis.
Input	Objective, CTA preset, brand, destination link/number.
Output	CTA text, CTA short copy, optional follow-up prompt.
Aturan logika	CTA harus mematuhi destination type seperti WhatsApp, katalog, landing page, atau toko fisik; jika belum ada destination yang valid, tampilkan warning.
UI placement	Content Studio panel kanan tab CTA dan halaman Leads & CTA.

Dependency backend/frontend	Backend: CTA presets, validation rules. Frontend: CTA picker, inline warnings.

Subtitle Styling

Tujuan	Menjaga keterbacaan dan konsistensi visual subtitle.
Input	Brand preset, font, colors, subtitle style, channel.
Output	Subtitle render config.
Aturan logika	User dapat menerapkan preset brand atau override per clip; sistem harus menyimpan style config dalam format yang dapat dipakai worker render.
UI placement	Content Studio panel kanan tab Subtitle Style.
Dependency backend/frontend	Backend: subtitle style JSON schema, render parser. Frontend: controls untuk font, color, highlight, animation.

Render Trigger

Tujuan	Mengirim output terpilih ke worker render.
Input	Clip ID, subtitle config, preset, resolution, channel target.
Output	Render job dan final asset.
Aturan logika	Render tidak berjalan langsung di request utama; endpoint hanya membuat job dan UI memantau status.
UI placement	Footer sticky Content Studio dan action di clip card.
Dependency backend/frontend	Backend: render queue, worker, asset storage. Frontend: job polling, progress, success/fail state.

Campaigns

Campaign Creation

Tujuan	Mengelompokkan konten berdasarkan tujuan bisnis.
Input	Campaign name, objective, type, date range, channels, CTA utama.
Output	Campaign record dan hubungan ke project/clip.
Aturan logika	Satu project dapat berada di satu campaign utama, tetapi satu campaign dapat berisi banyak project dan clip.
UI placement	Halaman Campaigns header dan detail campaign.
Dependency backend/frontend	Backend: campaign schema dan relations. Frontend: create modal, detail tabs.

Campaign Templates

Tujuan	Memberi pola kerja siap pakai untuk use case bisnis.
Input	Template pilihan seperti promo diskon, launching, Ramadan, live recap, owner story, testimonial, education.
Output	Pre-filled objective, CTA, channel mix, dan output suggestions.
Aturan logika	Template hanya mengisi default, bukan mengunci user; user tetap dapat edit.
UI placement	Campaigns sidebar/template library dan Create Content.
Dependency backend/frontend	Backend: template config store. Frontend: template cards, apply template action.

Campaign Snapshot

Tujuan	Menampilkan performa per campaign.
Input	Content count, publish status, top CTA, top platform, top clip.
Output	Overview singkat yang mudah dibaca owner bisnis.
Aturan logika	Snapshot ditarik dari agregasi ringan agar cepat; breakdown detail tersedia di Analytics.
UI placement	Detail page Campaigns.
Dependency	Backend: campaign aggregates. Frontend: metric cards and mini charts.

backend/frontend	

Content Library

Raw & Final Asset Management

Tujuan	Menyimpan seluruh aset dari mentah sampai final.
Input	Raw uploads, processed clips, drafts, final renders.
Output	Aset tersimpan rapi dengan metadata dan status.
Aturan logika	Storage key dan metadata harus dipisah dari file fisik; delete harus mengikuti lifecycle policy agar aman.
UI placement	Halaman Content Library, grid/list view.
Dependency backend/frontend	Backend: assets table, storage lifecycle. Frontend: asset browser, detail drawer.

Search & Filter

Tujuan	Membantu user menemukan konten dengan cepat.
Input	Keyword, campaign, channel, status, objective, tags, date.
Output	Daftar aset terfilter.
Aturan logika	Filter harus dapat digabung; pencarian default ke judul, caption, tag, dan project name.
UI placement	Toolbar dan sidebar filter di Content Library.
Dependency backend/frontend	Backend: query/filter API, indexes. Frontend: search bar, chips, pagination.

Asset Detail Panel

Tujuan	Memberi detail penggunaan dan metadata konten.
Input	Selected asset ID.
Output	Metadata, caption, CTA, linked outputs, publish history.
Aturan logika	Panel detail harus membuka tanpa meninggalkan halaman library untuk

	workflow cepat.
UI placement	Right drawer pada Content Library.
Dependency backend/frontend	Backend: asset detail endpoint. Frontend: drawer component, tabs.

Scheduler & Distribution

Schedule Post

Tujuan	Menjadwalkan konten ke channel target.
Input	Clip, channel, scheduled time, caption, CTA, approval flag.
Output	Schedule record dan posting queue.
Aturan logika	Semua schedule harus memiliki status draft, scheduled, approved, published, failed atau cancelled.
UI placement	Halaman Scheduler, drawer detail selected post.
Dependency backend/frontend	Backend: schedules, publish queue, timezone handling. Frontend: calendar, schedule form, drag-drop.

Queue View

Tujuan	Mengelola konten yang belum atau akan dipublikasikan.
Input	Draft outputs dan schedule state.
Output	Daftar queue berdasarkan status.
Aturan logika	Queue harus bisa dipindah statusnya melalui drag-drop atau action menu.
UI placement	Halaman Scheduler toggle Queue.
Dependency backend/frontend	Backend: schedule status transitions. Frontend: kanban/queue list.

Publish Now

Tujuan	Melakukan publikasi langsung bila konektor tersedia.
Input	Clip, channel, caption, CTA, connected account.

Output	Publish record dan respon API platform atau export fallback.
Aturan logika	Jika API platform terbatas, sistem harus fallback ke export-ready package.
UI placement	Scheduler detail drawer dan action button di clip/library.
Dependency backend/frontend	Backend: connector dispatchers, publish records. Frontend: confirmation modal, result states.

Export Packaging

Tujuan	Menyiapkan file dan copy per channel.
Input	Clip, target channel, cover frame, caption, CTA.
Output	Package Instagram-ready, TikTok-ready, Shorts-ready, Story-ready, WhatsApp-ready.
Aturan logika	Setiap channel dapat punya spesifikasi output berbeda seperti rasio, panjang copy, dan thumbnail.
UI placement	Content Studio, Library action menu, Scheduler.
Dependency backend/frontend	Backend: packaging service. Frontend: export dialog, download state.

Best Time Recommendation

Tujuan	Membantu user memilih waktu tayang yang lebih masuk akal.
Input	Publish history, platform, timezone, objective.
Output	Saran slot waktu terbaik.
Aturan logika	Pada fase awal boleh heuristic; di fase lanjut dapat berbasis data performa akun.
UI placement	Scheduler bottom cards dan AI recommendations.
Dependency backend/frontend	Backend: recommendation rules, analytics summary. Frontend: suggestion chips, autofill button.

Analytics

Content Performance

Tujuan	Melihat performa tiap konten.
Input	Publish records, analytics snapshots, channel data.
Output	Views, watch time, retention, likes, comments, shares, saves.
Aturan logika	Jika integrasi analytics penuh belum ada, sistem minimal menyimpan sinyal penggunaan internal seperti clip dipilih, dirender, dipublish, dan diexport.
UI placement	Halaman Analytics, overview table dan charts.
Dependency backend/frontend	Backend: analytics snapshots, platform fetchers. Frontend: tables, charts, filters.

Hook & CTA Performance

Tujuan	Mengetahui variasi hook dan CTA yang paling efektif.
Input	Clip variants, caption variants, CTA variants, analytics or internal usage signals.
Output	Breakdown per hook dan per CTA.
Aturan logika	Semua variant perlu ID unik agar dapat ditrack; tanpa itu evaluasi tidak bisa akurat.
UI placement	Analytics section breakdown.
Dependency backend/frontend	Backend: variant tracking model. Frontend: comparison tables and charts.

AI Insight Panel

Tujuan	Mengubah data menjadi rekomendasi aksi.
Input	Performance data, objective trends, publish timing, channel mix.
Output	Insight mingguan dan next action.
Aturan logika	Insight harus bersifat actionable dan singkat, misalnya ulang campaign testimonial atau ubah jam posting.
UI placement	Analytics kanan bawah dan Home recommendations.
Dependency	Backend: recommendation logic. Frontend: callout cards.

backend/frontend	

Leads & CTA

CTA Presets

Tujuan	Menyimpan CTA default per brand.
Input	Label CTA, destination type, URL/number, default copy.
Output	Preset CTA yang bisa dipakai ulang.
Aturan logika	Destination type harus tervalidasi; misalnya nomor WhatsApp harus valid, URL landing page tidak boleh kosong.
UI placement	Leads & CTA page, list dan edit panel.
Dependency backend/frontend	Backend: CTA preset schema, validation. Frontend: list-detail editor.

WhatsApp Actions

Tujuan	Menghubungkan konten ke percakapan dan closing.
Input	WhatsApp number/link, short CTA, follow-up template.
Output	Link WA siap pakai dan copy pendukung.
Aturan logika	Jika brand belum mengisi WhatsApp default, fitur ini harus menampilkan setup prompt.
UI placement	Leads & CTA dan Brand Kit defaults.
Dependency backend/frontend	Backend: brand defaults, CTA generator. Frontend: wizard/setup banner.

DM & Follow-up Templates

Tujuan	Membantu admin atau seller merespon leads lebih cepat.
Input	Quick reply text, offer scripts, follow-up message.
Output	Template response yang bisa dipakai ulang.
Aturan logika	Template harus dapat diklasifikasi menurut inquiry, order, stok, harga, atau

	jadwal konsultasi.
UI placement	Leads & CTA bagian bawah.
Dependency backend/frontend	Backend: templates store. Frontend: template editor and copy actions.

Brand Kit

Visual Identity Presets

Tujuan	Menjaga identitas brand di semua output.
Input	Logo, primary color, secondary color, font, watermark, intro/outro.
Output	Preset visual brand.
Aturan logika	Preset harus dapat diterapkan otomatis saat create content atau content studio.
UI placement	Brand Kit section 1.
Dependency backend/frontend	Backend: brands, brand_presets. Frontend: upload fields, color pickers, preview.

Subtitle & Motion Presets

Tujuan	Menjaga konsistensi subtitle dan motion style.
Input	Subtitle font, highlight color, background style, animation preference.
Output	Subtitle style config reusable.
Aturan logika	Style config harus kompatibel dengan renderer agar tidak hanya indah di UI namun juga benar saat render.
UI placement	Brand Kit section 2.
Dependency backend/frontend	Backend: subtitle style JSON. Frontend: style controls and live preview.

Tone of Voice Defaults

Tujuan	Menjaga konsistensi bahasa brand.
Input	Tone pilihan, CTA defaults, hashtag defaults.

Output	Default voice setting untuk generator teks.
Aturan logika	Jika user memilih tone premium, hasil caption dan CTA harus cenderung konsisten dengan tone itu.
UI placement	Brand Kit section 3.
Dependency backend/frontend	Backend: prompt defaults or rules. Frontend: tone selector and sample preview.

Integrations

Social Integrations

Tujuan	Menghubungkan Clipora ke platform distribusi utama.
Input	OAuth/token platform seperti Instagram, TikTok, YouTube, Facebook.
Output	Connected account, connection status, last sync.
Aturan logika	Kredensial harus dienkripsi; koneksi wajib punya health check dan re-auth flow.
UI placement	Integrations > Social section.
Dependency backend/frontend	Backend: connector pattern, encrypted token storage. Frontend: provider cards, connect/manage buttons.

Storage Integrations

Tujuan	Mempermudah import dan export asset.
Input	Google Drive, Dropbox, local export folder.
Output	Import source dan export destination siap pakai.
Aturan logika	Sync tidak harus dua arah penuh pada MVP; fase awal cukup file picker dan export target.
UI placement	Integrations > Storage section.
Dependency backend/frontend	Backend: storage connectors. Frontend: provider cards, import dialogs.

Automation & Webhook

Tujuan	Membuka jalan ke workflow otomatis di luar Clipora.
Input	Webhook config, n8n endpoint, Telegram notifications, email reports.
Output	Inbound/outbound event hooks.
Aturan logika	Event harus terdokumentasi dan memiliki retry strategy bila delivery gagal.
UI placement	Integrations > Automation section.
Dependency backend/frontend	Backend: webhooks table, event dispatcher. Frontend: webhook list, secret view, test trigger.

Team Workspace & Settings

Members Management

Tujuan	Mengelola user dalam tim.
Input	Invite email, role, workspace access.
Output	Member baru aktif dan role terpasang.
Aturan logika	Invite harus kadaluarsa, dan owner tidak bisa kehilangan satu-satunya akses owner aktif tanpa konfirmasi khusus.
UI placement	Team Workspace.
Dependency backend/frontend	Backend: member invites, role updates. Frontend: member table, invite modal.

Approval Flow

Tujuan	Menjaga quality control sebelum tayang.
Input	Draft clip, assigned reviewer, approval state, comments.
Output	Approved/rejected content dan jejak komentar.
Aturan logika	Konten berstatus approval needed tidak bisa publish-now kecuali user role tertentu melakukan override.
UI placement	Team Workspace dan Scheduler.
Dependency	Backend: approval states, audit log. Frontend: badges, comment thread,

backend/frontend	approve/reject actions.

Usage & Quota Settings

Tujuan	Mengontrol resource usage dan plan user.
Input	Storage used, processing minutes, render jobs, publish actions.
Output	Usage cards dan alerts quota.
Aturan logika	Saat quota hampir habis, sistem harus memberi warning sebelum user memulai job baru yang berat.
UI placement	Settings > Usage & Billing.
Dependency backend/frontend	Backend: metering, plan limits. Frontend: progress bars, alerts, upgrade CTA.

Use Case Engines Khusus

Weekly Content Goal

Tujuan	Membantu user mencapai target output mingguan.
Input	Target seperti 3, 7, atau 10 konten per minggu; objective; channel mix.
Output	Rencana output dan progress target mingguan.
Aturan logika	Target mingguan harus menerjemahkan satu atau lebih input menjadi backlog output yang realistis.
UI placement	Home, Campaigns, dan Create Content summary.
Dependency backend/frontend	Backend: planning logic and progress tracker. Frontend: goal widget and progress bar.

One-to-Many Output Engine

Tujuan	Mengubah satu input menjadi banyak output sesuai tujuan.
Input	Satu live, satu talking-head, satu webinar, satu testimonial, objective dan channel.
Output	Beberapa candidate clips dan content package.
Aturan logika	Aturan dasar: satu input dapat menghasilkan beberapa output berbeda per angle;

	jumlah output dipengaruhi durasi, objective, dan quality threshold.
UI placement	Create Content summary dan Content Studio candidate area.
Dependency backend/frontend	Backend: clip planner, business rules. Frontend: output count selector, candidate review.

Campaign Variant Generator

Tujuan	Membuat beberapa sudut promosi dari materi yang sama.
Input	Materi sumber, objective, product context, promo context.
Output	Angle seperti harga, manfaat, urgensi, testimonial, before-after, edukasi, emotional.
Aturan logika	Setiap variant harus memiliki label angle yang jelas agar bisa dibandingkan performanya.
UI placement	Content Studio output candidates, Campaign detail.
Dependency backend/frontend	Backend: variant generation and tagging. Frontend: variant cards and comparison view.

Seasonal Campaign Pack

Tujuan	Memudahkan pembuatan konten musiman.
Input	Musim/konteks seperti Ramadan, launching, discount, payday, event lokal.
Output	Preset copy, CTA, visual direction, dan output suggestions.
Aturan logika	Preset musiman harus dapat dipakai ulang dan diedit, tidak bersifat hardcoded kaku.
UI placement	Campaign Templates dan Create Content objective/template picker.
Dependency backend/frontend	Backend: seasonal templates config. Frontend: template gallery.

Owner Talking-Head Transformer

Tujuan	Mengubah video owner ngomong ke kamera menjadi beberapa tipe konten.
Input	Video talking-head owner, objective, brand tone.
Output	Output awareness, promo, FAQ, edukasi, soft sell, hard sell.

Aturan logika	Sistem perlu memecah transcript berdasarkan tema, problem-solution, dan CTA cue untuk mengidentifikasi segmen terbaik.
UI placement	Content Studio dan one-to-many summary.
Dependency backend/frontend	Backend: moment classifier, business rules. Frontend: output type filters.

Live Selling Transformer

Tujuan	Mengubah live panjang menjadi konten jualan pendek.
Input	Video live, objective, target product focus, channel.
Output	Highlight produk, promo, testimoni, penjelasan manfaat, flash sale clip.
Aturan logika	Model perlu memprioritaskan momen dengan penyebutan produk, harga, stok, urgensi, dan respon audiens jika ada transcript chat.
UI placement	Content Studio candidate strips dan Campaign templates.
Dependency backend/frontend	Backend: live-specific classifier and clip planner. Frontend: live recap template selection.

Prioritas Implementasi

Fase	Cakupan
Fase 1 - Core operasional	Authentication, Workspace, Create Content, Transcript Engine, Moment Detection, Clip Suggestions, basic Caption/CTA, basic Render, Content Library, Brand Kit dasar.
Fase 2 - Business layer	Campaigns, Objective selector, One-to-Many Output Engine, Weekly Content Goal, Campaign Variant Generator, Leads & CTA, Scheduler dasar.
Fase 3 - Integrasi & distribusi	Storage integrations, social-ready export, publish queue, WhatsApp actions, automation/webhook, analytics snapshots.
Fase 4 - Kolaborasi & optimasi	Team Workspace, Approval Flow, AI recommendations, hook/CTA performance, advanced seasonal pack, deeper analytics.

Kesimpulan

Arah sistem Clipora harus menjaga core engine tetap sederhana dan kuat, lalu menambahkan lapisan bisnis, distribusi, dan feedback secara bertahap. Feature Specification Document ini dibuat agar pembangunan website Clipora memiliki acuan yang jelas sejak desain UI sampai implementasi backend dan integrasi.