

Frappe Doctype Manipulation Cheat Sheet

READ / FETCH

frappe.get_doc()

```
doc = frappe.get_doc("Task", "TASK-0001")
print(doc.subject)
```

frappe.get_all()

```
tasks = frappe.get_all("Task", filters={"status": "Open"}, fields=["name", "subject"])
print(tasks)
```

frappe.get_list()

```
tasks = frappe.get_list("Task", filters={"status": "Open"}, fields=["name", "subject"],
limit_page_length=10)
```

frappe.db.get_value()

```
subject = frappe.db.get_value("Task", "TASK-0001", "subject")
# OR with filters
subject = frappe.db.get_value("Task", {"status": "Open"}, "subject")
```

frappe.db.get_list()

```
tasks = frappe.db.get_list("Task", filters={"status": "Open"}, fields=["name", "subject"])
```

frappe.get_cached_doc()

```
doc = frappe.get_cached_doc("Task", "TASK-0001")
```

frappe.get_meta()

```
meta = frappe.get_meta("Task")
print(meta.fields)
```

frappe.get_single()

```
settings = frappe.get_single("Task Settings")
print(settings.default_status)
```

CREATE / INSERT

frappe.get_doc(dict)

```
doc = frappe.get_doc({
    "doctype": "Task",
    "subject": "New Task from Script"
})
doc.insert()
```

doc.insert()

```
doc = frappe.get_doc("Task", "TASK-0001")
doc.insert() # will throw error if already exists, used for new docs
```

frappe.new_doc()

```
doc = frappe.new_doc("Task")
```

Frappe Doctype Manipulation Cheat Sheet

```
doc.subject = "New Task"
doc.save()
```

doc.save()

```
doc = frappe.get_doc("Task", "TASK-0001")
doc.status = "Closed"
doc.save()
```

frappe.copy_doc()

```
original = frappe.get_doc("Task", "TASK-0001")
copy = frappe.copy_doc(original)
copy.insert()
```

UPDATE

frappe.db.set_value()

```
frappe.db.set_value("Task", "TASK-0001", "status", "Closed")
```

frappe.db.sql()

```
frappe.db.sql("UPDATE `tabTask` SET status='Open' WHERE name=%s", ("TASK-0001",))
```

frappe.model.rename_doc.rename_doc()

```
from frappe.model.rename_doc import rename_doc
rename_doc("Task", "TASK-0001", "TASK-2025-001", force=True)
```

DELETE

frappe.delete_doc()

```
frappe.delete_doc("Task", "TASK-0001")
```

frappe.db.delete()

```
frappe.db.delete("Task", {"status": "Cancelled"})
```

UTILITIES / HELPERS

frappe.exists()

```
if frappe.exists("Task", "TASK-0001"):
    print("Task exists")
```

frappe.clear_cache()

```
frappe.clear_cache("Task")
```

frappe.db.commit()

```
# usually handled automatically, but you can force it:
frappe.db.commit()
```

frappe.reload_doc()

```
frappe.reload_doc("custom_app", "doctype", "task")
```