MODULE *CCTest*

Test of *CC* Module

EXTENDS *CC*

Test case: The following histories are from Figure 2 of the *POPL*'2017 paper.

Naming Conventions:

– *ha*: history of Figure 2(*a*)
– *hasa*: session a of history ha

TODO:

- to add more test cases
- to automatically generate test cases that do or do not satisfy the specs

- consider Section 3.2 of *POPL*'2017
– *ref*: the *MonkeyDB* paper

$hasa \triangleq \langle W(\text{"x"}, 1, 1), R(\text{"x"}, 2, 2)\rangle$
$hasb \triangleq \langle W(\text{"x"}, 2, 3), R(\text{"x"}, 1, 4)\rangle$
$ha \triangleq \{hasa, hasb\}$ *CM* but not *CCv*

$hbsa \triangleq \langle W(\text{"z"}, 1, 1), W(\text{"x"}, 1, 2), W(\text{"y"}, 1, 3)\rangle$
$hbsb \triangleq \langle W(\text{"x"}, 2, 4), R(\text{"z"}, 0, 5), R(\text{"y"}, 1, 6), R(\text{"x"}, 2, 7)\rangle$
$hb \triangleq \{hbsa, hbsb\}$ *CCv* but not *CM*

$hcsa \triangleq \langle W(\text{"x"}, 1, 1)\rangle$
$hcsb \triangleq \langle W(\text{"x"}, 2, 2), R(\text{"x"}, 1, 3), R(\text{"x"}, 2, 4)\rangle$
$hc \triangleq \{hcsa, hcsb\}$ *CC* but not *CM* nor *CCv*

$hdsa \triangleq \langle W(\text{"x"}, 1, 1), R(\text{"y"}, 0, 2), W(\text{"y"}, 1, 3), R(\text{"x"}, 1, 4)\rangle$
$hdsb \triangleq \langle W(\text{"x"}, 2, 5), R(\text{"y"}, 0, 6), W(\text{"y"}, 2, 7), R(\text{"x"}, 2, 8)\rangle$
$hd \triangleq \{hdsa, hdsb\} \setminus^*$ *CC*, *CM*, and *CCv* but no *SC*

$hdsa \triangleq \langle W(\text{"x"}, 1, 1), W(\text{"y"}, 2, 2), R(\text{"y"}, 2, 3)\rangle$
$hdsb \triangleq \langle W(\text{"y"}, 1, 4), R(\text{"x"}, 1, 5), R(\text{"y"}, 1, 6)\rangle$
$hd \triangleq \{hdsa, hdsb\}$ *CC*, *CM*, and *CCv* but no *SC*

$hesa \triangleq \langle W(\text{"x"}, 1, 1), W(\text{"y"}, 1, 2)\rangle$
$hesb \triangleq \langle R(\text{"y"}, 1, 3), W(\text{"x"}, 2, 4)\rangle$
$hesc \triangleq \langle R(\text{"x"}, 2, 5), R(\text{"x"}, 1, 6)\rangle$
$he \triangleq \{hesa, hesb, hesc\}$ not *CC* (nor *CM*, nor *CCv*)

$all \triangleq \{ha, hb, hc, hd, he\}$
$satCC \triangleq \{ha, hb, hc, hd\}$
$satCM \triangleq \{ha, hd\}$
$satCCv \triangleq \{hb, hd\}$

$all \triangleq \{ha, hc, hd, he\}$
$satCC \triangleq \{ha, hc, hd\}$

```
satCM  ≜ {ha, hd}
satCCv ≜ {hd}

  Small scale
  all ≜ {ha, hc}
  satCC ≜ {ha, hc}
  satCM ≜ {ha}
  satCCv ≜ {}

├──────────────────────────────────────────────────────────┤
WellFormedTest ≜
    ∀ h ∈ all : WellFormed(h)
├──────────────────────────────────────────────────────────┤
  Test the self-defined EnumerateRO
EasyPO(s) ≜
    LET rels ≜ SUBSET (s × s)
    IN  {po ∈ rels : IsStrictPartialOrder(po, s)}

EnumeratePOTest ≜
  LET pos ≜ partialOrderSubset({0, 1})
    LET ops ≜ {W("x", 2, 0), R("x", 1, 1), R("x", 1, 2)}
        pos1 ≜ EasyPO(ops)
        pos2 ≜ StrictPartialOrderSubset(ops)
    IN  ∧ pos1 = pos2
        ∧ ∀ po ∈ pos1 :
            PrintT("po: " ∘ ToString(po))
├──────────────────────────────────────────────────────────┤
  Test of utility operators for operations
OpsTest ≜
    ∧ PrintT("OpsTest Begin")
     on history ha
    ∧ Ops(ha) = {W("x", 1, 1), R("x", 2, 2), W("x", 2, 3), R("x", 1, 4)}
    ∧ ReadOps(ha) = {R("x", 2, 2), R("x", 1, 4)}
    ∧ ReadOpsOnKey(ha, "x") = {R("x", 2, 2), R("x", 1, 4)}
    ∧ WriteOps(ha) = {W("x", 1, 1), W("x", 2, 3)}
    ∧ WriteOpsOnKey(ha, "x") = {W("x", 1, 1), W("x", 2, 3)}
     on history he
    ∧ Ops(he) = {W("x", 1, 1), W("y", 1, 2), R("y", 1, 3), W("x", 2, 4), R("x", 2, 5), R("x", 1, 6)}
    ∧ ReadOps(he) = {R("y", 1, 3), R("x", 2, 5), R("x", 1, 6)}
    ∧ ReadOpsOnKey(he, "x") = {R("x", 2, 5), R("x", 1, 6)}
    ∧ WriteOps(he) = {W("x", 1, 1), W("y", 1, 2), W("x", 2, 4)}
    ∧ WriteOpsOnKey(he, "y") = {W("y", 1, 2)}
    ∧ PrintT("OpsTest End")
├──────────────────────────────────────────────────────────┤
  Test of the auxiliary definitions for the axioms
```

```
CardOfProgramOrderOfHistory(h) ≜
    LET CardOfProgramOrderOfSession(s) ≜
          IF Len(s) ≤ 1 THEN 0 ELSE Sum(1 .. Len(s) − 1)
    IN    ReduceSet(LAMBDA s, x : CardOfProgramOrderOfSession(s) + x, h, 0)

THEOREM ProgramOrderCardinalityTheorem ≜      test of PO(h)
    ∀ h ∈ {ha, hb, hc, hd, he} :
       Cardinality(PO(h)) = CardOfProgramOrderOfHistory(h)

StrictPOPastTest ≜      test of POPast(h, o)
     ∧ PrintT("POPastTest Begin")
     ∧ StrictPOPast(ha, R("x", 2, 2))  = {W("x", 1, 1)}
     ∧ StrictPOPast(hb, R("y", 1, 6))  = {W("x", 2, 4), R("z", 0, 5)}
     ∧ StrictPOPast(hc, W("x", 2, 2)) = {}
     ∧ StrictPOPast(hd, R("x", 1, 4)) = {W("x", 1, 1), R("y", 0, 2), W("y", 1, 3)}
     ∧ StrictPOPast(hd, R("y", 2, 3))  = {W("x", 1, 1), W("y", 2, 2)}
     ∧ StrictPOPast(he, W("x", 2, 4)) = {R("y", 1, 3)}
     ∧ PrintT("POPastTest End")

CausalPastTest ≜      TODO: test of CausalPast(co, o)
     ∧ PrintT("CausalPastTest Begin")
     ∧ LET co ≜ CO(ha)
           o ≜ R("x", 2, 2)
       IN  CausalPast(co, o) = {W("x", 1, 1), R("x", 2, 2), W("x", 2, 3)}
     ∧ PrintT("CausalPastTest End")

CausalHistTest ≜      TODO: test of CausalHist(co, o)
     ∧ PrintT("CausalHistTest Begin")
     ∧ LET co ≜ CO(ha)
           o ≜ R("x", 2, 2)
       IN  CausalHist(co, o) = {⟨W("x", 1, 1), R("x", 2, 2)⟩, ⟨W("x", 2, 3), R("x", 2, 2)⟩}
     ∧ PrintT("CausalHistTest End")

CausalArbTest ≜      TODO: test of CausalArb(co, ar, o)
     ∧ PrintT("CausalArbTest Begin")
     ∧ FALSE
     ∧ PrintT("CausalArbTest End")

AuxiliaryTest ≜      test the auxiliary
     ∧ StrictPOPastTest
     ∧ CausalPastTest
     ∧ CausalHistTest
     ∧ CausalArbTest

|--------------------------------------------------------------------|
   Test of axioms
```

```
RWRegSemanticsTest ≜ test of RWRegSemanticsTest(seq, o)
    ∧ PrintT("RWRegSemanticsTest Begin")
     seq = ⟨⟩
    ∧ RWRegSemantics(⟨⟩, R("x", InitVal, 1))
    ∧ RWRegSemantics(⟨⟩, W("x", 1, 1))
    ∧ ¬RWRegSemantics(⟨⟩, R("x", 2, 1))
     no W("x", _, _) in seq
    ∧ RWRegSemantics(⟨W("y", 1, 1), W("z", 1, 2), W("y", 1, 3)⟩, R("x", InitVal, 4))
    ∧ RWRegSemantics(⟨W("y", 1, 1), W("z", 1, 2), W("y", 1, 3)⟩, W("x", 1, 4))
    ∧ ¬RWRegSemantics(⟨W("y", 1, 1), W("z", 1, 2), W("y", 1, 3)⟩, R("x", 1, 4))
     contains W("x", _, _) in seq
    ∧ RWRegSemantics(⟨W("x", 1, 1), W("y", 1, 2), W("x", 2, 3), W("z", 1, 4)⟩, R("x", 2, 5))
    ∧ ¬RWRegSemantics(⟨W("x", 1, 1), W("y", 1, 2), W("x", 2, 3), W("z", 1, 4)⟩, R("x", 1, 5))
    ∧ PrintT("RWRegSemanticsTest End")

AxCausalValueTest ≜ TODO: test of AxCausalValue()
    ∧ PrintT("AxCausalValueTest Begin")
    ∧ LET co ≜ CO(ha)
          o1 ≜ W("x", 1, 1)
          o2 ≜ R("x", 2, 2)
          o3 ≜ W("x", 2, 3)
          o4 ≜ R("x", 1, 4)
      IN   ∧ AxCausalValue(co, o1)
           ∧ AxCausalValue(co, o2)
           ∧ AxCausalValue(co, o3)
           ∧ AxCausalValue(co, o4)
    ∧ PrintT("AxCausalValueTest End")

AxCausalSeqTest ≜ Test of AxCausalSeq
    ∧ PrintT("AxCausalSeqTest Begin")
    ∧ LET co ≜ CO(ha)
          o1 ≜ W("x", 1, 1)
          o2 ≜ R("x", 2, 2)
          o3 ≜ W("x", 2, 3)
          o4 ≜ R("x", 1, 4)
      IN   ∧ AxCausalSeq(ha, co, o1)
           ∧ AxCausalSeq(ha, co, o2)
           ∧ AxCausalSeq(ha, co, o3)
           ∧ AxCausalSeq(ha, co, o4)
    ∧ PrintT("AxCausalSeqTest End")

AxCausalArbTest ≜ TODO: test of AxCausalArb()
    ∧ PrintT("AxCausalArbTest Begin")
    ∧ FALSE
    ∧ PrintT("AxCausalArbTest End")
```

```
AxiomsTest ≜ Test the axioms
    ∧ RWRegSemanticsTest
    ∧ AxCausalValueTest
    ∧ AxCausalSeqTest
    ∧ AxCausalArbTest
```

Test of the relations defined for bad patterns

```
oidHB(h) ≜ All happened-before relation for o ∈ history h repsented by oid
    LET oidHBo(o) ≜ {⟨o1.oid − 1, o2.oid − 1⟩ : ⟨o1, o2⟩ ∈ HBo(h, o)}
    IN  {⟨o.oid − 1, oidHBo(o)⟩ : o ∈ Ops(h)}

HBTest ≜
    ∧  PrintT("HBTest Begin")
    ∧  PrintT(oidHB(ha))
    ∧  PrintT(oidHB(hb))
    ∧  PrintT(oidHB(hc))
    ∧  PrintT(oidHB(hd))
    ∧  PrintT(oidHB(he))
    ∧  PrintT("HBTest End")
```

Test of the definitions of causal consistency

ha: 4; *hb*: 7; *hc*: 4; *hd*: 8; he: 6

```
CCDefTest ≜
    ∧ PrintT("CCDefTest Begin")
    ∧ ∀ h ∈ satCC :
        ∧ PrintT(h)
        ∧ CC(h)
    ∧ ∀ h ∈ all \ satCC :
        ∧ PrintT(h)
        ∧ ¬CC(h)
    ∧ PrintT("CCDefTest End")

CCvDefTest ≜
    ∧ PrintT("CCvDefTest Begin")
    ∧ ∀ h ∈ satCCv :
        ∧ PrintT(h)
        ∧ CCv(h)
    ∧ ∀ h ∈ all \ satCCv :
        ∧ PrintT(h)
        ∧ ¬CCv(h)
    ∧ PrintT("CCvDefTest End")

CMDefTest ≜
    ∧ PrintT("CMDefTest Begin")
```

```
    ∧ ∀ h ∈ satCM :
        ∧ PrintT(h)
        ∧ CM(h)
    ∧ ∀ h ∈ all \ satCM :
        ∧ PrintT(h)
        ∧ ¬CM(h)
    ∧ PrintT("CMDefTest End")

CausalDefTest ≜
    ∧ CCDefTest
    ∧ CCvDefTest
    ∧ CMDefTest

BigCausalDefTest ≜
    ∧ BigCC(hb)
    ∧ BigCCv(hb)
    ∧ ¬BigCM(hb)
```

Test of the checking algorithms for causal consistency

ha: 4; *hb*: 7; *hc*: 4; *hd*: 8; he: 6

```
CCAlgTest ≜ Test of the checking algorithm CCAlg for CC (Causal Consistency)
    LET sat ≜ satCC
    IN  ∧ ∀ h ∈ sat :
            ∧ PrintT(ToString(h) ∘ " is differentiated: " ∘ ToString(IsDifferentiated(h)))
            ∧ CCAlg(h)
        ∧ ∀ h ∈ all \ sat :
            ∧ PrintT(ToString(h) ∘ " is differentiated: " ∘ ToString(IsDifferentiated(h)))
            ∧ ¬CCAlg(h)

CCvAlgTest ≜ Test of the checking algorithm CCvAlg for CCv (Causal Convergence)
    LET sat ≜ satCCv
    IN  ∧ ∀ h ∈ sat :
            ∧ PrintT(ToString(h) ∘ " is differentiated: " ∘ ToString(IsDifferentiated(h)))
            ∧ CCvAlg(h)
        ∧ ∀ h ∈ all \ sat :
            ∧ PrintT(ToString(h) ∘ " is differentiated: " ∘ ToString(IsDifferentiated(h)))
            ∧ ¬CCvAlg(h)

CMAlgTest ≜ Test of the checking algorithm CMAlg for CM (Causal Memory)
    LET sat ≜ satCM
    IN  ∧ ∀ h ∈ sat :
            ∧ PrintT(ToString(h) ∘ " is differentiated: " ∘ ToString(IsDifferentiated(h)))
            ∧ CMAlg(h)
        ∧ ∀ h ∈ all \ sat :
            ∧ PrintT(ToString(h) ∘ " is differentiated: " ∘ ToString(IsDifferentiated(h)))
            ∧ ¬CMAlg(h)
```

$CausalAlgTest \triangleq$
$\quad \wedge CCAlgTest$
$\quad \wedge CCvAlgTest$
$\quad \wedge CMAlgTest$

VARIABLES x keep it so that the model can be run

* Modification History
* Last modified *Fri* May 28 16:02:20 *CST* 2021 by Young
* Last modified *Thu Apr* 22 15:12:59 *CST* 2021 by *hengxin*
* Created *Fri Apr* 09 11:53:33 *CST* 2021 by *hengxin*