



Hochschule Karlsruhe  
Technik und Wirtschaft  
UNIVERSITY OF APPLIED SCIENCES

# Mining high quality insights in social media data using machine learning methods

## Early Trend Detection on Twitter

Scientific report

Course of Studies: Information Technology

University of applied sciences Karlsruhe

by

**Lukas Masuch**

**Henning Muszynski**

**Benjamin Raethlein**

<b>Due Date:</b>	30. January 2015
<b>Student (Id):</b>	Lukas Masuch (CHANGE)
<b>Student (Id):</b>	Henning Muszynski (50170)
<b>Student (Id):</b>	Benjamin Raethlein (CHANGE)
<b>Academic Supervisor:</b>	Prof. Dr. Norbert Link
<b>Academic Supervisor:</b>	Dr. Ingo Schwab

# Declaration of Authorship

We declare that we entirely by ourselves have developed and written the enclosed report and have not used sources or means without declaration in the text. Any thoughts or quotations which were inferred from these sources are clearly marked as such.

This report was not submitted in the same or in a substantially similar version to any other authority to achieve an academic grading and was not published elsewhere. This report has been submitted exclusively to the University of Applied Sciences Karlsruhe.

Karlsruhe, January 5, 2015

---

(Lukas Masuch)

Karlsruhe, January 5, 2015

---

(Henning Muszynski)

Karlsruhe, January 5, 2015

---

(Benjamin Raethlein)

# Abstract

# Contents

<b>Abbreviations</b>	<b>V</b>
<b>List of Figures</b>	<b>VI</b>
<b>List of Tables</b>	<b>VII</b>
<b>List of Listings</b>	<b>VIII</b>
<b>1 Introduction</b>	<b>1</b>
1.1 Motivation . . . . .	1
1.2 Objectives . . . . .	2
1.3 Overview . . . . .	2
<b>2 Theoretical Background</b>	<b>3</b>
2.1 Big Data . . . . .	3
2.2 Social Media . . . . .	3
2.3 Machine Learning . . . . .	3
2.4 Data Mining . . . . .	3
2.5 Trends . . . . .	3
<b>3 Use Cases</b>	<b>4</b>
3.1 General Use Cases . . . . .	4
3.2 Stock Market Prediction . . . . .	4
3.3 Flu Trend Prediction . . . . .	4
<b>4 Early Trend Detection on Twitter</b>	<b>7</b>
4.1 Related Work . . . . .	7
4.2 Technologies . . . . .	7
<b>5 Conclusion and Future Work</b>	<b>9</b>
<b>A Additional Tables and Graphics</b>	<b>11</b>
<b>Literature</b>	<b>12</b>

# Abbreviations

## List of Figures

Fig. 1:	Tweet announcing the outbreak of norovirus on March 8, 2013 . .	4
Fig. 2:	Flu activity in the United States . . . . .	5
Fig. 3:	Google Flu Trend estimation compared to real data . . . . .	5

# List of Tables

# List of Listings



## Todo list

Rewrite this part . . . . .	1
finish sentence! . . . . .	8
Check if following fits into our setup . . . . .	8
Fit paragraph into text . . . . .	8
Under Limitations sec? . . . . .	8

# 1 Introduction

## 1.1 Motivation

The immense rise of social media is one of the driving forces behind the current Big Data trend. Big data creates 2.5 billion gigabytes every day and produced 90% of the worldwide data in the last two years, thus it has become a top priority for research organizations and companies [IBM12]. The combination of Big Data and powerful analytical technologies makes it possible to gain highly valuable insights that otherwise might not be accessible.

The popularity of social media services, including social networks, micro-blogging tools, wikis, and photo and video-sharing applications has increased exponentially in the last few years [Cam+13a]. Social media allows individuals and organizations to capture and understand the imaginations, opinions, ideas, conversations and feelings of millions of people. As social media services continue to proliferate, the amount of unstructured social data keeps growing.

Emerging Big Data and advanced Natural Language Processing technologies make it possible to collect and analyze those massive amounts of data and enables a fundamentally new approach for the study of society and human beings.

Rewrite  
this  
part

When hurricane Sandy hit the US Eastcoast on October 29 2012, government agencies and individuals turned to social media services "to communicate with the public like never before" [Coh13]. Hurricane Sandy "marked a shift in the use of social media in disasters" [Sec13, p. 6] and attracted many data researchers to monitor and analyze this event [Kum+11; Car+14]. Besides the analysis of natural disasters, big social data analysis has been shown to be useful for many other use cases: The FBI utilizes advanced data analytic technologies to predict crimes and terrorist attacks based on publicly available social data [WGB12]. Several research projects leveraged those technologies on big social data to predict the spread of diseases [Gin+09; Goo14]. Moreover, social media analysis has been proven to predict political sentiment and forecast election winners [BS11]. These successful results of mainly research-based projects helped to open up new business opportunities. Companies already use social media monitoring and analysis techniques to predict the stock market in real time [BMZ11; Alc13]. Further, an increasing number of companies utilize these technologies to analyze the customer satisfaction and research

the public opinion about products and their company itself [Cam+13b]. In addition, newspaper publishers use big social data analysis to mine the public interest and predict how popular their stories might become.

Big social data analysis has grown into a serious business over the past several years and nowadays includes disciplines such as social media analytics, sentiment analysis, social network analysis, trend discovery and opinion mining.

## 1.2 Objectives

## 1.3 Overview

## **2 Theoretical Background**

### **2.1 Big Data**

### **2.2 Social Media**

### **2.3 Machine Learning**

### **2.4 Data Mining**

### **2.5 Trends**

## 3 Use Cases

### 3.1 General Use Cases

### 3.2 Stock Market Prediction

Predicting the trends of the stock market is hugely important for today's businesses. However, a precise prediction seems to be very complex since the prices "follow a random walk pattern and cannot be predicted with more than 50 percent accuracy" [BMZ11, p. 1]. However, Twitter can predict the stock market if the right Tweets are analyzed [BMZ11]. The company **Dataminr** scans Twitter for relevant messages characterized by "the right combination of language, context and location" to detect "breaking- and money-making-news" [Alc13].




Figure 1: Tweet announcing the outbreak of norovirus on March 8, 2013 [WT13]

In 2013, a cruise ship of Royal Caribbean arrived with more than 100 passengers sick with norovirus. A news agency published a Tweet announcing the outbreak of norovirus (see figure 1). Dataminr's clients got this news two minutes later, but 48 minutes earlier than others, because their algorithm "found that words in the tweet had some resemblance to tweets in the past that had turned out to be newsworthy". According to Dataminr, the alert saved money of at least one client, due to a falling share price. Besides financial clients, also government organizations are interested in Dataminr's Twitter analysis [Alc13].

### 3.3 Flu Trend Prediction

Seasonal influenza is responsible for millions of illnesses and up to 500 thousand deaths per year. Therefore, it is known as a major health issue all over the world.

An early detection of epidemics would reduce the significant effect of pandemic and seasonal influenza. The project **Google Flu Trends** aims to monitor flu cases in real time and thereby predict flu trends by analyzing social datasets [Gin+09; Tec14, p. 1].

The Google-researchers identified 45 keywords with a strong correlation to the appearance and spread of seasonal flu [Web14]. With these keywords, it should have been possible to get information about the spread of flu or even the start of a new wave of influenza [Web14; Tec14; Goo14]. Figure 2 visualizes the flu activity in the United States.




Figure 2: Flu activity in the United States [Goo14]

However, the project overestimated peak flu cases in the past two years and even failed to detect the H1N1<sup>[1]</sup> pandemic in 2009 [Tec14]. Figure 3 illustrates the estimated flu activity compared to official data. The overestimation might have happened because of not having investigated data validity or reliability [Web14; Tec14].




Figure 3: Google Flu Trend estimation compared to the real data<sup>[2]</sup>[gftcomparison2014]

[1] <http://www.cdc.gov/h1n1flu/qa.htm> [Online; accessed 07-08-2014]

[2] delivered by U.S. Centers for Disease Control <http://www.cdc.gov/> [Online; accessed 07-08-2014]

Ryan Kennedy, a professor at the University of Houston stresses, that "Google Flu Trend is an amazing piece of engineering and a very useful tool, but it also illustrates where Big Data analysis can go wrong" [Tec14]. Kennedy concludes that more accurate results could have been achieved by combining Big Data analysis with more traditional methodologies [Tec14].

## 4 Early Trend Detection on Twitter

### 4.1 Related Work

Twitter, a popular microblogging service with over 255 million active monthly users<sup>[3]</sup>, allows anyone to instantly post 140-characters text messages. Thereby, up to 500 million public Tweets are generated per day in more than 35 languages about nearly any imaginable topic<sup>[3]</sup>. By offering free API's to access this huge amount of unstructured data, Twitter attracted many professionals to collect and analyze Tweets to gain valuable insights on anything from stock market to natural disasters (presented in chapter 3). The analysis of microblogging data has been shown to provide new and not otherwise attainable information and it is, therefore, an important resource for big social data analysis. There are various tools to collect, analyze and visualize certain aspects of Twitter data.

### 4.2 Technologies

Mining, storing, analyzing and visualizing terabytes of unstructured data requires optimized and new cutting edge technologies.

Since traditional relational **databases** cannot meet these requirements [KML13], new NoSQL databases<sup>[4]</sup> had been invented, such as MongoDB<sup>[5]</sup>, Apache Cassandra<sup>[6]</sup> and CouchDB<sup>[7]</sup>, that makes it possible to store, manage and analyze the huge amount of unstructured data in real time. Further optimization can be achieved by using Apache Hadoop<sup>[8]</sup> to distribute the data storage and processing across machine clusters.

**Natural Language Processing** is an important part of the analysis of big social data. Toolkits such as Python NLTK<sup>[9]</sup> and Apache OpenNLP<sup>[10]</sup> offer a rich set of

---

[3] <http://about.twitter.com/company> [Online; accessed 07-08-2014]

[4] NoSQL ('Not Only SQL') represents a new type of data management technologies created to meet the new requirements to process, store and analyze Big Data.

[5] <http://www.mongodb.org> [Online; accessed 07-08-2014]

[6] <http://cassandra.apache.org> [Online; accessed 07-08-2014]

[7] <http://couchdb.apache.org> [Online; accessed 07-08-2014]

[8] <http://hadoop.apache.org> [Online; accessed 07-08-2014]

[9] <http://nltk.org> [Online; accessed 07-08-2014]

[10] <http://opennlp.apache.org> [Online; accessed 07-08-2014]



algorithm for tokenization, stemming, named entity recognition, stop word removal and more.

The Twitter Stream Reader is implemented with Python using the Twython<sup>[11]</sup> library to access the Twitter Streaming API<sup>[12]</sup>. The streaming data from Twitter is filtered based on . A Tweet contains a 140 character text message and various metadata such as the language, location, user information, number of retweets and favorites and more.

finish  
sen-  
tence!

The language used in Tweets is mostly informal and the correctness of grammar is often sacrificed to gain additional characters. Further, abbreviations and special characters (e.g. emoticons) are also frequently employed [KML13, p. 67]. Therefore, each Tweet is preprocessed in the Data Analysis Module using common NLP text preparation techniques to remove these elements. In the first step, the text of a Tweet is lowercased and special characters, URLs as well as English stop words<sup>[13]</sup> get removed.

Check  
if fol-  
lowing  
fits into  
our  
setup

In the next step, the preprocessed Tweet text alongside with the original Tweet text, creation timestamp and all metadata is stored into MongoDB, a popular NoSQL database that is used as the main data store for our implementation.

Fit  
para-  
graph  
into  
text

For this case study, Twitter is used as the only data source. However, other social media sources for additional public social data could easily be integrated into the current data flow. This case study is limited to only collecting tweets in English language since NLP in English is more advanced, offers a proper comparison and is simpler to use. In addition, the Twitter Streaming API is restricted to 1% of the total number of Tweets at any given moment<sup>[14]</sup>.

Under  
Limi-  
tations  
sec?

---

[11] <http://twython.readthedocs.org> [Online; accessed 07-08-2014]

[12] Push service to collect public Tweets in realtime.

[13] Words that do not contain important significance or are extremely common (e.g. the, a, want).

[14] <http://dev.twitter.com/docs/faq> [Online; accessed 07-08-2014]

## 5 Conclusion and Future Work

Big social data analysis has grown into a serious business over the past several years with important use cases not just for research projects, but also in commercial products. Social Data analysis techniques are applied to predict terrorist attacks, stock performance, election results or the spread of diseases. Further, it is utilized by companies to analyze their customer's satisfaction and the public opinion about their products. Cutting edge machine learning, natural language processing and data mining technologies are necessary to gain valuable insights into large amounts of social content.

# APPENDIX

## **A Additional Tables and Graphics**

## Literature

- [Alc13] Stan Alcorn. *Twitter Can Predict The Stock Market, If You're Reading The Right Tweets*. [Online; accessed 29-June-2014]. 2013. URL: <http://www.fastcoexist.com/1681873/twitter-can-predict-the-stock-market-if-youre-reading-the-right-tweets>.
- [BMZ11] J. Bollen, H. Mao, and X. Zeng. "Twitter mood predicts the stock market". In: *Journal of Computational Science* (2011).
- [BS11] Adam Bermingham and Alan F Smeaton. "On using Twitter to monitor political sentiment and predict election results". In: (2011).
- [Cam+13a] Erik Cambria, Dheeraj Rajagopal, Daniel Olsher, and Dipankar Das. "Big social data analysis". In: *Big Data Computing* (2013), pp. 401–414.
- [Cam+13b] Erik Cambria, Björn Schuller, Yunqing Xia, and Catherine Havasi. "New Avenues in Opinion Mining and Sentiment Analysis." In: *IEEE Intelligent Systems* 28.2 (2013), pp. 15–21.
- [Car+14] Cornelia Caragea et al. "Mapping Moods: Geo-Mapped Sentiment Analysis During Hurricane Sandy". In: *Proceedings of the 11th International Conference on Information Systems for Crisis Response and Managements* (2014).
- [Coh13] Sara Estes Cohen. *Sandy Marked a Shift for Social Media Use in Disasters*. [Online; accessed 6-July-2014]. Emergency Management. 2013. URL: <http://www.emergencymgmt.com/disaster/Sandy-Social-Media-Use-in-Disasters.html>.
- [Gin+09] Jeremy Ginsberg et al. "Detecting influenza epidemics using search engine query data". In: *Nature* 457 (2009). doi:10.1038/nature07634, pp. 1012–1014.
- [Goo14] Google. *Explore flu trends - United States*. [Online; accessed 6-July-2014]. 2014. URL: [http://www.google.org/flutrends/intl/en\\_us/us/#US](http://www.google.org/flutrends/intl/en_us/us/#US).
- [IBM12] IBM. *IBM What is big data? - Bringing big data to the enterprise*. [Online; accessed 6-July-2014]. 2012. URL: <http://www-01.ibm.com/software/data/bigdata>.

- [KML13] Shamanth Kumar, Fred Morstatter, and Huan Liu. *Twitter Data Analytics*. New York, NY, USA: Springer, 2013.
- [Kum+11] Shamanth Kumar, Geoffrey Barbier, Mohammad Ali Abbasi, and Huan Liu. “TweetTracker: An Analysis Tool for Humanitarian and Disaster Relief.” In: *ICWSM*. 2011.
- [Sec13] Homeland Security. “Lessons Learned: Social Media and Hurricane Sandy.” In: (2013).
- [Tec14] Tech2. *Big data collection from Google, Facebook and others can be misleading, says study*. [Online; accessed 28-June-2014]. Mar. 2014. URL: <http://tech.firstpost.com/news-analysis/big-data-collection-google-facebook-others-can-misleading-says-study-219931.html>.
- [Web14] Christian Weber. *Google versagt bei Grippe-Vorhersagen*. [Online; accessed 28-June-2014]. Mar. 2014. URL: <http://www.sueddeutsche.de/wissen/big-data-google-versagt-bei-grippe-vorhersagen-1.1912226>.
- [WGB12] Xiaofeng Wang, Matthew S Gerber, and Donald E Brown. “Automatic crime prediction using events extracted from twitter posts”. In: *Social Computing, Behavioral-Cultural Modeling and Prediction*. Springer, 2012, pp. 231–238.
- [WT13] WSVN-TV. *Royal Caribbean’s Vision of the Seas cruise ship has pulled into Port Everglades after an outbreak of norovirus on board*. [Online; accessed 8-July-2014]. Twitter. 2013. URL: <https://twitter.com/wsvn/status/310087727792140288>.