

# Master Data Loop

## Execution Environment

Host name	Henny Nur - LAPTOP-76C4PAF7
Local OS	Windows 11 64bit
Katalon version	8.6.8.208
Browser	Chrome 120.0.0.0

## Summary

ID	Test Suites/Master Data/Master Data Loop		
Description			
Total	6		
Passed	6	Failed	0
Error	0	Incomplete	0
Skipped	0		
Start	2024-01-22 14:37:30	End	2024-01-22 15:03:50
Elapsed	26m - 19.295s		

#	ID	Description	Status
1	Test Cases/Data Master (DMA)/Loop/DMA-TC01-Create and Submit Master Data Loop (Positif)		PASSED
2	Test Cases/Data Master (DMA)/Loop/DMA-TC02-Save As Draft (Positif)		PASSED
3	Test Cases/Data Master (DMA)/Loop/DMA-TC03-Update Master Data Loop (Positif)		PASSED
4	Test Cases/Data Master (DMA)/Loop/DMA-TC04-Archive Master Data Loop (Positif)		PASSED
5	Test Cases/Data Master (DMA)/Loop/DMA-TC05-Active Master Data Loop (Positif)		PASSED
6	Test Cases/Data Master (DMA)/Loop/DMA-TC06-Search dan Filter Master Data Loop (Positif)		PASSED

# DMA-TC01-Create and Submit Master Data Loop (Positif)

## Information

ID	Test Cases/Data Master (DMA)/Loop/DMA-TC01-Create and Submit Master Data Loop (Positif)		
Description			
Tag			
Start	2024-01-22 14:43:57	End	2024-01-22 14:48:21
Elapsed	4m - 24.253s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	rand = new java.util.Random()	0.000s	PASSED
2	dataLimit = 9999	0.000s	PASSED
3	loop_id = rand.nextInt(dataLimit)	0.000s	PASSED
4	use_point = rand.nextInt(dataLimit)	0.000s	PASSED
5	callTestCase(findTestCase("Authentikasi (AUT)/AUT-TC01-Login (Positif)", [:], STOP_ON_FAILURE)	13.679s	PASSED
	Call Test Case 'Test Cases/Authentikasi (AUT)/AUT-TC01-Login (Positif)' successfully		
6	click(findTestObject("Master Data/Loop/span_Masterdata"))	3.523s	PASSED
	Object: 'Object Repository/Master Data/Loop/span_Masterdata' is clicked on		
7	click(findTestObject("Object Repository/Master Data/Loop/span_Loop"))	0.599s	PASSED
	Object: 'Object Repository/Master Data/Loop/span_Loop' is clicked on		

## DMA-TC01-Create and Submit Master Data Loop (Positif)

#	Description	Elapsed	Status
8	click(findTestObject("Object Repository/Master Data/Loop/button_CreateLoop"))  Object: 'Object Repository/Master Data/Loop/button_CreateLoop' is clicked on	1.278s	PASSED
9	setText(findTestObject("Object Repository/Master Data/Loop/input_usepointid"), "LOOP GD" + loop_id.toString())  Text 'LOOP GD4038' is set on object 'Object Repository/Master Data/Loop/input_usepointid'	3.609s	PASSED
10	click(findTestObject("Object Repository/Master Data/Loop/div_watertype"))  Object: 'Object Repository/Master Data/Loop/div_watertype' is clicked on	0.365s	PASSED
11	click(findTestObject("Object Repository/Master Data/Loop/div_Watertypepretreatmentwatertapwater"))  Object: 'Object Repository/Master Data/Loop/div_Watertypepretreatmentwatertapwater' is clicked on	0.487s	PASSED
12	click(findTestObject("Object Repository/Master Data/Loop/div_organization"))  Object: 'Object Repository/Master Data/Loop/div_organization' is clicked on	31.650s	PASSED
13	click(findTestObject("Object Repository/Master Data/Loop/div_Sekretariat"))  Object: 'Object Repository/Master Data/Loop/div_Sekretariat' is clicked on	1.036s	PASSED
14	click(findTestObject("Master Data/Loop/div_Facilitywtp"))  Object: 'Object Repository/Master Data/Loop/div_Facilitywtp' is clicked on	31.485s	PASSED
15	click(findTestObject("Master Data/Loop/div_Fasilitasproduksibulkpertusis"))  Object: 'Object Repository/Master Data/Loop/div_Fasilitasproduksibulkpertusis' is clicked on	0.910s	PASSED
16	click(findTestObject("Object Repository/Master Data/Loop/div_choosefrequency"))  Object: 'Object Repository/Master Data/Loop/div_choosefrequency' is clicked on	31.482s	PASSED

## DMA-TC01-Create and Submit Master Data Loop (Positif)

#	Description	Elapsed	Status
17	click(findTestObject("Object Repository/Master Data/Loop/div_weekly"))  Object: 'Object Repository/Master Data/Loop/div_weekly' is clicked on	0.887s	PASSED
18	setText(findTestObject("Object Repository/Master Data/Loop/input_usepoint"), "112-UWFI-19" + use_point.toString())  Text '112-UWFI-199068' is set on object 'Object Repository/Master Data/Loop/input_usepoint'	1.156s	PASSED
19	click(findTestObject("Object Repository/Master Data/Loop/div_chooseroom"))  Object: 'Object Repository/Master Data/Loop/div_chooseroom' is clicked on	31.491s	PASSED
20	click(findTestObject("Object Repository/Master Data/Loop/div_namaruangan"))  Object: 'Object Repository/Master Data/Loop/div_namaruangan' is clicked on	0.668s	PASSED
21	click(findTestObject("Object Repository/Master Data/Loop/button_Next"))  Object: 'Object Repository/Master Data/Loop/button_Next' is clicked on	31.519s	PASSED
22	click(findTestObject("Object Repository/Master Data/Loop/button_Addsample"))  Object: 'Object Repository/Master Data/Loop/button_Addsample' is clicked on	0.656s	PASSED
23	setText(findTestObject("Object Repository/Master Data/Loop/input_sampleAmount"), "10")  Text '10' is set on object 'Object Repository/Master Data/Loop/input_sampleAmount'	1.133s	PASSED
24	setText(findTestObject("Object Repository/Master Data/Loop/input_volumeAmount"), "10")  Text '10' is set on object 'Object Repository/Master Data/Loop/input_volumeAmount'	1.069s	PASSED
25	click(findTestObject("Object Repository/Master Data/Loop/div_choosetesttype"))  Object: 'Object Repository/Master Data/Loop/div_choosetesttype' is clicked on	34.562s	PASSED

## DMA-TC01-Create and Submit Master Data Loop (Positif)

#	Description	Elapsed	Status
26	click(findTestObject("Object Repository/Master Data/Loop/div_chooseuru"))  Object: 'Object Repository/Master Data/Loop/div_chooseuru' is clicked on	1.905s	PASSED
27	click(findTestObject("Object Repository/Master Data/Loop/button_Addsubmit"))  Object: 'Object Repository/Master Data/Loop/button_Addsubmit' is clicked on	2.028s	PASSED
28	click(findTestObject("Master Data/Loop/button_Nextpersonnel"))  Object: 'Object Repository/Master Data/Loop/button_Nextpersonnel' is clicked on	2.983s	PASSED
29	click(findTestObject("Object Repository/Master Data/Loop/button_Addpersonnel"))  Object: 'Object Repository/Master Data/Loop/button_Addpersonnel' is clicked on	0.608s	PASSED
30	click(findTestObject("Object Repository/Master Data/Loop/checklist_MelakukanujiproteinDT"))  Object: 'Object Repository/Master Data/Loop/checklist_MelakukanujiproteinDT' is clicked on	0.506s	PASSED
31	click(findTestObject("Object Repository/Master Data/Loop/checklist_Membuatmonitoring"))  Object: 'Object Repository/Master Data/Loop/checklist_Membuatmonitoring' is clicked on	31.609s	PASSED
32	click(findTestObject("Object Repository/Master Data/Loop/button_Addsavepersonnel"))  Object: 'Object Repository/Master Data/Loop/button_Addsavepersonnel' is clicked on	0.777s	PASSED
33	click(findTestObject("Object Repository/Master Data/Loop/button_Submit"))  Object: 'Object Repository/Master Data/Loop/button_Submit' is clicked on	0.581s	PASSED

# DMA-TC02-Save As Draft (Positif)

## Information

ID	Test Cases/Data Master (DMA)/Loop/DMA-TC02-Save As Draft (Positif)		
Description			
Tag			
Start	2024-01-22 14:52:44	End	2024-01-22 14:57:19
Elapsed	4m - 34.604s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	rand = new java.util.Random()	0.000s	PASSED
2	dataLimit = 9999	0.000s	PASSED
3	loop_id = rand.nextInt(dataLimit)	0.000s	PASSED
4	use_point = rand.nextInt(dataLimit)	0.000s	PASSED
5	callTestCase(findTestCase("Authentikasi (AUT)/AUT-TC01-Login (Positif)", [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/Authentikasi (AUT)/AUT-TC01-Login (Positif)' successfully	13.744s	PASSED
6	click(findTestObject("Master Data/Loop/span_Masterdata"))  Object: 'Object Repository/Master Data/Loop/span_Masterdata' is clicked on	4.311s	PASSED
7	click(findTestObject("Object Repository/Master Data/Loop/span_Loop"))  Object: 'Object Repository/Master Data/Loop/span_Loop' is clicked on	0.518s	PASSED

## DMA-TC02-Save As Draft (Positif)

#	Description	Elapsed	Status
8	click(findTestObject("Object Repository/Master Data/Loop/button_CreateLoop"))  Object: 'Object Repository/Master Data/Loop/button_CreateLoop' is clicked on	1.575s	PASSED
9	setText(findTestObject("Object Repository/Master Data/Loop/input_usepointid"), "LOOP GD" + loop_id.toString())  Text 'LOOP GD9088' is set on object 'Object Repository/Master Data/Loop/input_usepointid'	2.843s	PASSED
10	click(findTestObject("Object Repository/Master Data/Loop/div_watertype"))  Object: 'Object Repository/Master Data/Loop/div_watertype' is clicked on	0.389s	PASSED
11	click(findTestObject("Object Repository/Master Data/Loop/div_Watertypepretreatmentwatertapwater"))  Object: 'Object Repository/Master Data/Loop/div_Watertypepretreatmentwatertapwater' is clicked on	0.512s	PASSED
12	click(findTestObject("Object Repository/Master Data/Loop/div_organization"))  Object: 'Object Repository/Master Data/Loop/div_organization' is clicked on	31.448s	PASSED
13	click(findTestObject("Object Repository/Master Data/Loop/div_Sekretariat"))  Object: 'Object Repository/Master Data/Loop/div_Sekretariat' is clicked on	1.379s	PASSED
14	click(findTestObject("Master Data/Loop/div_Facilitywtp"))  Object: 'Object Repository/Master Data/Loop/div_Facilitywtp' is clicked on	34.357s	PASSED
15	click(findTestObject("Master Data/Loop/div_Fasilitasproduksibulkpertusis"))  Object: 'Object Repository/Master Data/Loop/div_Fasilitasproduksibulkpertusis' is clicked on	2.003s	PASSED
16	click(findTestObject("Object Repository/Master Data/Loop/div_choosefrequency"))  Object: 'Object Repository/Master Data/Loop/div_choosefrequency' is clicked on	34.001s	PASSED

## DMA-TC02-Save As Draft (Positif)

#	Description	Elapsed	Status
17	click(findTestObject("Object Repository/Master Data/Loop/div_weekly"))  Object: 'Object Repository/Master Data/Loop/div_weekly' is clicked on	2.109s	PASSED
18	setText(findTestObject("Object Repository/Master Data/Loop/input_usepoint"), "112-UWFI-19" + use_point.toString())  Text '112-UWFI-198881' is set on object 'Object Repository/Master Data/Loop/input_usepoint'	4.210s	PASSED
19	click(findTestObject("Object Repository/Master Data/Loop/div_chooseroom"))  Object: 'Object Repository/Master Data/Loop/div_chooseroom' is clicked on	33.711s	PASSED
20	click(findTestObject("Object Repository/Master Data/Loop/div_namaruangan"))  Object: 'Object Repository/Master Data/Loop/div_namaruangan' is clicked on	2.033s	PASSED
21	click(findTestObject("Object Repository/Master Data/Loop/button_Next"))  Object: 'Object Repository/Master Data/Loop/button_Next' is clicked on	31.462s	PASSED
22	click(findTestObject("Object Repository/Master Data/Loop/button_Addsample"))  Object: 'Object Repository/Master Data/Loop/button_Addsample' is clicked on	0.822s	PASSED
23	setText(findTestObject("Object Repository/Master Data/Loop/input_sampleAmount"), "5")  Text '5' is set on object 'Object Repository/Master Data/Loop/input_sampleAmount'	1.124s	PASSED
24	setText(findTestObject("Object Repository/Master Data/Loop/input_volumeAmount"), "5")  Text '5' is set on object 'Object Repository/Master Data/Loop/input_volumeAmount'	1.132s	PASSED
25	click(findTestObject("Object Repository/Master Data/Loop/div_choosetesttype"))  Object: 'Object Repository/Master Data/Loop/div_choosetesttype' is clicked on	34.397s	PASSED



## DMA-TC02-Save As Draft (Positif)

#	Description	Elapsed	Status
26	click(findTestObject("Object Repository/Master Data/Loop/div_chooseuru"))  Object: 'Object Repository/Master Data/Loop/div_chooseuru' is clicked on	1.575s	PASSED
27	click(findTestObject("Object Repository/Master Data/Loop/button_Addsubmit"))  Object: 'Object Repository/Master Data/Loop/button_Addsubmit' is clicked on	0.479s	PASSED
28	click(findTestObject("Master Data/Loop/button_Nextpersonnel"))  Object: 'Object Repository/Master Data/Loop/button_Nextpersonnel' is clicked on	0.544s	PASSED
29	click(findTestObject("Object Repository/Master Data/Loop/button_Addpersonnel"))  Object: 'Object Repository/Master Data/Loop/button_Addpersonnel' is clicked on	0.573s	PASSED
30	click(findTestObject("Object Repository/Master Data/Loop/checklist_MelakukanujiproteinDT"))  Object: 'Object Repository/Master Data/Loop/checklist_MelakukanujiproteinDT' is clicked on	0.494s	PASSED
31	click(findTestObject("Object Repository/Master Data/Loop/checklist_Membuatmonitoring"))  Object: 'Object Repository/Master Data/Loop/checklist_Membuatmonitoring' is clicked on	31.559s	PASSED
32	click(findTestObject("Object Repository/Master Data/Loop/button_Addsavepersonnel"))  Object: 'Object Repository/Master Data/Loop/button_Addsavepersonnel' is clicked on	0.691s	PASSED
33	click(findTestObject("Master Data/Loop/button_Saveasdraft"))  Object: 'Object Repository/Master Data/Loop/button_Saveasdraft' is clicked on	0.594s	PASSED

# DMA-TC03-Update Master Data Loop (Positif)

## Information

ID	Test Cases/Data Master (DMA)/Loop/DMA-TC03-Update Master Data Loop (Positif)		
Description			
Tag			
Start	2024-01-22 14:58:08	End	2024-01-22 14:58:35
Elapsed	26.521s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Authentikasi (AUT)/AUT-TC01-Login (Positif)", [:], STOP_ON_FAILURE))  Call Test Case 'Test Cases/Authentikasi (AUT)/AUT-TC01-Login (Positif)' successfully	14.547s	PASSED
2	click(findTestObject("Master Data/Loop/span_Masterdata"))  Object: 'Object Repository/Master Data/Loop/span_Masterdata' is clicked on	3.613s	PASSED
3	click(findTestObject("Master Data/Loop/span_Loop"))  Object: 'Object Repository/Master Data/Loop/span_Loop' is clicked on	0.617s	PASSED
4	click(findTestObject("Master Data/Loop/button_Editdataloop"))  Object: 'Object Repository/Master Data/Loop/button_Editdataloop' is clicked on	1.587s	PASSED
5	setText(findTestObject("Master Data/Loop/input_usepoint"), "112-444")  Text '112-444' is set on object 'Object Repository/Master Data/Loop/input_usepoint'	5.596s	PASSED
6	click(findTestObject("Master Data/Loop/button_Saveupdate"))  Object: 'Object Repository/Master Data/Loop/button_Saveupdate' is clicked on	0.557s	PASSED

# DMA-TC04-Archive Master Data Loop (Positif)

## Information

ID	Test Cases/Data Master (DMA)/Loop/DMA-TC04-Archive Master Data Loop (Positif)		
Description			
Tag			
Start	2024-01-22 14:58:35	End	2024-01-22 14:58:56
Elapsed	21.338s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Authentikasi (AUT)/AUT-TC01-Login (Positif)", [:], STOP_ON_FAILURE))  Call Test Case 'Test Cases/Authentikasi (AUT)/AUT-TC01-Login (Positif)' successfully	15.151s	PASSED
2	click(findTestObject("Master Data/Loop/span_Masterdata"))  Object: 'Object Repository/Master Data/Loop/span_Masterdata' is clicked on	3.461s	PASSED
3	click(findTestObject("Master Data/Loop/span_Loop"))  Object: 'Object Repository/Master Data/Loop/span_Loop' is clicked on	0.572s	PASSED
4	click(findTestObject("Master Data/Loop/button_ArchiveLoop"))  Object: 'Object Repository/Master Data/Loop/button_ArchiveLoop' is clicked on	1.445s	PASSED
5	click(findTestObject("Master Data/Loop/button_Yesarchive"))  Object: 'Object Repository/Master Data/Loop/button_Yesarchive' is clicked on	0.545s	PASSED

# DMA-TC05-Active Master Data Loop (Positif)

## Information

ID	Test Cases/Data Master (DMA)/Loop/DMA-TC05-Active Master Data Loop (Positif)		
Description			
Tag			
Start	2024-01-22 14:59:53	End	2024-01-22 15:02:19
Elapsed	2m - 26.308s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Authentikasi (AUT)/AUT-TC01-Login (Positif)", [:], STOP_ON_FAILURE))  Call Test Case 'Test Cases/Authentikasi (AUT)/AUT-TC01-Login (Positif)' successfully	14.496s	PASSED
2	click(findTestObject("Master Data/Use Point/span_Masterdata"))  Object: 'Object Repository/Master Data/Use Point/span_Masterdata' is clicked on	3.480s	PASSED
3	click(findTestObject("Master Data/Loop/span_Loop"))  Object: 'Object Repository/Master Data/Loop/span_Loop' is clicked on	0.578s	PASSED
4	click(findTestObject("Master Data/Loop/div_Filter"))  Object: 'Object Repository/Master Data/Loop/div_Filter' is clicked on	31.464s	PASSED
5	click(findTestObject("Master Data/Loop/span_Active"))  Object: 'Object Repository/Master Data/Loop/span_Active' is clicked on	31.533s	PASSED
6	click(findTestObject("Master Data/Loop/span_Draft"))  Object: 'Object Repository/Master Data/Loop/span_Draft' is clicked on	31.459s	PASSED
7	click(findTestObject("Master Data/Loop/span_Archived"))  Object: 'Object Repository/Master Data/Loop/span_Archived' is clicked on	31.629s	PASSED

# DMA-TC05-Active Master Data Loop (Positif)

#	Description	Elapsed	Status
8	click(findTestObject("Master Data/Loop/button_ActiveLoop"))  Object: 'Object Repository/Master Data/Loop/button_ActiveLoop' is clicked on	1.165s	PASSED
9	click(findTestObject("Master Data/Loop/button_Yesactive"))  Object: 'Object Repository/Master Data/Loop/button_Yesactive' is clicked on	0.499s	PASSED

# DMA-TC06-Search dan Filter Master Data Loop (Positif)

## Information

ID	Test Cases/Data Master (DMA)/Loop/DMA-TC06-Search dan Filter Master Data Loop (Positif)		
Description			
Tag			
Start	2024-01-22 15:02:19	End	2024-01-22 15:03:48
Elapsed	1m - 29.451s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Authentikasi (AUT)/AUT-TC01-Login (Positif)", [:], STOP_ON_FAILURE))  Call Test Case 'Test Cases/Authentikasi (AUT)/AUT-TC01-Login (Positif)' successfully	13.964s	PASSED
2	click(findTestObject("Master Data/Loop/span_Masterdata"))  Object: 'Object Repository/Master Data/Loop/span_Masterdata' is clicked on	3.616s	PASSED
3	click(findTestObject("Master Data/Loop/span_Loop"))  Object: 'Object Repository/Master Data/Loop/span_Loop' is clicked on	0.662s	PASSED
4	setText(findTestObject("Master Data/Loop/span_searchLoop"), "tetanus gd 11")  Text 'tetanus gd 11' is set on object 'Object Repository/Master Data/Loop/span_searchLoop'	2.462s	PASSED
5	click(findTestObject("Master Data/Loop/div_Filter"))  Object: 'Object Repository/Master Data/Loop/div_Filter' is clicked on	34.451s	PASSED
6	click(findTestObject("Master Data/Loop/span_Archived"))  Object: 'Object Repository/Master Data/Loop/span_Archived' is clicked on	34.013s	PASSED