

Thanks for signing up with Heroku! You must follow this link within 30 days of registration to activate your account:

<https://id.heroku.com/account/accept/12179935/d507699e057d1e3c5a3cd1d36cef4ef5>


Have fun, and don't hesitate to contact us with your feedback.

The Heroku Team
<https://heroku.com>

Criar uma senha

Terms of Service	
All Customers	Effective October 1, 2020, you agree that your use of the Heroku Services is governed by the Salesforce Master Subscription Agreement , unless (except for free customers of the Heroku Services) you have a written master subscription agreement executed by salesforce.com for such Heroku Services as referenced in the Documentation, in which case such written salesforce.com master subscription agreement will govern. You further agree that your use or purchase of Heroku Add-ons, Buildpacks or Buttons that are not Heroku Services ("Heroku Elements") are governed by the Heroku Elements Terms of Use (Default) , unless the Heroku Elements Marketplace provider has furnished to Heroku a separate terms of use, in which case such provider's terms of use govern the use or purchase of the applicable Heroku Elements. Additional Terms apply to credit card customers of the Heroku Services.
Heroku Marketplace Providers	If you are or become a Heroku Elements Marketplace Provider, you further agree that your participation in the Heroku Elements Marketplace is governed by the Salesforce License and Distribution Agreement for the Heroku Elements Marketplace .
Italian Customers	Are you domiciled in Italy? <input type="radio"/> No.
Accept	

Entrar na página principal do Heroku



Manter a página do heroku aberta

Entrar no código da api de filmes

Criar um arquivo chamado Procfile


```
Procfile
1 web: npm start
```

Arquivo que o Heroku vai usar para iniciar a API

criar o arquivo .gitignore na raiz do projeto

```
.gitignore
1 node_modules/
2 .env
```

Entrar no banco de dados do mongo e adicionar o network que dá acesso a todos os ips.



+ ADD IP ADDRESS

Edit IP Access List Entry

Atlas only allows client connections to a cluster from entries in the project's IP Access List. Each entry should either be a single IP address or a CIDR-notated range of addresses. [Learn more.](#)

ADD CURRENT IP ADDRESS

Access List Entry:

0.0.0.0/0

Comment:

Optional comment describing this entry

Confirm

pode manter o IP anteriormente cadastrado

Fazer o deploy no Heroku

Entrar no Heroku e clicar em NEW

New

Create new app

Colocar o nome da aplicação

App name

api-filmes-sg-<nome>

This name should only contain lowercase letters, numbers, and dashes.

Choose a region

United States

Create app

Instalar pelo heroku cli



Heroku Git
Use Heroku CLI



GitHub
Connect to GitHub



Container Registry
Use Heroku CLI

Download and install the **Heroku CLI**

Windows

Download the appropriate
installer for your Windows
installation:

64-bit installer

32-bit installer

instalar o heroku cli

Entrar no projeto novamente e no terminal do VSCode instalar o pacote do heroku

```
npm install heroku
```

Entrar na pasta do do projeto e abrir o git bash

Com o git bash na pasta do projeto, realizar o login no heroku

```
heroku login
```

Apertar qualquer tecla e realiza o login via browser

Entrar na página do projeto e abrir outro terminal bash

Iniciar um repositório

```
git init
```

Adicionar o repositório remoto do heroku utilizando o nome do app criado

```
$ heroku git:remote -a app-teste-api-vini
```

Realiza o deploy com os códigos

```
$ git add .  
$ git commit -am "make it better"  
$ git push heroku master
```

Toda vez que ocorrer uma alteração no código é necessário realiza esses 3 comandos novamente para realizar o deploy

Voltar ao site do heroku e configurar a variável de ambiente

Overview Resources Deploy Metrics Activity Access **Settings**

Add this app to a pipeline Add this app to a stage in a pipeline
Create a new pipeline or choose an existing Pipeline let you connect

Config Vars
Config vars change the way your app behaves. In addition to creating your own, some add-ons come with their own.
Reveal Config Vars

Config Vars **Hide Config Vars**

There are no config vars for this app yet
[Learn about config vars](#) in the Dev Center.

Utilizar o mesmo nome e endereço do arquivo .env do código.

MONGO_URL

mongodb+srv://vinicius:super123@apiclustervinc.mongodb.net/?retryWrites=true&w=majority

Add